




Ergebnis:	383	(396.8)
Serien:	94 96 98 95	
Zähler:	25 13 2 0 0 0 0 0 0 0	
Innenzehner:	16	
weiteste:	528 (39), 519 (4), 494 (1)	
beste Teiler	53.8 (7.) 69.0 (11.) 90.0 (16.)	
Trefferlage	1.37 mm rechts, 0.40 mm tief	
Streuwert	1.81, horizontal: 1.85, vertikal: 1.77	




Serie 1:

9.0 ↘	10.3 *	9.3 ↗	8.9 ↘	10.3 *
10.4 *	10.7 *	9.5 ↘	9.0 ↗	10.1 ↘
beste Teiler	53.8 (7.) 145.9 (6.) 152.5 (5.)			
Trefferlage	1.89 mm rechts, 0.07 mm hoch			
Streuwert	2.14, horizontal: 1.46, vertikal: 2.65			




Serie 2:

10.7 *	10.1 ↘	10.1 ↗	9.6 ↘	9.5 ↘
10.6 *	9.1 ↘	10.1 ↗	10.6 *	9.7 ↗
beste Teiler	69.0 (11.) 90.0 (16.) 94.7 (19.)			
Trefferlage	1.69 mm rechts, 0.16 mm hoch			
Streuwert	1.55, horizontal: 1.44, vertikal: 1.65			



Serie 3:

9.1 ↘	10.2 *	10.4 *	10.0 →	10.0 ↘
10.3 *	10.2 *	10.3 *	10.4 *	9.9 ↘
beste Teiler	126.3 (23.) 136.1 (29.) 152.6 (28.)			
Trefferlage	0.98 mm rechts, 1.20 mm tief			
Streuwert	1.30, horizontal: 1.56, vertikal: 0.96			





Serie 4:

10.0 ↘	10.4 *	9.5 ↘	10.1 ↖	10.0 →
10.5 *	9.5 ↘	9.3 ←	8.8 ↘	10.3 *
beste Teiler	124.3 (36.) 140.4 (32.) 156.0 (40.)			
Trefferlage	0.92 mm rechts, 0.67 mm tief			
Streuwert	2.10, horizontal: 2.71, vertikal: 1.23			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (389.5)
 Serien: 92 97 94 87
 Zähler: 18 19 2 0 0 0 0 1 0 0
 Innenzehner: 11
 weiteste: 1807 (32), 717 (22), 504 (38)
 beste Teiler 62.3 (28.) 84.4 (2.) 123.7 (24.)
 Trefferlage 0.83 mm rechts, 0.29 mm tief
 Streuwert 2.83, horizontal: 2.14, vertikal: 3.37




Serie 1:
 9.7 ↘ 10.6 * 9.8 ↗ 9.7 ← 9.9 ↑
 9.9 ← 10.1 → 9.7 ↖ 9.7 ↑ 9.6 ↑
 beste Teiler 84.4 (2.) 204.3 (7.) 252.2 (6.)
 Trefferlage 0.13 mm links, 1.25 mm hoch
 Streuwert 1.85, horizontal: 1.97, vertikal: 1.72



Serie 2:
 10.3 * 9.6 ↗ 10.2 * 10.0 ↙ 10.0 ↖
 9.7 → 10.1 → 10.1 ↑ 10.2 * 9.9 ↙
 beste Teiler 162.4 (11.) 187.0 (13.) 188.0 (19.)
 Trefferlage 0.60 mm rechts, 0.13 mm hoch
 Streuwert 1.74, horizontal: 1.85, vertikal: 1.62





Serie 3:
 10.0 → 8.1 → 10.3 * 10.5 * 9.3 →
 10.3 * 9.7 ↑ 10.7 * 9.3 → 9.8 →
 beste Teiler 62.3 (28.) 123.7 (24.) 151.6 (26.)
 Trefferlage 2.05 mm rechts, 0.20 mm hoch
 Streuwert 2.06, horizontal: 2.48, vertikal: 1.52




Serie 4:
 9.9 → 3.7 ↓ 9.8 ↓ 9.4 ↙ 9.9 ↘
 10.2 * 10.1 ↓ 8.9 → 10.4 * 10.4 *
 beste Teiler 126.7 (40.) 142.7 (39.) 179.2 (36.)
 Trefferlage 0.78 mm rechts, 2.78 mm tief
 Streuwert 4.19, horizontal: 1.93, vertikal: 5.60

Unterschrift des Schützen


Ergebnis:	381	(397.5)
Serien:	95 95 94 97	
Zähler:	22 17 1 0 0 0 0 0 0 0	
Innenzehner:	16	
weiteste:	736 (1), 492 (4), 450 (40)	
beste Teiler	55.2 (24.) 57.4 (2.) 67.8 (39.)	
Trefferlage	0.91 mm links, 0.42 mm tief	
Streuwert	1.96, horizontal: 2.35, vertikal: 1.46	




Serie 1:	8.0 ←	10.7 *	10.2 *	9.0 ←	9.2 ←
	9.8 →	10.0 ↓	10.0 ↗	10.4 *	10.6 *
beste Teiler	57.4 (2.) 98.7 (10.) 133.8 (9.)				
Trefferlage	1.59 mm links, 0.39 mm tief				
Streuwert	2.34, horizontal: 3.05, vertikal: 1.28				



Serie 2:	10.0 ↙	9.9 →	10.2 *	10.0 ←	9.5 ←
	9.6 ↗	10.3 *	9.8 ↓	9.6 ↙	10.4 *
beste Teiler	131.0 (20.) 162.6 (17.) 187.2 (13.)				
Trefferlage	0.82 mm links, 0.42 mm tief				
Streuwert	1.83, horizontal: 2.03, vertikal: 1.62				





Serie 3:	9.3 →	9.9 →	10.1 ↖	10.7 *	10.6 *
	9.7 ↙	9.3 ↘	10.3 *	9.7 ←	9.7 ←
beste Teiler	55.2 (24.) 77.0 (25.) 153.3 (28.)				
Trefferlage	0.24 mm links, 0.24 mm tief				
Streuwert	2.08, horizontal: 2.60, vertikal: 1.38				




Serie 4:	9.2 ↓	10.2 *	10.0 ↙	10.6 *	10.6 *
	9.7 ↖	10.2 *	10.6 *	10.7 *	9.2 ←
beste Teiler	67.8 (39.) 81.6 (34.) 97.1 (38.)				
Trefferlage	0.98 mm links, 0.64 mm tief				
Streuwert	1.68, horizontal: 1.65, vertikal: 1.72				

Unterschrift des Schützen


Ergebnis:	378	(396.2)
Serien:	95 95 94 94	
Zähler:	20 18 2 0 0 0 0 0 0 0	
Innenzehner:	11	
weiteste:	548 (32), 522 (6), 418 (14)	
beste Teiler	48.2 (26.) 60.6 (27.) 72.3 (37.)	
Trefferlage	0.35 mm rechts, 0.07 mm hoch	
Streuwert	2.04, horizontal: 1.84, vertikal: 2.23	




Serie 1:	10.3 *	10.6 *	10.0 ↓	10.1 ↗	9.6 ↖
	8.9 ↗	9.8 ↗	9.9 ←	10.1 ↑	10.0 ↘
beste Teiler	100.4 (2.)	158.4 (1.)	202.2 (9.)		
Trefferlage	0.53 mm rechts, 1.19 mm hoch				
Streuwert	1.81, horizontal: 2.06, vertikal: 1.53				



Serie 2:	10.5 *	10.6 *	9.3 ↘	9.3 ↓	10.0 ↑
	9.8 ↖	9.3 ↑	9.7 ↗	10.0 ↓	10.1 ↘
beste Teiler	84.1 (12.)	105.3 (11.)	222.4 (20.)		
Trefferlage	0.07 mm rechts, 0.02 mm hoch				
Streuwert	2.20, horizontal: 1.86, vertikal: 2.50				



Serie 3:	10.1 →	9.4 ↖	10.4 *	9.5 ↓	9.7 ↓
	10.8 *	10.7 *	9.6 ↑	9.5 ↑	9.5 →
beste Teiler	48.2 (26.)	60.6 (27.)	141.9 (23.)		
Trefferlage	0.29 mm rechts, 0.40 mm tief				
Streuwert	2.12, horizontal: 1.92, vertikal: 2.30				





Serie 4:	9.7 →	8.8 ↓	10.4 *	9.4 ↘	10.3 *
	9.7 ↑	10.7 *	10.0 ↘	9.9 ↑	10.2 *
beste Teiler	72.3 (37.)	129.1 (33.)	159.2 (35.)		
Trefferlage	0.52 mm rechts, 0.51 mm tief				
Streuwert	2.10, horizontal: 1.75, vertikal: 2.39				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	362	(383.0)
Serien:	91 92 91 88	
Zähler:	8 28 2 2 0 0 0 0 0 0	
Innenzehner:	6	
weiteste:	833 (2), 763 (40), 576 (38)	
beste Teiler	50.6 (33.) 56.8 (9.) 77.6 (17.)	
Trefferlage	0.41 mm rechts, 0.20 mm tief	
Streuwert	2.71, horizontal: 2.89, vertikal: 2.50	




Serie 1:	9.4 ↖	7.6 ↖	9.8 ↑	9.9 ↗	10.0 ↘
	9.3 ↖	10.3 *	9.4 ↖	10.7 *	9.4 ↘
beste Teiler	56.8 (9.)	168.6 (7.)	242.8 (5.)		
Trefferlage	2.04 mm links, 1.46 mm hoch				
Streuwert	2.27, horizontal: 2.72, vertikal: 1.72				



Serie 2:	10.2 *	9.7 ↓	9.9 ↓	9.6 ↑	9.7 ↑
	9.9 ←	10.6 *	9.3 ↙	9.9 ↘	9.5 →
beste Teiler	77.6 (17.)	190.0 (11.)	253.7 (19.)		
Trefferlage	0.35 mm links, 0.13 mm tief				
Streuwert	2.16, horizontal: 1.76, vertikal: 2.50				





Serie 3:	9.8 ↘	9.7 →	10.1 ↙	9.8 ↘	10.4 *
	9.3 ↘	8.7 →	9.4 ↓	9.0 ↓	9.0 ↘
beste Teiler	127.0 (25.)	222.2 (23.)	285.6 (21.)		
Trefferlage	1.53 mm rechts, 1.48 mm tief				
Streuwert	2.35, horizontal: 2.54, vertikal: 2.14				



Serie 4:	9.1 ↘	9.6 ↓	10.8 *	9.9 ↓	9.6 ↓
	9.1 ↗	9.8 ↓	8.6 ↗	9.3 ↗	7.9 →
beste Teiler	50.6 (33.)	255.0 (34.)	300.6 (37.)		
Trefferlage	2.53 mm rechts, 0.66 mm tief				
Streuwert	2.63, horizontal: 2.36, vertikal: 2.88				


Unterschrift des Schützen

Ergebnis:	386	(404.6)
Serien:	95 97 96 98	
Zähler:	27 12 1 0 0 0 0 0 0 0	
Innenzehner:	23	
weiteste:	585 (3), 469 (21), 457 (4)	
beste Teiler	11.6 (24.) 40.1 (10.) 52.8 (18.)	
Trefferlage	0.09 mm rechts, 0.03 mm tief	
Streuwert	1.74, horizontal: 1.63, vertikal: 1.84	




Serie 1:

10.2 *	10.6 *	8.6 ↖	9.1 ↗	10.4 *
10.4 *	9.8 ↗	10.3 *	9.7 ↘	10.8 *
beste Teiler	40.1 (10.)	76.2 (2.)	141.4 (5.)	
Trefferlage	0.76 mm rechts, 0.90 mm hoch			
Streuwert	1.97, horizontal: 1.94, vertikal: 2.01			




Serie 2:

10.6 *	9.4 ↘	10.1 ←	10.1 ↖	10.2 *
9.9 ↖	10.4 *	10.7 *	9.8 ↖	10.2 *
beste Teiler	52.8 (18.)	78.2 (11.)	126.1 (17.)	
Trefferlage	0.30 mm links, 0.08 mm hoch			
Streuwert	1.65, horizontal: 1.33, vertikal: 1.91			



Serie 3:

9.1 ↓	9.7 ↓	10.1 ↗	10.9 *	9.9 ↖
9.3 ↘	10.2 *	10.4 *	10.7 *	10.2 *
beste Teiler	11.6 (24.)	68.6 (29.)	146.1 (28.)	
Trefferlage	0.30 mm rechts, 0.63 mm tief			
Streuwert	1.89, horizontal: 1.85, vertikal: 1.93			





Serie 4:


9.9 ←	9.8 ↖	10.4 *	10.7 *	10.3 *
10.2 *	10.1 ↗	10.4 *	10.6 *	10.4 *
beste Teiler	68.6 (34.)	79.0 (39.)	126.5 (40.)	
Trefferlage	0.39 mm links, 0.50 mm tief			
Streuwert	1.27, horizontal: 1.26, vertikal: 1.27			

Unterschrift des Schützen


Ergebnis:	368	(387.1)
Serien:	90 92 91 95	
Zähler:	15 20 3 2 0 0 0 0 0 0	
Innenzehner:	9	
weiteste:	841 (12), 840 (2), 610 (6)	
beste Teiler	42.7 (19.) 90.5 (39.) 117.6 (38.)	
Trefferlage	0.42 mm rechts, 0.59 mm tief	
Streuwert	2.54, horizontal: 3.13, vertikal: 1.77	




Serie 1:	10.1 ↗	7.6 ←	9.6 ↘	10.4 *	8.8 →
	8.5 ←	10.1 →	9.6 ←	9.5 ←	10.2 *
beste Teiler	144.6 (4.)	185.3 (10.)	212.4 (1.)		
Trefferlage	1.04 mm links, 0.57 mm tief				
Streuwert	3.12, horizontal: 4.18, vertikal: 1.39				



Serie 2:	9.5 →	7.6 ↗	9.1 ↘	10.2 *	9.1 ↘
	9.7 ↓	10.4 *	9.7 ←	10.8 *	10.2 *
beste Teiler	42.7 (19.)	126.6 (17.)	187.0 (14.)		
Trefferlage	1.17 mm rechts, 0.62 mm tief				
Streuwert	2.77, horizontal: 2.96, vertikal: 2.57				



Serie 3:	9.3 ↘	9.8 →	10.0 ↓	9.3 →	9.9 →
	9.7 →	9.9 →	9.9 ↓	9.9 →	9.4 ←
beste Teiler	236.5 (23.)	258.5 (28.)	261.7 (29.)		
Trefferlage	1.77 mm rechts, 0.50 mm tief				
Streuwert	1.93, horizontal: 2.31, vertikal: 1.45				





Serie 4:	10.1 ←	9.6 ↙	8.9 ↙	9.6 →	10.3 *
	10.0 ↗	9.6 ↓	10.5 *	10.6 *	10.1 →
beste Teiler	90.5 (39.)	117.6 (38.)	158.0 (35.)		
Trefferlage	0.21 mm links, 0.67 mm tief				
Streuwert	2.03, horizontal: 2.31, vertikal: 1.71				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	378	(396.4)
Serien:	94 97 95 92	
Zähler:	19 20 1 0 0 0 0 0 0	
Innenzehner:	14	
weiteste:	520 (39), 481 (5), 480 (12)	
beste Teiler	44.7 (20.) 69.8 (28.) 96.1 (13.)	
Trefferlage	0.26 mm links, 0.28 mm hoch	
Streuwert	2.04, horizontal: 2.33, vertikal: 1.71	




Serie 1:	9.1 ↖	9.5 ↖	10.3 *	10.5 *	9.0 ↑
	9.7 ↖	9.8 ↖	10.3 *	9.9 ↘	10.3 *
beste Teiler	103.4 (4.)	158.9 (3.)	165.0 (8.)		
Trefferlage	0.86 mm links, 0.20 mm hoch				
Streuwert	2.14, horizontal: 2.08, vertikal: 2.21				



Serie 2:	10.2 *	9.0 ↗	10.6 *	10.4 *	9.9 ↗
	10.2 *	10.0 →	10.3 *	9.8 ←	10.8 *
beste Teiler	44.7 (20.)	96.1 (13.)	140.0 (14.)		
Trefferlage	1.19 mm rechts, 0.52 mm hoch				
Streuwert	1.49, horizontal: 1.74, vertikal: 1.19				





Serie 3:	9.8 ↗	9.9 ↖	9.8 →	10.5 *	9.8 ↘
	9.4 ←	10.1 ↘	10.7 *	10.4 *	10.0 ↙
beste Teiler	69.8 (28.)	112.4 (24.)	132.2 (29.)		
Trefferlage	0.53 mm rechts, 0.29 mm tief				
Streuwert	1.79, horizontal: 2.10, vertikal: 1.42				




Serie 4:	10.5 *	9.2 ↖	9.6 ↑	9.3 ↖	10.1 ↖
	9.5 ↖	9.4 ↖	10.1 ↖	8.9 ←	9.8 →
beste Teiler	113.2 (31.)	209.8 (38.)	216.4 (35.)		
Trefferlage	1.90 mm links, 0.71 mm hoch				
Streuwert	2.12, horizontal: 2.32, vertikal: 1.90				

Unterschrift des Schützen


Ergebnis:	396	(415.3)			
Serien:	100	99	98	99	10
Zähler:	37	4	0	0	0
Innenzehner:	32				
weiteste:	363 (34), 295 (25), 287 (24)				
beste Teiler	6.7 (10.) 8.6 (26.) 46.0 (40.)				
Trefferlage	0.14 mm links, 0.08 mm hoch				
Streuwert	1.18, horizontal: 1.28, vertikal: 1.08				




Serie 1:	10.4 *	10.5 *	10.0 ✓	10.4 *	10.7 *
	10.7 *	10.7 *	10.4 *	10.6 *	10.9 *
beste Teiler	6.7 (10.) 54.0 (7.) 72.0 (5.)				
Trefferlage	0.28 mm links, 0.19 mm tief				
Streuwert	0.86, horizontal: 0.81, vertikal: 0.91				




Serie 2:	10.1 ✖	10.4 *	10.2 *	10.6 *	10.2 *
	9.8 ✎	10.2 *	10.1 ✎	10.7 *	10.5 *
beste Teiler	51.8 (19.) 99.7 (14.) 124.3 (20.)				
Trefferlage	0.05 mm rechts, 0.40 mm hoch				
Streuwert	1.32, horizontal: 1.47, vertikal: 1.14				



Serie 3:	10.0 →	10.6 *	10.8 *	9.8 ✎	9.8 ✎
	10.9 *	10.1 ✖	10.5 *	10.2 *	10.4 *
beste Teiler	8.6 (26.) 50.2 (23.) 94.0 (22.)				
Trefferlage	0.41 mm links, 0.07 mm hoch				
Streuwert	1.37, horizontal: 1.49, vertikal: 1.25				



Serie 4:	10.7 *	10.5 *	10.3 *	9.5 ✎	10.6 *
	10.2 *	10.5 *	10.8 *	10.2 *	10.8 *
beste Teiler	46.0 (40.) 50.2 (38.) 74.3 (31.)				
Trefferlage	0.09 mm rechts, 0.23 mm hoch				
Streuwert	1.23, horizontal: 1.44, vertikal: 0.97				





Serie 5:	10.3 *				
beste Teiler					
Trefferlage	0.32 mm links, 1.55 mm tief				
Streuwert	0.00, horizontal: 0.00, vertikal: 0.00				

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	388	(402.9)
Serien:	96 96 98 98 10	
Zähler:	31 8 2 0 0 0 0 0 0	
Innenzehner:	18	
weiteste:	620 (3), 519 (11), 415 (21)	
beste Teiler	36.6 (28.) 46.1 (12.) 65.7 (4.)	
Trefferlage	0.56 mm rechts, 0.05 mm tief	
Streuwert	1.74, horizontal: 2.02, vertikal: 1.40	




Serie 1:

9.8 ↗	10.1 →	8.5 ↘	10.7 *	10.6 *
10.1 ↑	10.1 →	10.4 *	9.9 ↓	10.1 ↘
beste Teiler	65.7 (4.)	96.6 (5.)	148.5 (8.)	
Trefferlage	1.29 mm rechts, 0.03 mm hoch			
Streuwert	1.79, horizontal: 1.82, vertikal: 1.76			




Serie 2:

8.9 ↘	10.8 *	9.6 ↘	10.1 ↙	10.1 →
10.1 →	10.0 ↑	10.5 *	9.9 →	10.0 ←
beste Teiler	46.1 (12.)	119.8 (18.)	215.0 (16.)	
Trefferlage	1.14 mm rechts, 0.36 mm tief			
Streuwert	1.78, horizontal: 2.14, vertikal: 1.32			




Serie 3:

9.3 ←	9.6 ←	10.0 ←	10.6 *	10.2 *
10.3 *	10.0 ↘	10.8 *	10.4 *	10.2 *
beste Teiler	36.6 (28.)	81.9 (24.)	136.5 (29.)	
Trefferlage	0.82 mm links, 0.19 mm tief			
Streuwert	1.61, horizontal: 1.86, vertikal: 1.31			



Serie 4:

10.4 *	9.3 ↘	10.2 *	10.3 *	10.5 *
10.3 *	10.0 ↘	9.8 →	10.2 *	10.2 *
beste Teiler	118.5 (35.)	150.6 (31.)	162.0 (36.)	
Trefferlage	0.66 mm rechts, 0.09 mm hoch			
Streuwert	1.59, horizontal: 1.91, vertikal: 1.19			





Serie 5:

10.1 ↑				
beste Teiler				
Trefferlage	0.10 mm rechts, 2.20 mm hoch			
Streuwert	0.00, horizontal: 0.00, vertikal: 0.00			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	388	(404.4)
Serien:	97 98 97 96 10	
Zähler:	29 12 0 0 0 0 0 0 0	
Innenzehner:	26	
weiteste:	494 (30), 488 (5), 487 (23)	
beste Teiler	61.1 (29.) 68.4 (28.) 103.0 (21.)	
Trefferlage	0.79 mm rechts, 0.79 mm hoch	
Streuwert	1.49, horizontal: 1.47, vertikal: 1.51	




Serie 1:	9.8 ↑	9.8 →	10.1 ↘	10.2 *	9.0 ↗
	10.5 *	10.3 *	10.0 ↓	10.4 *	10.2 *
beste Teiler	103.5 (6.)	131.3 (9.)	162.0 (7.)		
Trefferlage	0.52 mm rechts, 1.04 mm hoch				
Streuwert	1.65, horizontal: 1.48, vertikal: 1.81				




Serie 2:	10.3 *	10.2 *	10.3 *	9.9 ↑	10.4 *
	10.4 *	10.5 *	10.5 *	10.4 *	9.1 ↘
beste Teiler	113.7 (17.)	125.8 (18.)	140.7 (16.)		
Trefferlage	0.07 mm rechts, 0.00 mm				
Streuwert	1.59, horizontal: 1.54, vertikal: 1.64				



Serie 3:	10.5 *	10.4 *	9.0 ↗	9.7 →	10.4 *
	10.2 *	10.4 *	10.7 *	10.7 *	9.0 ↗
beste Teiler	61.1 (29.)	68.4 (28.)	103.0 (21.)		
Trefferlage	1.43 mm rechts, 1.29 mm hoch				
Streuwert	1.35, horizontal: 1.60, vertikal: 1.04				



Serie 4:	10.2 *	10.5 *	10.5 *	10.3 *	9.6 ↑
	9.9 ↗	10.1 →	9.8 ↗	9.7 →	10.5 *
beste Teiler	105.1 (40.)	110.4 (32.)	118.0 (33.)		
Trefferlage	1.17 mm rechts, 1.03 mm hoch				
Streuwert	1.20, horizontal: 1.12, vertikal: 1.28				





Serie 5:	10.5 *				
beste Teiler					
Trefferlage	0.76 mm rechts, 0.97 mm tief				
Streuwert	0.00, horizontal: 0.00, vertikal: 0.00				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **392** (406.1)
 Serien: 99 96 98 99 10
 Zähler: 33 8 0 0 0 0 0 0 0 0
 Innenzehner: 23
 weiteste: 494 (24), 468 (10), 409 (13)
 beste Teiler 51.0 (25.) 52.0 (39.) 54.3 (35.)
 Trefferlage 0.06 mm links, 0.10 mm tief
 Streuwert 1.59, horizontal: 1.88, vertikal: 1.22




Serie 1:
 10.4 * 10.1 → 10.6 * 10.0 ↖ 10.2 *
 10.4 * 10.3 * 10.2 * 10.4 * 9.1 ↗
 beste Teiler 93.1 (3.) 126.6 (9.) 130.5 (1.)
 Trefferlage 0.38 mm rechts, 0.23 mm hoch
 Streuwert 1.59, horizontal: 1.84, vertikal: 1.30




Serie 2:
 10.0 → 10.1 → 9.3 ← 10.2 * 10.6 *
 9.8 ↙ 9.9 → 9.6 ↙ 10.0 ↗ 10.7 *
 beste Teiler 73.4 (20.) 92.4 (15.) 195.8 (14.)
 Trefferlage 0.26 mm links, 0.08 mm hoch
 Streuwert 1.90, horizontal: 2.38, vertikal: 1.25



Serie 3:
 10.0 ↓ 10.0 ↙ 10.3 * 9.0 ← 10.7 *
 10.3 * 10.1 → 10.2 * 10.5 * 9.9 ↘
 beste Teiler 51.0 (25.) 122.0 (29.) 174.3 (23.)
 Trefferlage 0.73 mm links, 0.66 mm tief
 Streuwert 1.64, horizontal: 2.01, vertikal: 1.17



Serie 4:
 9.9 ↗ 10.2 * 10.3 * 10.0 ↘ 10.7 *
 10.1 → 10.4 * 10.5 * 10.7 * 10.4 *
 beste Teiler 52.0 (39.) 54.3 (35.) 123.9 (38.)
 Trefferlage 0.46 mm rechts, 0.06 mm tief
 Streuwert 1.21, horizontal: 1.20, vertikal: 1.21





Serie 5:
 10.4 *
 beste Teiler
 Trefferlage 1.29 mm links, 0.32 mm tief
 Streuwert 0.00, horizontal: 0.00, vertikal: 0.00

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	384	(402.1)
Serien:	95 96 96 97 10	
Zähler:	25 16 0 0 0 0 0 0 0	
Innenzehner:	16	
weiteste:	454 (9), 421 (16), 400 (3)	
beste Teiler	86.3 (34.) 88.8 (23.) 89.4 (17.)	
Trefferlage	0.21 mm links, 0.54 mm hoch	
Streuwert	1.70, horizontal: 1.84, vertikal: 1.54	



Serie 1:

9.6 →	10.5 *	9.4 ↖	10.1 ↘	10.1 →
9.7 ↘	9.9 ↗	10.2 *	9.1 ↖	10.1 ↑


beste Teiler 120.9 (2.) 194.0 (8.) 210.0 (5.)
 Trefferlage 0.18 mm rechts, 0.88 mm hoch
 Streuwert 2.07, horizontal: 2.29, vertikal: 1.81



Serie 2:

9.4 ↖	10.4 *	10.1 ↑	10.4 *	10.3 *
9.3 ↖	10.6 *	9.6 ↘	10.6 *	9.9 ←


beste Teiler 89.4 (17.) 92.1 (19.) 126.3 (14.)
 Trefferlage 0.63 mm links, 0.83 mm hoch
 Streuwert 1.69, horizontal: 2.05, vertikal: 1.24



Serie 3:

9.9 ←	10.5 *	10.6 *	10.1 ↑	10.1 ↖
10.6 *	10.1 ↓	9.9 ↗	9.9 →	9.7 ↘


beste Teiler 88.8 (23.) 90.7 (26.) 122.1 (22.)
 Trefferlage 0.17 mm links, 0.49 mm tief
 Streuwert 1.58, horizontal: 1.78, vertikal: 1.34



Serie 4:

9.8 →	10.4 *	9.9 ↑	10.6 *	10.4 *
10.1 ↖	9.6 ↗	10.4 *	10.0 ↖	10.2 *

beste Teiler 86.3 (34.) 128.0 (32.) 136.1 (35.)
 Trefferlage 0.17 mm links, 0.90 mm hoch
 Streuwert 1.47, horizontal: 1.42, vertikal: 1.51



Serie 5:



10.4 *				
--------	--	--	--	--

beste Teiler
 Trefferlage 0.85 mm links, 1.12 mm hoch
 Streuwert 0.00, horizontal: 0.00, vertikal: 0.00


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **387** (406.4)
 Serien: 97 96 98 96 9
 Zähler: 27 14 0 0 0 0 0 0 0
 Innenzehner: 22
 weiteste: 482 (26), 461 (10), 425 (8)
 beste Teiler 22.0 (4.) 37.2 (1.) 39.3 (29.)
 Trefferlage 0.90 mm links, 0.08 mm tief
 Streuwert 1.53, horizontal: 1.68, vertikal: 1.35




Serie 1:
 10.8 * 9.8 ↖ 10.4 * 10.9 * 10.3 *
 10.7 * 10.2 * 9.3 ↙ 10.8 * 9.1 ←
 beste Teiler 22.0 (4.) 37.2 (1.) 48.0 (9.)
 Trefferlage 1.44 mm links, 0.06 mm tief
 Streuwert 1.38, horizontal: 1.57, vertikal: 1.16




Serie 2:
 9.8 ↘ 10.1 ↙ 10.8 * 10.2 * 9.9 ↙
 9.9 ← 10.1 ↑ 9.6 ↘ 10.6 * 10.0 ↙
 beste Teiler 47.6 (13.) 81.3 (19.) 185.4 (14.)
 Trefferlage 0.81 mm links, 0.21 mm tief
 Streuwert 1.60, horizontal: 1.52, vertikal: 1.68



Serie 3:
 10.5 * 10.2 * 10.7 * 10.2 * 10.4 *
 9.0 ← 9.6 ↘ 10.0 → 10.8 * 10.3 *
 beste Teiler 39.3 (29.) 72.4 (23.) 113.7 (21.)
 Trefferlage 0.42 mm links, 0.17 mm hoch
 Streuwert 1.71, horizontal: 2.19, vertikal: 1.00



Serie 4:
 10.2 * 9.7 ↖ 9.7 ↙ 10.5 * 10.4 *
 10.7 * 10.5 * 10.1 ↓ 9.9 ← 9.7 ↓
 beste Teiler 51.0 (36.) 101.5 (37.) 104.3 (34.)
 Trefferlage 0.72 mm links, 0.36 mm tief
 Streuwert 1.52, horizontal: 1.40, vertikal: 1.63





Serie 5:
 9.7 ↖
 beste Teiler
 Trefferlage 2.80 mm links, 1.20 mm hoch
 Streuwert 0.00, horizontal: 0.00, vertikal: 0.00

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	382	(401.3)
Serien:	96 94 94 98 10	
Zähler:	23 18 0 0 0 0 0 0 0	
Innenzehner:	18	
weiteste:	460 (30), 428 (3), 412 (8)	
beste Teiler	21.9 (39.) 66.4 (13.) 69.7 (6.)	
Trefferlage	0.20 mm links, 0.09 mm hoch	
Streuwert	1.83, horizontal: 1.71, vertikal: 1.93	




Serie 1:

10.3 *	10.2 *	9.2 ↗	10.6 *	10.1 ↘
10.7 *	10.0 ↓	9.3 ↓	9.8 ↗	9.7 ↘
beste Teiler	69.7 (6.)	77.8 (4.)	159.0 (1.)	
Trefferlage	0.00 mm , 0.42 mm hoch			
Streuwert	1.96, horizontal: 1.34, vertikal: 2.43			




Serie 2:

9.6 ↘	10.3 *	10.7 *	9.5 ↑	10.1 ↑
9.8 ↘	9.9 ↘	9.9 ↓	9.9 ↖	10.5 *
beste Teiler	66.4 (13.)	117.0 (20.)	172.9 (12.)	
Trefferlage	0.33 mm rechts, 0.30 mm hoch			
Streuwert	1.84, horizontal: 1.73, vertikal: 1.95			




Serie 3:

10.4 *	9.8 ↖	9.8 ↗	10.3 *	10.6 *
9.6 ↖	9.3 ↖	9.5 ↘	10.2 *	9.1 ↓
beste Teiler	78.7 (25.)	144.2 (21.)	157.5 (24.)	
Trefferlage	0.68 mm links, 0.27 mm hoch			
Streuwert	2.15, horizontal: 2.23, vertikal: 2.06			



Serie 4:

10.4 *	10.3 *	9.7 ↙	10.1 ↘	10.3 *
10.6 *	10.2 *	9.6 ↙	10.9 *	10.5 *
beste Teiler	21.9 (39.)	88.0 (36.)	116.2 (40.)	
Trefferlage	0.39 mm links, 0.36 mm tief			
Streuwert	1.45, horizontal: 1.60, vertikal: 1.28			





Serie 5:

10.0 ↓				
beste Teiler				
Trefferlage	0.78 mm links, 2.26 mm tief			
Streuwert	0.00, horizontal: 0.00, vertikal: 0.00			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	390	(405.8)
Serien:	95 99 100 96 10	
Zähler:	32 8 1 0 0 0 0 0 0	
Innenzehner:	27	
weiteste:	555 (4), 493 (5), 486 (8)	
beste Teiler	38.6 (2.) 53.9 (40.) 80.0 (22.)	
Trefferlage	0.07 mm links, 0.02 mm tief	
Streuwert	1.67, horizontal: 1.97, vertikal: 1.30	




Serie 1:	10.3 *	10.8 *	10.3 *	8.7 ↖	9.0 →
	9.8 ↙	10.6 *	9.0 →	10.4 *	10.2 *
beste Teiler	38.6 (2.)	97.8 (7.)	134.8 (9.)		
Trefferlage	0.49 mm rechts, 0.32 mm tief				
Streuwert	2.30, horizontal: 3.09, vertikal: 1.02				




Serie 2:	10.3 *	10.2 *	10.3 *	10.2 *	9.7 ↖
	10.1 ↙	10.0 ↘	10.1 ↑	10.5 *	10.6 *
beste Teiler	89.4 (20.)	115.4 (19.)	168.2 (13.)		
Trefferlage	0.42 mm links, 0.06 mm hoch				
Streuwert	1.42, horizontal: 1.03, vertikal: 1.73				



Serie 3:	10.2 *	10.6 *	10.0 ↘	10.6 *	10.3 *
	10.4 *	10.3 *	10.5 *	10.4 *	10.1 ↖
beste Teiler	80.0 (22.)	87.4 (24.)	121.8 (28.)		
Trefferlage	0.58 mm links, 0.00 mm				
Streuwert	1.13, horizontal: 1.03, vertikal: 1.23				



Serie 4:	10.3 *	10.5 *	10.4 *	9.7 ↖	9.8 ↙
	10.6 *	9.2 ↖	10.4 *	9.7 →	10.7 *
beste Teiler	53.9 (40.)	93.9 (36.)	122.1 (32.)		
Trefferlage	0.03 mm rechts, 0.21 mm hoch				
Streuwert	1.76, horizontal: 2.09, vertikal: 1.35				



Serie 5:	10.2 *				
beste Teiler					
Trefferlage	1.92 mm rechts, 0.56 mm tief				
Streuwert	0.00, horizontal: 0.00, vertikal: 0.00				

Unterschrift des Schützen

Meyton Elektronik