





Ergebnis: **379** (399.1)  
 Serien: 98 95 95 91  
 Zähler: 23 16 0 0 0 1 0 0 0 0  
 Innenzehner: 15  
 weiteste: 1442 (35), 421 (18), 418 (3)  
 beste Teiler 10.1 (4.) 31.9 (36.) 58.8 (7.)  
 Trefferlage 0.04 mm links, 0.35 mm tief  
 Streuwert 2.33, horizontal: 2.80, vertikal: 1.74




Serie 1:  
 10.6 \*                      10.5 \*                      9.3 ↗                      10.9 \*                      9.9 ↓  
 10.5 \*                      10.7 \*                      10.0 →                      10.0 ←                      10.6 \*  
 beste Teiler 10.1 (4.) 58.8 (7.) 86.0 (1.)  
 Trefferlage 0.01 mm rechts, 0.08 mm hoch  
 Streuwert 1.49, horizontal: 1.54, vertikal: 1.44



Serie 2:  
 9.8 ↓                      9.6 ↑                      10.5 \*                      9.6 ↙                      10.0 ←  
 10.5 \*                      10.5 \*                      9.3 ↙                      9.7 ←                      10.7 \*  
 beste Teiler 64.2 (20.) 104.1 (16.) 109.4 (13.)  
 Trefferlage 1.26 mm links, 0.44 mm tief  
 Streuwert 1.66, horizontal: 1.47, vertikal: 1.84





Serie 3:  
 10.1 ↓                      9.8 ↓                      9.7 →                      9.8 ↖                      10.1 ↘  
 10.2 \*                      10.5 \*                      9.9 ↑                      10.2 \*                      9.5 ↘  
 beste Teiler 123.0 (27.) 178.0 (29.) 191.3 (26.)  
 Trefferlage 0.18 mm links, 0.72 mm tief  
 Streuwert 1.79, horizontal: 1.63, vertikal: 1.93




Serie 4:  
 9.9 ↖                      10.1 ←                      10.6 \*                      10.1 ↙                      5.2 →  
 10.8 \*                      9.9 →                      10.0 ↖                      9.9 ↓                      9.6 ↗  
 beste Teiler 31.9 (36.) 91.9 (33.) 211.0 (32.)  
 Trefferlage 1.27 mm rechts, 0.33 mm tief  
 Streuwert 3.65, horizontal: 4.81, vertikal: 1.87

Unterschrift des Schützen


Ergebnis:	<b>389</b>	(406.8)
Serien:	96 98 96 99	
Zähler:	29 11 0 0 0 0 0 0 0 0	
Innenzehner:	21	
weiteste:	426 (25), 412 (26), 406 (10)	
beste Teiler	12.0 (8.) 24.1 (7.) 34.0 (9.)	
Trefferlage	0.12 mm links, 0.12 mm hoch	
Streuwert	1.64, horizontal: 1.76, vertikal: 1.50	




Serie 1:	9.5 ↘	10.3 *	9.5 ↗	10.0 ↘	10.5 *
	9.6 ↘	10.9 *	10.9 *	10.8 *	9.3 ↘
beste Teiler	12.0 (8.)	24.1 (7.)	34.0 (9.)		
Trefferlage	0.86 mm rechts, 0.17 mm hoch				
Streuwert	1.78, horizontal: 1.45, vertikal: 2.06				



Serie 2:	10.7 *	10.7 *	9.9 ↖	10.7 *	10.4 *
	10.6 *	10.3 *	10.4 *	9.5 ✓	10.1 ✓
beste Teiler	61.6 (11.)	66.0 (14.)	69.8 (12.)		
Trefferlage	0.02 mm links, 0.20 mm tief				
Streuwert	1.36, horizontal: 1.39, vertikal: 1.32				





Serie 3:	10.4 *	10.3 *	10.5 *	10.0 ✓	9.2 →
	9.3 ←	10.1 ↑	10.5 *	9.5 ✓	9.7 ←
beste Teiler	107.6 (23.)	123.8 (28.)	140.2 (21.)		
Trefferlage	0.95 mm links, 0.08 mm hoch				
Streuwert	1.92, horizontal: 2.28, vertikal: 1.49				




Serie 4:	10.4 *	10.1 →	10.0 ←	10.6 *	10.0 ↖
	10.7 *	10.1 ↗	9.9 ↖	10.7 *	10.2 *
beste Teiler	74.4 (36.)	75.1 (39.)	89.0 (34.)		
Trefferlage	0.37 mm links, 0.43 mm hoch				
Streuwert	1.33, horizontal: 1.49, vertikal: 1.15				

Unterschrift des Schützen


Ergebnis:	<b>370</b>	(387.6)
Serien:	94 91 90 95	
Zähler:	17 16 7 0 0 0 0 0 0 0	
Innenzehner:	10	
weiteste:	744 (16), 656 (26), 645 (34)	
beste Teiler	61.7 (15.) 68.0 (32.) 69.0 (39.)	
Trefferlage	0.34 mm links, 1.04 mm hoch	
Streuwert	2.47, horizontal: 2.82, vertikal: 2.07	




Serie 1:	10.6 *	10.0 ↘	9.4 ↖	10.4 *	9.8 ↘
	10.1 ←	9.8 ↑	10.0 →	8.4 ↖	9.1 ↖
beste Teiler	81.5 (1.)	139.5 (4.)	225.4 (6.)		
Trefferlage	1.58 mm links, 1.12 mm hoch				
Streuwert	2.03, horizontal: 2.60, vertikal: 1.21				



Serie 2:	9.9 ↘	10.4 *	10.1 ↘	9.5 →	10.7 *
	8.0 ↖	9.1 ↖	8.7 ↖	9.6 ↘	9.3 →
beste Teiler	61.7 (15.)	133.2 (12.)	213.5 (13.)		
Trefferlage	0.59 mm links, 1.44 mm hoch				
Streuwert	2.77, horizontal: 3.41, vertikal: 1.92				



Serie 3:	9.5 ↑	10.2 *	8.6 ↘	9.9 ↘	9.2 ↘
	8.3 →	8.8 ↑	9.7 →	10.1 ↓	10.4 *
beste Teiler	144.3 (30.)	183.7 (22.)	224.2 (29.)		
Trefferlage	1.20 mm rechts, 0.48 mm hoch				
Streuwert	2.86, horizontal: 2.65, vertikal: 3.05				



Serie 4:	10.1 ↗	10.7 *	9.9 ↑	8.4 ↖	9.3 ↘
	10.5 *	9.7 ↑	10.6 *	10.7 *	10.1 ↘
beste Teiler	68.0 (32.)	69.0 (39.)	76.7 (38.)		
Trefferlage	0.41 mm links, 1.12 mm hoch				
Streuwert	2.02, horizontal: 2.15, vertikal: 1.89				

Unterschrift des Schützen

Ergebnis: **385** (403.0)

Serien: 97 97 97 94

Zähler: 26 13 1 0 0 0 0 0 0 0



Innenzehner: 22

weiteste: 656 (34), 454 (22), 447 (37)

beste Teiler 21.6 (10.) 32.2 (30.) 36.8 (13.)

Trefferlage 0.50 mm links, 0.44 mm hoch

Streuwert 1.81, horizontal: 2.15, vertikal: 1.37




Serie 1:

9.8 ↗	10.7 *	10.5 *	9.7 ←	10.5 *
10.5 *	9.4 ↘	10.1 ↘	10.3 *	10.9 *

beste Teiler 21.6 (10.) 73.6 (2.) 104.5 (5.)

Trefferlage 0.71 mm links, 0.80 mm hoch

Streuwert 1.38, horizontal: 1.36, vertikal: 1.40




Serie 2:

10.2 *	10.4 *	10.8 *	9.9 ↘	10.5 *
9.6 ↓	10.3 *	10.3 *	9.3 ←	10.1 →

beste Teiler 36.8 (13.) 122.3 (15.) 146.1 (12.)

Trefferlage 0.21 mm links, 0.00 mm

Streuwert 1.73, horizontal: 1.96, vertikal: 1.47




Serie 3:

10.4 *	9.1 ←	9.5 ←	9.8 →	10.1 ←
10.4 *	10.6 *	10.5 *	10.2 *	10.8 *

beste Teiler 32.2 (30.) 77.9 (27.) 117.6 (28.)

Trefferlage 0.61 mm links, 0.48 mm hoch

Streuwert 1.69, horizontal: 2.26, vertikal: 0.76



Serie 4:

10.4 *	10.5 *	9.6 ←	8.3 ←	9.2 →
9.7 ↘	9.2 ↑	10.4 *	10.4 *	10.1 ←

beste Teiler 105.3 (32.) 129.4 (38.) 139.5 (31.)



Trefferlage 0.49 mm links, 0.48 mm hoch

Streuwert 2.47, horizontal: 3.02, vertikal: 1.75


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (387.4)  
 Serien: 97 92 92 89  
 Zähler: 19 13 7 1 0 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 757 (38), 636 (5), 599 (24)  
 beste Teiler 51.4 (17.) 70.1 (22.) 107.7 (10.)  
 Trefferlage 0.92 mm rechts, 0.03 mm hoch  
 Streuwert 2.49, horizontal: 3.14, vertikal: 1.59




Serie 1:  
 10.4 \*                      9.5 →                      10.1 ↓                      10.0 ↙                      8.4 →  
 10.0 ↘                      10.2 \*                      10.3 \*                      10.3 \*                      10.5 \*  
 beste Teiler 107.7 (10.) 134.3 (1.) 155.2 (9.)  
 Trefferlage 0.78 mm rechts, 0.25 mm tief  
 Streuwert 2.02, horizontal: 2.39, vertikal: 1.57



Serie 2:  
 10.0 ↓                      9.9 ↗                      10.0 ↑                      9.9 ←                      9.2 →  
 9.9 ↖                      10.7 \*                      8.7 ←                      8.8 →                      10.2 \*  
 beste Teiler 51.4 (17.) 198.1 (20.) 247.3 (11.)  
 Trefferlage 0.18 mm rechts, 0.47 mm hoch  
 Streuwert 2.52, horizontal: 3.16, vertikal: 1.65



Serie 3:  
 10.3 \*                      10.7 \*                      9.7 ←                      8.6 →                      9.9 ←  
 8.9 →                      9.1 ↗                      9.5 ←                      10.0 ↗                      10.1 ↓  
 beste Teiler 70.1 (22.) 174.6 (21.) 201.2 (30.)  
 Trefferlage 0.84 mm rechts, 0.57 mm hoch  
 Streuwert 2.55, horizontal: 3.34, vertikal: 1.36





Serie 4:  
 9.0 ↙                      8.7 →                      10.3 \*                      10.0 ←                      9.8 ↘  
 9.3 ↖                      9.8 →                      7.9 →                      10.2 \*                      8.6 →  
 beste Teiler 166.7 (33.) 187.8 (39.) 229.8 (34.)  
 Trefferlage 1.90 mm rechts, 0.63 mm tief  
 Streuwert 2.91, horizontal: 3.75, vertikal: 1.68


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>388</b>	(405.3)
Serien:	97 94 98 99	
Zähler:	31 6 3 0 0 0 0 0 0 0	
Innenzehner:	23	
weiteste:	589 (12), 588 (5), 508 (17)	
beste Teiler	45.4 (39.) 69.0 (18.) 69.3 (36.)	
Trefferlage	0.05 mm links, 0.25 mm hoch	
Streuwert	1.73, horizontal: 2.04, vertikal: 1.35	




Serie 1:					
	10.5 *	10.1 ↑	9.8 ↑	10.1 →	8.6 ↖
	10.3 *	10.3 *	10.1 ←	10.3 *	10.4 *
beste Teiler	104.0 (1.) 147.1 (10.) 156.5 (6.)				
Trefferlage	0.41 mm links, 0.80 mm hoch				
Streuwert	1.84, horizontal: 2.17, vertikal: 1.43				



Serie 2:					
	10.0 →	8.6 →	9.7 →	10.3 *	10.3 *
	10.0 →	8.9 ←	10.7 *	9.4 ↖	10.5 *
beste Teiler	69.0 (18.) 101.7 (20.) 153.0 (15.)				
Trefferlage	0.68 mm rechts, 0.22 mm hoch				
Streuwert	2.35, horizontal: 3.12, vertikal: 1.16				





Serie 3:					
	10.2 *	10.6 *	10.6 *	9.7 ↓	10.1 ←
	10.4 *	10.0 →	10.2 *	10.2 *	9.9 ↑
beste Teiler	83.2 (22.) 87.3 (23.) 142.6 (26.)				
Trefferlage	0.43 mm links, 0.01 mm tief				
Streuwert	1.47, horizontal: 1.40, vertikal: 1.54				




Serie 4:					
	10.1 ↑	10.5 *	9.9 ↓	10.5 *	10.3 *
	10.7 *	10.6 *	10.5 *	10.8 *	10.6 *
beste Teiler	45.4 (39.) 69.3 (36.) 91.7 (40.)				
Trefferlage	0.04 mm links, 0.01 mm hoch				
Streuwert	1.09, horizontal: 0.84, vertikal: 1.29				

Unterschrift des Schützen


Ergebnis:	<b>379</b>	(393.4)
Serien:	94 93 96 96	
Zähler:	20 19 1 0 0 0 0 0 0 0	
Innenzehner:	13	
weiteste:	588 (16), 499 (32), 497 (13)	
beste Teiler	56.4 (37.) 73.6 (11.) 90.9 (21.)	
Trefferlage	0.44 mm rechts, 0.63 mm tief	
Streuwert	2.16, horizontal: 2.26, vertikal: 2.06	




Serie 1:	9.0 ↘	10.6 *	9.8 ↘	10.0 ↘	9.6 ↘
	9.8 →	9.2 ←	9.0 ↙	10.5 *	10.0 ↘
beste Teiler	92.8 (2.) 117.2 (9.) 230.8 (4.)				
Trefferlage	0.34 mm rechts, 0.89 mm tief				
Streuwert	2.32, horizontal: 2.62, vertikal: 1.98				



Serie 2:	10.7 *	10.1 ↗	9.0 ↓	9.1 ↓	9.8 ↗
	8.6 ←	10.2 *	9.1 ↙	9.8 ↑	10.0 ↗
beste Teiler	73.6 (11.) 198.0 (17.) 215.7 (12.)				
Trefferlage	0.88 mm links, 0.68 mm tief				
Streuwert	2.58, horizontal: 2.39, vertikal: 2.75				





Serie 3:	10.6 *	10.2 *	10.2 *	9.2 ↘	10.2 *
	10.5 *	9.9 ↖	9.7 ↑	9.4 ↘	10.6 *
beste Teiler	90.9 (21.) 91.0 (30.) 104.7 (26.)				
Trefferlage	0.99 mm rechts, 0.35 mm hoch				
Streuwert	1.71, horizontal: 2.01, vertikal: 1.35				




Serie 4:	9.8 ↓	9.0 ↓	10.2 *	10.0 ↘	10.5 *
	10.0 ↘	10.7 *	9.3 →	10.1 ↓	9.4 →
beste Teiler	56.4 (37.) 111.7 (35.) 199.9 (33.)				
Trefferlage	1.33 mm rechts, 1.32 mm tief				
Streuwert	1.70, horizontal: 1.52, vertikal: 1.85				

Unterschrift des Schützen


Ergebnis: **367** (385.5)  
 Serien: 91 95 92 89  
 Zähler: 13 21 6 0 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 687 (28), 652 (36), 643 (22)  
 beste Teiler 48.0 (15.) 76.0 (13.) 81.3 (32.)  
 Trefferlage 0.50 mm links, 0.25 mm hoch  
 Streuwert 2.56, horizontal: 3.05, vertikal: 1.97




Serie 1:  
 10.1 ↘                      8.8 ↖                      9.5 ↓                      9.4 ↗                      9.7 ↑  
 9.0 →                      9.7 ←                      10.2 \*                      9.0 ↙                      9.9 ↑  
 beste Teiler 180.7 (8.) 224.2 (1.) 263.0 (10.)  
 Trefferlage 0.04 mm links, 0.33 mm hoch  
 Streuwert 2.77, horizontal: 3.01, vertikal: 2.50



Serie 2:  
 9.6 ↗                      9.9 ↘                      10.6 \*                      10.0 ↗                      10.8 \*  
 9.3 ↗                      9.5 ←                      10.2 \*                      10.0 ↗                      9.4 ←  
 beste Teiler 48.0 (15.) 76.0 (13.) 190.8 (18.)  
 Trefferlage 0.52 mm links, 0.42 mm tief  
 Streuwert 2.02, horizontal: 2.29, vertikal: 1.70



Serie 3:  
 10.3 \*                      8.4 ↖                      9.8 ↗                      10.1 ↗                      9.7 →  
 10.2 \*                      10.1 ↗                      8.2 ←                      8.7 ↗                      10.2 \*  
 beste Teiler 165.5 (21.) 189.8 (30.) 194.7 (26.)  
 Trefferlage 0.07 mm rechts, 0.64 mm hoch  
 Streuwert 2.91, horizontal: 3.74, vertikal: 1.72





Serie 4:  
 9.9 ←                      10.6 \*                      9.7 ↗                      9.5 ↗                      8.6 ←  
 8.3 ←                      9.7 ←                      9.5 ↘                      9.6 ↖                      9.8 ↘  
 beste Teiler 81.3 (32.) 275.0 (31.) 285.2 (40.)  
 Trefferlage 1.54 mm links, 0.46 mm hoch  
 Streuwert 2.64, horizontal: 3.17, vertikal: 1.97

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **332** (349.5)  
 Serien: 78 82 88 84  
 Zähler: 5 13 16 3 2 0 1 0 0 0  
 Innenzehner: 5  
 weiteste: 1503 (36), 1214 (8), 1001 (20)  
 beste Teiler 81.3 (2.) 148.6 (40.) 171.2 (30.)  
 Trefferlage 0.67 mm links, 0.71 mm tief  
 Streuwert 4.44, horizontal: 4.88, vertikal: 3.95




Serie 1:  
 8.4 ↓ 10.6 \* 9.1 ↗ 8.7 ↖ 8.1 →  
 8.2 ↘ 7.5 ↙ 6.1 ↖ 7.0 → 7.2 ↓  
 beste Teiler 81.3 (2.) 456.1 (3.) 565.9 (4.)  
 Trefferlage 0.84 mm rechts, 1.96 mm tief  
 Streuwert 5.53, horizontal: 5.82, vertikal: 5.22



Serie 2:  
 9.6 ← 8.5 ← 8.2 ↓ 9.1 ↗ 8.3 ↖  
 9.9 ↓ 8.3 → 8.4 ← 9.0 ← 6.9 →  
 beste Teiler 270.2 (16.) 330.2 (11.) 471.6 (14.)  
 Trefferlage 0.68 mm links, 0.91 mm tief  
 Streuwert 4.51, horizontal: 5.66, vertikal: 2.95



Serie 3:  
 8.9 ↙ 9.9 ↙ 8.0 ↓ 9.9 → 8.2 ↑  
 9.7 ↙ 8.5 ↑ 10.2 \* 9.2 ↑ 10.3 \*  
 beste Teiler 171.2 (30.) 188.4 (28.) 256.0 (24.)  
 Trefferlage 0.36 mm links, 0.24 mm hoch  
 Streuwert 3.44, horizontal: 2.05, vertikal: 4.41





Serie 4:  
 8.1 ↓ 9.4 ← 9.9 ← 9.7 → 8.8 ←  
 4.9 ← 9.3 ↘ 10.2 \* 8.9 ↑ 10.4 \*  
 beste Teiler 148.6 (40.) 184.5 (38.) 265.0 (33.)  
 Trefferlage 2.51 mm links, 0.22 mm tief  
 Streuwert 4.23, horizontal: 5.16, vertikal: 3.04


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>367</b>	(384.0)
Serien:	91	93 92 91
Zähler:	14	19 7 0 0 0 0 0 0 0
Innenzehner:	8	
weiteste:	703	(19), 691 (30), 659 (37)
beste Teiler	53.7	(11.) 75.6 (17.) 91.0 (27.)
Trefferlage	0.11 mm	links, 1.12 mm hoch
Streuwert	2.59,	horizontal: 3.24, vertikal: 1.72




Serie 1:	10.0 ↑	8.8 ↗	10.1 →	8.8 →	9.3 ↗
	9.6 ←	10.0 ↑	8.7 ↙	10.2 *	9.9 ↑
beste Teiler	197.9	(9.) 220.8 (3.)	232.0 (1.)		
Trefferlage	0.46 mm	rechts, 1.42 mm	hoch		
Streuwert	2.60,	horizontal: 3.17, vertikal: 1.86			



Serie 2:	10.7 *	9.3 ←	9.8 ↘	10.3 *	10.3 *
	9.5 →	10.7 *	9.8 ←	8.1 ←	9.6 ↘
beste Teiler	53.7	(11.) 75.6 (17.)	166.0 (14.)		
Trefferlage	1.42 mm	links, 0.74 mm	hoch		
Streuwert	2.26,	horizontal: 2.99, vertikal: 1.11			



Serie 3:	10.4 *	10.1 ↘	9.0 ↑	8.6 ←	10.2 *
	9.1 ↘	10.6 *	9.0 ↘	9.7 →	8.2 ↗
beste Teiler	91.0	(27.) 142.6 (21.)	188.6 (25.)		
Trefferlage	0.61 mm	links, 0.93 mm	hoch		
Streuwert	3.00,	horizontal: 3.62, vertikal: 2.20			





Serie 4:	10.1 ↘	10.1 ↘	9.0 ↗	9.9 ↘	9.3 ↑
	9.6 →	8.3 →	9.6 →	9.8 ←	9.9 →
beste Teiler	211.8	(32.) 215.6 (31.)	258.4 (40.)		
Trefferlage	1.11 mm	rechts, 1.39 mm	hoch		
Streuwert	2.45,	horizontal: 3.03, vertikal: 1.69			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **357** (373.5)  
 Serien: 92 85 94 86  
 Zähler: 14 15 6 4 1 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 1189 (19), 931 (15), 897 (39)  
 beste Teiler 11.1 (32.) 112.8 (30.) 144.2 (18.)  
 Trefferlage 1.25 mm links, 0.42 mm hoch  
 Streuwert 3.29, horizontal: 4.07, vertikal: 2.25




Serie 1:  
 8.4 ↘ 9.6 ↗ 10.2 \* 9.7 ↗ 9.4 →  
 9.8 ↗ 9.8 ↓ 10.2 \* 9.1 ↖ 10.0 ↘  
 beste Teiler 188.1 (3.) 198.0 (8.) 246.5 (10.)  
 Trefferlage 0.52 mm rechts, 0.96 mm hoch  
 Streuwert 2.56, horizontal: 2.79, vertikal: 2.31



Serie 2:  
 9.7 ↗ 10.2 \* 9.3 ↖ 10.2 \* 7.2 ←  
 8.9 ↗ 9.6 ← 10.4 \* 6.2 ← 7.7 ←  
 beste Teiler 144.2 (18.) 188.1 (12.) 199.8 (14.)  
 Trefferlage 3.22 mm links, 0.26 mm tief  
 Streuwert 3.82, horizontal: 5.04, vertikal: 1.93





Serie 3:  
 10.3 \* 9.0 ↖ 10.1 ↘ 9.3 ↘ 8.7 ↑  
 9.7 → 10.4 \* 9.3 ↖ 10.4 \* 10.5 \*  
 beste Teiler 112.8 (30.) 146.7 (27.) 148.2 (29.)  
 Trefferlage 0.39 mm links, 0.75 mm hoch  
 Streuwert 2.41, horizontal: 2.46, vertikal: 2.36




Serie 4:  
 7.8 ← 10.9 \* 9.2 ↘ 8.5 ↘ 10.0 ↖  
 9.4 ↗ 8.6 ↗ 8.2 ↖ 7.4 ← 10.2 \*  
 beste Teiler 11.1 (32.) 191.6 (40.) 236.4 (35.)  
 Trefferlage 1.93 mm links, 0.26 mm hoch  
 Streuwert 3.85, horizontal: 4.83, vertikal: 2.52

Unterschrift des Schützen


Ergebnis:	<b>374</b>	(392.4)
Serien:	98 93 91 92	
Zähler:	20 14 6 0 0 0 0 0 0 0	
Innenzehner:	14	
weiteste:	643 (25), 630 (16), 618 (29)	
beste Teiler	76.8 (11.) 84.8 (2.) 91.2 (13.)	
Trefferlage	0.61 mm rechts, 0.36 mm hoch	
Streuwert	2.27, horizontal: 2.93, vertikal: 1.31	




Serie 1:	10.6 *	10.6 *	10.4 *	10.2 *	10.0 →
	10.4 *	10.1 ←	10.1 ↖	9.9 ↗	9.1 →
beste Teiler	84.8 (2.)	99.3 (1.)	133.4 (3.)		
Trefferlage	1.10 mm rechts, 0.48 mm hoch				
Streuwert	1.46, horizontal: 1.97, vertikal: 0.64				



Serie 2:	10.6 *	10.2 *	10.6 *	10.2 *	8.9 ←
	8.4 →	10.3 *	8.7 →	9.5 ←	10.5 *
beste Teiler	76.8 (11.)	91.2 (13.)	109.7 (20.)		
Trefferlage	0.50 mm rechts, 0.50 mm hoch				
Streuwert	2.56, horizontal: 3.34, vertikal: 1.38				





Serie 3:	9.5 ←	10.2 *	9.6 ↖	9.9 ←	8.4 →
	10.1 ↑	9.7 ←	10.1 ↑	8.5 →	9.8 ↘
beste Teiler	179.7 (22.)	201.2 (26.)	223.7 (28.)		
Trefferlage	0.43 mm rechts, 0.28 mm hoch				
Streuwert	2.76, horizontal: 3.68, vertikal: 1.30				




Serie 4:	9.8 ↘	10.0 ↙	9.9 →	10.3 *	8.7 →
	10.2 *	9.3 ↖	9.9 ←	9.7 ↖	9.5 ↗
beste Teiler	161.6 (34.)	197.6 (36.)	231.2 (32.)		
Trefferlage	0.43 mm rechts, 0.17 mm hoch				
Streuwert	2.42, horizontal: 2.90, vertikal: 1.83				

Unterschrift des Schützen


Ergebnis:	<b>357</b>	(375.7)			
Serien:	92	89	90	86	
Zähler:	12	18	6	3	1 0 0 0 0 0
Innenzehner:	8				
weiteste:	1119	(32), 934	(22), 850	(21)	
beste Teiler	72.0	(31.)	72.4	(17.)	98.4 (28.)
Trefferlage	0.20 mm links, 0.27 mm hoch				
Streuwert	3.29, horizontal: 3.77, vertikal: 2.73				




Serie 1:	8.5 ←	9.4 ←	9.1 ↓	10.3 *	10.3 *
	9.3 ↑	10.0 →	9.6 ↗	9.8 ↗	9.8 ↓
beste Teiler	165.7 (5.) 166.1 (4.) 227.0 (7.)				
Trefferlage	0.13 mm links, 0.02 mm tief				
Streuwert	2.70, horizontal: 2.87, vertikal: 2.53				



Serie 2:	8.0 →	9.5 ↓	9.0 ↙	10.5 *	9.7 ↙
	8.4 ↘	10.7 *	7.8 ←	10.1 ↙	9.8 ↓
beste Teiler	72.4 (17.) 120.9 (14.) 211.8 (19.)				
Trefferlage	1.30 mm links, 0.19 mm tief				
Streuwert	3.36, horizontal: 3.89, vertikal: 2.72				





Serie 3:	7.6 ↗	7.2 ↖	10.4 *	10.1 ←	9.3 ↙
	10.4 *	9.9 ↓	10.6 *	9.5 ↘	9.0 ↑
beste Teiler	98.4 (28.) 131.0 (23.) 138.2 (26.)				
Trefferlage	1.38 mm links, 1.44 mm hoch				
Streuwert	3.26, horizontal: 3.69, vertikal: 2.77				




Serie 4:	10.7 *	6.5 →	8.8 ↗	9.3 ↓	9.8 ↙
	10.1 ↘	9.5 ↓	9.9 ←	8.7 →	8.8 ↗
beste Teiler	72.0 (31.) 213.8 (36.) 260.0 (38.)				
Trefferlage	1.98 mm rechts, 0.10 mm tief				
Streuwert	3.53, horizontal: 4.03, vertikal: 2.95				

Unterschrift des Schützen


Ergebnis:	<b>369</b>	(385.5)
Serien:	92 93 93 91	
Zähler:	13 23 4 0 0 0 0 0 0 0	
Innenzehner:	9	
weiteste:	746 (32), 622 (10), 551 (16)	
beste Teiler	58.0 (25.) 69.0 (36.) 129.0 (2.)	
Trefferlage	0.21 mm rechts, 0.23 mm hoch	
Streuwert	2.57, horizontal: 2.91, vertikal: 2.18	




Serie 1:	9.9 ↘	10.4 *	9.3 ←	9.9 ←	9.2 ↘
	9.6 ↘	10.4 *	9.0 ↘	10.4 *	8.5 ↘
beste Teiler	129.0 (2.) 134.2 (7.) 146.9 (9.)				
Trefferlage	2.13 mm links, 0.96 mm hoch				
Streuwert	2.03, horizontal: 2.05, vertikal: 2.01				



Serie 2:	10.4 *	9.7 ↗	10.0 →	9.8 ↗	10.0 →
	8.7 ↙	9.6 ↘	9.1 →	9.2 →	10.2 *
beste Teiler	137.6 (11.) 188.9 (20.) 239.4 (13.)				
Trefferlage	1.54 mm rechts, 0.23 mm tief				
Streuwert	2.24, horizontal: 2.36, vertikal: 2.12				





Serie 3:	10.1 ↘	9.4 ↘	9.5 ↑	10.2 *	10.7 *
	9.2 →	9.0 ←	9.4 ↗	9.6 ↗	9.4 ↓
beste Teiler	58.0 (25.) 199.7 (24.) 212.4 (21.)				
Trefferlage	0.65 mm rechts, 0.55 mm hoch				
Streuwert	2.52, horizontal: 2.56, vertikal: 2.49				




Serie 4:	9.7 →	8.0 ↘	9.2 ←	10.4 *	10.0 ↙
	10.7 *	9.8 ↘	8.9 ↗	9.6 →	9.4 ←
beste Teiler	69.0 (36.) 142.2 (34.) 236.6 (35.)				
Trefferlage	0.78 mm rechts, 0.34 mm tief				
Streuwert	2.85, horizontal: 3.42, vertikal: 2.12				

Unterschrift des Schützen


Ergebnis:	<b>330</b>	(344.8)
Serien:	87 79 80 84	
Zähler:	11 6 13 5 3 1 1 0 0 0	
Innenzehner:	7	
weiteste:	1653 (21), 1450 (33), 1214 (25)	
beste Teiler	58.8 (10.) 92.0 (40.) 122.8 (7.)	
Trefferlage	1.52 mm rechts, 0.11 mm hoch	
Streuwert	4.78, horizontal: 5.50, vertikal: 3.93	




Serie 1:	7.5 →	7.9 ↗	9.6 →	9.0 ↙	8.3 ↘
	10.0 →	10.5 *	8.2 →	9.0 ↖	10.7 *
beste Teiler	58.8 (10.) 122.8 (7.) 242.7 (6.)				
Trefferlage	1.55 mm rechts, 0.09 mm hoch				
Streuwert	3.84, horizontal: 4.78, vertikal: 2.56				



Serie 2:	8.2 →	8.6 →	8.3 ↖	8.9 →	8.9 →
	6.7 ↖	7.9 →	10.0 ↓	7.8 ↖	9.0 →
beste Teiler	243.9 (18.) 484.0 (20.) 514.0 (15.)				
Trefferlage	1.77 mm rechts, 2.10 mm hoch				
Streuwert	4.52, horizontal: 5.28, vertikal: 3.60				





Serie 3:	4.3 ↘	8.2 →	6.8 ↖	10.2 *	6.1 →
	10.2 *	10.2 *	8.8 ↘	10.1 ↙	8.0 →
beste Teiler	180.4 (26.) 187.5 (24.) 190.0 (27.)				
Trefferlage	3.62 mm rechts, 0.58 mm tief				
Streuwert	5.49, horizontal: 6.27, vertikal: 4.57				




Serie 4:	8.1 ↘	7.8 ↓	5.2 ↙	9.5 ↙	8.1 ↑
	10.0 →	10.2 *	8.4 →	9.0 ↖	10.6 *
beste Teiler	92.0 (40.) 184.1 (37.) 232.8 (36.)				
Trefferlage	0.84 mm links, 1.14 mm tief				
Streuwert	4.97, horizontal: 5.45, vertikal: 4.44				

Unterschrift des Schützen


Ergebnis:	<b>360</b>	(376.7)
Serien:	87	93 88 92
Zähler:	16 12 8 4 0 0 0 0 0 0	
Innenzehner:	11	
weiteste:	920 (5), 799 (25), 795 (4)	
beste Teiler	46.1 (38.) 82.8 (13.) 95.3 (30.)	
Trefferlage	0.86 mm links, 0.61 mm tief	
Streuwert	3.12, horizontal: 4.10, vertikal: 1.66	




Serie 1:	10.2 *	8.3 ↙	10.0 ↘	7.8 ↙	7.3 ←
	10.3 *	8.7 ↙	8.1 ←	9.8 ↘	10.4 *
beste Teiler	143.1 (10.)	174.8 (6.)	200.5 (1.)		
Trefferlage	2.67 mm links, 1.52 mm tief				
Streuwert	3.37, horizontal: 4.53, vertikal: 1.48				



Serie 2:	10.0 ↖	10.2 *	10.6 *	9.2 ↘	10.1 ↗
	8.9 →	9.0 ↙	9.1 →	9.1 →	9.5 →
beste Teiler	82.8 (13.)	199.7 (12.)	220.8 (15.)		
Trefferlage	1.80 mm rechts, 0.47 mm tief				
Streuwert	2.41, horizontal: 2.91, vertikal: 1.79				



Serie 3:	10.3 *	10.5 *	10.0 ↙	9.0 ←	7.8 ↗
	8.8 ↖	9.8 ↖	8.9 ←	7.9 ←	10.6 *
beste Teiler	95.3 (30.)	109.0 (22.)	161.1 (21.)		
Trefferlage	2.11 mm links, 0.21 mm hoch				
Streuwert	3.14, horizontal: 4.19, vertikal: 1.46				



Serie 4:	9.7 →	8.1 ←	9.6 ↘	10.2 *	9.3 ↙
	10.0 ↖	9.9 ←	10.8 *	8.5 ↘	10.4 *
beste Teiler	46.1 (38.)	148.7 (40.)	176.1 (34.)		
Trefferlage	0.49 mm links, 0.65 mm tief				
Streuwert	2.78, horizontal: 3.57, vertikal: 1.64				

Unterschrift des Schützen