




Ergebnis:	383	(400.2)
Serien:	96 95 95 97	
Zähler:	24 15 1 0 0 0 0 0 0 0	
Innenzehner:	18	
weiteste:	611 (2), 482 (40), 447 (11)	
beste Teiler	43.9 (29.) 54.7 (13.) 63.0 (6.)	
Trefferlage	0.06 mm links, 0.60 mm hoch	
Streuwert	1.87, horizontal: 2.06, vertikal: 1.66	




Serie 1:

9.9 →	8.5 →	10.1 →	10.2 *	10.0 ↖
10.7 *	9.7 ↑	10.0 ↘	10.1 ↗	10.5 *
beste Teiler	63.0 (6.)	110.1 (10.)	183.8 (4.)	
Trefferlage	0.94 mm rechts, 0.25 mm hoch			
Streuwert	1.96, horizontal: 2.25, vertikal: 1.63			




Serie 2:

9.2 ↑	9.8 ↗	10.7 *	9.3 ↖	10.2 *
9.3 ↑	10.1 →	9.4 ←	10.5 *	10.5 *
beste Teiler	54.7 (13.)	107.0 (19.)	107.2 (20.)	
Trefferlage	0.32 mm links, 1.64 mm hoch			
Streuwert	1.81, horizontal: 1.89, vertikal: 1.72			



Serie 3:

9.5 ↖	9.8 ↗	10.3 *	9.8 ↖	9.2 ←
9.9 ↖	10.6 *	10.2 *	10.8 *	10.5 *
beste Teiler	43.9 (29.)	76.4 (27.)	103.3 (30.)	
Trefferlage	0.75 mm links, 1.13 mm hoch			
Streuwert	1.60, horizontal: 2.01, vertikal: 1.03			





Serie 4:

10.2 *	10.5 *	10.4 *	9.8 ↙	10.2 *
9.9 ↑	10.4 *	10.1 ↙	10.4 *	9.0 →
beste Teiler	108.4 (32.)	137.8 (33.)	142.8 (39.)	
Trefferlage	0.14 mm links, 0.59 mm tief			
Streuwert	1.72, horizontal: 2.00, vertikal: 1.40			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **398** (417.3)
 Serien: 99 100 100 99
 Zähler: 38 2 0 0 0 0 0 0 0 0
 Innenzehner: 30
 weiteste: 269 (34), 255 (1), 239 (36)
 beste Teiler 5.3 (32.) 14.0 (12.) 48.4 (38.)
 Trefferlage 0.23 mm links, 0.09 mm hoch
 Streuwert 1.03, horizontal: 0.97, vertikal: 1.08




Serie 1:
 9.9 ↗ 10.6 * 10.5 * 10.6 * 10.2 *
 10.7 * 10.5 * 10.8 * 10.5 * 10.1 →
 beste Teiler 50.5 (8.) 63.1 (6.) 82.0 (2.)
 Trefferlage 0.05 mm links, 0.28 mm hoch
 Streuwert 1.04, horizontal: 1.16, vertikal: 0.92



Serie 2:
 10.5 * 10.9 * 10.4 * 10.5 * 10.7 *
 10.7 * 10.3 * 10.6 * 10.4 * 10.5 *
 beste Teiler 14.0 (12.) 63.7 (16.) 69.3 (15.)
 Trefferlage 0.04 mm links, 0.12 mm hoch
 Streuwert 0.82, horizontal: 0.86, vertikal: 0.78





Serie 3:
 10.1 ↖ 10.1 ↙ 10.5 * 10.4 * 10.6 *
 10.6 * 10.6 * 10.1 ↗ 10.1 ↖ 10.6 *
 beste Teiler 77.1 (26.) 77.3 (25.) 77.7 (30.)
 Trefferlage 0.40 mm links, 0.09 mm tief
 Streuwert 1.10, horizontal: 1.12, vertikal: 1.06




Serie 4:
 10.1 ↗ 10.9 * 10.0 ↗ 9.9 ↘ 10.5 *
 10.0 ↙ 10.6 * 10.8 * 10.5 * 10.4 *
 beste Teiler 5.3 (32.) 48.4 (38.) 99.2 (37.)
 Trefferlage 0.43 mm links, 0.04 mm hoch
 Streuwert 1.22, horizontal: 0.77, vertikal: 1.54

Unterschrift des Schützen


Ergebnis:	376	(393.4)
Serien:	96 93 93 94	
Zähler:	19 18 3 0 0 0 0 0 0 0	
Innenzehner:	15	
weiteste:	698 (15), 665 (20), 553 (37)	
beste Teiler	25.9 (38.) 68.0 (22.) 90.6 (6.)	
Trefferlage	0.79 mm rechts, 0.42 mm hoch	
Streuwert	2.22, horizontal: 2.55, vertikal: 1.84	




Serie 1:	10.5 *	10.5 *	9.1 ↗	9.7 ↗	10.0 ←
	10.6 *	10.3 *	9.8 ←	10.5 *	9.9 ↑
beste Teiler	90.6 (6.)	105.1 (1.)	113.1 (9.)		
Trefferlage	0.26 mm links, 0.94 mm hoch				
Streuwert	1.65, horizontal: 1.84, vertikal: 1.44				



Serie 2:	10.2 *	10.6 *	9.9 ↘	9.2 ↘	8.2 ↗
	9.2 ←	10.2 *	10.1 ←	10.1 ↘	8.3 →
beste Teiler	96.0 (12.)	185.2 (11.)	192.7 (17.)		
Trefferlage	0.82 mm rechts, 0.02 mm tief				
Streuwert	2.88, horizontal: 3.41, vertikal: 2.23				





Serie 3:	9.2 ↗	10.7 *	9.3 →	10.3 *	9.2 →
	9.7 ↗	9.7 ↑	10.3 *	9.5 ↓	9.4 ↘
beste Teiler	68.0 (22.)	158.0 (28.)	162.5 (24.)		
Trefferlage	1.83 mm rechts, 0.43 mm hoch				
Streuwert	2.02, horizontal: 2.05, vertikal: 1.99				




Serie 4:	10.5 *	9.1 ↗	9.5 ←	10.1 ↘	9.7 ↑
	10.3 *	8.7 →	10.9 *	10.6 *	9.8 ↘
beste Teiler	25.9 (38.)	95.9 (39.)	106.3 (31.)		
Trefferlage	0.78 mm rechts, 0.35 mm hoch				
Streuwert	2.19, horizontal: 2.55, vertikal: 1.76				

Unterschrift des Schützen


Ergebnis:	391	(411.6)
Serien:	97	99 96 99
Zähler:	31	9 0 0 0 0 0 0 0 0
Innenzehner:	25	
weiteste:	341	(10), 339 (13), 337 (23)
beste Teiler	2.2	(6.) 31.9 (9.) 32.5 (21.)
Trefferlage	0.41 mm	links, 0.20 mm hoch
Streuwert	1.33,	horizontal: 1.45, vertikal: 1.18




Serie 1:	10.7 *	10.1 ↓	10.0 ←	9.8 ↘	9.8 →
	10.9 *	10.1 ↙	10.0 ↖	10.8 *	9.6 ←
beste Teiler	2.2	(6.) 31.9	(9.) 74.7	(1.)	
Trefferlage	0.84 mm	links, 0.27 mm	hoch		
Streuwert	1.52,	horizontal: 1.70,	vertikal: 1.32		



Serie 2:	10.5 *	10.3 *	9.6 ↙	10.6 *	10.3 *
	10.6 *	10.4 *	10.5 *	10.8 *	10.2 *
beste Teiler	41.6	(19.) 78.9	(16.) 93.2	(14.)	
Trefferlage	0.44 mm	links, 0.01 mm	tief		
Streuwert	1.18,	horizontal: 1.15,	vertikal: 1.21		





Serie 3:	10.8 *	9.9 ↗	9.6 ←	10.4 *	10.5 *
	10.6 *	10.0 ↗	9.9 →	10.3 *	9.9 ↙
beste Teiler	32.5	(21.) 87.2	(26.) 118.2	(25.)	
Trefferlage	0.18 mm	links, 0.60 mm	hoch		
Streuwert	1.50,	horizontal: 1.84,	vertikal: 1.06		




Serie 4:	9.8 ↓	10.7 *	10.7 *	10.6 *	10.4 *
	10.0 ←	10.5 *	10.4 *	10.6 *	10.4 *
beste Teiler	54.2	(32.) 56.3	(33.) 77.8	(39.)	
Trefferlage	0.18 mm	links, 0.03 mm	tief		
Streuwert	1.16,	horizontal: 1.12,	vertikal: 1.20		

Unterschrift des Schützen


Ergebnis:	371	(391.6)
Serien:	92 92 96 91	
Zähler:	18 15 7 0 0 0 0 0 0	
Innenzehner:	14	
weiteste:	652 (35), 636 (5), 609 (14)	
beste Teiler	39.8 (30.) 70.5 (9.) 79.4 (40.)	
Trefferlage	0.42 mm rechts, 0.36 mm tief	
Streuwert	2.36, horizontal: 2.52, vertikal: 2.20	




Serie 1:	10.5 *	9.8 ↘	8.9 →	9.1 ↑	8.4 ←
	10.5 *	9.9 ↘	10.2 *	10.7 *	9.9 ↗
beste Teiler	70.5 (9.)	106.2 (1.)	117.7 (6.)		
Trefferlage	0.01 mm rechts, 1.09 mm hoch				
Streuwert	2.40, horizontal: 2.86, vertikal: 1.84				



Serie 2:	9.9 ←	10.3 *	9.2 ←	8.5 →	10.6 *
	9.6 ↗	10.4 *	9.7 ↓	9.9 ↑	9.6 →
beste Teiler	88.2 (15.)	143.7 (17.)	172.8 (12.)		
Trefferlage	0.60 mm rechts, 0.12 mm hoch				
Streuwert	2.42, horizontal: 2.99, vertikal: 1.68				





Serie 3:	8.9 →	9.8 ↓	10.0 →	10.0 ↓	10.6 *
	10.0 ↙	10.2 *	9.6 ↘	10.6 *	10.8 *
beste Teiler	39.8 (30.)	83.4 (29.)	97.7 (25.)		
Trefferlage	0.47 mm rechts, 0.59 mm tief				
Streuwert	1.86, horizontal: 2.11, vertikal: 1.57				




Serie 4:	10.0 ↖	10.2 *	9.9 ↘	9.3 →	8.3 ↓
	10.5 *	8.8 ↓	9.2 →	8.7 ↙	10.6 *
beste Teiler	79.4 (40.)	122.9 (36.)	186.3 (32.)		
Trefferlage	0.61 mm rechts, 2.08 mm tief				
Streuwert	2.45, horizontal: 2.38, vertikal: 2.53				

Unterschrift des Schützen


Ergebnis: **391** (409.7)
 Serien: 98 97 100 96
 Zähler: 32 7 1 0 0 0 0 0 0 0
 Innenzehner: 28
 weiteste: 661 (32), 352 (15), 345 (16)
 beste Teiler 5.3 (22.) 9.2 (29.) 39.5 (27.)
 Trefferlage 0.00 mm , 0.24 mm hoch
 Streuwert 1.52, horizontal: 1.85, vertikal: 1.10




Serie 1:
 10.4 * 10.5 * 9.6 ↗ 10.2 * 10.4 *
 10.4 * 10.6 * 10.5 * 9.8 ↖ 10.5 *
 beste Teiler 95.8 (7.) 118.2 (2.) 119.8 (8.)
 Trefferlage 0.01 mm rechts, 0.64 mm hoch
 Streuwert 1.29, horizontal: 1.39, vertikal: 1.17



Serie 2:
 10.2 * 10.5 * 10.2 * 10.4 * 9.5 ←
 9.6 ↗ 10.0 ↙ 9.9 ↘ 10.0 ← 10.5 *
 beste Teiler 110.0 (20.) 116.2 (12.) 128.6 (14.)
 Trefferlage 0.44 mm links, 0.15 mm hoch
 Streuwert 1.70, horizontal: 2.03, vertikal: 1.30





Serie 3:
 10.5 * 10.9 * 10.4 * 10.4 * 10.3 *
 10.5 * 10.8 * 10.2 * 10.9 * 10.0 ←
 beste Teiler 5.3 (22.) 9.2 (29.) 39.5 (27.)
 Trefferlage 0.27 mm links, 0.00 mm
 Streuwert 1.02, horizontal: 1.15, vertikal: 0.87




Serie 4:
 10.7 * 8.3 → 10.5 * 10.0 ↑ 10.4 *
 9.6 ← 10.5 * 9.8 ↘ 10.8 * 10.5 *
 beste Teiler 43.0 (39.) 64.8 (31.) 101.8 (37.)
 Trefferlage 0.71 mm rechts, 0.18 mm hoch
 Streuwert 1.97, horizontal: 2.57, vertikal: 1.07

Unterschrift des Schützen


Ergebnis:	371	(391.4)
Serien:	96 90 90 95	
Zähler:	18 16 5 1 0 0 0 0 0 0	
Innenzehner:	16	
weiteste:	822 (16), 676 (22), 591 (37)	
beste Teiler	39.0 (5.) 40.8 (38.) 53.0 (26.)	
Trefferlage	0.17 mm rechts, 0.29 mm hoch	
Streuwert	2.43, horizontal: 3.02, vertikal: 1.65	




Serie 1:	10.2 *	9.4 ↘	10.1 ↗	10.0 →	10.8 *
	10.3 *	10.2 *	9.9 ←	9.2 ←	9.7 ↗
beste Teiler	39.0 (5.)	156.1 (6.)	191.0 (1.)		
Trefferlage	0.56 mm rechts, 0.17 mm tief				
Streuwert	1.91, horizontal: 2.37, vertikal: 1.30				



Serie 2:	10.2 *	9.2 ↘	9.6 ←	8.8 ←	9.8 ↗
	7.7 ↘	10.5 *	10.4 *	9.5 ↘	9.9 ↘
beste Teiler	119.5 (17.)	130.1 (18.)	178.2 (11.)		
Trefferlage	1.04 mm links, 0.56 mm hoch				
Streuwert	2.85, horizontal: 3.31, vertikal: 2.30				



Serie 3:	9.1 →	8.2 ←	10.2 *	10.3 *	9.9 ↗
	10.7 *	8.8 ←	9.8 ↗	9.7 ↗	8.9 →
beste Teiler	53.0 (26.)	166.7 (24.)	199.4 (23.)		
Trefferlage	0.15 mm rechts, 0.52 mm hoch				
Streuwert	2.89, horizontal: 3.72, vertikal: 1.71				





Serie 4:	10.5 *	10.2 *	10.6 *	9.2 ↘	9.4 →
	9.9 ↗	8.6 →	10.8 *	10.5 *	10.7 *
beste Teiler	40.8 (38.)	70.0 (40.)	80.0 (33.)		
Trefferlage	1.01 mm rechts, 0.27 mm hoch				
Streuwert	2.01, horizontal: 2.58, vertikal: 1.21				

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	385	(402.5)
Serien:	95	98 94 98
Zähler:	27	11 2 0 0 0 0 0 0 0
Innenzehner:	21	
weiteste:	559	(22), 519 (25), 453 (29)
beste Teiler	30.5	(8.) 62.6 (3.) 66.7 (15.)
Trefferlage	0.20 mm links, 0.14 mm hoch	
Streuwert	1.82, horizontal: 1.85, vertikal: 1.80	




Serie 1:

10.3 *	9.7 ↗	10.7 *	10.7 *	9.3 ↘
9.8 ↓	9.9 ↓	10.8 *	9.6 ↘	10.5 *
beste Teiler	30.5 (8.) 62.6 (3.) 75.3 (4.)			
Trefferlage	0.56 mm rechts, 0.69 mm tief			
Streuwert	1.66, horizontal: 1.17, vertikal: 2.04			




Serie 2:

9.3 ↑	9.8 ↖	10.5 *	10.3 *	10.7 *
10.2 *	10.4 *	10.3 *	10.4 *	10.3 *
beste Teiler	66.7 (15.) 114.9 (13.) 142.6 (17.)			
Trefferlage	0.03 mm links, 0.69 mm hoch			
Streuwert	1.45, horizontal: 1.14, vertikal: 1.71			



Serie 3:

10.6 *	8.7 ←	9.6 ←	10.1 ↑	8.9 ↘
10.2 *	10.4 *	10.1 ←	9.1 ↖	10.4 *
beste Teiler	80.0 (21.) 134.1 (27.) 145.7 (30.)			
Trefferlage	0.96 mm links, 0.32 mm hoch			
Streuwert	2.32, horizontal: 2.46, vertikal: 2.18			





Serie 4:

10.4 *	10.5 *	10.4 *	9.8 →	10.0 ←
10.0 ←	10.1 ↑	9.4 ←	10.2 *	10.1 →
beste Teiler	115.9 (32.) 130.0 (31.) 135.2 (33.)			
Trefferlage	0.37 mm links, 0.26 mm hoch			
Streuwert	1.68, horizontal: 2.16, vertikal: 1.00			


Unterschrift des Schützen

Ergebnis:	384	(406.2)
Serien:	96 95 97 96	
Zähler:	24 16 0 0 0 0 0 0 0 0	
Innenzehner:	18	
weiteste:	338 (34), 326 (36), 323 (20)	
beste Teiler	21.8 (22.) 52.0 (21.) 59.0 (11.)	
Trefferlage	0.17 mm rechts, 0.30 mm hoch	
Streuwert	1.54, horizontal: 1.59, vertikal: 1.49	




Serie 1:

10.3 *	10.0 ↑	10.1 ↓	9.9 ↘	10.5 *
9.9 ↑	9.9 ↑	9.8 ↘	10.6 *	10.4 *
beste Teiler	89.4 (9.)	102.3 (5.)	146.7 (10.)	
Trefferlage	0.29 mm links, 0.65 mm hoch			
Streuwert	1.50, horizontal: 1.10, vertikal: 1.81			




Serie 2:

10.7 *	10.4 *	10.0 ↙	9.7 ↘	9.9 →
10.5 *	10.4 *	9.9 ↙	9.9 →	9.7 →
beste Teiler	59.0 (11.)	114.1 (16.)	144.3 (12.)	
Trefferlage	0.16 mm rechts, 0.27 mm tief			
Streuwert	1.67, horizontal: 2.07, vertikal: 1.14			



Serie 3:

10.7 *	10.9 *	10.7 *	10.1 ↗	10.1 ↖
10.7 *	9.9 ↓	9.7 ↗	9.9 ↘	10.4 *
beste Teiler	21.8 (22.)	52.0 (21.)	73.3 (26.)	
Trefferlage	0.15 mm rechts, 0.66 mm hoch			
Streuwert	1.34, horizontal: 1.09, vertikal: 1.56			





Serie 4:


10.3 *	10.0 ↘	9.9 ↘	9.6 →	10.4 *
9.6 →	10.3 *	9.7 →	10.3 *	10.5 *
beste Teiler	116.8 (40.)	145.0 (35.)	153.5 (37.)	
Trefferlage	0.68 mm rechts, 0.20 mm hoch			
Streuwert	1.68, horizontal: 1.92, vertikal: 1.40			

Unterschrift des Schützen


Ergebnis: **374** (395.5)
 Serien: 96 93 91 94
 Zähler: 17 20 3 0 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 575 (30), 570 (26), 513 (10)
 beste Teiler 59.2 (11.) 74.6 (20.) 80.1 (4.)
 Trefferlage 0.17 mm links, 0.34 mm tief
 Streuwert 2.17, horizontal: 2.37, vertikal: 1.95




Serie 1:
 10.5 * 10.2 * 9.5 ↑ 10.6 * 10.5 *
 10.3 * 10.5 * 9.0 → 10.6 * 8.9 ←
 beste Teiler 80.1 (4.) 92.1 (9.) 105.9 (5.)
 Trefferlage 0.16 mm rechts, 0.35 mm hoch
 Streuwert 2.01, horizontal: 2.47, vertikal: 1.41



Serie 2:
 10.7 * 9.8 ↘ 9.1 → 9.8 ↘ 9.9 ↑
 9.5 ↓ 9.1 ↙ 10.3 * 9.6 ↙ 10.7 *
 beste Teiler 59.2 (11.) 74.6 (20.) 160.8 (18.)
 Trefferlage 0.21 mm rechts, 0.48 mm tief
 Streuwert 2.26, horizontal: 2.42, vertikal: 2.08





Serie 3:
 10.5 * 9.5 ↘ 10.4 * 9.9 ↘ 9.6 ↘
 8.7 ↙ 9.0 ↓ 9.7 ↓ 10.3 * 8.7 ←
 beste Teiler 113.0 (21.) 127.0 (23.) 163.3 (29.)
 Trefferlage 0.69 mm links, 1.62 mm tief
 Streuwert 2.41, horizontal: 2.73, vertikal: 2.03




Serie 4:
 10.5 * 9.6 ↘ 10.3 * 9.6 ↓ 10.6 *
 9.6 ↙ 9.8 ↑ 9.6 → 9.9 ↙ 10.6 *
 beste Teiler 81.3 (40.) 98.0 (35.) 120.8 (31.)
 Trefferlage 0.38 mm links, 0.36 mm hoch
 Streuwert 1.90, horizontal: 2.05, vertikal: 1.74

Unterschrift des Schützen


Ergebnis: **389** (409.2)
 Serien: 98 97 99 95
 Zähler: 29 11 0 0 0 0 0 0 0 0
 Innenzehner: 25
 weiteste: 350 (38), 341 (17), 340 (11)
 beste Teiler 22.3 (13.) 52.1 (28.) 63.1 (26.)
 Trefferlage 0.10 mm links, 0.07 mm tief
 Streuwert 1.44, horizontal: 1.69, vertikal: 1.13




Serie 1:
 10.7 * 10.6 * 10.3 * 10.6 * 10.2 *
 10.2 * 9.7 → 10.5 * 9.9 ← 10.1 ↘
 beste Teiler 70.3 (1.) 90.0 (2.) 93.9 (4.)
 Trefferlage 0.29 mm links, 0.31 mm tief
 Streuwert 1.32, horizontal: 1.69, vertikal: 0.79



Serie 2:
 9.6 ↙ 10.3 * 10.9 * 10.2 * 10.0 ←
 10.6 * 9.6 ↙ 10.6 * 10.1 ↘ 9.8 ↗
 beste Teiler 22.3 (13.) 84.5 (18.) 96.2 (16.)
 Trefferlage 0.90 mm links, 0.00 mm
 Streuwert 1.51, horizontal: 1.54, vertikal: 1.47





Serie 3:
 10.4 * 10.0 ← 9.8 ← 10.2 * 10.4 *
 10.7 * 10.4 * 10.7 * 10.2 * 10.5 *
 beste Teiler 52.1 (28.) 63.1 (26.) 109.2 (30.)
 Trefferlage 0.19 mm links, 0.71 mm tief
 Streuwert 1.13, horizontal: 1.51, vertikal: 0.53




Serie 4:
 10.4 * 10.6 * 9.9 ↗ 10.5 * 9.8 ↘
 10.6 * 9.7 → 9.6 ↗ 10.6 * 9.7 ↘
 beste Teiler 76.8 (36.) 82.2 (39.) 87.9 (32.)
 Trefferlage 0.99 mm rechts, 0.70 mm hoch
 Streuwert 1.42, horizontal: 1.66, vertikal: 1.13

Unterschrift des Schützen


Ergebnis:	380	(396.5)
Serien:	95	94 94 97
Zähler:	21 18 1	0 0 0 0 0 0 0
Innenzehner:	12	
weiteste:	553 (22), 496 (29), 471 (23)	
beste Teiler	58.3 (35.)	68.3 (18.) 100.9 (38.)
Trefferlage	0.01 mm links, 0.28 mm hoch	
Streuwert	2.02, horizontal: 2.29, vertikal: 1.70	




Serie 1:	10.0 ↘	9.9 ←	9.6 ↙	9.9 ↖	10.4 *
	9.3 ↘	9.9 ↑	10.1 ↗	10.4 *	10.2 *
beste Teiler	130.2 (9.) 135.8 (5.) 192.2 (10.)				
Trefferlage	0.10 mm links, 0.23 mm hoch				
Streuwert	1.92, horizontal: 2.08, vertikal: 1.74				



Serie 2:	9.7 →	9.3 ↗	9.7 ↘	9.7 ↗	10.1 ↑
	9.8 →	10.0 ←	10.7 *	9.9 ↑	10.2 *
beste Teiler	68.3 (18.) 187.4 (20.) 210.9 (15.)				
Trefferlage	1.00 mm rechts, 1.20 mm hoch				
Streuwert	1.68, horizontal: 2.19, vertikal: 0.93				





Serie 3:	10.3 *	8.7 ↘	9.1 ↘	10.1 ↑	10.2 *
	10.1 →	9.5 →	10.2 *	9.0 ↙	9.5 ↙
beste Teiler	160.9 (21.) 183.8 (25.) 191.6 (28.)				
Trefferlage	1.05 mm links, 0.24 mm hoch				
Streuwert	2.49, horizontal: 2.77, vertikal: 2.18				




Serie 4:	9.4 ↘	10.1 ↗	9.7 →	10.0 ↙	10.7 *
	9.8 ←	10.4 *	10.6 *	10.0 ↙	10.3 *
beste Teiler	58.3 (35.) 100.9 (38.) 149.4 (37.)				
Trefferlage	0.10 mm rechts, 0.55 mm tief				
Streuwert	1.70, horizontal: 1.91, vertikal: 1.46				

Unterschrift des Schützen


Ergebnis:	381	(399.1)
Serien:	97 92 98 94	
Zähler:	24 14 1 1 0 0 0 0 0 0	
Innenzehner:	19	
weiteste:	866 (19), 622 (13), 436 (40)	
beste Teiler	56.7 (21.) 63.7 (35.) 86.8 (17.)	
Trefferlage	0.71 mm rechts, 0.34 mm hoch	
Streuwert	1.99, horizontal: 2.34, vertikal: 1.57	




Serie 1:	9.2 ↗	10.3 *	9.6 ↘	10.0 ↙	10.3 *
	10.5 *	10.3 *	9.3 →	10.3 *	10.6 *
beste Teiler	89.4 (10.)	120.0 (6.)	163.5 (5.)		
Trefferlage	0.39 mm rechts, 0.05 mm hoch				
Streuwert	1.90, horizontal: 2.18, vertikal: 1.56				



Serie 2:	10.2 *	10.1 ↖	8.5 ↗	10.4 *	9.9 ↖
	9.7 →	10.6 *	10.2 *	7.5 →	9.9 ↙
beste Teiler	86.8 (17.)	127.0 (14.)	177.3 (18.)		
Trefferlage	0.96 mm rechts, 0.67 mm hoch				
Streuwert	2.76, horizontal: 3.47, vertikal: 1.79				



Serie 3:	10.7 *	10.1 ↗	10.6 *	10.4 *	9.8 ↑
	10.3 *	10.5 *	9.9 ↑	10.3 *	10.3 *
beste Teiler	56.7 (21.)	96.4 (23.)	108.8 (27.)		
Trefferlage	0.48 mm rechts, 0.87 mm hoch				
Streuwert	1.12, horizontal: 1.07, vertikal: 1.16				





Serie 4:	10.0 ↘	9.7 ↘	9.4 →	9.6 →	10.7 *
	10.5 *	9.8 ↘	9.9 →	10.0 ↑	9.2 ↖
beste Teiler	63.7 (35.)	115.1 (36.)	235.1 (39.)		
Trefferlage	1.00 mm rechts, 0.23 mm tief				
Streuwert	2.02, horizontal: 2.33, vertikal: 1.67				

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	380	(397.3)
Serien:	96 97 95 92	
Zähler:	22 16 2 0 0 0 0 0 0 0	
Innenzehner:	15	
weiteste:	603 (38), 527 (21), 473 (8)	
beste Teiler	69.8 (13.) 86.3 (39.) 87.4 (2.)	
Trefferlage	0.36 mm rechts, 0.16 mm hoch	
Streuwert	2.01, horizontal: 2.25, vertikal: 1.73	




Serie 1:

9.7 ↘	10.6 *	10.3 *	9.9 ↘	10.2 *
10.1 ↑	10.0 →	9.1 →	10.3 *	9.8 →
beste Teiler	87.4 (2.) 165.1 (3.) 172.4 (9.)			
Trefferlage	1.42 mm rechts, 0.72 mm tief			
Streuwert	1.51, horizontal: 1.40, vertikal: 1.61			




Serie 2:

10.0 ↓	10.3 *	10.7 *	9.5 ↗	10.2 *
10.5 *	10.1 ↗	9.9 ↙	9.4 ←	10.5 *
beste Teiler	69.8 (13.) 114.9 (16.) 122.0 (20.)			
Trefferlage	0.05 mm links, 0.10 mm tief			
Streuwert	1.74, horizontal: 1.91, vertikal: 1.54			



Serie 3:

8.8 ↖	10.1 ↗	10.6 *	9.7 ↑	10.0 →
10.3 *	10.2 *	10.2 *	9.8 ↑	9.8 ↙
beste Teiler	90.9 (23.) 166.5 (26.) 187.2 (27.)			
Trefferlage	0.05 mm rechts, 0.62 mm hoch			
Streuwert	2.02, horizontal: 2.23, vertikal: 1.79			





Serie 4:

9.6 ↖	9.9 ↑	9.6 →	9.6 ↘	10.2 *
9.6 ↖	9.1 →	8.5 ↖	10.6 *	10.0 →
beste Teiler	86.3 (39.) 183.3 (35.) 241.2 (40.)			
Trefferlage	0.03 mm rechts, 0.85 mm hoch			
Streuwert	2.53, horizontal: 3.10, vertikal: 1.77			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	392	(409.6)
Serien:	99 99 98 96	
Zähler:	32 8 0 0 0 0 0 0 0 0	
Innenzehner:	24	
weiteste:	477 (30), 441 (37), 353 (12)	
beste Teiler	13.1 (8.) 46.0 (16.) 51.4 (36.)	
Trefferlage	0.07 mm links, 0.05 mm hoch	
Streuwert	1.48, horizontal: 1.54, vertikal: 1.43	




Serie 1:					
	10.5 *	10.7 *	10.3 *	10.7 *	10.4 *
	10.4 *	10.4 *	10.9 *	10.2 *	9.8 ↓
beste Teiler	13.1 (8.)	61.2 (2.)	70.2 (4.)		
Trefferlage	0.25 mm links, 0.03 mm tief				
Streuwert	1.13, horizontal: 0.89, vertikal: 1.32				



Serie 2:					
	10.0 ↘	9.5 ↘	10.1 ↗	10.3 *	10.2 *
	10.8 *	10.7 *	10.0 ↘	10.4 *	10.4 *
beste Teiler	46.0 (16.)	70.2 (17.)	139.0 (20.)		
Trefferlage	0.42 mm rechts, 0.56 mm hoch				
Streuwert	1.37, horizontal: 1.43, vertikal: 1.31				



Serie 3:					
	9.9 ↓	10.7 *	10.6 *	10.3 *	10.7 *
	10.1 ↓	10.3 *	10.4 *	10.0 ←	9.0 ←
beste Teiler	56.0 (25.)	62.1 (22.)	83.6 (23.)		
Trefferlage	0.51 mm links, 0.28 mm tief				
Streuwert	1.59, horizontal: 1.74, vertikal: 1.44				





Serie 4:					
	10.1 ←	10.1 ↘	9.9 ↘	10.6 *	9.7 ↗
	10.7 *	9.2 ↘	9.9 ↓	10.6 *	10.1 ↘
beste Teiler	51.4 (36.)	91.5 (39.)	98.0 (34.)		
Trefferlage	0.04 mm rechts, 0.04 mm tief				
Streuwert	1.82, horizontal: 1.95, vertikal: 1.69				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	381	(396.2)
Serien:	94	97 96 94
Zähler:	22	17 1 0 0 0 0 0 0 0
Innenzehner:	13	
weiteste:	566 (37),	495 (39), 467 (1)
beste Teiler	37.2 (7.)	46.8 (38.) 63.5 (20.)
Trefferlage	0.14 mm links, 0.42 mm hoch	
Streuwert	2.07, horizontal: 2.13, vertikal: 2.01	




Serie 1:	9.1 ↑	10.2 *	10.3 *	9.4 ↘	9.9 ←
	10.2 *	10.8 *	9.2 ↘	9.8 ↖	9.6 ↖
beste Teiler	37.2 (7.)	168.6 (3.)	181.3 (6.)		
Trefferlage	1.49 mm links, 1.62 mm hoch				
Streuwert	1.61, horizontal: 1.38, vertikal: 1.81				



Serie 2:	10.1 ↓	10.3 *	9.6 ↓	10.0 ↑	10.6 *
	9.7 →	9.5 ↑	10.1 ←	10.2 *	10.7 *
beste Teiler	63.5 (20.)	80.1 (15.)	154.8 (12.)		
Trefferlage	0.22 mm rechts, 0.12 mm hoch				
Streuwert	1.77, horizontal: 1.47, vertikal: 2.03				



Serie 3:	9.9 ↗	10.1 ←	10.0 ↖	10.0 ↗	10.1 ↗
	10.0 ↓	9.2 →	10.3 *	9.5 ↖	9.9 ↘
beste Teiler	171.8 (28.)	208.8 (25.)	223.6 (22.)		
Trefferlage	0.04 mm links, 0.67 mm hoch				
Streuwert	1.99, horizontal: 2.31, vertikal: 1.62				



Serie 4:	10.2 *	10.6 *	10.0 ↓	9.9 ↑	10.3 *
	9.2 ↘	8.7 →	10.8 *	9.0 ↘	9.2 ←
beste Teiler	46.8 (38.)	99.7 (32.)	159.5 (35.)		
Trefferlage	0.75 mm rechts, 0.73 mm tief				
Streuwert	2.40, horizontal: 2.69, vertikal: 2.06				

Unterschrift des Schützen