





Ergebnis: **355** (372.5)  
 Serien: 88 88 88 91  
 Zähler: 13 12 12 3 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 2981 (9), 2693 (36), 2422 (15)  
 beste Teiler 210.0 (12.) 273.3 (29.) 303.2 (13.)  
 Trefferlage 1.41 mm links, 0.97 mm tief  
 Streuwert 10.65, horizontal: 10.93, vertikal: 10.37




Serie 1:  
 9.4 ↙ 10.3 ← 9.4 ↗ 10.0 ↓ 9.7 ↘  
 8.5 ↗ 8.5 ← 10.4 \* 7.2 ← 8.3 ↓  
 beste Teiler 462.9 (8.) 534.6 (2.) 754.3 (4.)  
 Trefferlage 3.07 mm links, 1.51 mm tief  
 Streuwert 11.80, horizontal: 13.03, vertikal: 10.42



Serie 2:  
 8.7 ↗ 10.7 \* 10.6 \* 10.0 ↓ 7.9 ←  
 9.6 ↖ 8.1 ← 10.1 ↗ 8.5 ↖ 8.0 ↖  
 beste Teiler 210.0 (12.) 303.2 (13.) 684.5 (18.)  
 Trefferlage 8.19 mm links, 0.74 mm hoch  
 Streuwert 10.22, horizontal: 11.02, vertikal: 9.36



Serie 3:  
 8.9 ↑ 8.7 ↘ 8.5 ↗ 10.4 \* 8.8 ←  
 9.0 → 9.8 ↑ 9.5 ← 10.6 \* 9.1 ↙  
 beste Teiler 273.3 (29.) 450.8 (24.) 947.4 (27.)  
 Trefferlage 1.80 mm rechts, 1.86 mm hoch  
 Streuwert 10.39, horizontal: 10.63, vertikal: 10.14





Serie 4:  
 10.2 ↓ 9.1 ↗ 9.9 → 10.4 \* 9.4 ↓  
 7.6 ↓ 9.6 ↑ 10.2 ↓ 10.2 → 8.7 ↓  
 beste Teiler 459.8 (34.) 572.4 (38.) 607.4 (39.)  
 Trefferlage 3.82 mm rechts, 5.00 mm tief  
 Streuwert 8.76, horizontal: 4.12, vertikal: 11.69


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **365** (383.6)  
 Serien: 94 87 93 91  
 Zähler: 17 13 8 2 0 0 0 0 0 0  
 Innenzehner: 12  
 weiteste: 3005 (13), 2564 (20), 2145 (16)  
 beste Teiler 226.6 (23.) 266.2 (7.) 266.5 (30.)  
 Trefferlage 2.83 mm links, 3.47 mm tief  
 Streuwert 8.75, horizontal: 9.83, vertikal: 7.53




Serie 1:  
 10.6 \* 9.0 ← 10.0 ← 9.9 ↓ 9.5 ↑  
 8.4 ↘ 10.6 \* 10.3 ↖ 10.5 \* 9.4 ↙  
 beste Teiler 266.2 (7.) 278.6 (1.) 383.2 (9.)  
 Trefferlage 2.52 mm links, 3.44 mm tief  
 Streuwert 7.22, horizontal: 6.95, vertikal: 7.48



Serie 2:  
 10.5 \* 10.6 \* 7.2 ↗ 10.3 ↘ 8.7 ←  
 8.3 ↙ 8.8 ↙ 10.6 \* 9.7 → 7.7 ←  
 beste Teiler 279.5 (12.) 310.9 (18.) 333.8 (11.)  
 Trefferlage 2.97 mm links, 1.58 mm tief  
 Streuwert 12.20, horizontal: 15.10, vertikal: 8.37





Serie 3:  
 10.1 → 10.5 \* 10.7 \* 10.4 \* 8.4 ↙  
 8.5 ← 10.0 ← 9.5 ↓ 8.8 ↙ 10.6 \*  
 beste Teiler 226.6 (23.) 266.5 (30.) 369.3 (22.)  
 Trefferlage 5.28 mm links, 4.58 mm tief  
 Streuwert 7.10, horizontal: 7.97, vertikal: 6.09




Serie 4:  
 9.1 ← 9.5 ↘ 9.3 ↓ 9.5 ↑ 8.9 ↘  
 9.0 ↙ 10.6 \* 9.4 ↓ 10.5 \* 9.7 ↖  
 beste Teiler 311.1 (37.) 371.3 (39.) 1012.7 (40.)  
 Trefferlage 0.55 mm links, 4.29 mm tief  
 Streuwert 8.44, horizontal: 8.14, vertikal: 8.73

Unterschrift des Schützen


Ergebnis: **342** (361.2)  
 Serien: 82 87 84 89  
 Zähler: 10 11 11 7 1 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 3318 (1), 3140 (12), 3075 (22)  
 beste Teiler 111.4 (15.) 255.8 (26.) 316.4 (33.)  
 Trefferlage 1.79 mm links, 0.98 mm tief  
 Streuwert 12.56, horizontal: 12.92, vertikal: 12.20




Serie 1:  
 6.8 ← 10.5 \* 9.2 ↓ 10.0 ↓ 10.5 \*  
 8.6 ↘ 8.0 → 7.8 ↙ 7.8 ↘ 7.7 ←  
 beste Teiler 363.0 (5.) 365.3 (2.) 765.8 (4.)  
 Trefferlage 9.20 mm links, 1.37 mm tief  
 Streuwert 13.63, horizontal: 15.95, vertikal: 10.81



Serie 2:  
 8.5 ← 7.0 ↗ 10.1 ↘ 9.1 ↓ 10.8 \*  
 9.2 → 8.4 ↑ 9.4 → 9.9 ↓ 8.5 ←  
 beste Teiler 111.4 (15.) 668.6 (13.) 860.2 (19.)  
 Trefferlage 2.37 mm rechts, 1.43 mm hoch  
 Streuwert 12.42, horizontal: 12.76, vertikal: 12.06





Serie 3:  
 10.2 ↗ 7.1 ↓ 9.3 ↗ 7.4 ↓ 9.8 ↓  
 10.6 \* 7.6 ↑ 9.7 ↘ 8.9 ↘ 8.5 ↓  
 beste Teiler 255.8 (26.) 619.7 (21.) 886.7 (25.)  
 Trefferlage 0.24 mm rechts, 3.07 mm tief  
 Streuwert 13.75, horizontal: 8.77, vertikal: 17.35




Serie 4:  
 8.8 ↗ 9.5 ← 10.6 \* 8.3 → 8.7 ↙  
 9.7 ↓ 10.4 \* 10.6 \* 8.6 ↙ 9.1 ↑  
 beste Teiler 316.4 (33.) 320.6 (38.) 417.1 (37.)  
 Trefferlage 0.59 mm links, 0.90 mm tief  
 Streuwert 10.30, horizontal: 11.94, vertikal: 8.35

Unterschrift des Schützen


Ergebnis: **368** (384.4)  
 Serien: 91 90 93 94  
 Zähler: 12 24 4 0 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 2134 (28), 1924 (2), 1882 (12)  
 beste Teiler 188.3 (8.) 290.3 (24.) 301.0 (16.)  
 Trefferlage 1.50 mm links, 0.35 mm tief  
 Streuwert 8.28, horizontal: 8.63, vertikal: 7.90




Serie 1:  
 9.7 ↗ 8.5 ↘ 9.7 ↘ 9.7 ↘ 9.5 ↑  
 9.7 ← 9.1 ← 10.7 \* 9.2 ↗ 10.0 ↘  
 beste Teiler 188.3 (8.) 753.7 (10.) 961.3 (6.)  
 Trefferlage 2.12 mm links, 0.88 mm tief  
 Streuwert 8.57, horizontal: 8.73, vertikal: 8.41



Serie 2:  
 9.6 ↗ 8.6 ↗ 9.5 → 9.6 ↖ 9.3 ↗  
 10.6 \* 10.2 ↖ 8.6 ← 9.0 ↗ 9.5 ↖  
 beste Teiler 301.0 (16.) 635.3 (17.) 1066.6 (11.)  
 Trefferlage 0.68 mm rechts, 3.29 mm hoch  
 Streuwert 9.30, horizontal: 11.49, vertikal: 6.38



Serie 3:  
 10.3 ↖ 9.1 ↘ 9.1 ↖ 10.6 \* 9.5 ↑  
 9.7 ↘ 9.4 ↗ 8.3 ↓ 10.1 ↓ 10.1 ↘  
 beste Teiler 290.3 (24.) 498.6 (21.) 660.0 (29.)  
 Trefferlage 0.68 mm links, 2.56 mm tief  
 Streuwert 8.64, horizontal: 6.28, vertikal: 10.48





Serie 4:  
 9.8 ↖ 9.4 → 10.1 ← 10.6 \* 9.5 ←  
 9.2 ↖ 9.4 ↘ 9.6 ↓ 10.2 → 10.1 ←  
 beste Teiler 306.7 (34.) 561.7 (39.) 679.4 (40.)  
 Trefferlage 3.88 mm links, 1.27 mm tief  
 Streuwert 6.73, horizontal: 7.91, vertikal: 5.29


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (375.7)  
 Serien: 90 92 87 89  
 Zähler: 12 16 10 2 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 2533 (26), 2531 (4), 2255 (9)  
 beste Teiler 175.1 (6.) 223.7 (10.) 332.6 (13.)  
 Trefferlage 0.21 mm rechts, 0.26 mm tief  
 Streuwert 10.06, horizontal: 10.07, vertikal: 10.06




Serie 1:  
 10.0 ↓                      8.5 ↗                      9.4 ↑                      7.8 →                      10.3 ↘  
 10.7 \*                      9.2 ↙                      9.4 ↖                      8.1 ↖                      10.7 \*  
 beste Teiler 175.1 (6.) 223.7 (10.) 525.2 (5.)  
 Trefferlage 1.49 mm links, 3.81 mm hoch  
 Streuwert 10.47, horizontal: 11.22, vertikal: 9.66



Serie 2:  
 10.4 ↓                      9.3 ↓                      10.5 \*                      10.3 ↑                      8.3 ↗  
 9.9 ↙                      10.5 \*                      10.0 ↘                      8.6 ←                      8.8 →  
 beste Teiler 332.6 (13.) 360.6 (17.) 476.1 (11.)  
 Trefferlage 1.73 mm links, 0.21 mm hoch  
 Streuwert 9.06, horizontal: 9.44, vertikal: 8.67



Serie 3:  
 9.1 ↘                      9.3 ↓                      8.4 ↙                      9.9 ↙                      9.1 ↘  
 7.8 →                      10.3 ←                      9.8 ↘                      8.6 ↘                      9.5 ↓  
 beste Teiler 495.3 (27.) 811.3 (24.) 932.8 (28.)  
 Trefferlage 5.16 mm rechts, 4.18 mm tief  
 Streuwert 10.24, horizontal: 10.80, vertikal: 9.65





Serie 4:  
 10.2 ↓                      9.3 ↖                      9.5 ↘                      9.2 ↘                      8.7 ↓  
 10.0 ←                      9.4 ↗                      9.9 ↙                      8.8 ↑                      8.2 ↓  
 beste Teiler 599.0 (31.) 775.6 (36.) 862.5 (38.)  
 Trefferlage 1.08 mm links, 0.91 mm tief  
 Streuwert 10.29, horizontal: 8.44, vertikal: 11.86


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (373.1)  
 Serien: 91 88 86 89  
 Zähler: 9 19 10 1 1 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 3678 (17), 3066 (28), 2343 (7)  
 beste Teiler 195.1 (14.) 236.5 (15.) 243.0 (3.)  
 Trefferlage 1.69 mm rechts, 0.35 mm tief  
 Streuwert 10.67, horizontal: 9.44, vertikal: 11.77




Serie 1:  
 10.4 \* 9.8 → 10.6 \* 8.3 ← 9.4 ↑  
 8.4 ← 8.0 ↘ 9.6 ↘ 10.0 ↑ 10.0 ↓  
 beste Teiler 243.0 (3.) 406.1 (1.) 785.5 (9.)  
 Trefferlage 0.68 mm links, 1.86 mm tief  
 Streuwert 10.24, horizontal: 10.96, vertikal: 9.47



Serie 2:  
 9.4 → 9.9 ← 8.7 ↗ 10.7 \* 10.7 \*  
 10.2 ← 6.4 ↓ 9.9 ↘ 8.2 ↑ 9.9 →  
 beste Teiler 195.1 (14.) 236.5 (15.) 611.0 (16.)  
 Trefferlage 2.89 mm rechts, 0.85 mm hoch  
 Streuwert 11.72, horizontal: 7.45, vertikal: 14.80





Serie 3:  
 8.0 ← 8.7 ↓ 9.7 ↖ 9.7 ← 10.5 \*  
 9.1 ↓ 9.6 ↘ 7.1 ↗ 9.8 ← 8.8 ↓  
 beste Teiler 347.4 (25.) 919.7 (29.) 990.2 (24.)  
 Trefferlage 1.13 mm links, 3.48 mm tief  
 Streuwert 12.05, horizontal: 11.41, vertikal: 12.67




Serie 4:  
 9.5 → 10.1 ↘ 9.5 ↗ 8.9 ↗ 8.4 ↑  
 9.9 ← 9.6 ↑ 9.0 ↓ 9.4 → 9.3 ↑  
 beste Teiler 707.9 (32.) 846.5 (36.) 1095.9 (37.)  
 Trefferlage 5.72 mm rechts, 3.08 mm hoch  
 Streuwert 8.62, horizontal: 6.72, vertikal: 10.17

Unterschrift des Schützen


Ergebnis: **360** (379.8)  
 Serien: 89 93 87 91  
 Zähler: 13 15 11 1 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 2951 (28), 2181 (4), 2014 (25)  
 beste Teiler 195.8 (32.) 197.4 (6.) 367.7 (27.)  
 Trefferlage 1.38 mm links, 1.80 mm tief  
 Streuwert 9.39, horizontal: 9.74, vertikal: 9.03




Serie 1:  
 10.3 ←                      9.6 ↘                      9.2 ↘                      8.2 ↓                      9.1 ↘  
 10.7 \*                      9.2 ↘                      9.2 ↗                      8.9 ↗                      8.7 ↗  
 beste Teiler 197.4 (6.) 513.5 (1.) 1041.3 (2.)  
 Trefferlage 2.39 mm links, 6.92 mm tief  
 Streuwert 9.07, horizontal: 9.59, vertikal: 8.53



Serie 2:  
 9.0 ↑                      10.3 →                      10.1 ↘                      9.8 ↑                      8.6 ←  
 9.9 ↗                      9.9 ↑                      10.3 ↑                      9.2 ↗                      10.0 ↑  
 beste Teiler 533.1 (18.) 547.9 (12.) 706.6 (13.)  
 Trefferlage 0.87 mm rechts, 6.35 mm hoch  
 Streuwert 6.67, horizontal: 7.70, vertikal: 5.44



Serie 3:  
 9.7 ←                      9.5 ↓                      10.4 \*                      8.7 ↗                      8.4 →  
 8.6 ↗                      10.5 \*                      7.3 ←                      10.2 ↓                      8.6 ↓  
 beste Teiler 367.7 (27.) 418.6 (23.) 567.7 (29.)  
 Trefferlage 2.48 mm links, 4.54 mm tief  
 Streuwert 11.39, horizontal: 13.91, vertikal: 8.11





Serie 4:  
 9.9 ↗                      10.7 \*                      9.9 ↓                      8.6 ↘                      8.8 ↗  
 10.3 ↗                      8.9 ↘                      10.5 \*                      10.5 \*                      9.6 ↗  
 beste Teiler 195.8 (32.) 371.3 (39.) 394.5 (38.)  
 Trefferlage 1.52 mm links, 2.11 mm tief  
 Streuwert 8.12, horizontal: 7.62, vertikal: 8.58


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>366</b>	(387.4)
Serien:	91 92 91 92	
Zähler:	13 21 5 1 0 0 0 0 0 0	
Innenzehner:	7	
weiteste:	2686 (23), 2062 (9), 1937 (28)	
beste Teiler	183.4 (39.) 202.4 (10.) 227.2 (5.)	
Trefferlage	2.08 mm links, 2.00 mm hoch	
Streuwert	7.98, horizontal: 7.37, vertikal: 8.54	




Serie 1:	8.9 ↘	10.4 *	9.7 ←	9.5 ↑	10.7 *
	10.6 *	8.6 ↗	9.8 ↓	8.4 ←	10.7 *
beste Teiler	202.4 (10.) 227.2 (5.) 285.8 (6.)				
Trefferlage	2.64 mm links, 0.79 mm tief				
Streuwert	8.59, horizontal: 8.26, vertikal: 8.91				



Serie 2:	9.7 ↖	9.3 ←	10.2 ↓	9.8 ↗	9.2 ↗
	9.8 ←	10.6 *	9.3 ↘	9.5 →	9.7 ↑
beste Teiler	255.0 (17.) 610.1 (13.) 899.6 (14.)				
Trefferlage	1.09 mm links, 3.09 mm hoch				
Streuwert	7.34, horizontal: 8.75, vertikal: 5.58				



Serie 3:	10.4 ↗	9.5 ↓	7.6 ↗	10.4 *	10.1 ↖
	8.9 ↗	9.5 ↗	8.5 ←	10.0 ↘	10.1 ←
beste Teiler	420.4 (24.) 480.1 (21.) 660.2 (30.)				
Trefferlage	1.24 mm links, 4.08 mm hoch				
Streuwert	9.59, horizontal: 7.87, vertikal: 11.04				





Serie 4:	9.9 ↗	9.3 ↘	9.3 ↘	9.9 ↗	9.9 ↗
	10.2 ↖	9.9 ↗	9.8 ↘	10.7 *	9.1 ↘
beste Teiler	183.4 (39.) 634.7 (36.) 847.1 (35.)				
Trefferlage	3.34 mm links, 1.62 mm hoch				
Streuwert	6.82, horizontal: 4.95, vertikal: 8.28				

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **324** (343.7)  
 Serien: 83 80 76 85  
 Zähler: 6 7 16 10 0 0 0 1 0 0  
 Innenzehner: 3  
 weiteste: 5730 (1), 3180 (7), 3000 (32)  
 beste Teiler 92.8 (4.) 180.9 (35.) 303.3 (39.)  
 Trefferlage 4.35 mm rechts, 6.22 mm tief  
 Streuwert 14.21, horizontal: 16.06, vertikal: 12.08




Serie 1:  
 3.8 → 10.1 ↑ 8.5 ↓ 10.8 \* 8.1 ↘  
 8.5 ↘ 7.0 → 9.5 ← 10.0 ↓ 10.0 ↓  
 beste Teiler 92.8 (4.) 664.8 (2.) 741.7 (9.)  
 Trefferlage 9.63 mm rechts, 5.08 mm tief  
 Streuwert 16.16, horizontal: 20.66, vertikal: 9.76



Serie 2:  
 8.6 ↓ 8.9 ↘ 7.9 → 8.4 ↙ 9.5 ←  
 9.7 ↗ 7.9 ↓ 9.1 ↓ 8.0 ↗ 7.7 ←  
 beste Teiler 979.6 (16.) 1145.5 (15.) 1516.1 (18.)  
 Trefferlage 1.81 mm rechts, 6.02 mm tief  
 Streuwert 13.93, horizontal: 15.31, vertikal: 12.41





Serie 3:  
 8.5 ↘ 8.4 ↓ 8.7 ↑ 7.4 ↘ 7.7 ↓  
 8.1 ← 7.8 ← 8.8 → 8.3 ↘ 7.8 ↘  
 beste Teiler 1737.3 (28.) 1769.3 (23.) 2000.7 (21.)  
 Trefferlage 2.88 mm rechts, 10.89 mm tief  
 Streuwert 14.63, horizontal: 15.84, vertikal: 13.31




Serie 4:  
 9.0 ↗ 7.2 → 8.3 ↘ 8.4 ↓ 10.7 \*  
 9.9 ↑ 8.7 ↖ 9.5 → 10.6 \* 7.9 ↓  
 beste Teiler 180.9 (35.) 303.3 (39.) 844.0 (36.)  
 Trefferlage 3.07 mm rechts, 2.91 mm tief  
 Streuwert 12.87, horizontal: 12.78, vertikal: 12.96

Unterschrift des Schützen


Ergebnis: **367** (385.5)  
 Serien: 92 93 91 91  
 Zähler: 13 22 4 1 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 2544 (23), 2251 (40), 2025 (33)  
 beste Teiler 120.5 (38.) 137.0 (2.) 306.6 (35.)  
 Trefferlage 0.40 mm links, 3.65 mm hoch  
 Streuwert 8.05, horizontal: 6.53, vertikal: 9.32




Serie 1:  
 9.7 ↗ 10.8 \* 8.8 ↖ 9.9 ↑ 9.8 ←  
 10.1 ↓ 9.9 ↙ 9.6 ↓ 10.0 ↗ 9.9 ←  
 beste Teiler 137.0 (2.) 659.7 (6.) 797.1 (9.)  
 Trefferlage 2.04 mm links, 1.39 mm hoch  
 Streuwert 6.81, horizontal: 4.75, vertikal: 8.38



Serie 2:  
 10.0 ← 9.3 ↑ 9.3 ↑ 9.5 ↓ 9.1 ↗  
 9.3 ↗ 9.3 ↘ 10.6 \* 10.5 \* 9.6 ↓  
 beste Teiler 315.6 (18.) 355.7 (19.) 744.5 (11.)  
 Trefferlage 2.16 mm rechts, 1.33 mm hoch  
 Streuwert 8.09, horizontal: 6.85, vertikal: 9.17



Serie 3:  
 9.8 ↓ 9.6 ↓ 7.8 ↑ 9.8 ↖ 9.0 ↗  
 10.2 ↖ 10.1 ↗ 9.7 ← 10.5 \* 9.1 ↑  
 beste Teiler 345.9 (29.) 573.8 (26.) 705.3 (27.)  
 Trefferlage 0.11 mm links, 5.19 mm hoch  
 Streuwert 8.64, horizontal: 5.76, vertikal: 10.78





Serie 4:  
 9.5 ↗ 8.7 ↗ 8.4 ↖ 9.5 ↖ 10.6 \*  
 10.0 ↗ 10.3 ↘ 10.8 \* 9.0 ← 8.1 ↖  
 beste Teiler 120.5 (38.) 306.6 (35.) 528.3 (37.)  
 Trefferlage 1.62 mm links, 6.69 mm hoch  
 Streuwert 8.71, horizontal: 8.38, vertikal: 9.02


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **321** (339.1)  
 Serien: 83 86 84 68  
 Zähler: 6 11 13 4 4 0 0 2 0 0  
 Innenzehner: 0  
 weiteste: 6102 (34), 5694 (33), 3620 (29)  
 beste Teiler 614.3 (8.) 639.0 (24.) 756.9 (23.)  
 Trefferlage 2.70 mm links, 1.43 mm hoch  
 Streuwert 16.46, horizontal: 16.33, vertikal: 16.58




Serie 1:  
 8.9 ↙ 8.4 ← 10.0 ↘ 7.7 ↘ 6.9 ←  
 10.0 ↑ 8.9 ↘ 10.2 ↓ 8.7 ↘ 8.1 ↗  
 beste Teiler 614.3 (8.) 788.7 (6.) 791.2 (3.)  
 Trefferlage 5.72 mm links, 1.24 mm hoch  
 Streuwert 13.61, horizontal: 15.61, vertikal: 11.27



Serie 2:  
 8.1 ↙ 9.2 ↗ 9.2 → 10.0 ↑ 9.9 →  
 9.2 ↓ 8.6 ↗ 7.6 → 8.9 ↓ 9.0 ←  
 beste Teiler 788.2 (14.) 871.4 (15.) 1397.5 (12.)  
 Trefferlage 3.30 mm rechts, 2.93 mm tief  
 Streuwert 12.14, horizontal: 14.19, vertikal: 9.66



Serie 3:  
 7.5 ← 8.4 ↘ 10.0 ← 10.2 → 9.9 ↗  
 8.6 ← 8.6 ↘ 9.7 ↘ 6.4 → 9.0 →  
 beste Teiler 639.0 (24.) 756.9 (23.) 876.5 (25.)  
 Trefferlage 2.00 mm rechts, 0.03 mm tief  
 Streuwert 14.33, horizontal: 19.02, vertikal: 6.98





Serie 4:  
 8.6 ↓ 6.8 ← 3.8 ↓ 3.3 ↘ 7.5 ↘  
 9.6 ↘ 6.8 ↑ 9.6 ↗ 9.0 ← 8.3 ↑  
 beste Teiler 1060.0 (36.) 1116.1 (38.) 1560.0 (39.)  
 Trefferlage 10.42 mm links, 7.45 mm hoch  
 Streuwert 23.09, horizontal: 14.42, vertikal: 29.30


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **360** (379.2)  
 Serien: 91 91 91 87  
 Zähler: 11 21 6 1 1 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 3496 (35), 2636 (3), 2242 (29)  
 beste Teiler 256.3 (5.) 292.2 (27.) 316.6 (23.)  
 Trefferlage 0.40 mm rechts, 0.09 mm hoch  
 Streuwert 9.68, horizontal: 10.52, vertikal: 8.77




Serie 1:  
 9.9 ↗ 10.3 ↘ 7.7 ↙ 9.8 ↗ 10.6 \*  
 10.0 ↖ 9.6 ↙ 9.7 ↘ 9.7 ↗ 9.5 →  
 beste Teiler 256.3 (5.) 542.9 (2.) 792.0 (6.)  
 Trefferlage 1.00 mm rechts, 0.86 mm tief  
 Streuwert 8.78, horizontal: 10.96, vertikal: 5.83



Serie 2:  
 9.1 ↗ 10.2 ↗ 9.7 ↘ 10.5 \* 9.1 ↗  
 10.0 ← 9.9 ↓ 8.9 ↘ 8.8 ↖ 9.9 ←  
 beste Teiler 337.5 (14.) 622.5 (12.) 742.2 (16.)  
 Trefferlage 1.57 mm rechts, 0.22 mm hoch  
 Streuwert 8.65, horizontal: 9.96, vertikal: 7.12



Serie 3:  
 9.4 ↙ 10.5 \* 10.6 \* 9.2 → 8.8 ←  
 9.3 ← 10.6 \* 9.5 ↙ 8.1 → 9.7 ↗  
 beste Teiler 292.2 (27.) 316.6 (23.) 378.6 (22.)  
 Trefferlage 0.49 mm links, 0.68 mm tief  
 Streuwert 9.45, horizontal: 12.36, vertikal: 5.08





Serie 4:  
 8.5 ↘ 10.3 ↘ 9.2 ↙ 9.3 ↑ 6.6 ↓  
 9.4 ↙ 9.2 → 10.3 → 8.7 ↑ 9.1 ↑  
 beste Teiler 511.3 (32.) 526.2 (38.) 1254.5 (36.)  
 Trefferlage 0.47 mm links, 1.69 mm hoch  
 Streuwert 12.68, horizontal: 10.17, vertikal: 14.77


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **344** (358.1)  
 Serien: 87 89 83 85  
 Zähler: 10 12 11 6 1 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 3675 (39), 3174 (19), 3141 (21)  
 beste Teiler 273.3 (35.) 289.1 (15.) 347.8 (10.)  
 Trefferlage 1.76 mm links, 6.49 mm tief  
 Streuwert 12.10, horizontal: 12.26, vertikal: 11.95




Serie 1:  
 9.1 ↘                      9.4 ↓                      10.0 ↗                      8.7 →                      7.3 ↙  
 9.3 ←                      7.2 ↓                      10.2 ↗                      8.0 ↘                      10.5 \*  
 beste Teiler 347.8 (10.) 565.4 (8.) 761.4 (3.)  
 Trefferlage 0.54 mm rechts, 7.15 mm tief  
 Streuwert 12.46, horizontal: 10.91, vertikal: 13.85



Serie 2:  
 8.3 ↗                      10.4 \*                      9.4 ↗                      10.1 ↘                      10.6 \*  
 8.7 ↓                      10.3 ←                      8.5 ↓                      7.0 ↘                      9.4 →  
 beste Teiler 289.1 (15.) 465.7 (12.) 540.9 (17.)  
 Trefferlage 5.05 mm rechts, 4.42 mm tief  
 Streuwert 10.83, horizontal: 8.58, vertikal: 12.68



Serie 3:  
 7.0 ↙                      7.8 ↓                      9.0 ↘                      9.1 ←                      8.9 →  
 9.4 ↑                      9.1 ←                      9.4 ←                      8.4 ↓                      8.4 ←  
 beste Teiler 1272.0 (28.) 1274.4 (26.) 1488.8 (27.)  
 Trefferlage 4.79 mm links, 8.97 mm tief  
 Streuwert 12.33, horizontal: 12.66, vertikal: 11.99





Serie 4:  
 9.0 ↙                      10.3 ↘                      8.9 ↓                      8.8 ↓                      10.6 \*  
 9.3 ↑                      7.4 ←                      10.0 ←                      6.4 ←                      8.5 ↓  
 beste Teiler 273.3 (35.) 559.9 (32.) 752.5 (38.)  
 Trefferlage 7.87 mm links, 5.42 mm tief  
 Streuwert 12.20, horizontal: 13.74, vertikal: 10.43


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (386.1)  
 Serien: 91 91 96 92  
 Zähler: 17 16 7 0 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 2349 (38), 2120 (13), 2089 (30)  
 beste Teiler 303.4 (25.) 339.1 (6.) 396.2 (22.)  
 Trefferlage 0.85 mm links, 0.93 mm hoch  
 Streuwert 8.36, horizontal: 8.63, vertikal: 8.08




Serie 1:  
 9.3 → 9.6 ↙ 9.6 ↘ 10.0 ↘ 8.9 ↗  
 10.5 \* 9.8 → 9.7 → 10.3 ↖ 8.5 ↗  
 beste Teiler 339.1 (6.) 506.1 (9.) 742.2 (4.)  
 Trefferlage 4.41 mm rechts, 3.33 mm hoch  
 Streuwert 7.63, horizontal: 6.68, vertikal: 8.47



Serie 2:  
 9.2 ↙ 9.0 ↙ 8.3 ↙ 10.0 ↖ 10.2 ↖  
 10.4 \* 8.9 ↘ 9.3 ↑ 9.7 ↗ 9.8 ↗  
 beste Teiler 470.0 (16.) 567.0 (15.) 744.6 (14.)  
 Trefferlage 4.03 mm links, 2.97 mm hoch  
 Streuwert 8.74, horizontal: 9.12, vertikal: 8.36



Serie 3:  
 10.3 ← 10.5 \* 10.3 ← 10.3 ↘ 10.6 \*  
 9.9 ← 10.4 \* 9.4 ↑ 10.0 ↓ 8.3 ↗  
 beste Teiler 303.4 (25.) 396.2 (22.) 420.5 (27.)  
 Trefferlage 0.51 mm links, 0.87 mm hoch  
 Streuwert 6.80, horizontal: 6.89, vertikal: 6.71





Serie 4:  
 10.4 \* 10.2 ↘ 9.5 → 10.4 \* 9.2 ←  
 9.0 ↙ 10.3 ↓ 8.0 ↙ 9.2 ↓ 8.9 ↖  
 beste Teiler 462.6 (34.) 473.4 (31.) 501.7 (37.)  
 Trefferlage 3.29 mm links, 3.45 mm tief  
 Streuwert 9.02, horizontal: 9.95, vertikal: 7.97


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **349** (365.9)  
 Serien: 85 88 88 88  
 Zähler: 7 19 11 2 1 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 3566 (36), 2738 (5), 2467 (23)  
 beste Teiler 277.4 (35.) 283.2 (28.) 458.0 (30.)  
 Trefferlage 0.46 mm rechts, 1.55 mm tief  
 Streuwert 11.44, horizontal: 11.47, vertikal: 11.41




Serie 1:  
 8.6 ↙ 10.1 ↓ 8.2 ↓ 9.5 ↓ 7.5 ←  
 9.6 ↙ 8.3 ↙ 8.4 ↓ 9.4 ← 9.6 ↘  
 beste Teiler 700.3 (2.) 1072.9 (6.) 1077.6 (10.)  
 Trefferlage 8.22 mm links, 10.91 mm tief  
 Streuwert 8.09, horizontal: 9.41, vertikal: 6.52



Serie 2:  
 9.6 ↘ 9.0 → 9.5 ↓ 8.3 ↘ 9.4 ↙  
 8.7 ↗ 9.6 ↓ 8.0 ↘ 9.3 ↓ 10.1 ↓  
 beste Teiler 666.9 (20.) 1075.0 (17.) 1089.0 (11.)  
 Trefferlage 3.17 mm rechts, 3.72 mm tief  
 Streuwert 10.79, horizontal: 10.26, vertikal: 11.30



Serie 3:  
 9.8 ↑ 8.4 ↗ 7.9 ← 8.1 → 9.0 ↑  
 9.5 ↘ 9.0 ↑ 10.6 \* 9.9 ↓ 10.4 \*  
 beste Teiler 283.2 (28.) 458.0 (30.) 835.8 (29.)  
 Trefferlage 2.54 mm rechts, 4.93 mm hoch  
 Streuwert 10.72, horizontal: 11.81, vertikal: 9.50





Serie 4:  
 9.5 → 8.8 → 10.0 ↑ 9.4 ↓ 10.6 \*  
 6.5 ↘ 8.5 → 9.5 → 10.1 ↓ 9.7 ↘  
 beste Teiler 277.4 (35.) 645.1 (39.) 737.8 (33.)  
 Trefferlage 4.34 mm rechts, 3.47 mm hoch  
 Streuwert 11.18, horizontal: 11.10, vertikal: 11.25


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **363** (381.9)  
 Serien: 94 88 90 91  
 Zähler: 16 13 9 2 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 2666 (11), 2426 (19), 2304 (18)  
 beste Teiler 10.8 (25.) 234.2 (8.) 270.2 (32.)  
 Trefferlage 1.42 mm links, 2.29 mm tief  
 Streuwert 9.29, horizontal: 10.91, vertikal: 7.32




Serie 1:  
 10.1 ↗ 10.1 ↗ 9.2 ← 10.6 \* 8.7 ←  
 8.4 ↘ 10.0 ↓ 10.7 \* 9.6 ← 10.6 \*  
 beste Teiler 234.2 (8.) 293.2 (4.) 296.9 (10.)  
 Trefferlage 2.17 mm links, 0.36 mm hoch  
 Streuwert 8.04, horizontal: 9.53, vertikal: 6.21



Serie 2:  
 7.6 ← 10.5 \* 8.9 ↗ 10.6 \* 10.0 →  
 9.5 ↘ 9.8 ↓ 8.1 ← 7.9 ← 10.3 ↘  
 beste Teiler 294.4 (14.) 380.5 (12.) 504.9 (20.)  
 Trefferlage 6.77 mm links, 4.91 mm tief  
 Streuwert 9.78, horizontal: 12.89, vertikal: 5.03



Serie 3:  
 9.6 ↘ 8.3 ↗ 9.7 ↓ 10.4 \* 10.9 \*  
 9.4 ↘ 8.3 ↗ 9.2 ↘ 9.3 ← 9.2 ↘  
 beste Teiler 10.8 (25.) 405.4 (24.) 1005.2 (23.)  
 Trefferlage 0.78 mm links, 7.97 mm tief  
 Streuwert 8.24, horizontal: 10.82, vertikal: 4.30





Serie 4:  
 8.5 ↗ 10.6 \* 10.5 \* 10.5 \* 9.8 ↘  
 9.4 → 10.1 ↗ 8.8 ← 8.3 ↗ 9.9 ↘  
 beste Teiler 270.2 (32.) 325.7 (33.) 367.8 (34.)  
 Trefferlage 4.03 mm rechts, 3.34 mm hoch  
 Streuwert 8.33, horizontal: 8.69, vertikal: 7.96

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **334** (351.4)  
 Serien: 84 82 83 85  
 Zähler: 5 14 15 2 4 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 3680 (6), 3674 (37), 3521 (25)  
 beste Teiler 195.5 (33.) 445.7 (39.) 485.7 (40.)  
 Trefferlage 0.80 mm links, 0.00 mm  
 Streuwert 13.96, horizontal: 15.21, vertikal: 12.58




Serie 1:  
 9.6 ↓                      9.5 →                      10.2 ↘                      8.4 ↘                      7.0 ↑  
 6.4 ←                      10.0 ←                      8.5 ↙                      9.9 ↗                      8.7 ↙  
 beste Teiler 621.7 (3.) 788.0 (7.) 844.0 (9.)  
 Trefferlage 5.38 mm links, 0.76 mm tief  
 Streuwert 14.12, horizontal: 14.72, vertikal: 13.51



Serie 2:  
 9.6 →                      8.4 →                      8.0 ↘                      9.1 ↙                      6.8 ↗  
 8.9 →                      9.2 →                      8.1 ←                      8.6 ↙                      9.9 ↘  
 beste Teiler 828.4 (20.) 1116.7 (11.) 1419.1 (17.)  
 Trefferlage 5.64 mm rechts, 0.71 mm tief  
 Streuwert 13.93, horizontal: 16.13, vertikal: 11.30



Serie 3:  
 8.0 ↗                      9.3 ↑                      8.1 ←                      9.9 ←                      6.5 ↘  
 8.3 ↑                      9.0 ←                      9.4 →                      9.7 ←                      8.8 ↗  
 beste Teiler 848.7 (24.) 989.9 (29.) 1269.1 (28.)  
 Trefferlage 4.64 mm links, 3.39 mm hoch  
 Streuwert 13.83, horizontal: 13.92, vertikal: 13.74





Serie 4:  
 7.1 ↙                      8.7 ↗                      10.7 \*                      8.5 ↘                      9.5 ↓  
 9.6 ↑                      6.4 →                      8.4 ↓                      10.4 \*                      10.3 ↘  
 beste Teiler 195.5 (33.) 445.7 (39.) 485.7 (40.)  
 Trefferlage 1.14 mm rechts, 1.95 mm tief  
 Streuwert 14.32, horizontal: 15.55, vertikal: 12.97


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **357** (376.6)  
 Serien: 88 89 86 94  
 Zähler: 10 21 6 2 1 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 3544 (27), 2503 (18), 2437 (2)  
 beste Teiler 276.8 (36.) 424.9 (24.) 442.0 (40.)  
 Trefferlage 0.01 mm links, 5.35 mm tief  
 Streuwert 9.24, horizontal: 9.06, vertikal: 9.42




Serie 1:  
 8.6 ↘ 7.9 ↖ 10.2 ↓ 8.4 ← 9.9 ←  
 9.9 ↗ 9.3 ↓ 9.0 ↗ 9.0 ↓ 10.0 ←  
 beste Teiler 584.1 (3.) 730.9 (10.) 832.8 (6.)  
 Trefferlage 2.26 mm links, 3.38 mm tief  
 Streuwert 10.79, horizontal: 12.30, vertikal: 9.02



Serie 2:  
 9.1 ↓ 9.8 ↖ 9.6 ↓ 9.8 ← 10.3 ↓  
 9.1 ↓ 9.8 → 7.8 ↓ 9.9 ← 9.2 ←  
 beste Teiler 532.5 (15.) 877.3 (19.) 904.1 (17.)  
 Trefferlage 3.56 mm links, 7.71 mm tief  
 Streuwert 7.47, horizontal: 6.68, vertikal: 8.19



Serie 3:  
 8.8 ↓ 8.2 ↘ 8.8 ↓ 10.4 \* 9.2 →  
 9.8 ↘ 6.5 ↖ 9.9 ↓ 10.1 → 9.6 ↑  
 beste Teiler 424.9 (24.) 647.8 (29.) 844.5 (28.)  
 Trefferlage 4.21 mm rechts, 6.84 mm tief  
 Streuwert 11.11, horizontal: 9.10, vertikal: 12.81



Serie 4:  
 10.2 ↘ 9.7 ↖ 9.8 ↗ 9.7 ↘ 8.7 ↓  
 10.6 \* 10.4 \* 9.2 ↓ 10.0 → 10.4 \*  
 beste Teiler 276.8 (36.) 442.0 (40.) 471.3 (37.)  
 Trefferlage 1.55 mm rechts, 3.48 mm tief  
 Streuwert 6.69, horizontal: 5.86, vertikal: 7.43

Unterschrift des Schützen

Meyton Elektronik