





Ergebnis:	367	(383.2)
Serien:	92 92 91 92	
Zähler:	12 23 5 0 0 0 0 0 0 0	
Innenzehner:	7	
weiteste:	2264 (9), 2033 (30), 1820 (19)	
beste Teiler	240.0 (40.) 333.4 (12.) 352.0 (28.)	
Trefferlage	0.46 mm rechts, 1.75 mm hoch	
Streuwert	8.51, horizontal: 8.27, vertikal: 8.75	




Serie 1:	10.3 ↘	9.3 ↓	10.1 ↗	10.1 ↓	10.5 *
	8.7 ←	9.1 ↖	9.6 ↑	8.1 ↑	9.2 →
beste Teiler	368.7 (5.)	534.7 (1.)	654.3 (4.)		
Trefferlage	1.31 mm rechts, 2.27 mm hoch				
Streuwert	9.42, horizontal: 8.37, vertikal: 10.36				



Serie 2:	10.5 *	10.5 *	9.7 ↙	9.7 ↙	9.4 ↗
	10.4 *	9.2 ↑	9.1 ↖	8.7 ↓	9.1 →
beste Teiler	333.4 (12.)	390.3 (11.)	444.7 (16.)		
Trefferlage	1.01 mm rechts, 0.63 mm tief				
Streuwert	8.71, horizontal: 8.11, vertikal: 9.27				



Serie 3:	9.4 ↗	9.1 →	9.2 ↓	9.8 ↖	9.6 ↗
	10.0 ↑	9.5 ↗	10.5 *	9.7 ↗	8.4 →
beste Teiler	352.0 (28.)	763.6 (26.)	924.8 (24.)		
Trefferlage	2.36 mm rechts, 3.04 mm hoch				
Streuwert	8.66, horizontal: 8.86, vertikal: 8.46				





Serie 4:	9.9 ↓	9.2 ←	10.0 ↖	9.0 ↗	9.3 ↗
	10.4 *	8.9 ↖	9.9 ↖	9.4 ↙	10.7 *
beste Teiler	240.0 (40.)	420.6 (36.)	764.7 (33.)		
Trefferlage	2.84 mm links, 2.33 mm hoch				
Streuwert	7.84, horizontal: 8.03, vertikal: 7.64				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (374.2)
 Serien: 86 92 91 90
 Zähler: 11 21 4 4 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2922 (4), 2611 (3), 2548 (40)
 beste Teiler 207.1 (25.) 313.9 (37.) 357.4 (19.)
 Trefferlage 4.40 mm links, 0.99 mm hoch
 Streuwert 9.88, horizontal: 10.65, vertikal: 9.05




Serie 1:
 9.5 → 10.0 ← 7.7 ↓ 7.3 ↗ 9.0 ↖
 7.9 → 9.4 ↖ 10.2 ← 9.0 ← 9.5 ←
 beste Teiler 585.3 (8.) 744.8 (2.) 1157.7 (10.)
 Trefferlage 0.15 mm rechts, 4.10 mm hoch
 Streuwert 12.77, horizontal: 12.30, vertikal: 13.21



Serie 2:
 8.0 ↖ 9.0 ↗ 9.8 ↘ 9.3 ↙ 10.1 ↖
 9.9 ← 9.9 ← 9.0 ← 10.5 * 10.4 *
 beste Teiler 357.4 (19.) 448.1 (20.) 674.0 (15.)
 Trefferlage 4.56 mm links, 1.13 mm hoch
 Streuwert 8.51, horizontal: 9.55, vertikal: 7.31



Serie 3:
 8.3 ← 10.4 * 9.3 ← 9.6 ↑ 10.7 *
 9.2 ← 9.2 ← 9.8 ↙ 9.2 ← 9.3 ←
 beste Teiler 207.1 (25.) 448.3 (22.) 945.9 (28.)
 Trefferlage 8.82 mm links, 1.12 mm hoch
 Streuwert 6.66, horizontal: 7.90, vertikal: 5.13





Serie 4:
 8.1 ← 8.3 ↘ 9.9 ← 10.1 ↗ 9.1 ↙
 9.3 → 10.6 * 10.2 ← 10.4 * 7.8 ↙
 beste Teiler 313.9 (37.) 435.1 (39.) 603.3 (38.)
 Trefferlage 4.38 mm links, 2.40 mm tief
 Streuwert 10.44, horizontal: 11.89, vertikal: 8.76

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	367	(385.7)
Serien:	93 93 94 87	
Zähler:	16 16 7 1 0 0 0 0 0 0	
Innenzehner:	7	
weiteste:	2550 (35), 2224 (30), 1973 (9)	
beste Teiler	161.0 (5.) 230.8 (13.) 235.1 (11.)	
Trefferlage	1.79 mm links, 2.14 mm tief	
Streuwert	8.32, horizontal: 9.18, vertikal: 7.36	



Serie 1:

9.1 ↓	10.3 ↙	9.3 ↘	10.0 ↘	10.7 *
9.6 ↘	10.4 *	8.8 ↓	8.5 →	10.0 ↙


beste Teiler 161.0 (5.) 453.9 (7.) 537.4 (2.)
 Trefferlage 0.31 mm links, 2.46 mm tief
 Streuwert 8.49, horizontal: 8.62, vertikal: 8.37



Serie 2:

10.7 *	8.9 ←	10.7 *	9.3 ↗	9.8 ↓
9.6 ↘	9.6 ↘	9.8 ↖	10.1 →	10.7 *


beste Teiler 230.8 (13.) 235.1 (11.) 238.4 (20.)
 Trefferlage 0.34 mm rechts, 0.47 mm tief
 Streuwert 7.07, horizontal: 8.49, vertikal: 5.30



Serie 3:

10.0 ↗	10.0 ↑	9.7 ↓	10.2 ↙	10.2 ↑
9.0 ↙	9.7 ↗	10.5 *	9.7 ↘	8.2 ←

beste Teiler 363.7 (28.) 589.0 (25.) 637.3 (24.)
 Trefferlage 2.14 mm links, 0.50 mm tief
 Streuwert 8.15, horizontal: 9.33, vertikal: 6.77



Serie 4:



9.5 ↓	10.0 ↖	9.7 ↙	8.7 ↓	7.8 ←
9.2 ↖	10.6 *	8.9 ↘	9.5 ↖	8.7 ↘

beste Teiler 267.1 (37.) 737.7 (32.) 991.2 (33.)
 Trefferlage 5.05 mm links, 5.12 mm tief
 Streuwert 9.67, horizontal: 10.59, vertikal: 8.65


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **326** (343.6)
 Serien: 74 86 85 81
 Zähler: 6 14 12 4 2 0 1 0 0 0
 Innenzehner: 3
 weiteste: 10491 (8), 4882 (3), 3508 (28)
 beste Teiler 71.3 (11.) 206.4 (27.) 271.6 (12.)
 Trefferlage 0.97 mm rechts, 6.85 mm tief
 Streuwert 17.67, horizontal: 17.44, vertikal: 17.90




Serie 1:
 7.1 ↘ 8.9 → 4.8 ↙ 8.4 ↘ 10.1 ↖
 9.4 ↓ 9.2 ↓ 0.0 ↗ 9.3 ↗ 10.3 ↘
 beste Teiler 519.9 (10.) 720.3 (5.) 1238.2 (6.)
 Trefferlage 10.23 mm rechts, 0.77 mm hoch
 Streuwert 28.48, horizontal: 30.80, vertikal: 25.95



Serie 2:
 10.9 * 10.6 * 8.6 ↓ 8.3 ↓ 7.4 ↓
 10.0 ↖ 9.1 ↙ 9.0 ↘ 7.2 ↓ 8.5 ↓
 beste Teiler 71.3 (11.) 271.6 (12.) 789.0 (16.)
 Trefferlage 1.96 mm links, 12.52 mm tief
 Streuwert 9.97, horizontal: 7.68, vertikal: 11.82



Serie 3:
 9.6 ↙ 8.6 ↓ 9.4 ↑ 9.6 ↓ 8.0 ↙
 8.8 ↙ 10.7 * 6.6 ↑ 9.1 ↙ 9.8 ↖
 beste Teiler 206.4 (27.) 882.6 (30.) 1066.0 (24.)
 Trefferlage 3.85 mm links, 2.14 mm tief
 Streuwert 12.80, horizontal: 8.10, vertikal: 16.19





Serie 4:
 6.9 ↙ 9.8 ↓ 8.6 ↓ 8.3 ↘ 7.0 ↓
 9.8 ↗ 8.7 → 8.5 ↓ 9.0 ↓ 9.7 ↓
 beste Teiler 896.3 (32.) 938.7 (36.) 1007.0 (40.)
 Trefferlage 0.53 mm links, 13.52 mm tief
 Streuwert 11.18, horizontal: 10.56, vertikal: 11.76


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **345** (365.2)
 Serien: 87 90 85 83
 Zähler: 8 17 7 8 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3044 (3), 2895 (35), 2876 (32)
 beste Teiler 43.4 (8.) 284.9 (2.) 366.2 (12.)
 Trefferlage 6.39 mm links, 3.58 mm tief
 Streuwert 10.72, horizontal: 10.31, vertikal: 11.11




Serie 1:
 8.6 ↖ 10.6 * 7.1 ↙ 9.3 ↘ 10.4 *
 7.4 ↗ 9.6 ↘ 10.9 * 10.2 ↙ 7.6 ←
 beste Teiler 43.4 (8.) 284.9 (2.) 402.8 (5.)
 Trefferlage 6.56 mm links, 1.98 mm tief
 Streuwert 12.21, horizontal: 12.54, vertikal: 11.87



Serie 2:
 9.3 ↓ 10.5 * 10.4 * 8.9 ↙ 9.5 ↓
 9.9 ↓ 9.1 ↘ 9.9 ↓ 10.2 → 7.6 ↙
 beste Teiler 366.2 (12.) 464.4 (13.) 595.0 (19.)
 Trefferlage 2.76 mm links, 8.24 mm tief
 Streuwert 7.28, horizontal: 7.98, vertikal: 6.50



Serie 3:
 9.1 ↓ 9.6 ↑ 9.5 ↗ 9.7 ↑ 8.8 ↗
 9.8 ↙ 8.7 ← 8.8 ↑ 7.9 ↙ 9.7 ↙
 beste Teiler 943.0 (26.) 975.4 (24.) 996.4 (30.)
 Trefferlage 6.32 mm links, 1.88 mm hoch
 Streuwert 10.02, horizontal: 7.54, vertikal: 12.00





Serie 4:
 9.4 ↑ 7.4 ↙ 7.8 ↖ 10.2 ↓ 7.3 ←
 8.1 ↓ 9.4 ↘ 9.7 ↗ 9.1 ↙ 8.2 ↙
 beste Teiler 588.9 (34.) 1027.5 (38.) 1267.7 (31.)
 Trefferlage 9.91 mm links, 5.98 mm tief
 Streuwert 12.15, horizontal: 12.41, vertikal: 11.88


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **335** (349.6)
 Serien: 89 80 85 81
 Zähler: 9 11 10 7 2 1 0 0 0 0
 Innenzehner: 2
 weiteste: 4737 (32), 3972 (22), 3963 (15)
 beste Teiler 454.6 (29.) 468.1 (14.) 527.3 (9.)
 Trefferlage 7.49 mm links, 0.04 mm hoch
 Streuwert 13.70, horizontal: 13.38, vertikal: 14.02




Serie 1:
 9.5 ↘ 8.3 ↙ 10.1 ↙ 7.7 ↘ 10.2 ↙
 8.6 ↑ 10.1 ↘ 8.0 ↙ 10.3 ↘ 9.9 ↘
 beste Teiler 527.3 (9.) 594.6 (5.) 712.6 (7.)
 Trefferlage 8.97 mm links, 1.32 mm hoch
 Streuwert 9.24, horizontal: 7.43, vertikal: 10.76



Serie 2:
 8.2 ← 9.8 ↘ 7.7 → 10.4 * 6.0 ↘
 10.2 ↙ 7.9 ← 9.1 ↘ 7.6 ↑ 7.7 ↘
 beste Teiler 468.1 (14.) 577.5 (16.) 891.7 (12.)
 Trefferlage 9.99 mm links, 8.60 mm hoch
 Streuwert 13.76, horizontal: 16.87, vertikal: 9.71



Serie 3:
 7.1 ← 6.0 ↙ 10.0 ↘ 8.3 ↘ 9.1 ↘
 8.1 → 10.2 ↑ 9.1 ↓ 10.4 * 8.6 ↘
 beste Teiler 454.6 (29.) 608.4 (27.) 770.9 (23.)
 Trefferlage 2.97 mm links, 4.03 mm tief
 Streuwert 15.15, horizontal: 15.45, vertikal: 14.85





Serie 4:
 8.1 ↙ 5.0 ↘ 9.7 ↓ 8.4 ↙ 8.0 ↙
 9.9 ← 9.7 ↘ 9.6 → 9.4 ↓ 7.6 ↓
 beste Teiler 810.0 (36.) 1002.4 (33.) 1035.3 (37.)
 Trefferlage 8.04 mm links, 5.72 mm tief
 Streuwert 14.96, horizontal: 12.85, vertikal: 16.80

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	375	(390.6)
Serien:	93	94 95 93
Zähler:	19	19 1 0 1 0 0 0 0 0
Innenzehner:	7	
weiteste:	3562	(35), 1924 (4), 1600 (32)
beste Teiler	233.2	(34.) 246.6 (15.) 260.2 (6.)
Trefferlage	0.78 mm	rechts, 0.37 mm hoch
Streuwert	7.90,	horizontal: 9.08, vertikal: 6.51




Serie 1:

9.6 ↘	9.5 ←	10.4 *	8.5 →	9.8 ↑
10.6 *	10.1 ↓	9.2 ↙	9.2 ↖	10.2 ↙
beste Teiler	260.2 (6.)	442.1 (3.)	604.0 (10.)	
Trefferlage	3.55 mm links, 1.55 mm hoch			
Streuwert	7.65, horizontal: 8.75, vertikal: 6.36			




Serie 2:

10.0 ↑	9.6 ↙	9.1 ↘	10.1 ←	10.6 *
9.4 →	9.3 ↘	9.6 ↙	10.2 ↓	9.7 →
beste Teiler	246.6 (15.)	630.8 (19.)	708.5 (14.)	
Trefferlage	2.05 mm rechts, 3.63 mm tief			
Streuwert	6.92, horizontal: 7.97, vertikal: 5.67			



Serie 3:

9.6 ←	9.8 ↑	9.7 ↙	10.0 ↗	10.0 ↑
9.2 ↑	10.3 ↖	10.0 →	10.4 *	9.9 ↘
beste Teiler	433.6 (29.)	485.4 (27.)	725.8 (25.)	
Trefferlage	0.03 mm links, 1.76 mm hoch			
Streuwert	6.46, horizontal: 6.20, vertikal: 6.70			





Serie 4:


10.2 ↓	9.0 ↗	10.2 ↗	10.7 *	6.5 →
10.5 *	10.2 ↖	9.6 ←	9.7 ↓	10.4 *
beste Teiler	233.2 (34.)	400.2 (36.)	447.1 (40.)	
Trefferlage	4.66 mm rechts, 1.82 mm hoch			
Streuwert	9.50, horizontal: 11.77, vertikal: 6.49			

Unterschrift des Schützen


Ergebnis: **354** (373.0)
 Serien: 90 85 89 90
 Zähler: 8 21 10 0 0 1 0 0 0 0
 Innenzehner: 5
 weiteste: 4184 (20), 2145 (18), 2078 (8)
 beste Teiler 142.6 (34.) 212.4 (19.) 339.0 (7.)
 Trefferlage 1.82 mm links, 0.50 mm tief
 Streuwert 10.49, horizontal: 9.77, vertikal: 11.16




Serie 1:
 9.1 ↓ 10.4 * 10.4 * 8.9 ↘ 8.5 ↖
 9.9 ← 10.5 * 8.4 ↖ 10.2 ↑ 8.6 ↗
 beste Teiler 339.0 (7.) 430.7 (2.) 474.7 (3.)
 Trefferlage 0.72 mm links, 2.44 mm hoch
 Streuwert 9.90, horizontal: 9.53, vertikal: 10.26



Serie 2:
 9.1 ↖ 9.3 ↓ 9.4 ↘ 9.2 ↗ 9.5 ↙
 8.8 ↗ 9.6 ↓ 8.3 ← 10.7 * 5.7 ↙
 beste Teiler 212.4 (19.) 1067.0 (17.) 1139.6 (15.)
 Trefferlage 6.21 mm links, 6.33 mm tief
 Streuwert 12.32, horizontal: 11.62, vertikal: 12.97



Serie 3:
 9.9 → 10.0 ↖ 9.1 ↘ 9.9 ↖ 9.4 ↘
 9.5 ↖ 9.0 ↓ 8.7 ↖ 8.9 ↓ 9.0 ↓
 beste Teiler 774.7 (22.) 828.6 (21.) 869.1 (24.)
 Trefferlage 1.46 mm links, 3.15 mm tief
 Streuwert 9.65, horizontal: 8.68, vertikal: 10.54





Serie 4:
 9.9 ↑ 9.8 ← 9.4 ↖ 10.8 * 9.1 ↗
 8.4 ↗ 10.1 ↘ 8.9 ↗ 9.2 ↙ 9.5 ↗
 beste Teiler 142.6 (34.) 716.9 (37.) 848.4 (31.)
 Trefferlage 1.09 mm rechts, 5.01 mm hoch
 Streuwert 8.55, horizontal: 8.96, vertikal: 8.12


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **361** (377.7)
 Serien: 90 90 90 91
 Zähler: 9 23 8 0 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 2376 (34), 2138 (21), 2066 (2)
 beste Teiler 146.4 (4.) 556.1 (7.) 557.6 (28.)
 Trefferlage 1.40 mm rechts, 2.86 mm tief
 Streuwert 9.08, horizontal: 9.21, vertikal: 8.96




Serie 1:
 8.9 ↘ 8.4 → 8.9 → 10.8 * 9.2 ↓
 9.5 ↘ 10.3 ↗ 9.1 ↗ 10.2 ↑ 9.9 ↗
 beste Teiler 146.4 (4.) 556.1 (7.) 592.3 (9.)
 Trefferlage 7.82 mm rechts, 0.37 mm tief
 Streuwert 7.52, horizontal: 7.48, vertikal: 7.57



Serie 2:
 9.8 ↗ 8.7 ↓ 9.7 ← 10.1 → 9.5 ↑
 9.1 ← 9.8 ↙ 10.1 ← 8.5 ↓ 9.2 ↓
 beste Teiler 699.6 (18.) 717.0 (14.) 931.6 (17.)
 Trefferlage 2.71 mm links, 4.60 mm tief
 Streuwert 8.68, horizontal: 6.34, vertikal: 10.51



Serie 3:
 8.3 ↘ 9.8 ↖ 9.9 ↗ 9.1 ↓ 9.0 ←
 9.3 ↘ 9.3 → 10.3 ↑ 8.6 ↖ 10.1 ↙
 beste Teiler 557.6 (28.) 654.5 (30.) 824.0 (23.)
 Trefferlage 0.74 mm rechts, 1.20 mm tief
 Streuwert 10.04, horizontal: 11.29, vertikal: 8.61





Serie 4:
 10.2 ↓ 9.9 → 9.8 → 8.0 ↙ 9.1 ↓
 9.7 ↙ 9.3 ↘ 9.0 ↓ 10.2 ↗ 9.1 ↑
 beste Teiler 586.0 (31.) 639.2 (39.) 811.8 (32.)
 Trefferlage 0.24 mm links, 5.25 mm tief
 Streuwert 9.00, horizontal: 8.70, vertikal: 9.29

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	343	(362.3)			
Serien:	85	86	84	88	
Zähler:	8	18	5	7	2 0 0 0 0 0
Innenzehner:	3				
weiteste:	3460 (30), 3209 (9), 3101 (12)				
beste Teiler	288.4 (24.) 307.7 (20.) 385.9 (33.)				
Trefferlage	3.96 mm links, 0.25 mm hoch				
Streuwert	12.23, horizontal: 11.58, vertikal: 12.84				




Serie 1:

9.3 ↘	8.8 ↖	9.4 ↗	8.8 ↙	7.6 ↘
9.4 ↑	10.0 ↓	10.1 ↘	6.9 ↗	9.0 ↗
beste Teiler	700.2 (8.) 777.3 (7.) 1221.2 (6.)			
Trefferlage	5.95 mm links, 3.16 mm tief			
Streuwert	12.29, horizontal: 11.48, vertikal: 13.05			




Serie 2:

10.2 ↓	7.1 ↗	9.8 ↘	7.2 ↗	9.3 ↖
9.7 ↖	9.8 ↘	7.7 ↘	9.3 ↖	10.6 *
beste Teiler	307.7 (20.) 640.9 (11.) 947.2 (13.)			
Trefferlage	1.14 mm rechts, 7.04 mm hoch			
Streuwert	12.30, horizontal: 11.76, vertikal: 12.82			



Serie 3:

9.9 ↖	9.2 ↓	7.8 ↙	10.6 *	8.7 ↓
7.4 ↖	9.9 ↓	9.8 ↙	10.0 ↑	6.6 ↖
beste Teiler	288.4 (24.) 769.8 (29.) 811.3 (27.)			
Trefferlage	9.72 mm links, 4.89 mm tief			
Streuwert	11.11, horizontal: 13.49, vertikal: 8.05			





Serie 4:

10.1 ↘	9.2 ↑	10.5 *	8.5 ↙	9.3 ↑
8.1 ↓	7.2 ↘	9.9 ↓	9.8 →	9.8 ↑
beste Teiler	385.9 (33.) 651.0 (31.) 810.7 (38.)			
Trefferlage	1.32 mm links, 2.03 mm hoch			
Streuwert	11.59, horizontal: 7.11, vertikal: 14.77			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (375.9)
 Serien: 89 92 89 84
 Zähler: 10 15 14 1 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2682 (39), 2264 (5), 1985 (31)
 beste Teiler 180.0 (16.) 367.8 (11.) 461.7 (15.)
 Trefferlage 1.35 mm rechts, 0.93 mm hoch
 Streuwert 9.67, horizontal: 9.72, vertikal: 9.62




Serie 1:
 9.9 ↙ 8.7 ↘ 8.9 ↑ 9.5 ↖ 8.1 ↓
 9.4 ↑ 9.8 ↓ 10.1 ↖ 10.0 → 9.2 →
 beste Teiler 644.3 (8.) 722.5 (9.) 837.3 (1.)
 Trefferlage 0.73 mm links, 1.81 mm hoch
 Streuwert 9.93, horizontal: 8.40, vertikal: 11.26



Serie 2:
 10.5 * 9.8 ← 8.7 ↓ 9.9 ↖ 10.4 *
 10.7 * 10.4 * 9.8 ← 9.6 ↓ 8.9 →
 beste Teiler 180.0 (16.) 367.8 (11.) 461.7 (15.)
 Trefferlage 1.00 mm links, 1.13 mm tief
 Streuwert 7.33, horizontal: 7.96, vertikal: 6.65



Serie 3:
 8.6 → 10.3 ← 9.4 ↗ 9.7 ↓ 10.2 ↗
 8.8 ← 9.6 ↓ 8.9 ↑ 10.0 ↓ 8.8 ↖
 beste Teiler 550.6 (22.) 567.0 (25.) 787.4 (29.)
 Trefferlage 1.83 mm rechts, 2.14 mm hoch
 Streuwert 9.50, horizontal: 8.98, vertikal: 9.99





Serie 4:
 8.5 → 9.4 ↘ 8.6 → 8.9 ↘ 10.1 ↗
 9.2 ↑ 9.5 ← 8.9 → 7.6 ↙ 8.6 ↑
 beste Teiler 693.0 (35.) 1150.5 (37.) 1272.3 (32.)
 Trefferlage 5.31 mm rechts, 0.90 mm hoch
 Streuwert 12.02, horizontal: 12.90, vertikal: 11.08


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **350** (370.6)
 Serien: 89 84 89 88
 Zähler: 9 17 9 5 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2810 (33), 2687 (3), 2453 (35)
 beste Teiler 270.6 (1.) 381.4 (28.) 425.0 (4.)
 Trefferlage 0.32 mm rechts, 0.49 mm tief
 Streuwert 10.74, horizontal: 11.30, vertikal: 10.14




Serie 1:
 10.6 * 8.6 ↙ 7.6 ↙ 10.4 * 9.9 ↙
 10.1 ↖ 9.2 ↘ 9.3 ↓ 8.5 ↙ 9.9 ↙
 beste Teiler 270.6 (1.) 425.0 (4.) 679.1 (6.)
 Trefferlage 8.03 mm links, 4.95 mm tief
 Streuwert 8.01, horizontal: 7.34, vertikal: 8.64



Serie 2:
 9.9 ↘ 10.0 ↓ 8.6 ↘ 7.9 ↗ 8.9 →
 9.0 ← 9.5 ↘ 7.9 ↑ 9.2 ↓ 8.5 ↗
 beste Teiler 779.2 (12.) 823.7 (11.) 1128.2 (17.)
 Trefferlage 2.08 mm rechts, 5.32 mm hoch
 Streuwert 11.86, horizontal: 12.05, vertikal: 11.67



Serie 3:
 9.2 ↙ 9.9 ↓ 9.2 ↘ 8.6 ↗ 8.9 ↗
 9.4 ↙ 9.8 → 10.5 * 9.7 ↙ 9.5 ↘
 beste Teiler 381.4 (28.) 847.0 (22.) 898.2 (27.)
 Trefferlage 1.66 mm rechts, 0.93 mm tief
 Streuwert 9.19, horizontal: 10.12, vertikal: 8.15





Serie 4:
 10.1 ↑ 10.2 ↘ 7.4 ↑ 9.1 ↘ 7.9 ↘
 10.4 * 8.5 ↘ 9.6 ↙ 8.8 ← 10.4 *
 beste Teiler 459.9 (36.) 465.5 (40.) 584.5 (32.)
 Trefferlage 5.58 mm rechts, 1.40 mm tief
 Streuwert 11.08, horizontal: 11.74, vertikal: 10.38


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	369	(387.1)
Serien:	92 96 92 89	
Zähler:	15 19 6 0 0 0 0 0 0 0	
Innenzehner:	8	
weiteste:	2315 (38), 2306 (26), 2033 (25)	
beste Teiler	55.1 (28.) 251.2 (17.) 281.7 (18.)	
Trefferlage	3.02 mm links, 1.31 mm hoch	
Streuwert	8.06, horizontal: 8.20, vertikal: 7.92	




Serie 1:	8.7 ↙	9.1 ↖	10.5 *	10.1 ↗	9.1 ↘
	9.0 ↘	9.9 ↑	9.5 ↓	10.5 *	9.8 ↓
beste Teiler	352.0 (9.)	368.0 (3.)	715.9 (4.)		
Trefferlage	0.41 mm links, 4.05 mm tief				
Streuwert	8.17, horizontal: 8.42, vertikal: 7.90				



Serie 2:	10.1 ↗	9.8 ↖	9.9 ←	10.5 *	9.8 ↗
	10.3 ↑	10.6 *	10.6 *	9.7 ↗	10.2 ↖
beste Teiler	251.2 (17.)	281.7 (18.)	334.5 (14.)		
Trefferlage	0.25 mm links, 2.22 mm hoch				
Streuwert	4.81, horizontal: 5.14, vertikal: 4.47				



Serie 3:	10.5 *	9.5 ↖	10.3 ↖	9.2 ↖	8.4 ↖
	8.1 ↗	9.5 ↗	10.9 *	9.1 ↖	10.3 ↗
beste Teiler	55.1 (28.)	396.8 (21.)	515.0 (30.)		
Trefferlage	2.37 mm links, 6.52 mm hoch				
Streuwert	8.26, horizontal: 8.10, vertikal: 8.41				





Serie 4:	9.7 ↓	9.5 ↖	9.6 ←	10.0 ↑	10.4 *
	9.4 ↘	8.5 ↖	8.1 ←	8.5 ↖	9.9 ↓
beste Teiler	454.7 (35.)	786.6 (34.)	866.0 (40.)		
Trefferlage	9.04 mm links, 0.58 mm hoch				
Streuwert	7.96, horizontal: 8.47, vertikal: 7.41				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (389.4)
 Serien: 92 94 94 95
 Zähler: 22 12 5 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2670 (10), 2281 (39), 2277 (14)
 beste Teiler 194.3 (26.) 233.5 (34.) 237.6 (29.)
 Trefferlage 0.42 mm links, 0.79 mm hoch
 Streuwert 8.12, horizontal: 9.31, vertikal: 6.72




Serie 1:
 9.1 → 10.1 ↙ 10.2 → 10.0 ↘ 8.8 ←
 9.8 ↗ 9.4 ↗ 10.5 * 10.0 ↑ 7.6 ←
 beste Teiler 397.2 (8.) 631.4 (3.) 685.4 (2.)
 Trefferlage 1.14 mm links, 0.40 mm hoch
 Streuwert 9.64, horizontal: 12.27, vertikal: 5.93



Serie 2:
 9.8 ↘ 10.6 * 9.0 ← 8.1 → 10.0 ←
 10.0 → 10.2 ↘ 10.1 → 9.7 ↗ 9.7 ↗
 beste Teiler 254.9 (12.) 567.9 (17.) 696.7 (18.)
 Trefferlage 1.28 mm rechts, 2.88 mm hoch
 Streuwert 8.00, horizontal: 10.37, vertikal: 4.51



Serie 3:
 8.8 ↙ 9.2 ↘ 10.3 ↖ 10.0 ↖ 9.9 ↓
 10.7 * 10.1 ↓ 8.7 ↗ 10.7 * 10.2 ←
 beste Teiler 194.3 (26.) 237.6 (29.) 521.6 (23.)
 Trefferlage 1.62 mm links, 0.22 mm hoch
 Streuwert 7.64, horizontal: 6.97, vertikal: 8.25





Serie 4:
 9.2 ↑ 10.1 ↓ 10.3 → 10.7 * 10.1 ↑
 9.3 ↓ 10.2 ← 9.9 ↗ 8.1 ← 10.2 →
 beste Teiler 233.5 (34.) 502.5 (33.) 605.4 (40.)
 Trefferlage 0.18 mm links, 0.31 mm tief
 Streuwert 8.03, horizontal: 7.98, vertikal: 8.08


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368** (387.2)
 Serien: 89 93 92 94
 Zähler: 16 16 8 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 1954 (27), 1948 (5), 1944 (7)
 beste Teiler 222.5 (12.) 239.2 (24.) 292.3 (20.)
 Trefferlage 1.81 mm rechts, 0.54 mm hoch
 Streuwert 8.03, horizontal: 8.95, vertikal: 7.00




Serie 1:
 10.3 → 8.9 ↗ 9.4 ↓ 10.5 * 8.5 ↘
 9.9 ↘ 8.5 ↓ 9.5 ↗ 8.7 → 10.3 ←
 beste Teiler 338.2 (4.) 502.4 (1.) 511.0 (10.)
 Trefferlage 4.73 mm rechts, 0.11 mm hoch
 Streuwert 9.29, horizontal: 8.72, vertikal: 9.83



Serie 2:
 9.0 ← 10.7 * 9.8 ↓ 10.3 ← 9.7 →
 9.2 ↘ 9.6 ← 9.7 ↑ 9.0 ↙ 10.6 *
 beste Teiler 222.5 (12.) 292.3 (20.) 512.4 (14.)
 Trefferlage 3.52 mm links, 0.28 mm tief
 Streuwert 7.36, horizontal: 8.36, vertikal: 6.21



Serie 3:
 10.2 ↑ 10.3 ↖ 10.3 ↗ 10.7 * 8.8 ↘
 10.1 ↑ 8.5 ↙ 10.1 ↘ 8.9 → 8.6 ↑
 beste Teiler 239.2 (24.) 502.4 (22.) 502.8 (23.)
 Trefferlage 2.55 mm rechts, 2.50 mm hoch
 Streuwert 8.61, horizontal: 9.72, vertikal: 7.33





Serie 4:
 10.2 ← 9.5 → 10.0 ↓ 10.3 ↗ 10.3 ↘
 9.8 → 9.8 ← 9.9 ↗ 9.4 → 9.4 →
 beste Teiler 487.5 (35.) 554.7 (34.) 587.7 (31.)
 Trefferlage 3.49 mm rechts, 0.15 mm tief
 Streuwert 6.30, horizontal: 7.85, vertikal: 4.21


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **349** (367.5)
 Serien: 87 86 86 90
 Zähler: 7 22 6 4 0 1 0 0 0 0
 Innenzehner: 1
 weiteste: 4399 (30), 3131 (38), 2936 (2)
 beste Teiler 164.8 (21.) 548.9 (35.) 563.0 (32.)
 Trefferlage 3.07 mm links, 0.65 mm tief
 Streuwert 11.48, horizontal: 11.51, vertikal: 11.46




Serie 1:
 9.2 ↙ 7.3 ↗ 9.3 ↙ 8.7 ↙ 9.7 ↙
 9.8 ↓ 9.7 ↙ 9.6 ← 9.3 ← 9.0 ↗
 beste Teiler 920.4 (6.) 993.6 (7.) 1028.4 (5.)
 Trefferlage 3.61 mm links, 2.12 mm tief
 Streuwert 11.08, horizontal: 10.61, vertikal: 11.53



Serie 2:
 10.0 ↘ 9.9 ↑ 7.6 ↗ 8.1 ↓ 9.7 ↖
 8.9 → 9.7 ↘ 8.9 ↑ 8.8 ↓ 10.2 ←
 beste Teiler 565.8 (20.) 727.0 (11.) 841.8 (12.)
 Trefferlage 3.88 mm rechts, 0.74 mm tief
 Streuwert 11.23, horizontal: 10.14, vertikal: 12.23



Serie 3:
 10.7 * 9.7 ↙ 9.0 ↑ 9.0 ↓ 9.2 ↙
 9.9 ↓ 9.4 ↖ 7.4 ← 10.1 ↖ 5.5 ↙
 beste Teiler 164.8 (21.) 650.7 (29.) 827.6 (26.)
 Trefferlage 8.74 mm links, 4.73 mm tief
 Streuwert 12.53, horizontal: 11.02, vertikal: 13.88





Serie 4:
 9.9 ↑ 10.2 ↑ 8.8 ↑ 9.0 → 10.3 →
 9.7 ↑ 9.5 ↖ 7.0 ← 10.1 ← 9.7 ↖
 beste Teiler 548.9 (35.) 563.0 (32.) 719.1 (39.)
 Trefferlage 3.81 mm links, 4.97 mm hoch
 Streuwert 9.58, horizontal: 12.10, vertikal: 6.11


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **334** (351.7)
 Serien: 82 85 88 79
 Zähler: 4 16 12 6 2 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3567 (31), 3441 (20), 2950 (5)
 beste Teiler 236.0 (18.) 246.8 (30.) 521.4 (10.)
 Trefferlage 3.92 mm links, 5.16 mm tief
 Streuwert 12.87, horizontal: 14.58, vertikal: 10.89




Serie 1:
 8.9 ↘ 8.3 ↓ 7.4 ↓ 8.4 ↗ 7.3 →
 8.4 ↓ 8.2 ↑ 9.9 ↓ 9.8 ↑ 10.3 ↘
 beste Teiler 521.4 (10.) 857.9 (8.) 924.4 (9.)
 Trefferlage 1.85 mm rechts, 2.55 mm tief
 Streuwert 14.51, horizontal: 13.07, vertikal: 15.82



Serie 2:
 9.1 → 8.3 ↓ 8.8 ↗ 8.3 ← 9.6 ↓
 9.2 ← 9.6 ↓ 10.7 * 9.4 ↗ 6.6 ←
 beste Teiler 236.0 (18.) 1046.6 (17.) 1118.0 (15.)
 Trefferlage 5.75 mm links, 4.24 mm tief
 Streuwert 12.19, horizontal: 14.83, vertikal: 8.80



Serie 3:
 7.5 ↗ 9.3 ← 9.2 ← 9.0 ← 9.4 ←
 9.4 ↓ 9.9 ↗ 8.6 ↓ 9.8 ← 10.6 *
 beste Teiler 246.8 (30.) 865.5 (27.) 926.2 (29.)
 Trefferlage 7.15 mm links, 5.00 mm tief
 Streuwert 9.02, horizontal: 9.35, vertikal: 8.68





Serie 4:
 6.5 → 9.0 ↓ 7.3 ↗ 8.1 → 7.3 ↗
 8.7 ↗ 9.2 ← 8.6 ← 10.1 ↓ 7.7 ←
 beste Teiler 687.0 (39.) 1377.2 (37.) 1552.3 (32.)
 Trefferlage 4.62 mm links, 8.85 mm tief
 Streuwert 15.44, horizontal: 19.75, vertikal: 9.32


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **360** (376.3)
 Serien: 92 86 93 89
 Zähler: 14 15 8 3 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 3139 (33), 2585 (18), 2465 (11)
 beste Teiler 125.3 (14.) 271.5 (36.) 280.7 (30.)
 Trefferlage 0.96 mm rechts, 3.00 mm tief
 Streuwert 9.93, horizontal: 8.60, vertikal: 11.11




Serie 1:
 10.0 ↖ 9.2 ↑ 9.2 ↓ 9.0 ↗ 9.1 ↓
 8.3 ↓ 9.8 ↓ 9.5 ↑ 10.4 * 10.4 *
 beste Teiler 452.7 (10.) 458.0 (9.) 742.5 (1.)
 Trefferlage 1.95 mm rechts, 2.22 mm tief
 Streuwert 9.18, horizontal: 5.74, vertikal: 11.65



Serie 2:
 7.9 ↑ 9.4 ↓ 8.0 ↙ 10.8 * 8.5 ↓
 9.1 ↓ 8.8 ↘ 7.7 ↓ 10.1 ↗ 10.3 ↓
 beste Teiler 125.3 (14.) 529.0 (20.) 667.1 (19.)
 Trefferlage 0.78 mm links, 7.38 mm tief
 Streuwert 11.49, horizontal: 7.06, vertikal: 14.64



Serie 3:
 10.0 ← 9.9 → 9.4 ← 10.3 ↘ 10.1 →
 10.3 ↓ 8.8 ↓ 8.6 → 9.7 ← 10.6 *
 beste Teiler 280.7 (30.) 481.4 (24.) 503.0 (26.)
 Trefferlage 0.43 mm rechts, 2.36 mm tief
 Streuwert 7.70, horizontal: 9.49, vertikal: 5.34



Serie 4:
 8.2 ↙ 10.4 * 7.0 ↗ 9.9 ↓ 9.5 ←
 10.6 * 9.9 ← 10.1 ↑ 9.0 ↘ 8.5 →
 beste Teiler 271.5 (36.) 464.7 (32.) 646.4 (38.)
 Trefferlage 2.27 mm rechts, 0.05 mm tief
 Streuwert 11.52, horizontal: 11.86, vertikal: 11.16

Unterschrift des Schützen