





Ergebnis: **605.0** (580)  
 Serien: 101.1 98.6 100.5 100.8 100.5 103.5  
 Zähler: 41 18 1 0 0 0 0 0 0  
 Innenzehner: 21  
 weiteste: 1761 (20), 1493 (3), 1451 (13)  
 beste Teiler 149.9 (56.) 152.2 (21.) 152.5 (7.)  
 Trefferlage 1.65 mm rechts, 0.39 mm tief  
 Streuwert 5.47, horizontal: 5.64, vertikal: 5.29




Serie 1:  
 10.6 \* 9.7 → 9.1 ↗ 10.2 ↓ 10.5 \*  
 10.2 → 10.8 \* 10.1 ↓ 10.2 ↓ 9.7 ←  
 beste Teiler 152.5 (7.) 256.6 (1.) 384.2 (5.)  
 Trefferlage 1.99 mm rechts, 0.77 mm tief  
 Streuwert 5.55, horizontal: 6.59, vertikal: 4.26




Serie 2:  
 9.9 → 10.5 \* 9.1 ↘ 10.3 \* 10.5 \*  
 9.9 ↓ 9.5 ↓ 10.4 \* 9.8 ↖ 8.7 ↓  
 beste Teiler 352.6 (15.) 363.6 (12.) 403.8 (18.)  
 Trefferlage 3.28 mm rechts, 3.07 mm tief  
 Streuwert 6.48, horizontal: 5.06, vertikal: 7.65




Serie 3:  
 10.8 \* 10.1 ↗ 10.7 \* 9.6 → 9.7 ↓  
 9.2 → 10.0 → 9.6 ↓ 10.7 \* 10.1 ↗  
 beste Teiler 152.2 (21.) 162.2 (23.) 231.5 (29.)  
 Trefferlage 4.24 mm rechts, 0.70 mm tief  
 Streuwert 5.25, horizontal: 4.96, vertikal: 5.53



Serie 4:  
 10.1 ← 10.1 ← 9.9 ↖ 10.5 \* 10.6 \*  
 10.2 ↓ 10.1 → 9.4 → 10.3 ↖ 9.6 ↗  
 beste Teiler 310.8 (35.) 378.3 (34.) 542.4 (39.)  
 Trefferlage 0.01 mm links, 1.10 mm hoch  
 Streuwert 5.49, horizontal: 6.26, vertikal: 4.60



Serie 5:  
 10.2 ↑ 9.3 ↖ 10.1 ↗ 10.4 \* 10.3 \*  
 10.3 \* 10.3 ↑ 10.0 ↘ 10.1 ← 9.5 ↓  
 beste Teiler 475.9 (44.) 481.0 (46.) 511.9 (45.)  
 Trefferlage 1.36 mm links, 0.87 mm hoch  
 Streuwert 5.69, horizontal: 6.22, vertikal: 5.12



Serie 6:  
 10.3 ← 9.9 ↘ 10.4 \* 10.0 ↑ 10.7 \*  
 10.8 \* 10.3 \* 10.6 \* 10.4 \* 10.1 →  
 beste Teiler 149.9 (56.) 187.2 (55.) 283.0 (58.)  
 Trefferlage 1.75 mm rechts, 0.16 mm hoch  
 Streuwert 3.83, horizontal: 3.69, vertikal: 3.96

Meyton Elektronik

**KK liegend** – *Wertung* – **offene Klasse**

StandNr: 10

**Fankhauser, Thomas** #173

**StartNr: 7**

26. August 2018 9:26



Fügenberg / Fügenberg 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **595.1** (567)  
 Serien: 100.6 99.1 99.5 98.5 98.9 98.5  
 Zähler: 29 29 2 0 0 0 0 0 0  
 Innenzehner: 14  
 weiteste: 2246 (58), 1722 (28), 1283 (10)  
 beste Teiler 125.6 (51.) 132.5 (12.) 213.5 (38.)  
 Trefferlage 0.91 mm links, 1.03 mm tief  
 Streuwert 6.34, horizontal: 6.65, vertikal: 6.01




Serie 1:  
 10.0 ↗ 10.3 \* 10.2 → 10.6 \* 9.8 ↙  
 9.8 ↘ 10.4 \* 10.6 \* 9.6 ↖ 9.3 ↓  
 beste Teiler 301.5 (8.) 312.1 (4.) 465.7 (7.)  
 Trefferlage 0.43 mm rechts, 3.23 mm tief  
 Streuwert 5.25, horizontal: 5.84, vertikal: 4.59




Serie 2:  
 10.2 ↓ 10.8 \* 10.0 ↖ 9.9 ← 9.6 ↗  
 9.6 ↘ 10.4 \* 9.7 ↗ 9.4 ↓ 9.5 ↙  
 beste Teiler 132.5 (12.) 467.1 (17.) 568.3 (11.)  
 Trefferlage 3.00 mm links, 2.06 mm tief  
 Streuwert 6.12, horizontal: 5.44, vertikal: 6.73




Serie 3:  
 9.6 ↗ 10.5 \* 10.1 → 10.4 \* 9.9 ↗  
 10.0 ↓ 10.1 ← 8.8 ↖ 9.8 ↓ 10.3 \*  
 beste Teiler 375.6 (22.) 424.2 (24.) 491.5 (30.)  
 Trefferlage 0.61 mm links, 0.76 mm tief  
 Streuwert 6.51, horizontal: 7.15, vertikal: 5.82



Serie 4:  
 9.9 ↘ 9.8 ↙ 9.6 ↘ 10.3 \* 10.3 \*  
 9.4 ↘ 9.5 ← 10.7 \* 9.5 ↘ 9.5 ↗  
 beste Teiler 213.5 (38.) 493.0 (35.) 520.8 (34.)  
 Trefferlage 2.37 mm links, 1.40 mm hoch  
 Streuwert 6.67, horizontal: 6.18, vertikal: 7.12



Serie 5:  
 9.6 ← 10.2 ↑ 9.7 ↖ 10.3 \* 9.9 ↙  
 9.9 ↘ 9.4 ↖ 10.1 ↗ 10.0 ↘ 9.8 →  
 beste Teiler 508.5 (44.) 578.6 (42.) 664.6 (48.)  
 Trefferlage 1.06 mm links, 1.66 mm tief  
 Streuwert 6.27, horizontal: 7.47, vertikal: 4.76



Serie 6:  
 10.8 \* 10.1 ↓ 10.0 → 10.2 ↙ 10.2 ↑  
 9.6 ↘ 10.0 ← 8.1 ↘ 9.9 ↑ 9.6 →  
 beste Teiler 125.6 (51.) 561.0 (55.) 584.0 (54.)  
 Trefferlage 1.13 mm rechts, 0.09 mm hoch  
 Streuwert 7.59, horizontal: 8.18, vertikal: 6.94

**KK liegend** – *Wertung* – **offene Klasse**

StandNr: 11

**Müller, Werner** #1000000495

**StartNr: 8**

26. August 2018 9:31



Absam / Absam 2

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **616.2** (587)  
 Serien: 102.3 102.8 103.0 101.4 102.4 104.3  
 Zähler: 47 13 0 0 0 0 0 0 0  
 Innenzehner: 30  
 weiteste: 1352 (8), 1253 (40), 1089 (56)  
 beste Teiler 104.4 (12.) 136.5 (55.) 147.3 (4.)  
 Trefferlage 0.94 mm rechts, 0.27 mm tief  
 Streuwert 4.32, horizontal: 5.23, vertikal: 3.16




Serie 1:  
 10.6 \*                      10.2 →                      9.6 →                      10.8 \*                      10.7 \*  
 10.3 ↗                      10.3 →                      9.3 ←                      10.7 \*                      9.8 →  
 beste Teiler 147.3 (4.) 178.9 (5.) 188.8 (9.)  
 Trefferlage 2.24 mm rechts, 0.21 mm hoch  
 Streuwert 4.94, horizontal: 6.54, vertikal: 2.45




Serie 2:  
 9.9 ↘                      10.8 \*                      10.1 ↗                      10.4 \*                      10.4 \*  
 10.4 \*                      10.1 ↗                      10.5 \*                      10.3 \*                      9.9 ←  
 beste Teiler 104.4 (12.) 353.6 (18.) 417.1 (14.)  
 Trefferlage 1.41 mm rechts, 0.59 mm hoch  
 Streuwert 4.17, horizontal: 4.74, vertikal: 3.51




Serie 3:  
 9.9 →                      10.6 \*                      10.0 →                      10.4 \*                      10.2 ↓  
 10.5 \*                      9.9 →                      10.6 \*                      10.3 \*                      10.6 \*  
 beste Teiler 265.9 (28.) 297.6 (22.) 309.7 (30.)  
 Trefferlage 2.16 mm rechts, 0.86 mm tief  
 Streuwert 3.77, horizontal: 4.50, vertikal: 2.86



Serie 4:  
 10.2 ←                      10.1 ↗                      10.5 \*                      10.2 ↖                      10.0 ↖  
 9.9 ←                      10.6 \*                      10.5 \*                      10.0 →                      9.4 →  
 beste Teiler 280.8 (37.) 337.6 (38.) 360.2 (33.)  
 Trefferlage 0.42 mm rechts, 0.21 mm hoch  
 Streuwert 5.17, horizontal: 6.31, vertikal: 3.69



Serie 5:  
 10.3 \*                      10.3 ↘                      10.5 \*                      10.3 ←                      9.7 ↓  
 10.2 ←                      9.9 →                      10.4 \*                      10.2 ↖                      10.6 \*  
 beste Teiler 246.9 (50.) 389.1 (43.) 459.7 (48.)  
 Trefferlage 0.73 mm links, 1.21 mm tief  
 Streuwert 4.43, horizontal: 4.95, vertikal: 3.84



Serie 6:  
 10.8 \*                      9.9 ←                      10.7 \*                      10.6 \*                      10.8 \*  
 9.6 →                      10.7 \*                      10.6 \*                      10.5 \*                      10.1 ↗  
 beste Teiler 136.5 (55.) 151.8 (51.) 182.0 (57.)  
 Trefferlage 0.14 mm rechts, 0.56 mm tief  
 Streuwert 3.82, horizontal: 4.63, vertikal: 2.78

Meyton Elektronik

**KK liegend** – *Wertung* – **offene Klasse**

StandNr: 12

**Wadlegger, Stefan** #150

**StartNr: 9**

26. August 2018 9:20

Absam / Absam 1

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik

# KK liegend – Wertung – offene Klasse

StartNr: 10



StandNr: 13

26. August 2018 9:32


Rangger, Patricia #207

Mieming / Mieming 1


Ergebnis:	<b>590.2</b>	(563)
Serien:	95.1	101.2 99.6 100.0 98.1 96.2
Zähler:	27 29 4 0 0 0 0 0 0	
Innenzehner:	13	
weiteste:	1931 (52), 1836 (9), 1660 (6)	
beste Teiler	39.0 (17.) 117.2 (14.) 134.6 (55.)	
Trefferlage	1.19 mm rechts, 1.59 mm tief	
Streuwert	7.00, horizontal: 7.27, vertikal: 6.72	




Serie 1:	9.8 →	10.0 →	9.8 ↙	10.1 ↘	9.7 ↘
	8.9 →	9.4 ←	9.7 ←	8.7 ↑	9.0 ↑
beste Teiler	672.6 (4.) 767.0 (2.) 911.0 (3.)				
Trefferlage	1.07 mm rechts, 0.91 mm hoch				
Streuwert	8.99, horizontal: 8.96, vertikal: 9.01				




Serie 2:	10.2 ↓	10.6 *	10.1 →	10.8 *	9.4 ↓
	9.3 ↓	10.9 *	9.4 ↘	10.3 ↖	10.2 ↘
beste Teiler	39.0 (17.) 117.2 (14.) 280.8 (12.)				
Trefferlage	1.08 mm rechts, 3.82 mm tief				
Streuwert	5.11, horizontal: 3.49, vertikal: 6.32				




Serie 3:	9.6 ↘	9.4 →	10.7 *	9.8 ↘	9.9 ←
	9.4 ↘	10.2 ↙	10.6 *	10.3 *	9.7 ↘
beste Teiler	173.9 (23.) 245.3 (28.) 513.4 (29.)				
Trefferlage	1.29 mm rechts, 4.47 mm tief				
Streuwert	5.55, horizontal: 6.97, vertikal: 3.61				



Serie 4:	10.5 *	9.9 ↖	10.6 *	10.6 *	10.2 ↘
	9.6 ↓	10.2 ↖	9.5 ↓	9.2 ↙	9.7 ↘
beste Teiler	251.3 (34.) 262.3 (33.) 384.5 (31.)				
Trefferlage	1.54 mm links, 3.24 mm tief				
Streuwert	5.75, horizontal: 5.64, vertikal: 5.85				



Serie 5:	10.2 ↗	10.0 ↖	10.4 *	8.9 ↖	9.5 ←
	9.0 ↘	10.2 ↖	10.0 ←	9.6 →	10.3 *
beste Teiler	473.7 (43.) 497.8 (50.) 618.4 (47.)				
Trefferlage	1.50 mm links, 0.71 mm hoch				
Streuwert	7.38, horizontal: 9.29, vertikal: 4.77				



Serie 6:	9.2 ↘	8.5 ↘	10.0 ↑	10.6 *	10.8 *
	9.2 →	9.4 ↗	9.7 ↗	9.1 ↘	9.7 ↗
beste Teiler	134.6 (55.) 258.8 (54.) 740.3 (53.)				
Trefferlage	6.77 mm rechts, 0.31 mm hoch				
Streuwert	7.29, horizontal: 6.06, vertikal: 8.34				

Meyton Elektronik

**KK liegend** – Wertung – **offene Klasse**

StandNr: 13

**Rangger, Patricia** #207

**StartNr: 10**

26. August 2018 9:32

Mieming / Mieming 1



---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik




Ergebnis:	<b>596.8</b>	(571)
Serien:	98.7 99.2 102.8 100.7 99.9 95.5	
Zähler:	37 17 6 0 0 0 0 0 0	
Innenzehner:	23	
weiteste:	1908 (4), 1863 (19), 1861 (9)	
beste Teiler	113.1 (11.) 119.2 (23.) 123.2 (16.)	
Trefferlage	1.19 mm links, 0.29 mm hoch	
Streuwert	6.69, horizontal: 6.51, vertikal: 6.87	




Serie 1:	10.2 ↗	10.1 ↘	10.4 *	8.6 ↙	10.0 ↘
	9.4 ↘	10.6 *	10.4 *	8.6 ↘	10.4 *
beste Teiler	273.5 (7.)	411.9 (8.)	432.1 (3.)		
Trefferlage	3.45 mm links, 1.58 mm hoch				
Streuwert	7.18, horizontal: 6.18, vertikal: 8.06				




Serie 2:	10.8 *	10.1 ←	9.6 ←	9.2 ↑	9.8 ↘
	10.8 *	10.5 *	9.2 ↘	8.6 ↗	10.6 *
beste Teiler	113.1 (11.)	123.2 (16.)	241.7 (20.)		
Trefferlage	0.09 mm links, 2.21 mm hoch				
Streuwert	7.34, horizontal: 7.29, vertikal: 7.39				




Serie 3:	9.8 ↗	10.6 *	10.8 *	10.8 *	10.7 *
	10.0 ↘	10.1 ↘	9.6 ↓	10.0 ↓	10.4 *
beste Teiler	119.2 (23.)	138.7 (24.)	215.2 (25.)		
Trefferlage	1.36 mm links, 0.26 mm tief				
Streuwert	4.55, horizontal: 3.59, vertikal: 5.35				



Serie 4:	10.6 *	10.3 *	9.7 ↘	10.7 *	9.7 ↑
	10.3 *	10.6 *	9.6 ↓	10.2 ↗	9.0 ←
beste Teiler	211.6 (34.)	268.0 (37.)	288.5 (31.)		
Trefferlage	0.10 mm rechts, 0.92 mm hoch				
Streuwert	6.00, horizontal: 6.37, vertikal: 5.60				



Serie 5:	10.5 *	10.2 ↘	10.4 *	10.0 ↘	10.1 ↓
	9.3 ↗	10.0 ↘	9.4 ↗	10.6 *	9.4 ↑
beste Teiler	255.9 (49.)	367.1 (41.)	471.4 (43.)		
Trefferlage	1.35 mm links, 2.24 mm tief				
Streuwert	6.01, horizontal: 4.84, vertikal: 6.99				



Serie 6:	8.9 ↘	8.7 ↘	9.4 ↑	8.6 ↘	10.3 *
	9.4 ↗	9.4 ↗	10.0 ↓	10.6 *	10.2 ↘
beste Teiler	251.6 (59.)	500.6 (55.)	623.8 (60.)		
Trefferlage	1.04 mm links, 0.45 mm tief				
Streuwert	9.13, horizontal: 10.02, vertikal: 8.14				

**KK liegend** – *Wertung* – **offene Klasse**

StandNr: 14

**Kirchner, Martin** #70804244

**StartNr: 11**

26. August 2018 9:44



Absam / Absam 2

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **611.6** (584)  
 Serien: 103.1 102.1 98.8 102.1 102.7 102.8  
 Zähler: 45 14 1 0 0 0 0 0 0  
 Innenzehner: 33  
 weiteste: 1657 (23), 1392 (24), 1325 (36)  
 beste Teiler 81.2 (7.) 109.7 (13.) 114.8 (32.)  
 Trefferlage 1.09 mm rechts, 1.30 mm tief  
 Streuwert 4.90, horizontal: 4.48, vertikal: 5.28




Serie 1:  
 9.9 → 10.7 \* 10.7 \* 9.5 ↘ 10.2 ↘  
 10.3 \* 10.8 \* 10.5 \* 10.5 \* 10.0 ↘  
 beste Teiler 81.2 (7.) 199.2 (3.) 223.0 (2.)  
 Trefferlage 2.29 mm rechts, 3.50 mm tief  
 Streuwert 3.15, horizontal: 3.14, vertikal: 3.16




Serie 2:  
 9.9 → 10.2 ↖ 10.8 \* 10.7 \* 9.6 ↓  
 10.5 \* 10.4 \* 10.0 ↓ 10.7 \* 9.3 ↓  
 beste Teiler 109.7 (13.) 206.1 (19.) 215.6 (14.)  
 Trefferlage 1.17 mm rechts, 3.08 mm tief  
 Streuwert 4.55, horizontal: 3.56, vertikal: 5.35




Serie 3:  
 10.0 ↘ 10.3 ↘ 8.9 ↘ 9.2 → 10.4 \*  
 10.4 \* 10.3 \* 9.4 ↓ 9.6 ↑ 10.3 \*  
 beste Teiler 424.6 (26.) 473.6 (25.) 527.3 (27.)  
 Trefferlage 4.15 mm rechts, 2.37 mm tief  
 Streuwert 6.20, horizontal: 5.43, vertikal: 6.89




Serie 4:  
 10.1 ↖ 10.8 \* 10.5 \* 9.9 ↗ 10.5 \*  
 9.3 ↘ 10.1 → 10.7 \* 9.7 ↑ 10.5 \*  
 beste Teiler 114.8 (32.) 234.3 (38.) 350.5 (33.)  
 Trefferlage 0.61 mm rechts, 0.34 mm hoch  
 Streuwert 5.17, horizontal: 4.11, vertikal: 6.05



Serie 5:  
 10.3 \* 10.7 \* 10.6 \* 10.6 \* 10.6 \*  
 10.1 → 10.3 \* 9.7 ↓ 9.4 ↖ 10.4 \*  
 beste Teiler 171.3 (42.) 254.4 (43.) 270.7 (44.)  
 Trefferlage 0.91 mm links, 0.43 mm hoch  
 Streuwert 4.65, horizontal: 3.92, vertikal: 5.28



Serie 6:  
 10.1 → 10.0 ↑ 10.2 → 10.4 \* 10.8 \*  
 10.3 \* 10.4 \* 9.5 ↖ 10.7 \* 10.4 \*  
 beste Teiler 133.4 (55.) 180.4 (59.) 402.6 (60.)  
 Trefferlage 0.74 mm links, 0.38 mm hoch  
 Streuwert 4.43, horizontal: 5.19, vertikal: 3.52



**KK liegend** – Wertung – **offene Klasse**

StandNr: 15

**Kaspar, Sonja** #12

**StartNr: 12**

26. August 2018 9:30



Mieming / Mieming 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>612.5</b>	(587)
Serien:	98.6	103.4 103.6 101.8 104.1 101.0
Zähler:	47	13 0 0 0 0 0 0 0 0
Innenzehner:	27	
weiteste:	1547 (3),	1466 (32), 1382 (1)
beste Teiler	90.0 (23.)	120.4 (22.) 148.4 (47.)
Trefferlage	0.10 mm rechts, 0.16 mm tief	
Streuwert	4.84, horizontal: 5.63, vertikal: 3.90	




Serie 1:	9.2 ↘	9.3 ↘	9.0 ←	10.2 ←	10.3 →
	9.9 ↘	10.2 ←	10.0 ←	10.1 ↑	10.4 *
beste Teiler	467.4 (10.) 549.3 (5.) 605.5 (7.)				
Trefferlage	0.55 mm links, 1.48 mm tief				
Streuwert	7.00, horizontal: 8.47, vertikal: 5.12				




Serie 2:	10.6 *	10.5 *	10.1 →	10.3 *	10.0 →
	10.3 →	9.8 ↗	10.5 *	10.6 *	10.7 *
beste Teiler	198.9 (20.) 252.3 (19.) 263.8 (11.)				
Trefferlage	2.01 mm rechts, 0.19 mm tief				
Streuwert	3.63, horizontal: 4.56, vertikal: 2.35				




Serie 3:	10.0 ↓	10.8 *	10.8 *	10.2 ↑	10.1 ↖
	9.8 ↖	10.8 *	10.3 ↖	10.4 *	10.4 *
beste Teiler	90.0 (23.) 120.4 (22.) 149.8 (27.)				
Trefferlage	1.43 mm links, 1.34 mm hoch				
Streuwert	3.78, horizontal: 3.36, vertikal: 4.17				



Serie 4:	10.2 ←	9.1 ↖	10.5 *	9.8 ↖	10.4 *
	10.5 *	10.6 *	9.6 ↘	10.7 *	10.4 *
beste Teiler	221.3 (39.) 296.0 (37.) 339.4 (36.)				
Trefferlage	1.25 mm links, 0.34 mm tief				
Streuwert	5.34, horizontal: 6.56, vertikal: 3.75				



Serie 5:	10.2 ←	10.4 *	10.2 ↓	10.7 *	10.3 ↖
	10.8 *	10.8 *	10.2 ↗	10.6 *	9.9 ←
beste Teiler	148.4 (47.) 148.5 (46.) 212.1 (44.)				
Trefferlage	0.72 mm links, 0.16 mm tief				
Streuwert	3.67, horizontal: 3.92, vertikal: 3.40				



Serie 6:	10.4 *	9.9 ↓	9.6 ↗	10.1 ↗	10.0 →
	10.4 *	10.3 *	10.4 *	9.9 ↗	10.0 →
beste Teiler	407.2 (51.) 440.2 (58.) 448.9 (56.)				
Trefferlage	2.59 mm rechts, 0.13 mm tief				
Streuwert	4.95, horizontal: 5.33, vertikal: 4.54				

Meyton Elektronik

**KK liegend** – *Wertung* – **offene Klasse**

StandNr: 16

**Harrasser, Pia** #1000000335

**StartNr: 13**

26. August 2018 9:39



Haiming / Haiming 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **616.2** (589)  
 Serien: 101.8 102.2 101.6 103.5 103.3 103.8  
 Zähler: 49 11 0 0 0 0 0 0 0  
 Innenzehner: 36  
 weiteste: 1303 (13), 1084 (6), 1031 (26)  
 beste Teiler 49.5 (30.) 134.7 (39.) 177.8 (40.)  
 Trefferlage 1.14 mm links, 0.08 mm tief  
 Streuwert 4.21, horizontal: 4.31, vertikal: 4.10




Serie 1:  
 10.4 \*                      10.5 \*                      10.5 \*                      10.5 \*                      10.3 \*  
 9.6 ↘                      10.4 \*                      9.7 ↓                      9.8 ↙                      10.1 ↓  
 beste Teiler 322.1 (2.) 358.3 (4.) 377.4 (3.)  
 Trefferlage 0.62 mm links, 1.47 mm tief  
 Streuwert 4.83, horizontal: 4.57, vertikal: 5.08




Serie 2:  
 10.4 \*                      10.4 \*                      9.3 ←                      9.7 ↗                      10.2 ↘  
 10.4 \*                      10.6 \*                      10.1 ↓                      10.7 \*                      10.4 \*  
 beste Teiler 211.2 (19.) 288.9 (17.) 405.1 (12.)  
 Trefferlage 1.59 mm links, 1.64 mm tief  
 Streuwert 4.69, horizontal: 5.53, vertikal: 3.66




Serie 3:  
 10.5 \*                      9.9 ↘                      10.2 ↖                      10.1 ↗                      9.8 ↖  
 9.7 ↘                      10.1 ↓                      9.9 ←                      10.5 \*                      10.9 \*  
 beste Teiler 49.5 (30.) 321.6 (21.) 391.2 (29.)  
 Trefferlage 2.03 mm links, 1.45 mm hoch  
 Streuwert 4.91, horizontal: 5.30, vertikal: 4.50



Serie 4:  
 10.4 \*                      10.0 ←                      10.4 \*                      10.6 \*                      9.9 ↙  
 10.6 \*                      9.9 →                      10.2 ↑                      10.8 \*                      10.7 \*  
 beste Teiler 134.7 (39.) 177.8 (40.) 244.8 (34.)  
 Trefferlage 1.21 mm links, 0.44 mm hoch  
 Streuwert 3.88, horizontal: 4.50, vertikal: 3.14



Serie 5:  
 10.4 \*                      10.3 \*                      10.5 \*                      10.0 ↘                      10.5 \*  
 10.3 \*                      10.6 \*                      10.4 \*                      10.3 \*                      10.0 ↖  
 beste Teiler 256.9 (47.) 395.9 (45.) 397.6 (43.)  
 Trefferlage 0.36 mm rechts, 0.13 mm hoch  
 Streuwert 3.88, horizontal: 3.25, vertikal: 4.43



Serie 6:  
 10.2 ↘                      10.4 \*                      10.5 \*                      10.4 \*                      10.6 \*  
 10.2 ↑                      10.3 \*                      10.1 ↙                      10.7 \*                      10.4 \*  
 beste Teiler 195.9 (59.) 256.2 (55.) 356.0 (53.)  
 Trefferlage 1.78 mm links, 0.60 mm hoch  
 Streuwert 3.18, horizontal: 2.66, vertikal: 3.62

Meyton Elektronik

**KK liegend** – Wertung – **offene Klasse**

StandNr: 17

**Köck, Rebecca** #120

**StartNr: 14**

26. August 2018 9:39

Absam / Absam 1



---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **599.8** (570)  
 Serien: 100.9 99.8 100.2 99.0 99.4 100.5  
 Zähler: 31 28 1 0 0 0 0 0 0  
 Innenzehner: 18  
 weiteste: 1816 (36), 1447 (24), 1381 (1)  
 beste Teiler 144.0 (13.) 168.1 (11.) 178.6 (52.)  
 Trefferlage 1.35 mm rechts, 0.42 mm hoch  
 Streuwert 5.92, horizontal: 6.14, vertikal: 5.69




Serie 1:  
 9.2 →                      10.7 \*                      9.6 →                      10.3 \*                      10.2 →  
 10.6 \*                      9.8 ↘                      10.6 \*                      9.9 ↓                      10.0 ↘  
 beste Teiler 200.0 (2.) 273.7 (6.) 305.0 (8.)  
 Trefferlage 2.80 mm rechts, 1.68 mm tief  
 Streuwert 5.16, horizontal: 6.01, vertikal: 4.13




Serie 2:  
 10.7 \*                      9.8 ↗                      10.8 \*                      10.0 ↗                      10.1 ↗  
 9.9 →                      9.5 ↗                      9.9 ↓                      9.4 ↘                      9.7 ↑  
 beste Teiler 144.0 (13.) 168.1 (11.) 713.8 (15.)  
 Trefferlage 4.35 mm rechts, 1.94 mm hoch  
 Streuwert 5.30, horizontal: 4.05, vertikal: 6.31




Serie 3:  
 10.4 \*                      9.9 ←                      10.0 →                      9.1 ←                      9.7 ↓  
 10.5 \*                      9.6 ↑                      10.4 \*                      9.9 ↓                      10.7 \*  
 beste Teiler 215.2 (30.) 353.0 (26.) 411.0 (28.)  
 Trefferlage 1.24 mm links, 1.88 mm tief  
 Streuwert 5.95, horizontal: 6.15, vertikal: 5.74



Serie 4:  
 10.1 ↑                      10.5 \*                      9.6 ↘                      9.6 ←                      10.4 \*  
 8.7 ↘                      10.0 ↘                      10.0 →                      9.8 ←                      10.3 ↘  
 beste Teiler 379.3 (32.) 464.4 (35.) 539.7 (40.)  
 Trefferlage 1.18 mm links, 0.14 mm tief  
 Streuwert 6.96, horizontal: 7.31, vertikal: 6.60



Serie 5:  
 9.5 ↗                      10.0 →                      10.3 ↑                      9.7 →                      9.5 ↑  
 10.2 ↓                      9.7 ←                      10.3 \*                      10.5 \*                      9.7 ↘  
 beste Teiler 377.2 (49.) 495.1 (48.) 549.5 (43.)  
 Trefferlage 0.03 mm rechts, 2.57 mm hoch  
 Streuwert 6.07, horizontal: 6.56, vertikal: 5.55



Serie 6:  
 10.4 \*                      10.7 \*                      9.6 ↑                      9.5 ↑                      10.6 \*  
 10.3 ↓                      9.6 →                      9.8 →                      10.4 \*                      9.6 →  
 beste Teiler 178.6 (52.) 286.8 (55.) 402.3 (59.)  
 Trefferlage 3.37 mm rechts, 1.72 mm hoch  
 Streuwert 5.22, horizontal: 5.21, vertikal: 5.23

Meyton Elektronik

**KK liegend** – *Wertung* – **offene Klasse**

StandNr: 18

**Thum, Julia** #201

**StartNr: 15**

26. August 2018 9:38



Fügenberg / Fügenberg 1

---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>593.4</b>	(562)
Serien:	98.0 101.0 98.8 100.9 96.7 98.0	
Zähler:	29 25 5 1 0 0 0 0 0	
Innenzehner:	16	
weiteste:	2435 (27), 1919 (43), 1759 (1)	
beste Teiler	16.4 (44.) 105.6 (26.) 232.7 (18.)	
Trefferlage	0.26 mm rechts, 1.22 mm hoch	
Streuwert	6.82, horizontal: 7.87, vertikal: 5.57	




Serie 1:

8.8 ←	9.7 ←	9.6 ↙	9.7 →	9.9 →
10.1 ↖	10.6 *	9.8 →	9.9 →	9.9 ←
beste Teiler	271.2 (7.)	647.4 (6.)	832.2 (10.)	
Trefferlage	1.58 mm links, 0.25 mm tief			
Streuwert	7.22, horizontal: 9.38, vertikal: 4.05			




Serie 2:

10.0 →	10.5 *	10.2 ↘	10.5 *	10.4 *
10.3 *	9.9 ↘	10.7 *	8.9 →	9.6 ↑
beste Teiler	232.7 (18.)	366.2 (14.)	391.1 (12.)	
Trefferlage	1.49 mm rechts, 1.62 mm hoch			
Streuwert	5.58, horizontal: 6.38, vertikal: 4.64			




Serie 3:

9.3 ↘	9.8 ↘	10.5 *	10.6 *	10.0 →
10.8 *	7.9 →	9.7 ←	10.2 →	10.0 ↑
beste Teiler	105.6 (26.)	281.8 (24.)	356.3 (23.)	
Trefferlage	5.20 mm rechts, 1.20 mm tief			
Streuwert	6.83, horizontal: 8.55, vertikal: 4.52			




Serie 4:

10.3 *	10.2 ↘	10.0 ↑	10.4 *	9.9 ↘
10.5 *	9.8 ↘	9.4 ↘	10.0 ↙	10.4 *
beste Teiler	335.1 (36.)	405.8 (40.)	423.3 (34.)	
Trefferlage	1.26 mm rechts, 1.98 mm tief			
Streuwert	5.21, horizontal: 5.39, vertikal: 5.04			



Serie 5:

10.6 *	9.5 ↑	8.6 ↘	10.9 *	10.2 ↘
9.7 ↑	8.8 ←	10.5 *	8.9 ↘	9.0 ←
beste Teiler	16.4 (44.)	292.6 (41.)	348.9 (48.)	
Trefferlage	4.34 mm links, 6.15 mm hoch			
Streuwert	7.01, horizontal: 7.46, vertikal: 6.53			



Serie 6:

9.5 ←	9.3 ↖	9.6 ↗	9.8 →	10.2 ↘
9.9 →	10.2 ↗	10.0 ↘	9.6 ↘	9.9 ↘
beste Teiler	598.8 (55.)	616.3 (57.)	768.3 (58.)	
Trefferlage	0.43 mm links, 2.98 mm hoch			
Streuwert	6.65, horizontal: 7.87, vertikal: 5.13			

Meyton Elektronik

**KK liegend** – Wertung – **offene Klasse**

StandNr: 19

**Isser, Wolfgang** #70804227

**StartNr: 16**

26. August 2018 9:27



Absam / Absam 3

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **616.3** (589)  
 Serien: 103.7 101.0 104.2 104.6 99.1 103.7  
 Zähler: 49 11 0 0 0 0 0 0 0  
 Innenzehner: 31  
 weiteste: 1533 (47), 1281 (44), 1183 (13)  
 beste Teiler 84.0 (35.) 87.2 (19.) 103.0 (32.)  
 Trefferlage 1.60 mm rechts, 0.24 mm hoch  
 Streuwert 4.26, horizontal: 4.25, vertikal: 4.28




Serie 1:  
 10.1 ↗ 10.6 \* 9.9 ← 10.6 \* 10.7 \*  
 10.6 \* 10.0 → 10.6 \* 10.3 \* 10.3 \*  
 beste Teiler 179.3 (5.) 262.6 (6.) 272.9 (2.)  
 Trefferlage 0.39 mm rechts, 0.14 mm hoch  
 Streuwert 3.83, horizontal: 4.31, vertikal: 3.28




Serie 2:  
 9.9 → 9.7 ↘ 9.5 ↓ 10.0 ↓ 10.6 \*  
 10.3 ← 10.0 ↘ 10.2 → 10.8 \* 10.0 ↓  
 beste Teiler 87.2 (19.) 290.4 (15.) 537.7 (16.)  
 Trefferlage 2.24 mm rechts, 3.32 mm tief  
 Streuwert 4.67, horizontal: 4.54, vertikal: 4.80




Serie 3:  
 10.5 \* 10.5 \* 10.6 \* 10.1 → 10.3 ←  
 10.6 \* 10.7 \* 10.1 ↘ 10.1 ↓ 10.7 \*  
 beste Teiler 222.7 (27.) 237.1 (30.) 280.1 (23.)  
 Trefferlage 0.32 mm rechts, 0.52 mm tief  
 Streuwert 3.51, horizontal: 3.29, vertikal: 3.72



Serie 4:  
 10.0 → 10.8 \* 10.6 \* 10.4 \* 10.8 \*  
 10.6 \* 10.1 → 10.2 ↘ 10.5 \* 10.6 \*  
 beste Teiler 84.0 (35.) 103.0 (32.) 264.2 (36.)  
 Trefferlage 2.34 mm rechts, 1.84 mm hoch  
 Streuwert 2.52, horizontal: 2.96, vertikal: 1.99



Serie 5:  
 10.2 ↘ 9.9 ↘ 9.7 ↓ 9.3 ↗ 10.4 \*  
 10.3 \* 9.0 → 10.5 \* 9.9 ↖ 9.9 →  
 beste Teiler 347.1 (48.) 417.0 (45.) 514.1 (46.)  
 Trefferlage 3.40 mm rechts, 2.14 mm hoch  
 Streuwert 5.93, horizontal: 6.17, vertikal: 5.69



Serie 6:  
 10.4 \* 10.4 \* 10.8 \* 10.2 ↗ 10.5 \*  
 10.2 ↘ 10.7 \* 10.6 \* 10.0 ↑ 9.9 →  
 beste Teiler 137.2 (53.) 226.3 (57.) 278.5 (58.)  
 Trefferlage 0.91 mm rechts, 1.21 mm hoch  
 Streuwert 3.63, horizontal: 3.62, vertikal: 3.63

Meyton Elektronik

**KK liegend** – Wertung – **offene Klasse**

StandNr: 20

**Thum, Andreas** #175

**StartNr: 17**

26. August 2018 9:40



Fügenberg / Fügenberg 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **617.6** (586)  
 Serien: 105.1 99.8 103.4 104.1 102.0 103.2  
 Zähler: 46 14 0 0 0 0 0 0 0  
 Innenzehner: 39  
 weiteste: 1504 (12), 1425 (60), 1371 (35)  
 beste Teiler 30.0 (19.) 43.8 (36.) 81.0 (48.)  
 Trefferlage 1.41 mm links, 0.60 mm tief  
 Streuwert 4.50, horizontal: 4.51, vertikal: 4.50




Serie 1:  
 10.6 \*                      10.6 \*                      10.8 \*                      10.4 \*                      10.6 \*  
 10.4 \*                      10.1 ↖                      10.6 \*                      10.4 \*                      10.6 \*  
 beste Teiler 96.2 (3.) 263.0 (1.) 278.3 (8.)  
 Trefferlage 0.97 mm rechts, 0.17 mm tief  
 Streuwert 2.77, horizontal: 2.98, vertikal: 2.54




Serie 2:  
 10.5 \*                      9.1 ↙                      10.1 ↑                      9.3 ↙                      9.9 ↙  
 10.5 \*                      9.5 ↘                      10.2 ↘                      10.9 \*                      9.8 ↘  
 beste Teiler 30.0 (19.) 339.3 (16.) 345.0 (11.)  
 Trefferlage 5.47 mm links, 1.62 mm tief  
 Streuwert 5.17, horizontal: 4.21, vertikal: 5.98




Serie 3:  
 10.5 \*                      10.8 \*                      10.5 \*                      9.7 ↓                      10.1 ↓  
 10.6 \*                      10.5 \*                      10.4 \*                      9.8 ↓                      10.5 \*  
 beste Teiler 146.8 (22.) 317.8 (26.) 324.2 (23.)  
 Trefferlage 0.53 mm rechts, 1.86 mm tief  
 Streuwert 3.80, horizontal: 3.03, vertikal: 4.44



Serie 4:  
 10.6 \*                      10.7 \*                      10.3 \*                      10.5 \*                      9.2 →  
 10.9 \*                      10.8 \*                      10.7 \*                      10.7 \*                      9.7 ↓  
 beste Teiler 43.8 (36.) 133.9 (37.) 183.8 (32.)  
 Trefferlage 0.84 mm rechts, 0.04 mm hoch  
 Streuwert 4.40, horizontal: 4.55, vertikal: 4.25



Serie 5:  
 10.3 \*                      10.2 ↓                      10.8 \*                      9.9 ↓                      10.7 \*  
 10.4 \*                      9.4 ↖                      10.8 \*                      10.2 ↖                      9.3 ←  
 beste Teiler 81.0 (48.) 159.2 (43.) 189.2 (45.)  
 Trefferlage 2.84 mm links, 0.47 mm tief  
 Streuwert 4.96, horizontal: 5.46, vertikal: 4.41



Serie 6:  
 10.6 \*                      10.7 \*                      10.1 ↘                      10.6 \*                      9.9 ↙  
 10.5 \*                      10.4 \*                      10.8 \*                      10.4 \*                      9.2 ↘  
 beste Teiler 81.6 (58.) 204.8 (52.) 279.5 (54.)  
 Trefferlage 2.52 mm links, 0.49 mm hoch  
 Streuwert 4.31, horizontal: 2.96, vertikal: 5.32

Meyton Elektronik

**KK liegend** – *Wertung* – **offene Klasse**

StandNr: 21

**Steinlechner, Joachim** #70804252

**StartNr: 18**

26. August 2018 9:23

Absam / Absam 1



---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik




Ergebnis:	<b>600.0</b>	(573)
Serien:	99.7	100.4 98.8 98.7 100.1 102.3
Zähler:	34 25 1 0 0 0 0 0 0	
Innenzehner:	19	
weiteste:	1931 (29), 1564 (33), 1371 (8)	
beste Teiler	48.3 (58.) 96.3 (26.) 225.2 (18.)	
Trefferlage	1.28 mm rechts, 1.55 mm hoch	
Streuwert	5.93, horizontal: 6.26, vertikal: 5.59	




Serie 1:	10.3 *	10.0 ↑	10.1 →	10.5 *	10.1 ←
	10.2 ↙	10.5 *	9.2 ↘	9.3 ↖	9.5 ↗
beste Teiler	328.4 (4.)	394.8 (7.)	522.5 (1.)		
Trefferlage	0.25 mm links, 1.02 mm hoch				
Streuwert	6.39, horizontal: 7.20, vertikal: 5.45				




Serie 2:	10.5 *	9.9 ↗	9.7 ↗	9.7 ↗	9.9 ↓
	10.4 *	10.0 ↑	10.7 *	10.0 ↑	9.6 ↗
beste Teiler	225.2 (18.)	378.2 (11.)	433.5 (16.)		
Trefferlage	0.21 mm links, 4.64 mm hoch				
Streuwert	4.76, horizontal: 3.95, vertikal: 5.46				




Serie 3:	9.9 ↗	10.6 *	9.3 →	9.5 ↗	10.6 *
	10.8 *	9.9 ↘	10.2 ←	8.5 →	9.5 →
beste Teiler	96.3 (26.)	275.1 (22.)	300.9 (25.)		
Trefferlage	5.99 mm rechts, 1.38 mm hoch				
Streuwert	5.96, horizontal: 7.40, vertikal: 4.02				



Serie 4:	10.0 ↙	9.8 ↗	9.0 ↓	10.2 ↘	10.0 →
	10.2 ↘	9.8 ↓	9.9 ↓	9.3 →	10.5 *
beste Teiler	356.9 (40.)	579.5 (36.)	586.4 (34.)		
Trefferlage	3.69 mm rechts, 3.88 mm tief				
Streuwert	5.65, horizontal: 4.63, vertikal: 6.51				



Serie 5:	10.3 →	9.7 ←	10.6 *	9.5 ↗	9.4 ↗
	9.5 ↖	10.2 ↖	10.2 ←	10.1 ↑	10.6 *
beste Teiler	257.2 (50.)	286.8 (43.)	556.5 (41.)		
Trefferlage	3.36 mm links, 2.76 mm hoch				
Streuwert	5.26, horizontal: 5.53, vertikal: 4.97				



Serie 6:	10.6 *	9.4 ↗	9.6 →	10.6 *	10.3 *
	10.4 *	10.4 *	10.9 *	10.3 *	9.8 ↗
beste Teiler	48.3 (58.)	294.1 (54.)	315.0 (51.)		
Trefferlage	1.87 mm rechts, 3.41 mm hoch				
Streuwert	4.15, horizontal: 4.66, vertikal: 3.56				

Meyton Elektronik

**KK liegend** – *Wertung* – **offene Klasse**

StandNr: 22

**Sailer, Werner** #15

**StartNr: 19**

26. August 2018 9:22



Kappl / Kappl 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **604.0** (578)  
 Serien: 101.8 98.0 99.8 103.1 102.3 99.0  
 Zähler: 39 20 1 0 0 0 0 0 0  
 Innenzehner: 23  
 weiteste: 1670 (15), 1497 (37), 1473 (59)  
 beste Teiler 49.3 (38.) 88.8 (32.) 164.7 (49.)  
 Trefferlage 0.11 mm links, 0.68 mm hoch  
 Streuwert 5.68, horizontal: 6.19, vertikal: 5.13




Serie 1:  
 10.2 ↙                      10.2 ↗                      10.6 \*                      10.0 →                      10.2 →  
 10.2 ↗                      9.9 ↑                      10.6 \*                      10.0 →                      9.9 →  
 beste Teiler 243.9 (3.) 282.8 (8.) 595.2 (1.)  
 Trefferlage 3.78 mm rechts, 0.90 mm hoch  
 Streuwert 3.91, horizontal: 3.98, vertikal: 3.83




Serie 2:  
 10.3 \*                      10.2 ↑                      10.0 →                      9.8 ↘                      8.9 ↘  
 9.3 ↘                      9.4 ↘                      10.2 ↗                      9.9 ↙                      10.0 ↙  
 beste Teiler 514.2 (11.) 564.8 (18.) 599.7 (12.)  
 Trefferlage 2.79 mm rechts, 2.09 mm tief  
 Streuwert 6.91, horizontal: 6.46, vertikal: 7.33




Serie 3:  
 10.5 \*                      9.2 ↖                      10.0 ↖                      10.0 →                      9.7 ↖  
 10.3 \*                      10.1 ←                      9.9 ←                      10.4 \*                      9.7 →  
 beste Teiler 348.7 (21.) 429.1 (29.) 484.1 (26.)  
 Trefferlage 0.83 mm links, 2.47 mm hoch  
 Streuwert 5.88, horizontal: 6.43, vertikal: 5.29




Serie 4:  
 9.9 →                      10.8 \*                      10.1 ↑                      10.4 \*                      10.3 \*  
 10.5 \*                      9.1 ←                      10.9 \*                      10.7 \*                      10.4 \*  
 beste Teiler 49.3 (38.) 88.8 (32.) 197.4 (39.)  
 Trefferlage 1.13 mm links, 1.39 mm hoch  
 Streuwert 4.70, horizontal: 6.02, vertikal: 2.82



Serie 5:  
 10.2 ↘                      10.7 \*                      10.3 \*                      10.5 \*                      9.8 ↑  
 9.9 ←                      9.7 ↖                      10.0 ↑                      10.7 \*                      10.5 \*  
 beste Teiler 164.7 (49.) 183.2 (42.) 345.7 (50.)  
 Trefferlage 1.00 mm links, 0.90 mm hoch  
 Streuwert 4.67, horizontal: 4.87, vertikal: 4.47



Serie 6:  
 9.5 ↗                      10.4 \*                      9.4 ↙                      10.6 \*                      10.3 \*  
 9.4 ↘                      10.4 \*                      10.6 \*                      9.1 ←                      9.3 ↖  
 beste Teiler 241.1 (58.) 282.1 (54.) 415.5 (52.)  
 Trefferlage 4.27 mm links, 0.52 mm hoch  
 Streuwert 6.31, horizontal: 6.68, vertikal: 5.92



**KK liegend** – Wertung – **offene Klasse**

StandNr: 23

**Flunger, Guido** #1000000496

**StartNr: 20**

26. August 2018 9:23



Haiming / Haiming 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **614.8** (583)  
 Serien: 101.0 102.6 100.5 102.9 103.3 104.5  
 Zähler: 44 15 1 0 0 0 0 0 0  
 Innenzehner: 33  
 weiteste: 2073 (7), 1148 (18), 1125 (22)  
 beste Teiler 15.6 (6.) 93.6 (27.) 132.6 (14.)  
 Trefferlage 0.46 mm rechts, 0.44 mm tief  
 Streuwert 4.71, horizontal: 5.66, vertikal: 3.52




Serie 1:  
 10.1 ↓                      10.5 \*                      10.2 →                      10.5 \*                      10.2 ↘  
 10.9 \*                      8.4 →                      10.4 \*                      9.9 ↓                      9.9 ↘  
 beste Teiler 15.6 (6.) 321.2 (2.) 371.1 (4.)  
 Trefferlage 3.86 mm rechts, 1.14 mm tief  
 Streuwert 5.66, horizontal: 6.92, vertikal: 4.04




Serie 2:  
 10.5 \*                      10.4 \*                      9.6 ↓                      10.8 \*                      10.5 \*  
 9.9 ↓                      10.4 \*                      9.5 →                      10.4 \*                      10.6 \*  
 beste Teiler 132.6 (14.) 315.1 (20.) 325.5 (15.)  
 Trefferlage 1.92 mm rechts, 2.66 mm tief  
 Streuwert 4.13, horizontal: 4.24, vertikal: 4.02




Serie 3:  
 9.7 →                      9.5 →                      10.2 →                      10.3 ↗                      9.9 ←  
 9.9 ↖                      10.8 \*                      9.7 ↖                      10.0 →                      10.5 \*  
 beste Teiler 93.6 (27.) 323.2 (30.) 539.2 (24.)  
 Trefferlage 1.42 mm rechts, 1.81 mm hoch  
 Streuwert 5.65, horizontal: 7.48, vertikal: 2.80



Serie 4:  
 10.4 \*                      9.7 ↓                      10.7 \*                      10.3 \*                      10.5 \*  
 10.8 \*                      9.9 ↖                      9.7 ←                      10.5 \*                      10.4 \*  
 beste Teiler 150.4 (36.) 198.0 (33.) 321.1 (35.)  
 Trefferlage 2.48 mm links, 0.63 mm tief  
 Streuwert 4.03, horizontal: 4.35, vertikal: 3.69



Serie 5:  
 10.0 ↗                      10.3 ↘                      10.2 →                      10.5 \*                      10.0 ←  
 9.9 ←                      10.5 \*                      10.5 \*                      10.7 \*                      10.7 \*  
 beste Teiler 219.3 (49.) 236.1 (50.) 360.2 (48.)  
 Trefferlage 0.68 mm links, 0.03 mm tief  
 Streuwert 4.09, horizontal: 4.79, vertikal: 3.24



Serie 6:  
 10.6 \*                      10.3 \*                      9.9 ↙                      10.4 \*                      10.5 \*  
 10.7 \*                      10.5 \*                      10.7 \*                      10.8 \*                      10.1 ←  
 beste Teiler 153.1 (59.) 192.9 (56.) 195.4 (58.)  
 Trefferlage 1.25 mm links, 0.00 mm  
 Streuwert 3.20, horizontal: 3.96, vertikal: 2.21

Meyton Elektronik

**KK liegend** – *Wertung* – **offene Klasse**

StandNr: 24

**Melmer, Christof** #800039

**StartNr: 21**

26. August 2018 9:33



Mieming / Mieming 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **609.9** (582)  
 Serien: 100.1 102.3 101.6 100.5 102.6 102.8  
 Zähler: 42 18 0 0 0 0 0 0 0  
 Innenzehner: 26  
 weiteste: 1444 (23), 1379 (39), 1343 (7)  
 beste Teiler 83.1 (24.) 117.6 (60.) 132.6 (44.)  
 Trefferlage 0.02 mm links, 0.06 mm hoch  
 Streuwert 5.01, horizontal: 5.21, vertikal: 4.80




Serie 1:  
 9.5 ↘ 10.3 ↓ 10.5 \* 10.1 ✓ 9.6 ↙  
 9.7 ↓ 9.3 ↘ 10.3 \* 10.4 \* 10.4 \*  
 beste Teiler 395.0 (3.) 408.9 (10.) 443.7 (9.)  
 Trefferlage 0.17 mm links, 5.28 mm tief  
 Streuwert 4.79, horizontal: 4.78, vertikal: 4.80




Serie 2:  
 9.8 ← 9.9 ↖ 10.2 ✓ 10.1 → 10.0 ↑  
 10.4 \* 9.9 ↗ 10.6 \* 10.8 \* 10.6 \*  
 beste Teiler 154.9 (19.) 256.0 (20.) 312.2 (18.)  
 Trefferlage 0.49 mm links, 1.18 mm hoch  
 Streuwert 4.56, horizontal: 5.02, vertikal: 4.04




Serie 3:  
 10.3 \* 9.8 ↖ 9.1 ↗ 10.8 \* 10.2 ↘  
 10.3 ← 10.0 ← 10.1 ↑ 10.5 \* 10.5 \*  
 beste Teiler 83.1 (24.) 337.7 (30.) 383.6 (29.)  
 Trefferlage 0.66 mm links, 1.06 mm hoch  
 Streuwert 5.30, horizontal: 6.13, vertikal: 4.33



Serie 4:  
 10.0 ↗ 10.4 \* 9.9 ↙ 9.9 → 10.3 \*  
 10.3 \* 10.7 \* 9.6 ↗ 9.2 → 10.2 ←  
 beste Teiler 180.5 (37.) 402.0 (32.) 504.3 (35.)  
 Trefferlage 1.60 mm rechts, 0.09 mm tief  
 Streuwert 5.69, horizontal: 6.54, vertikal: 4.68



Serie 5:  
 9.8 ↑ 10.0 ↖ 10.5 \* 10.8 \* 10.2 ↘  
 10.4 \* 9.9 → 10.7 \* 9.8 ↙ 10.5 \*  
 beste Teiler 132.6 (44.) 167.2 (48.) 356.2 (43.)  
 Trefferlage 0.77 mm links, 1.43 mm hoch  
 Streuwert 4.40, horizontal: 4.49, vertikal: 4.31



Serie 6:  
 10.2 ← 10.6 \* 10.1 ↖ 10.4 \* 9.9 →  
 10.4 \* 9.5 ↗ 10.6 \* 10.3 ↑ 10.8 \*  
 beste Teiler 117.6 (60.) 274.3 (52.) 307.0 (58.)  
 Trefferlage 0.33 mm rechts, 2.06 mm hoch  
 Streuwert 4.28, horizontal: 5.03, vertikal: 3.38

Meyton Elektronik

**KK liegend** – Wertung – **offene Klasse**

StandNr: 25

**Hafner, Lisa** #74

**StartNr: 22**

26. August 2018 9:42

Umhausen / Umhausen 1



---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik




Ergebnis:	<b>582.6</b>	(556)
Serien:	95.2 99.8 95.7 97.2 98.9 95.8	
Zähler:	21 34 5 0 0 0 0 0 0 0	
Innenzehner:	10	
weiteste:	2358 (7), 2084 (60), 1903 (3)	
beste Teiler	215.1 (13.) 250.3 (49.) 250.4 (58.)	
Trefferlage	1.74 mm rechts, 0.89 mm hoch	
Streuwert	7.69, horizontal: 8.02, vertikal: 7.34	




Serie 1:	9.4 →	9.6 →	8.6 →	9.5 ↗	9.5 →
	10.5 *	8.0 →	10.5 *	10.0 ↗	9.6 ↘
beste Teiler	346.7 (6.)	346.9 (8.)	738.3 (9.)		
Trefferlage	8.48 mm rechts, 1.92 mm hoch				
Streuwert	7.03, horizontal: 8.58, vertikal: 5.03				




Serie 2:	10.2 →	10.5 *	10.7 *	10.1 ↘	9.2 ↓
	9.9 ↑	9.9 ↑	10.6 *	9.9 ↙	8.8 ↘
beste Teiler	215.1 (13.)	297.0 (18.)	373.5 (12.)		
Trefferlage	0.70 mm rechts, 0.35 mm hoch				
Streuwert	6.70, horizontal: 4.51, vertikal: 8.33				




Serie 3:	9.8 ↖	9.5 ↓	9.1 ↖	10.2 ↑	10.1 ↓
	8.7 ↘	9.1 ↓	9.4 ↘	9.4 ↖	10.4 *
beste Teiler	429.4 (30.)	627.8 (24.)	671.3 (25.)		
Trefferlage	2.43 mm links, 1.73 mm tief				
Streuwert	8.65, horizontal: 8.06, vertikal: 9.21				



Serie 4:	9.4 ↑	9.1 →	9.6 ↘	9.9 →	10.2 →
	9.9 ↑	9.3 ↑	10.2 ↘	9.2 ↘	10.4 *
beste Teiler	424.3 (40.)	577.4 (35.)	628.4 (38.)		
Trefferlage	5.69 mm rechts, 1.50 mm hoch				
Streuwert	6.38, horizontal: 5.34, vertikal: 7.27				



Serie 5:	9.4 ↑	9.9 ↖	9.5 ↑	9.7 ↗	10.4 *
	9.7 ↘	10.0 ←	9.6 ↖	10.6 *	10.1 →
beste Teiler	250.3 (49.)	466.2 (45.)	662.2 (50.)		
Trefferlage	0.55 mm links, 4.78 mm hoch				
Streuwert	5.58, horizontal: 6.08, vertikal: 5.03				



Serie 6:	9.1 ↘	9.2 ↘	9.3 ↘	10.2 ↖	9.5 ↖
	9.9 ↗	9.6 ←	10.6 *	10.1 ↖	8.3 ↘
beste Teiler	250.4 (58.)	627.9 (54.)	679.5 (59.)		
Trefferlage	1.44 mm links, 1.46 mm tief				
Streuwert	8.79, horizontal: 9.56, vertikal: 7.95				

Meyton Elektronik

**KK liegend** – *Wertung* – **offene Klasse**

StandNr: 26

**Schafferer, Manfred** #1000000497

**StartNr: 23**

26. August 2018 9:22



Absam / Absam 3

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **609.7** (585)  
 Serien: 101.4 101.1 102.0 99.9 101.7 103.6  
 Zähler: 46 13 1 0 0 0 0 0 0  
 Innenzehner: 23  
 weiteste: 1624 (9), 1244 (43), 1192 (27)  
 beste Teiler 138.3 (56.) 150.6 (55.) 195.4 (7.)  
 Trefferlage 1.63 mm links, 2.13 mm tief  
 Streuwert 4.52, horizontal: 4.62, vertikal: 4.42




Serie 1:  
 10.1 ↑                      10.2 ↙                      10.3 ↙                      10.4 \*                      9.7 ↓  
 10.6 \*                      10.7 \*                      10.1 →                      8.9 ↘                      10.4 \*  
 beste Teiler 195.4 (7.) 274.2 (6.) 415.3 (10.)  
 Trefferlage 1.28 mm links, 2.11 mm tief  
 Streuwert 5.37, horizontal: 4.38, vertikal: 6.21




Serie 2:  
 10.2 ↘                      10.2 ↓                      9.8 ↘                      10.2 ↘                      10.3 \*  
 9.9 →                      10.2 ↘                      10.0 ↘                      10.2 ↓                      10.1 ↘  
 beste Teiler 500.5 (15.) 562.2 (17.) 575.4 (19.)  
 Trefferlage 0.03 mm links, 1.76 mm tief  
 Streuwert 4.84, horizontal: 5.45, vertikal: 4.13




Serie 3:  
 9.7 ↘                      10.5 \*                      10.6 \*                      10.4 \*                      10.2 ↓  
 10.5 \*                      9.5 ↓                      10.3 ↘                      10.2 ←                      10.1 ↘  
 beste Teiler 282.4 (23.) 386.0 (22.) 399.7 (26.)  
 Trefferlage 1.79 mm links, 1.76 mm tief  
 Streuwert 4.62, horizontal: 4.01, vertikal: 5.15



Serie 4:  
 10.3 ↓                      9.7 ←                      10.3 \*                      9.8 ↙                      9.5 ←  
 10.4 \*                      9.8 ←                      9.9 →                      9.7 ↓                      10.5 \*  
 beste Teiler 348.2 (40.) 416.3 (36.) 495.1 (33.)  
 Trefferlage 3.10 mm links, 3.35 mm tief  
 Streuwert 4.95, horizontal: 6.05, vertikal: 3.51



Serie 5:  
 10.0 ↓                      10.1 ↘                      9.4 ←                      10.2 →                      10.4 \*  
 10.4 \*                      10.5 \*                      10.4 \*                      9.9 ↓                      10.4 \*  
 beste Teiler 364.8 (47.) 403.5 (45.) 422.0 (48.)  
 Trefferlage 1.99 mm links, 2.73 mm tief  
 Streuwert 4.40, horizontal: 4.63, vertikal: 4.15



Serie 6:  
 10.2 ↘                      10.3 \*                      10.4 \*                      10.3 \*                      10.8 \*  
 10.8 \*                      10.4 \*                      10.1 ↑                      10.1 ↘                      10.2 ←  
 beste Teiler 138.3 (56.) 150.6 (55.) 415.7 (57.)  
 Trefferlage 1.60 mm links, 1.05 mm tief  
 Streuwert 3.46, horizontal: 3.40, vertikal: 3.52

Meyton Elektronik

**KK liegend** – Wertung – **offene Klasse**

StandNr: 27

**Juen, Anna** #1000000478

**StartNr: 24**

26. August 2018 9:40



Kappl / Kappl 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **602.1** (571)  
 Serien: 100.5 102.2 98.6 102.4 99.1 99.3  
 Zähler: 32 27 1 0 0 0 0 0 0  
 Innenzehner: 22  
 weiteste: 2083 (19), 1394 (2), 1339 (35)  
 beste Teiler 87.9 (15.) 174.7 (39.) 178.6 (45.)  
 Trefferlage 0.34 mm links, 0.77 mm tief  
 Streuwert 5.88, horizontal: 5.74, vertikal: 6.02




Serie 1:  
 9.8 ↗ 9.2 ↘ 10.7 \* 10.4 \* 10.2 ↓  
 9.6 ↙ 9.8 ↘ 10.6 \* 10.3 \* 9.9 ↓  
 beste Teiler 227.2 (3.) 302.9 (8.) 461.1 (4.)  
 Trefferlage 1.84 mm links, 0.29 mm tief  
 Streuwert 5.87, horizontal: 4.74, vertikal: 6.82




Serie 2:  
 10.6 \* 10.0 ← 10.2 ↓ 10.6 \* 10.8 \*  
 10.2 ↘ 10.6 \* 10.5 \* 8.3 ↘ 10.4 \*  
 beste Teiler 87.9 (15.) 276.9 (14.) 293.4 (17.)  
 Trefferlage 0.15 mm rechts, 1.77 mm tief  
 Streuwert 5.77, horizontal: 5.88, vertikal: 5.65




Serie 3:  
 9.9 ↗ 10.4 \* 10.0 ↖ 10.2 ↙ 10.2 ←  
 9.9 ↑ 9.5 ↖ 9.6 ↓ 9.5 ↓ 9.4 ↓  
 beste Teiler 429.8 (22.) 589.3 (25.) 619.5 (24.)  
 Trefferlage 0.78 mm links, 0.96 mm tief  
 Streuwert 6.80, horizontal: 4.30, vertikal: 8.60




Serie 4:  
 9.8 → 10.6 \* 10.5 \* 10.6 \* 9.3 ↙  
 9.5 ↙ 10.3 \* 10.4 \* 10.7 \* 10.7 \*  
 beste Teiler 174.7 (39.) 226.5 (40.) 280.4 (32.)  
 Trefferlage 1.50 mm links, 2.55 mm tief  
 Streuwert 4.67, horizontal: 5.35, vertikal: 3.87



Serie 5:  
 10.1 ↘ 10.3 \* 9.4 ↙ 9.8 ↗ 10.7 \*  
 9.8 ↙ 9.9 ↙ 9.5 → 9.8 ↗ 9.8 ←  
 beste Teiler 178.6 (45.) 520.8 (42.) 657.6 (41.)  
 Trefferlage 0.83 mm links, 1.24 mm tief  
 Streuwert 6.50, horizontal: 7.22, vertikal: 5.70



Serie 6:  
 10.2 ↗ 9.9 → 9.7 ↘ 10.1 ↗ 9.8 ↖  
 9.6 ↘ 9.4 ↘ 10.4 \* 9.9 → 10.3 \*  
 beste Teiler 446.8 (58.) 520.0 (60.) 610.1 (51.)  
 Trefferlage 2.72 mm rechts, 2.15 mm hoch  
 Streuwert 5.82, horizontal: 6.70, vertikal: 4.77



**KK liegend** – Wertung – **offene Klasse**

StandNr: 28

**Wirtenberger, Christoph** #70804272

**StartNr: 25**

26. August 2018 9:39



Absam / Absam 3

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>605.9</b>	(577)							
Serien:	99.7	99.4	100.9	99.5	102.1	104.3			
Zähler:	38	21	1	0	0	0	0	0	0
Innenzehner:	25								
weiteste:	1829 (36), 1400 (10), 1377 (21)								
beste Teiler	79.6 (54.) 131.4 (4.) 150.2 (35.)								
Trefferlage	1.90 mm rechts, 2.94 mm hoch								
Streuwert	5.12, horizontal: 5.36, vertikal: 4.87								




Serie 1:	9.3 ↑	9.5 →	10.2 ↘	10.8 *	10.6 *
	9.5 ↑	10.4 *	10.2 ↗	10.0 ↖	9.2 ↘
beste Teiler	131.4 (4.) 273.5 (5.) 430.0 (7.)				
Trefferlage	2.69 mm rechts, 3.77 mm hoch				
Streuwert	5.74, horizontal: 5.62, vertikal: 5.85				




Serie 2:	10.4 *	9.6 ↘	9.5 ←	10.0 →	9.5 →
	10.7 *	10.1 ↗	9.4 →	9.5 ↑	10.7 *
beste Teiler	182.5 (16.) 187.5 (20.) 413.8 (11.)				
Trefferlage	1.53 mm rechts, 3.56 mm hoch				
Streuwert	6.09, horizontal: 7.52, vertikal: 4.21				




Serie 3:	9.2 ↗	10.6 *	10.3 ↘	9.4 ↗	10.7 *
	10.6 *	10.7 *	10.1 →	9.9 ↗	9.4 ↑
beste Teiler	223.9 (25.) 235.6 (27.) 267.7 (22.)				
Trefferlage	2.63 mm rechts, 3.70 mm hoch				
Streuwert	5.07, horizontal: 4.58, vertikal: 5.52				



Serie 4:	10.1 ↘	9.7 ↑	10.5 *	10.1 ↑	10.8 *
	8.7 ↘	9.7 ↗	9.6 ↘	10.4 *	9.9 ↑
beste Teiler	150.2 (35.) 341.0 (33.) 453.2 (39.)				
Trefferlage	1.29 mm rechts, 3.68 mm hoch				
Streuwert	6.21, horizontal: 7.00, vertikal: 5.31				



Serie 5:	10.3 ↗	9.7 ↑	10.4 *	10.6 *	10.7 *
	10.6 *	9.6 ↗	10.1 →	10.4 *	9.7 ↑
beste Teiler	238.8 (45.) 260.0 (46.) 283.0 (44.)				
Trefferlage	1.95 mm rechts, 3.30 mm hoch				
Streuwert	4.16, horizontal: 3.43, vertikal: 4.78				



Serie 6:	10.7 *	10.7 *	10.2 ↓	10.9 *	10.4 *
	10.0 →	10.4 *	9.9 →	10.6 *	10.5 *
beste Teiler	79.6 (54.) 194.9 (52.) 203.1 (51.)				
Trefferlage	1.33 mm rechts, 0.38 mm tief				
Streuwert	3.42, horizontal: 4.07, vertikal: 2.63				

Meyton Elektronik

**KK liegend** – Wertung – **offene Klasse**

StandNr: 29

**Zangerl, Ernst** #19

**StartNr: 26**

26. August 2018 9:40

Kappl / Kappl 1



---

\_\_\_\_\_  
Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **617.3** (592)  
 Serien: 102.8 103.3 103.5 102.7 103.1 101.9  
 Zähler: 52 8 0 0 0 0 0 0 0  
 Innenzehner: 32  
 weiteste: 1471 (60), 1214 (6), 1144 (17)  
 beste Teiler 62.9 (59.) 68.4 (48.) 82.9 (22.)  
 Trefferlage 1.77 mm rechts, 0.16 mm tief  
 Streuwert 4.15, horizontal: 4.33, vertikal: 3.97




Serie 1:  
 10.3 ↘ 10.2 ↘ 10.7 \* 10.2 → 10.4 \*  
 9.4 ↖ 10.6 \* 10.4 \* 10.1 ↘ 10.5 \*  
 beste Teiler 236.6 (3.) 282.2 (7.) 372.2 (10.)  
 Trefferlage 1.00 mm rechts, 0.12 mm hoch  
 Streuwert 4.47, horizontal: 3.60, vertikal: 5.21




Serie 2:  
 10.0 ↗ 10.8 \* 10.8 \* 10.8 \* 10.2 →  
 10.4 \* 9.5 → 10.4 \* 10.4 \* 10.0 ↘  
 beste Teiler 111.6 (14.) 125.7 (13.) 128.4 (12.)  
 Trefferlage 2.89 mm rechts, 0.89 mm hoch  
 Streuwert 3.70, horizontal: 4.06, vertikal: 3.29




Serie 3:  
 10.5 \* 10.8 \* 10.4 \* 9.6 → 10.5 \*  
 10.3 ↙ 10.6 \* 10.3 \* 10.0 ↑ 10.5 \*  
 beste Teiler 82.9 (22.) 248.0 (27.) 359.2 (30.)  
 Trefferlage 0.49 mm links, 0.59 mm hoch  
 Streuwert 4.00, horizontal: 4.49, vertikal: 3.43



Serie 4:  
 10.0 ↘ 9.8 ↙ 10.0 ↖ 10.4 \* 10.5 \*  
 10.6 \* 10.4 \* 10.3 ↑ 10.6 \* 10.1 ↑  
 beste Teiler 274.6 (36.) 286.5 (39.) 392.0 (35.)  
 Trefferlage 0.16 mm links, 0.21 mm hoch  
 Streuwert 4.39, horizontal: 4.49, vertikal: 4.29



Serie 5:  
 10.1 ↘ 10.4 \* 9.8 ↓ 10.8 \* 9.8 →  
 10.5 \* 10.0 ↗ 10.9 \* 10.6 \* 10.2 →  
 beste Teiler 68.4 (48.) 91.0 (44.) 278.7 (49.)  
 Trefferlage 3.21 mm rechts, 0.53 mm tief  
 Streuwert 3.74, horizontal: 3.22, vertikal: 4.19



Serie 6:  
 9.8 ↘ 10.4 \* 10.0 ↖ 10.3 ↓ 10.8 \*  
 10.0 ↘ 10.0 ↓ 10.6 \* 10.9 \* 9.1 →  
 beste Teiler 62.9 (59.) 144.6 (55.) 246.1 (58.)  
 Trefferlage 4.21 mm rechts, 2.27 mm tief  
 Streuwert 3.99, horizontal: 4.65, vertikal: 3.18

Meyton Elektronik

**KK liegend** – Wertung – **offene Klasse**

StandNr: 30

**Gufler, Hannes** #1000000347

**StartNr: 27**

26. August 2018 9:40



Umhausen / Umhausen 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **602.4** (572)  
 Serien: 101.3 101.8 98.2 99.1 98.6 103.4  
 Zähler: 37 19 3 1 0 0 0 0 0  
 Innenzehner: 18  
 weiteste: 2655 (34), 1789 (26), 1665 (50)  
 beste Teiler 100.4 (60.) 197.3 (35.) 219.1 (10.)  
 Trefferlage 0.10 mm rechts, 0.37 mm hoch  
 Streuwert 6.08, horizontal: 7.19, vertikal: 4.71




Serie 1:  
 10.6 \* 9.8 ← 9.4 ↘ 9.9 ↘ 10.2 ↗  
 10.3 ↗ 10.3 ↑ 10.3 \* 9.8 ↓ 10.7 \*  
 beste Teiler 219.1 (10.) 250.5 (1.) 488.7 (8.)  
 Trefferlage 1.69 mm links, 1.57 mm hoch  
 Streuwert 5.15, horizontal: 5.03, vertikal: 5.27




Serie 2:  
 10.2 ↘ 10.5 \* 10.6 \* 9.7 → 10.5 \*  
 10.1 ↘ 10.3 ↗ 10.0 ↘ 10.4 \* 9.5 ↘  
 beste Teiler 290.0 (13.) 376.9 (12.) 389.6 (15.)  
 Trefferlage 2.12 mm rechts, 1.41 mm tief  
 Streuwert 4.68, horizontal: 5.00, vertikal: 4.34




Serie 3:  
 10.0 → 9.7 ↘ 9.5 ↘ 10.6 \* 9.9 →  
 8.7 ← 10.5 \* 9.2 ← 9.6 → 10.5 \*  
 beste Teiler 242.0 (24.) 331.4 (27.) 367.9 (30.)  
 Trefferlage 1.04 mm rechts, 1.71 mm tief  
 Streuwert 7.32, horizontal: 9.74, vertikal: 3.51



Serie 4:  
 10.2 → 10.2 → 10.2 ← 7.6 ↘ 10.7 \*  
 9.9 → 10.3 → 9.9 → 10.2 ↓ 9.9 ↘  
 beste Teiler 197.3 (35.) 533.5 (37.) 578.4 (32.)  
 Trefferlage 0.63 mm rechts, 0.68 mm hoch  
 Streuwert 7.79, horizontal: 9.33, vertikal: 5.85



Serie 5:  
 9.9 → 10.6 \* 9.8 ↘ 10.1 ↘ 10.4 \*  
 8.9 ← 10.2 ↘ 9.7 ← 10.1 ↘ 8.9 ↗  
 beste Teiler 278.2 (42.) 480.4 (45.) 626.5 (47.)  
 Trefferlage 2.20 mm links, 0.38 mm hoch  
 Streuwert 7.05, horizontal: 8.51, vertikal: 5.20



Serie 6:  
 10.6 \* 10.3 ↗ 10.7 \* 10.6 \* 9.8 ↗  
 10.7 \* 10.0 ↗ 9.9 ↘ 10.0 ← 10.8 \*  
 beste Teiler 100.4 (60.) 228.8 (53.) 233.4 (56.)  
 Trefferlage 0.75 mm rechts, 2.75 mm hoch  
 Streuwert 3.70, horizontal: 4.35, vertikal: 2.92

**KK liegend** – Wertung – **offene Klasse**

StandNr: 31

**Floriani, Meinhard** #1000000362

**StartNr: 28**

26. August 2018 9:28



Haiming / Haiming 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **598.2** (573)  
 Serien: 100.7 97.3 100.0 99.2 101.4 99.6  
 Zähler: 33 27 0 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 1592 (5), 1566 (57), 1549 (31)  
 beste Teiler 99.4 (30.) 276.6 (22.) 284.3 (48.)  
 Trefferlage 1.80 mm rechts, 2.88 mm hoch  
 Streuwert 5.60, horizontal: 5.72, vertikal: 5.49




Serie 1:  
 10.3 ↖ 10.2 ↗ 10.2 ↘ 10.2 ↘ 9.0 ↖  
 10.4 \* 10.2 ↗ 10.5 \* 10.1 → 9.6 ↑  
 beste Teiler 358.9 (8.) 440.9 (6.) 558.7 (1.)  
 Trefferlage 0.69 mm links, 2.40 mm hoch  
 Streuwert 5.59, horizontal: 5.84, vertikal: 5.33




Serie 2:  
 9.3 ↑ 9.6 ↗ 10.0 ↗ 9.4 → 10.0 →  
 9.9 ↘ 10.1 ↖ 9.4 → 9.8 ↑ 9.8 ↑  
 beste Teiler 692.9 (17.) 729.7 (15.) 759.7 (13.)  
 Trefferlage 5.04 mm rechts, 4.35 mm hoch  
 Streuwert 5.64, horizontal: 5.35, vertikal: 5.91




Serie 3:  
 9.8 ↑ 10.6 \* 9.9 ↖ 9.5 ↗ 9.3 →  
 10.2 → 9.4 ↘ 10.1 ↘ 10.4 \* 10.8 \*  
 beste Teiler 99.4 (30.) 276.6 (22.) 480.9 (29.)  
 Trefferlage 3.57 mm rechts, 0.69 mm hoch  
 Streuwert 5.73, horizontal: 6.16, vertikal: 5.25



Serie 4:  
 9.0 ↘ 9.8 ↗ 9.8 ↖ 10.4 \* 9.8 ↖  
 10.2 → 10.6 \* 9.7 ↖ 9.7 ↑ 10.2 ↘  
 beste Teiler 293.0 (37.) 464.3 (34.) 602.8 (40.)  
 Trefferlage 0.47 mm rechts, 1.80 mm hoch  
 Streuwert 6.43, horizontal: 6.54, vertikal: 6.33



Serie 5:  
 10.1 ↖ 9.6 ↖ 10.1 ↘ 10.5 \* 9.6 →  
 10.5 \* 10.1 ↗ 10.6 \* 9.9 ↗ 10.4 \*  
 beste Teiler 284.3 (48.) 369.4 (46.) 384.1 (44.)  
 Trefferlage 1.03 mm rechts, 2.34 mm hoch  
 Streuwert 4.97, horizontal: 5.06, vertikal: 4.88



Serie 6:  
 10.2 ↑ 10.0 → 10.4 \* 10.0 ↑ 9.6 ↑  
 10.5 \* 9.0 ↖ 9.7 ↖ 10.3 ↑ 9.9 →  
 beste Teiler 356.1 (56.) 459.4 (53.) 560.1 (59.)  
 Trefferlage 1.38 mm rechts, 5.68 mm hoch  
 Streuwert 4.71, horizontal: 4.50, vertikal: 4.92

Meyton Elektronik

**KK liegend** – Wertung – **offene Klasse**

StandNr: 32

**Gstrein, Peter** #1000000498

**StartNr: 29**

26. August 2018 9:26



Umhausen / Umhausen 1

---


\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **605.7** (579)  
 Serien: 102.7 99.3 100.8 102.7 98.7 101.5  
 Zähler: 40 19 1 0 0 0 0 0 0  
 Innenzehner: 24  
 weiteste: 1708 (47), 1510 (43), 1505 (15)  
 beste Teiler 41.3 (57.) 132.6 (12.) 170.4 (2.)  
 Trefferlage 0.72 mm rechts, 0.21 mm tief  
 Streuwert 5.56, horizontal: 6.73, vertikal: 4.06




Serie 1:  
 10.1 ↘                      10.7 \*                      10.4 \*                      10.6 \*                      10.3 \*  
 10.4 \*                      10.7 \*                      9.9 ↘                      9.7 ↓                      9.9 ↓  
 beste Teiler 170.4 (2.) 208.0 (7.) 303.8 (4.)  
 Trefferlage 1.28 mm rechts, 2.46 mm tief  
 Streuwert 4.10, horizontal: 3.87, vertikal: 4.31




Serie 2:  
 10.4 \*                      10.8 \*                      9.6 →                      10.2 ↓                      9.1 →  
 9.9 →                      9.7 →                      10.0 ↙                      10.2 ↘                      9.4 ↖  
 beste Teiler 132.6 (12.) 460.8 (11.) 587.6 (14.)  
 Trefferlage 2.72 mm rechts, 0.09 mm tief  
 Streuwert 6.47, horizontal: 8.35, vertikal: 3.73




Serie 3:  
 10.6 \*                      9.8 ↙                      9.7 ←                      10.3 ↖                      9.8 ↖  
 10.2 ↗                      10.0 ↑                      10.0 ↘                      10.4 \*                      10.0 →  
 beste Teiler 291.3 (21.) 457.6 (29.) 533.1 (24.)  
 Trefferlage 2.11 mm links, 1.71 mm hoch  
 Streuwert 5.09, horizontal: 5.20, vertikal: 4.98



Serie 4:  
 10.4 \*                      10.5 \*                      10.5 \*                      9.9 →                      10.3 →  
 10.0 ↘                      9.9 →                      10.4 \*                      10.5 \*                      10.3 \*  
 beste Teiler 323.1 (39.) 358.2 (32.) 399.8 (33.)  
 Trefferlage 3.03 mm rechts, 0.18 mm tief  
 Streuwert 3.61, horizontal: 3.81, vertikal: 3.39



Serie 5:  
 10.5 \*                      10.0 ←                      9.1 →                      10.6 \*                      9.7 →  
 9.3 →                      8.8 →                      10.1 ←                      10.6 \*                      10.0 ←  
 beste Teiler 265.2 (49.) 309.5 (44.) 379.1 (41.)  
 Trefferlage 2.93 mm rechts, 0.16 mm hoch  
 Streuwert 7.09, horizontal: 9.79, vertikal: 2.16



Serie 6:  
 10.2 ↓                      10.4 \*                      10.5 \*                      9.3 ←                      9.1 ←  
 9.7 ↑                      10.9 \*                      10.3 ↙                      10.7 \*                      10.4 \*  
 beste Teiler 41.3 (57.) 178.8 (59.) 343.8 (53.)  
 Trefferlage 3.48 mm links, 0.42 mm tief  
 Streuwert 5.21, horizontal: 5.45, vertikal: 4.96

Meyton Elektronik

**KK liegend** – *Wertung* – **offene Klasse**

StandNr: 33

**Gruber, Armin** #410

**StartNr: 30**

26. August 2018 9:38

Absam / Absam 2

---

\_\_\_\_\_  
Unterschrift des Schützen

Meyton Elektronik