





Ergebnis: **374** (395.7)
 Serien: 93 93 96 92
 Zähler: 17 20 3 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 1948 (11), 1793 (35), 1633 (6)
 beste Teiler 89.5 (1.) 275.3 (37.) 284.2 (33.)
 Trefferlage 1.18 mm links, 1.55 mm tief
 Streuwert 6.60, horizontal: 5.17, vertikal: 7.77




Serie 1:
 10.8 * 9.9 ↘ 10.3 ↓ 10.4 * 9.6 ←
 8.9 ↓ 9.8 ↙ 10.4 * 9.8 ← 9.5 ←
 beste Teiler 89.5 (1.) 411.0 (8.) 416.9 (4.)
 Trefferlage 4.82 mm links, 2.86 mm tief
 Streuwert 5.23, horizontal: 4.41, vertikal: 5.93



Serie 2:
 8.5 ↑ 9.9 ↓ 10.5 * 9.8 ↙ 9.8 →
 9.0 ↗ 10.2 ↑ 9.8 ↗ 10.4 * 10.0 →
 beste Teiler 323.6 (13.) 463.5 (19.) 612.4 (17.)
 Trefferlage 1.46 mm rechts, 2.59 mm hoch
 Streuwert 7.47, horizontal: 5.93, vertikal: 8.73



Serie 3:
 9.9 ↘ 10.2 → 10.2 ← 10.5 * 10.5 *
 9.5 ↓ 9.3 ↑ 10.0 ↑ 10.4 * 9.9 ↙
 beste Teiler 380.8 (25.) 394.5 (24.) 441.3 (29.)
 Trefferlage 1.47 mm links, 0.09 mm tief
 Streuwert 5.78, horizontal: 4.53, vertikal: 6.80



Serie 4:
 9.8 ↑ 10.0 ↘ 10.6 * 9.6 ↓ 8.7 ↓
 9.9 ↘ 10.6 * 9.7 ↓ 9.2 ↓ 9.9 ↘
 beste Teiler 275.3 (37.) 284.2 (33.) 742.4 (32.)
 Trefferlage 0.09 mm rechts, 5.84 mm tief
 Streuwert 6.17, horizontal: 4.05, vertikal: 7.74

Unterschrift des Schützen

Meyton Elektronik

EYL Pistol – Wertung – offene Klasse

StartNr: 32



StandNr: 129

9. Juni 2018 9:47


MORASSUT, Andrea #1000000234

Italy / Italy


Ergebnis: **367** (386.1)
 Serien: 92 92 92 91
 Zähler: 11 25 4 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 1921 (38), 1917 (20), 1760 (23)
 beste Teiler 113.9 (30.) 129.0 (29.) 222.6 (9.)
 Trefferlage 4.11 mm links, 2.77 mm tief
 Streuwert 7.29, horizontal: 5.79, vertikal: 8.54




Serie 1:
 10.1 ← 9.4 ↘ 9.6 ↓ 9.4 ↖ 9.9 ↓
 9.3 ↓ 9.6 ↘ 9.9 ↖ 10.7 * 9.1 ↓
 beste Teiler 222.6 (9.) 653.8 (1.) 846.2 (5.)
 Trefferlage 3.54 mm links, 5.92 mm tief
 Streuwert 6.05, horizontal: 4.54, vertikal: 7.26



Serie 2:
 10.0 ↖ 9.5 ↖ 10.5 * 8.8 ↖ 10.6 *
 9.6 ↓ 9.3 ↘ 9.9 ↑ 10.1 ↓ 8.6 ↓
 beste Teiler 318.8 (15.) 379.3 (13.) 679.9 (19.)
 Trefferlage 3.24 mm links, 4.44 mm tief
 Streuwert 7.38, horizontal: 5.40, vertikal: 8.94



Serie 3:
 9.3 ↖ 9.6 ↗ 8.8 ↖ 9.1 ↖ 9.4 ↓
 9.3 ↓ 10.2 ↖ 9.6 ↖ 10.8 * 10.8 *
 beste Teiler 113.9 (30.) 129.0 (29.) 606.1 (27.)
 Trefferlage 3.20 mm links, 1.21 mm tief
 Streuwert 8.07, horizontal: 5.86, vertikal: 9.79





Serie 4:
 10.0 ↗ 9.3 ↖ 9.5 ↓ 9.8 ↓ 9.5 ↖
 9.4 ← 9.8 ↖ 8.5 ← 10.2 ↖ 9.3 ↖
 beste Teiler 625.0 (39.) 738.7 (31.) 897.1 (37.)
 Trefferlage 6.45 mm links, 0.47 mm hoch
 Streuwert 7.48, horizontal: 7.26, vertikal: 7.69


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **374** (391.6)
 Serien: 92 95 92 95
 Zähler: 21 13 5 1 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2464 (11), 2192 (24), 1994 (6)
 beste Teiler 47.5 (26.) 123.4 (22.) 140.6 (13.)
 Trefferlage 2.31 mm rechts, 1.01 mm hoch
 Streuwert 7.67, horizontal: 7.37, vertikal: 7.96




Serie 1:
 8.9 ↗ 10.0 ↗ 9.7 ↙ 10.5 * 10.0 ↖
 8.5 ↘ 8.9 ↙ 10.5 * 10.7 * 9.9 ↘
 beste Teiler 226.0 (9.) 345.8 (8.) 364.4 (4.)
 Trefferlage 1.20 mm rechts, 0.54 mm tief
 Streuwert 8.33, horizontal: 6.98, vertikal: 9.49



Serie 2:
 7.9 ↗ 9.1 ↓ 10.8 * 10.6 * 10.1 ↖
 10.4 * 10.3 ↖ 10.3 ↙ 10.1 → 9.0 ↗
 beste Teiler 140.6 (13.) 315.4 (14.) 475.9 (16.)
 Trefferlage 2.29 mm rechts, 1.70 mm hoch
 Streuwert 8.03, horizontal: 6.71, vertikal: 9.16



Serie 3:
 9.5 ↗ 10.8 * 9.9 ↘ 8.2 → 9.3 →
 10.9 * 9.0 ↙ 9.4 ↗ 9.5 ↘ 10.1 ↖
 beste Teiler 47.5 (26.) 123.4 (22.) 702.0 (30.)
 Trefferlage 3.86 mm rechts, 0.63 mm hoch
 Streuwert 8.44, horizontal: 9.89, vertikal: 6.69





Serie 4:
 9.4 ↗ 10.2 ↗ 10.0 ↙ 10.6 * 9.7 →
 10.2 ↗ 10.4 * 8.8 ↗ 10.0 ← 9.5 ↘
 beste Teiler 302.6 (34.) 409.4 (37.) 561.2 (32.)
 Trefferlage 1.91 mm rechts, 2.25 mm hoch
 Streuwert 6.71, horizontal: 6.28, vertikal: 7.12


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (391.7)
 Serien: 91 91 92 97
 Zähler: 16 20 3 1 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2404 (7), 1987 (9), 1664 (22)
 beste Teiler 119.0 (14.) 192.0 (35.) 232.1 (8.)
 Trefferlage 0.43 mm rechts, 1.70 mm tief
 Streuwert 7.50, horizontal: 6.41, vertikal: 8.45




Serie 1:
 9.5 ↘ 9.8 ↙ 10.6 * 9.8 ↓ 10.5 *
 9.6 ↘ 7.9 ↙ 10.7 * 8.5 → 10.2 ↗
 beste Teiler 232.1 (8.) 242.8 (3.) 349.4 (5.)
 Trefferlage 0.32 mm rechts, 3.84 mm tief
 Streuwert 8.51, horizontal: 8.61, vertikal: 8.41



Serie 2:
 9.9 ← 9.5 ↘ 9.0 ↓ 10.8 * 9.8 ↓
 9.1 ↙ 9.5 ↘ 9.6 → 10.5 * 8.9 ↗
 beste Teiler 119.0 (14.) 383.9 (19.) 871.7 (11.)
 Trefferlage 2.32 mm links, 2.37 mm tief
 Streuwert 8.11, horizontal: 6.24, vertikal: 9.63



Serie 3:
 9.7 ↑ 8.9 ↙ 9.9 ↘ 10.4 * 9.1 ↗
 10.3 ↗ 9.1 ↗ 10.1 ↘ 9.6 ↓ 9.5 ↗
 beste Teiler 468.3 (24.) 531.7 (26.) 692.8 (28.)
 Trefferlage 3.49 mm rechts, 0.66 mm hoch
 Streuwert 7.82, horizontal: 5.03, vertikal: 9.85





Serie 4:
 9.3 ↑ 10.4 * 10.5 * 10.3 ↙ 10.7 *
 10.5 * 9.8 ↘ 10.3 ← 9.3 ↘ 10.3 ↙
 beste Teiler 192.0 (35.) 352.0 (33.) 376.7 (36.)
 Trefferlage 0.24 mm rechts, 1.26 mm tief
 Streuwert 5.37, horizontal: 4.56, vertikal: 6.07


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **355** (373.9)
 Serien: 91 87 91 86
 Zähler: 10 17 11 2 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2888 (38), 2546 (3), 2375 (34)
 beste Teiler 102.4 (18.) 189.7 (30.) 277.7 (2.)
 Trefferlage 5.90 mm links, 2.77 mm tief
 Streuwert 9.27, horizontal: 7.29, vertikal: 10.90




Serie 1:
 8.3 ↓ 10.6 * 7.8 ↓ 10.3 ↗ 10.2 ↘
 10.5 * 9.8 ← 9.0 ↘ 9.9 ↓ 9.5 ←
 beste Teiler 277.7 (2.) 342.0 (6.) 506.9 (4.)
 Trefferlage 4.47 mm links, 4.53 mm tief
 Streuwert 8.57, horizontal: 4.22, vertikal: 11.36



Serie 2:
 8.4 ↓ 9.7 ↗ 8.2 ↘ 9.7 ↘ 8.6 ↓
 9.0 ↘ 8.7 ↘ 10.8 * 9.4 ← 9.6 ↘
 beste Teiler 102.4 (18.) 982.2 (12.) 982.5 (14.)
 Trefferlage 5.76 mm links, 0.77 mm hoch
 Streuwert 10.33, horizontal: 7.50, vertikal: 12.54



Serie 3:
 9.7 ↘ 10.4 ← 9.6 ← 9.6 ← 8.7 ↘
 10.5 * 9.4 ↘ 8.5 ← 9.1 ↓ 10.7 *
 beste Teiler 189.7 (30.) 384.3 (26.) 478.0 (22.)
 Trefferlage 7.40 mm links, 1.85 mm tief
 Streuwert 6.89, horizontal: 5.46, vertikal: 8.06





Serie 4:
 9.3 ↗ 8.6 ↓ 10.2 ↓ 8.0 ← 10.2 ↑
 9.4 ↘ 9.5 ← 7.3 ↗ 8.4 ↓ 8.8 ↘
 beste Teiler 619.9 (35.) 634.0 (33.) 1144.7 (37.)
 Trefferlage 5.97 mm links, 5.49 mm tief
 Streuwert 11.37, horizontal: 11.04, vertikal: 11.69


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **352** (369.0)
 Serien: 88 88 92 84
 Zähler: 8 20 9 2 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3642 (35), 3179 (40), 2882 (9)
 beste Teiler 61.1 (24.) 307.7 (32.) 437.0 (21.)
 Trefferlage 1.10 mm rechts, 3.17 mm tief
 Streuwert 11.02, horizontal: 8.34, vertikal: 13.17




Serie 1:
 9.1 ↘ 10.0 ↗ 9.1 ↙ 9.5 ↖ 9.8 →
 8.2 ↑ 9.0 ← 9.1 ↗ 7.3 ↓ 9.8 ↗
 beste Teiler 800.1 (2.) 934.4 (10.) 960.6 (5.)
 Trefferlage 0.18 mm links, 0.66 mm tief
 Streuwert 11.97, horizontal: 9.61, vertikal: 13.95



Serie 2:
 10.2 ↖ 9.2 ↘ 8.4 ↓ 10.2 ↓ 9.4 ↑
 8.9 ↓ 9.3 ↗ 8.9 ↗ 9.7 ↓ 8.5 ↓
 beste Teiler 600.2 (11.) 614.8 (14.) 1016.2 (19.)
 Trefferlage 2.65 mm rechts, 4.68 mm tief
 Streuwert 9.77, horizontal: 5.95, vertikal: 12.47



Serie 3:
 10.4 * 9.8 ↑ 9.0 ↗ 10.9 * 9.8 ↑
 9.6 ↓ 10.3 → 9.0 → 9.8 ↓ 8.1 ↓
 beste Teiler 61.1 (24.) 437.0 (21.) 496.2 (27.)
 Trefferlage 1.87 mm rechts, 1.00 mm tief
 Streuwert 8.74, horizontal: 6.21, vertikal: 10.69



Serie 4:
 10.1 ↑ 10.6 * 8.1 ↓ 9.7 ↘ 6.4 ↓
 8.4 ↓ 9.8 → 9.9 ↘ 8.7 ↓ 7.0 ↗
 beste Teiler 307.7 (32.) 681.5 (31.) 834.9 (38.)
 Trefferlage 0.07 mm rechts, 6.33 mm tief
 Streuwert 13.97, horizontal: 11.36, vertikal: 16.16

Unterschrift des Schützen

Meyton Elektronik