





Ergebnis: **370** (391.5)
 Serien: 91 93 94 92
 Zaehler: 15 20 5 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2298 (16), 1868 (29), 1854 (15)
 beste Teiler 123.7 (28.) 135.1 (26.) 152.1 (19.)
 Trefferlage 2.46 mm rechts, 3.00 mm hoch
 Streuwert 7.09, horizontal: 7.56, vertikal: 6.58




Serie 1:
 9.7 ↗ 9.7 ↖ 9.3 ↑ 9.8 ↘ 9.8 ↖
 8.8 → 9.6 ↓ 9.7 ↗ 10.2 ↙ 10.4 *
 beste Teiler 438.7 (10.) 613.6 (9.) 923.2 (5.)
 Trefferlage 2.89 mm rechts, 3.25 mm hoch
 Streuwert 7.22, horizontal: 7.27, vertikal: 7.18



Serie 2:
 9.6 ↗ 10.8 * 9.6 → 10.0 ↓ 8.6 →
 8.1 ↑ 10.4 * 10.5 * 10.8 * 9.8 ↑
 beste Teiler 152.1 (19.) 153.7 (12.) 347.1 (18.)
 Trefferlage 4.14 mm rechts, 4.83 mm hoch
 Streuwert 7.01, horizontal: 6.00, vertikal: 7.89



Serie 3:
 10.3 ↘ 9.1 ↗ 10.2 ↖ 9.8 ↖ 10.5 *
 10.8 * 9.4 → 10.8 * 8.6 ↖ 9.9 ↙
 beste Teiler 123.7 (28.) 135.1 (26.) 358.5 (25.)
 Trefferlage 1.56 mm links, 2.26 mm hoch
 Streuwert 7.03, horizontal: 8.31, vertikal: 5.46





Serie 4:
 9.7 ↑ 9.6 ↖ 9.4 → 10.0 → 9.7 ↙
 9.3 → 8.8 → 9.9 ↓ 10.5 * 10.0 ↗
 beste Teiler 361.1 (39.) 766.2 (34.) 768.2 (40.)
 Trefferlage 4.36 mm rechts, 1.66 mm hoch
 Streuwert 7.14, horizontal: 8.02, vertikal: 6.14


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **358** (374.6)
 Serien: 90 90 86 92
 Zaehler: 12 15 12 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2405 (21), 2399 (40), 2282 (3)
 beste Teiler 145.2 (18.) 239.2 (39.) 329.0 (20.)
 Trefferlage 4.09 mm rechts, 0.40 mm tief
 Streuwert 9.81, horizontal: 9.60, vertikal: 10.01




Serie 1:
 8.8 → 8.9 ↓ 8.1 ↑ 10.3 ↘ 10.4 *
 8.9 ← 10.3 ↘ 10.5 * 9.0 ↑ 9.1 ↓
 beste Teiler 346.9 (8.) 430.7 (5.) 483.8 (4.)
 Trefferlage 0.50 mm links, 0.59 mm hoch
 Streuwert 10.20, horizontal: 8.32, vertikal: 11.79



Serie 2:
 9.8 ↑ 9.0 → 8.1 → 8.2 → 8.6 ↑
 9.4 ↓ 9.4 ← 10.8 * 10.5 * 10.5 *
 beste Teiler 145.2 (18.) 329.0 (20.) 363.1 (19.)
 Trefferlage 5.33 mm rechts, 2.36 mm hoch
 Streuwert 9.52, horizontal: 10.76, vertikal: 8.10



Serie 3:
 7.9 ↗ 8.5 ↘ 9.7 ↗ 10.3 → 9.9 ↘
 9.6 ↓ 8.3 ↘ 8.2 ↓ 9.3 → 9.2 →
 beste Teiler 533.3 (24.) 817.6 (25.) 999.4 (23.)
 Trefferlage 9.37 mm rechts, 3.40 mm tief
 Streuwert 9.41, horizontal: 6.70, vertikal: 11.49





Serie 4:
 10.1 ↗ 10.1 ↓ 9.1 ↙ 9.9 ← 9.3 ↓
 10.0 ↑ 9.6 ← 8.3 ↘ 10.7 * 8.0 →
 beste Teiler 239.2 (39.) 665.0 (32.) 684.6 (31.)
 Trefferlage 2.17 mm rechts, 1.18 mm tief
 Streuwert 9.66, horizontal: 10.46, vertikal: 8.77


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis:	369	(386.9)
Serien:	89 95 93 92	
Zaehler:	13 23 4 0 0 0 0 0 0 0	
Innenzehner:	4	
weiteste:	2291 (5), 2156 (38), 1752 (9)	
beste Teiler	146.5 (13.) 175.1 (34.) 387.3 (24.)	
Trefferlage	1.96 mm rechts, 3.25 mm tief	
Streuwert	7.61, horizontal: 6.62, vertikal: 8.49	




Serie 1:	10.3 ↓	9.4 ↓	9.3 ↓	9.9 ↗	8.1 ↓
	9.7 ↓	9.6 ↓	8.9 ↓	8.8 ↓	10.1 ↓
beste Teiler	547.1 (1.)	690.8 (10.)	855.6 (4.)		
Trefferlage	1.56 mm rechts, 10.32 mm tief				
Streuwert	6.36, horizontal: 4.29, vertikal: 7.91				



Serie 2:	10.1 →	9.5 ↗	10.8 *	9.8 ↘	9.5 ↗
	9.0 ↙	9.4 ↘	10.5 *	10.0 ↘	10.1 ↙
beste Teiler	146.5 (13.)	398.1 (18.)	686.5 (11.)		
Trefferlage	1.21 mm rechts, 0.47 mm tief				
Streuwert	7.09, horizontal: 7.75, vertikal: 6.37				





Serie 3:	9.8 ↑	9.3 ↗	9.8 ↗	10.5 *	10.0 →
	9.5 ↑	9.8 ↖	9.3 ↙	10.1 ↑	9.4 ↓
beste Teiler	387.3 (24.)	651.1 (29.)	769.7 (25.)		
Trefferlage	1.19 mm rechts, 2.61 mm hoch				
Streuwert	7.26, horizontal: 6.48, vertikal: 7.96				



Serie 4:	10.1 ↑	9.8 ↓	9.3 ↓	10.7 *	9.7 →
	9.7 ←	9.5 →	8.3 ↘	10.3 →	9.2 ↘
beste Teiler	175.1 (34.)	558.8 (39.)	715.4 (31.)		
Trefferlage	3.88 mm rechts, 4.85 mm tief				
Streuwert	7.24, horizontal: 8.01, vertikal: 6.37				


Unterschrift des Schuetzen

Ergebnis: **360** (379.3)
 Serien: 89 90 91 90
 Zaehler: 11 18 11 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2209 (31), 2187 (18), 1941 (35)
 beste Teiler 73.4 (38.) 157.4 (14.) 359.7 (28.)
 Trefferlage 4.58 mm links, 1.25 mm tief
 Streuwert 8.65, horizontal: 7.16, vertikal: 9.91




Serie 1:
 8.6 ↓ 8.6 ← 9.9 ↑ 8.7 ↑ 9.2 ↘
 9.5 ← 10.0 ↘ 9.5 ↘ 10.0 ↘ 9.0 ←

beste Teiler 724.9 (9.) 738.5 (7.) 821.6 (3.)
 Trefferlage 8.29 mm links, 1.64 mm tief
 Streuwert 8.22, horizontal: 5.69, vertikal: 10.13




Serie 2:
 9.5 ↘ 8.9 ↑ 9.4 ↘ 10.8 * 9.4 ↘
 10.0 ↑ 9.9 ↑ 8.2 ↘ 9.0 ↗ 9.5 ↘

beste Teiler 157.4 (14.) 796.0 (16.) 859.5 (17.)
 Trefferlage 1.94 mm links, 4.51 mm hoch
 Streuwert 9.01, horizontal: 8.88, vertikal: 9.14



Serie 3:
 8.8 ↘ 9.1 ↘ 10.2 ← 10.2 ↑ 9.2 ↘
 8.7 ↑ 8.7 ↓ 10.5 * 9.9 ↘ 10.4 *

beste Teiler 359.7 (28.) 417.2 (30.) 586.2 (24.)
 Trefferlage 3.07 mm links, 1.48 mm tief
 Streuwert 8.82, horizontal: 6.39, vertikal: 10.70





Serie 4:
 8.2 ← 10.4 * 8.9 ↘ 10.4 * 8.5 ↓
 9.5 ↓ 9.6 ↓ 10.9 * 9.8 ↘ 9.8 ↘

beste Teiler 73.4 (38.) 439.3 (32.) 464.6 (34.)
 Trefferlage 5.01 mm links, 6.38 mm tief
 Streuwert 7.18, horizontal: 6.66, vertikal: 7.66


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **344** (362.0)
 Serien: 80 87 90 87
 Zaehler: 7 16 11 6 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3120 (34), 2673 (7), 2647 (2)
 beste Teiler 213.8 (24.) 217.0 (39.) 346.9 (31.)
 Trefferlage 1.88 mm links, 0.35 mm hoch
 Streuwert 12.10, horizontal: 10.08, vertikal: 13.83




Serie 1:
 9.1 ↗ 7.6 ↘ 9.5 → 8.0 ↑ 8.7 ↗
 8.5 ← 7.6 ↖ 9.0 ↑ 7.7 ← 8.6 ↑
 beste Teiler 1192.1 (3.) 1448.6 (1.) 1581.8 (8.)
 Trefferlage 0.53 mm links, 8.65 mm hoch
 Streuwert 14.08, horizontal: 14.02, vertikal: 14.13



Serie 2:
 7.9 ↖ 9.3 ← 8.0 ↓ 10.3 ↖ 8.2 ↖
 8.1 ↖ 9.5 ← 9.3 ↑ 10.4 * 9.2 ↓
 beste Teiler 474.2 (19.) 534.2 (14.) 1198.3 (17.)
 Trefferlage 7.13 mm links, 3.09 mm hoch
 Streuwert 11.28, horizontal: 8.05, vertikal: 13.77



Serie 3:
 9.2 ↙ 9.5 ↘ 9.8 ↘ 10.7 * 9.7 ↓
 10.1 ↗ 8.7 ← 8.0 ↑ 9.9 ↘ 9.4 ↖
 beste Teiler 213.8 (24.) 682.8 (26.) 822.6 (29.)
 Trefferlage 0.29 mm rechts, 1.33 mm tief
 Streuwert 9.50, horizontal: 9.20, vertikal: 9.79



Serie 4:
 10.5 * 9.8 ↓ 9.9 ↓ 7.1 ↓ 9.0 ↙
 8.8 ↓ 8.7 → 10.3 ↑ 10.7 * 7.7 ↓
 beste Teiler 217.0 (39.) 346.9 (31.) 513.7 (38.)
 Trefferlage 0.18 mm links, 9.02 mm tief
 Streuwert 10.29, horizontal: 7.31, vertikal: 12.58

Unterschrift des Schuetzen

Meyton Elektronik