





Ergebnis: **370** (386.2)
 Serien: 95 92 92 91
 Zaehler: 17 17 5 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3041 (37), 2109 (34), 2096 (20)
 beste Teiler 311.3 (5.) 369.0 (30.) 381.9 (38.)
 Trefferlage 1.69 mm links, 1.99 mm hoch
 Streuwert 8.23, horizontal: 9.31, vertikal: 6.97




Serie 1:
 9.0 ← 9.7 ↗ 10.2 ↘ 10.0 ↓ 10.6 *
 10.1 ↓ 9.6 ↗ 10.0 ↗ 9.9 ↓ 9.4 ←
 beste Teiler 311.3 (5.) 584.1 (3.) 650.7 (6.)
 Trefferlage 1.58 mm links, 0.98 mm tief
 Streuwert 6.85, horizontal: 7.60, vertikal: 6.00



Serie 2:
 9.2 ← 9.6 → 10.2 ← 9.3 ↗ 10.2 ←
 10.0 → 9.4 ↘ 10.1 → 8.8 → 8.3 ←
 beste Teiler 591.2 (13.) 594.8 (15.) 650.4 (18.)
 Trefferlage 0.44 mm links, 2.23 mm hoch
 Streuwert 9.16, horizontal: 12.08, vertikal: 4.67



Serie 3:
 8.9 ↘ 9.9 ← 9.6 ↗ 10.4 * 9.0 ↘
 9.7 ↗ 9.5 ↘ 10.4 * 9.9 ↗ 10.5 *
 beste Teiler 369.0 (30.) 434.3 (28.) 444.5 (24.)
 Trefferlage 2.02 mm links, 5.26 mm hoch
 Streuwert 6.50, horizontal: 8.45, vertikal: 3.60





Serie 4:
 10.3 ← 10.1 ↘ 9.3 ↑ 8.3 ↑ 9.9 ↗
 8.8 → 7.1 ↗ 10.5 * 10.3 ↘ 10.2 ←
 beste Teiler 381.9 (38.) 482.6 (39.) 546.2 (31.)
 Trefferlage 2.72 mm links, 1.45 mm hoch
 Streuwert 10.38, horizontal: 9.89, vertikal: 10.85


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **346** (366.5)
 Serien: 86 83 91 86
 Zaehler: 7 17 11 5 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3061 (10), 2985 (9), 2879 (26)
 beste Teiler 171.7 (29.) 276.8 (23.) 348.2 (27.)
 Trefferlage 5.35 mm links, 0.16 mm hoch
 Streuwert 10.84, horizontal: 12.85, vertikal: 8.36




Serie 1:
 10.1 ↓ 9.3 ↓ 9.9 ↑ 9.1 ← 8.8 ←
 9.7 ↘ 9.6 ↑ 9.1 ↓ 7.2 ← 7.1 ←
 beste Teiler 652.5 (1.) 874.4 (3.) 992.3 (6.)
 Trefferlage 10.48 mm links, 0.25 mm tief
 Streuwert 10.43, horizontal: 11.42, vertikal: 9.34



Serie 2:
 9.5 ↘ 9.2 ← 9.9 ↓ 9.8 ↑ 8.4 ↘
 8.9 → 8.8 ← 8.7 ↗ 8.5 ↙ 7.7 ←
 beste Teiler 812.8 (13.) 909.8 (14.) 1179.6 (11.)
 Trefferlage 6.61 mm links, 1.32 mm hoch
 Streuwert 11.53, horizontal: 13.27, vertikal: 9.48



Serie 3:
 10.0 ↘ 8.9 ↘ 10.6 * 10.3 ↘ 8.4 ↘
 7.4 ↘ 10.5 * 9.5 ← 10.7 * 9.8 ↙
 beste Teiler 171.7 (29.) 276.8 (23.) 348.2 (27.)
 Trefferlage 4.49 mm links, 1.30 mm hoch
 Streuwert 9.50, horizontal: 9.37, vertikal: 9.61





Serie 4:
 9.2 ← 7.8 ← 8.5 ↖ 8.3 ↘ 9.9 →
 9.9 ← 9.2 → 10.4 * 9.1 → 8.8 ↘
 beste Teiler 473.0 (38.) 814.6 (35.) 856.8 (36.)
 Trefferlage 0.18 mm rechts, 1.72 mm tief
 Streuwert 11.86, horizontal: 15.98, vertikal: 5.13


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **325** (344.0)
 Serien: 74 87 80 84
 Zaehler: 8 10 10 5 5 2 0 0 0 0
 Innenzehner: 4
 weiteste: 4405 (25), 4323 (9), 3810 (6)
 beste Teiler 320.1 (27.) 342.8 (17.) 405.0 (11.)
 Trefferlage 1.48 mm rechts, 2.89 mm tief
 Streuwert 15.50, horizontal: 13.61, vertikal: 17.18




Serie 1:
 9.4 ↗ 7.7 ↙ 9.4 → 10.4 * 8.7 ↖
 6.2 ↗ 6.4 ↓ 7.5 ↖ 5.5 ↓ 7.9 →
 beste Teiler 415.5 (4.) 1230.2 (3.) 1266.1 (1.)
 Trefferlage 5.00 mm rechts, 3.20 mm tief
 Streuwert 19.67, horizontal: 16.65, vertikal: 22.29



Serie 2:
 10.4 * 6.9 ↓ 9.8 → 7.7 ↓ 8.5 ↖
 10.3 ↓ 10.5 * 8.0 ↖ 10.3 ← 9.2 ↓
 beste Teiler 342.8 (17.) 405.0 (11.) 497.2 (16.)
 Trefferlage 4.06 mm links, 4.26 mm tief
 Streuwert 12.18, horizontal: 8.72, vertikal: 14.85



Serie 3:
 8.6 ↓ 8.8 ↗ 8.4 ↘ 7.8 ↑ 5.4 ↙
 9.4 ↓ 10.6 * 9.5 → 8.3 ↓ 8.1 ↖
 beste Teiler 320.1 (27.) 1188.1 (28.) 1208.5 (26.)
 Trefferlage 0.96 mm links, 4.83 mm tief
 Streuwert 16.14, horizontal: 13.53, vertikal: 18.38





Serie 4:
 6.4 ↙ 8.8 ↗ 9.9 ↖ 9.6 → 9.1 →
 6.7 ↗ 8.3 ↑ 10.2 ↙ 10.0 ↗ 9.4 →
 beste Teiler 624.1 (38.) 791.5 (39.) 803.0 (33.)
 Trefferlage 5.94 mm rechts, 0.69 mm hoch
 Streuwert 14.00, horizontal: 13.77, vertikal: 14.23


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **357** (372.4)
 Serien: 89 92 88 88
 Zaehler: 11 18 8 3 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2864 (37), 2784 (25), 2599 (3)
 beste Teiler 127.2 (13.) 130.1 (26.) 312.1 (33.)
 Trefferlage 7.16 mm rechts, 4.11 mm hoch
 Streuwert 8.89, horizontal: 8.31, vertikal: 9.43




Serie 1:
 10.1 ↘ 9.0 ↗ 7.7 ↑ 8.6 ↘ 9.3 ↗
 9.4 → 9.0 → 9.9 ↑ 9.9 ↑ 10.0 ↖
 beste Teiler 677.5 (1.) 730.4 (10.) 813.4 (8.)
 Trefferlage 7.55 mm rechts, 5.35 mm hoch
 Streuwert 8.35, horizontal: 6.94, vertikal: 9.55



Serie 2:
 9.5 ↘ 10.2 ↑ 10.8 * 8.7 ↗ 10.3 ↖
 9.2 ↑ 10.2 → 8.5 ↑ 9.0 ↗ 9.2 ↑
 beste Teiler 127.2 (13.) 520.3 (15.) 600.9 (12.)
 Trefferlage 4.27 mm rechts, 6.76 mm hoch
 Streuwert 7.27, horizontal: 6.72, vertikal: 7.78





Serie 3:
 10.1 ↘ 9.6 → 8.1 ↗ 9.1 → 7.5 →
 10.8 * 8.5 ↗ 9.9 ← 8.0 ↘ 10.5 *
 beste Teiler 130.1 (26.) 358.6 (30.) 695.6 (21.)
 Trefferlage 9.30 mm rechts, 0.60 mm tief
 Streuwert 10.08, horizontal: 10.43, vertikal: 9.71




Serie 4:
 9.8 ↗ 9.1 ↗ 10.6 * 8.5 ↗ 9.2 ↘
 8.6 → 7.4 ↑ 10.4 * 9.0 ↖ 9.2 ↘
 beste Teiler 312.1 (33.) 442.9 (38.) 895.2 (31.)
 Trefferlage 7.51 mm rechts, 4.94 mm hoch
 Streuwert 9.65, horizontal: 9.05, vertikal: 10.21

Unterschrift des Schuetzen


Ergebnis: **333** (347.8)
 Serien: 77 76 92 88
 Zaehler: 7 10 16 4 2 1 0 0 0 0
 Innenzehner: 4
 weiteste: 4519 (5), 3486 (14), 3402 (2)
 beste Teiler 130.3 (28.) 219.5 (32.) 338.0 (25.)
 Trefferlage 2.82 mm rechts, 1.26 mm tief
 Streuwert 14.40, horizontal: 12.73, vertikal: 15.89




Serie 1:
 8.4 ↘ 6.7 ↗ 8.1 ↙ 8.0 ↓ 5.3 ↗
 8.2 ↗ 8.2 ↖ 8.1 ↓ 9.7 ↓ 9.4 →
 beste Teiler 982.8 (9.) 1251.3 (10.) 2015.1 (1.)
 Trefferlage 5.67 mm rechts, 2.69 mm tief
 Streuwert 18.35, horizontal: 17.54, vertikal: 19.12



Serie 2:
 7.5 ↙ 7.7 ↑ 7.1 ↗ 6.6 ↓ 7.5 ↙
 8.9 ↓ 8.5 → 8.5 ↗ 9.4 ↘ 9.1 →
 beste Teiler 1252.2 (19.) 1514.3 (20.) 1628.7 (16.)
 Trefferlage 4.72 mm rechts, 5.15 mm tief
 Streuwert 17.14, horizontal: 15.04, vertikal: 19.00



Serie 3:
 8.5 ↓ 9.4 ↓ 9.0 → 10.1 ↓ 10.5 *
 10.5 * 9.3 ↘ 10.8 * 9.5 ↘ 8.1 ↑
 beste Teiler 130.3 (28.) 338.0 (25.) 395.2 (26.)
 Trefferlage 0.72 mm rechts, 0.01 mm hoch
 Streuwert 9.70, horizontal: 7.76, vertikal: 11.32





Serie 4:
 10.0 ↓ 10.7 * 8.4 ↘ 8.3 ↓ 8.3 ↗
 8.4 ↑ 9.2 ↑ 9.7 ↑ 10.1 ↘ 8.1 ↓
 beste Teiler 219.5 (32.) 705.2 (39.) 723.4 (31.)
 Trefferlage 0.18 mm rechts, 2.76 mm hoch
 Streuwert 11.91, horizontal: 9.09, vertikal: 14.18


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **345** (366.3)
 Serien: 89 88 85 83
 Zaehler: 9 15 11 4 0 0 1 0 0 0
 Innenzehner: 4
 weiteste: 4972 (35), 2789 (12), 2786 (34)
 beste Teiler 151.0 (37.) 236.6 (14.) 312.8 (28.)
 Trefferlage 1.13 mm rechts, 2.90 mm tief
 Streuwert 11.94, horizontal: 11.39, vertikal: 12.47




Serie 1:
 8.8 → 9.9 ↘ 10.5 * 8.5 → 9.7 ↙
 8.2 ↙ 8.9 ↗ 10.0 ↑ 10.1 ↘ 9.8 ↖
 beste Teiler 374.0 (3.) 715.8 (9.) 760.2 (8.)
 Trefferlage 2.14 mm rechts, 3.38 mm tief
 Streuwert 9.62, horizontal: 12.08, vertikal: 6.25



Serie 2:
 9.6 → 7.5 ← 8.6 ↓ 10.7 * 9.8 ↘
 10.0 ↘ 9.4 ← 10.3 → 8.6 ← 8.8 ↗
 beste Teiler 236.6 (14.) 482.2 (18.) 752.8 (16.)
 Trefferlage 3.15 mm links, 3.44 mm tief
 Streuwert 10.61, horizontal: 12.53, vertikal: 8.25



Serie 3:
 9.8 ↙ 8.7 → 7.5 ↓ 9.9 ↓ 8.8 ↗
 8.8 ↓ 8.3 ↙ 10.6 * 9.5 ↑ 9.1 ↗
 beste Teiler 312.8 (28.) 804.5 (24.) 959.5 (21.)
 Trefferlage 2.76 mm rechts, 2.93 mm tief
 Streuwert 11.76, horizontal: 9.57, vertikal: 13.60





Serie 4:
 10.2 ↙ 9.5 ↙ 7.8 ↓ 7.5 ↓ 4.7 ↗
 9.5 ↗ 10.8 * 9.3 ↓ 9.1 ← 9.2 ↗
 beste Teiler 151.0 (37.) 601.4 (31.) 1125.2 (36.)
 Trefferlage 2.78 mm rechts, 1.84 mm tief
 Streuwert 16.12, horizontal: 11.83, vertikal: 19.49


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **339** (360.0)
 Serien: 85 86 87 81
 Zaehler: 4 19 10 6 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3470 (34), 3132 (31), 2836 (28)
 beste Teiler 139.9 (22.) 314.7 (37.) 366.2 (29.)
 Trefferlage 0.76 mm links, 3.03 mm tief
 Streuwert 12.21, horizontal: 12.42, vertikal: 11.99




Serie 1:
 8.1 ↘ 8.8 ↑ 8.3 ↙ 8.7 ← 10.1 ↘
 9.8 ↙ 9.7 ↙ 9.2 ↙ 7.9 ↘ 9.0 ↙
 beste Teiler 709.7 (5.) 881.4 (6.) 1027.0 (7.)
 Trefferlage 7.99 mm links, 4.23 mm tief
 Streuwert 10.69, horizontal: 10.70, vertikal: 10.68



Serie 2:
 9.1 ↙ 9.6 ↙ 9.1 ↘ 7.8 ↘ 9.1 ↘
 8.9 → 9.9 ↗ 8.9 ↑ 9.3 ← 9.8 ↙
 beste Teiler 830.1 (17.) 905.8 (20.) 1047.6 (12.)
 Trefferlage 0.46 mm rechts, 2.95 mm tief
 Streuwert 10.94, horizontal: 10.75, vertikal: 11.12





Serie 3:
 9.8 ↘ 10.8 * 9.4 ↙ 7.9 ↙ 9.6 ↘
 8.8 ↘ 9.6 ↓ 7.4 ↗ 10.5 * 9.5 ↓
 beste Teiler 139.9 (22.) 366.2 (29.) 902.4 (21.)
 Trefferlage 0.47 mm links, 2.30 mm tief
 Streuwert 11.25, horizontal: 11.21, vertikal: 11.29




Serie 4:
 7.0 → 9.2 ↑ 8.0 ↙ 6.6 ↑ 8.6 ↘
 9.9 ↙ 10.6 * 7.7 ↓ 8.4 → 9.6 ↙
 beste Teiler 314.7 (37.) 815.7 (36.) 1093.4 (40.)
 Trefferlage 4.94 mm rechts, 2.62 mm tief
 Streuwert 15.37, horizontal: 14.74, vertikal: 15.97

Unterschrift des Schuetzen


Ergebnis: **354** (368.4)
 Serien: 84 87 91 92
 Zaehler: 11 18 6 4 1 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3962 (29), 3082 (4), 2983 (5)
 beste Teiler 42.0 (23.) 429.5 (24.) 433.0 (11.)
 Trefferlage 0.58 mm rechts, 4.09 mm tief
 Streuwert 11.18, horizontal: 11.47, vertikal: 10.89




Serie 1:
 9.6 ← 9.7 ↘ 9.9 ↘ 7.1 ↓ 7.2 ↘
 9.3 ← 10.4 ↓ 7.9 ↓ 9.1 ↓ 8.6 ↓
 beste Teiler 480.3 (7.) 853.5 (3.) 979.3 (2.)
 Trefferlage 2.24 mm links, 10.19 mm tief
 Streuwert 11.58, horizontal: 11.95, vertikal: 11.20



Serie 2:
 10.4 * 8.5 ← 8.3 ↘ 9.4 ↓ 9.1 ↓
 7.7 ↘ 10.4 * 8.9 → 9.6 ↘ 9.1 ←
 beste Teiler 433.0 (11.) 446.4 (17.) 1058.3 (19.)
 Trefferlage 2.69 mm links, 3.33 mm tief
 Streuwert 11.37, horizontal: 13.16, vertikal: 9.24



Serie 3:
 8.4 ↘ 10.3 ↓ 10.9 * 10.4 * 9.4 ↓
 9.0 ↓ 10.3 ↑ 10.1 ← 6.0 ↗ 9.0 ↘
 beste Teiler 42.0 (23.) 429.5 (24.) 497.3 (27.)
 Trefferlage 2.21 mm rechts, 0.33 mm tief
 Streuwert 12.26, horizontal: 11.53, vertikal: 12.95





Serie 4:
 9.5 → 9.0 ↓ 10.1 ↗ 9.8 ↓ 10.1 ↓
 9.1 ↗ 9.4 ↘ 9.2 ↗ 8.2 ↘ 10.0 ←
 beste Teiler 646.1 (35.) 720.7 (33.) 777.8 (40.)
 Trefferlage 5.05 mm rechts, 2.54 mm tief
 Streuwert 8.66, horizontal: 8.70, vertikal: 8.63


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **338** (355.4)
 Serien: 85 78 88 87
 Zaehler: 9 12 12 5 0 1 1 0 0 0
 Innenzehner: 6
 weiteste: 5440 (17), 4714 (18), 2944 (4)
 beste Teiler 161.8 (31.) 350.0 (35.) 357.4 (1.)
 Trefferlage 0.87 mm links, 0.11 mm hoch
 Streuwert 14.28, horizontal: 13.60, vertikal: 14.93




Serie 1:
 10.5 * 10.5 * 9.7 ← 7.3 ↙ 8.2 ↖
 8.0 ↗ 8.0 → 9.5 → 8.5 ↓ 8.2 ↘
 beste Teiler 357.4 (1.) 391.6 (2.) 961.7 (3.)
 Trefferlage 0.77 mm links, 1.53 mm hoch
 Streuwert 14.16, horizontal: 13.10, vertikal: 15.14



Serie 2:
 9.5 ↙ 8.4 ↙ 8.8 ← 8.7 → 9.6 ↘
 9.5 ↖ 4.2 ↗ 5.1 ↗ 10.2 ↑ 8.3 →
 beste Teiler 590.2 (19.) 1101.9 (15.) 1121.9 (11.)
 Trefferlage 5.71 mm rechts, 6.89 mm hoch
 Streuwert 18.70, horizontal: 19.53, vertikal: 17.82



Serie 3:
 10.0 ↗ 9.3 ↓ 7.9 ↙ 7.6 ↓ 9.2 ↓
 10.4 * 10.2 ← 9.7 ↘ 8.5 ↓ 9.9 ↘
 beste Teiler 449.6 (26.) 566.9 (27.) 763.8 (21.)
 Trefferlage 2.23 mm links, 8.83 mm tief
 Streuwert 9.23, horizontal: 8.58, vertikal: 9.84



Serie 4:
 10.7 * 8.2 ↓ 9.3 ↖ 9.4 ↙ 10.5 *
 9.8 ↘ 8.4 ↙ 10.5 * 7.5 ↖ 7.7 ↗
 beste Teiler 161.8 (31.) 350.0 (35.) 386.4 (38.)
 Trefferlage 6.21 mm links, 0.87 mm hoch
 Streuwert 11.66, horizontal: 9.61, vertikal: 13.40

Unterschrift des Schuetzen

Meyton Elektronik