





Ergebnis: **348** (367.4)  
 Serien: 89 86 88 85  
 Zähler: 7 19 11 2 0 1 0 0 0 0  
 Innenzehner: 2  
 weiteste: 4501 (31), 2535 (18), 2422 (24)  
 beste Teiler 152.3 (7.) 289.2 (32.) 568.7 (34.)  
 Trefferlage 0.41 mm rechts, 0.94 mm hoch  
 Streuwert 11.37, horizontal: 9.94, vertikal: 12.64




Serie 1:  
 9.0 ↓                      9.4 →                      8.9 ↘                      9.0 ↘                      9.2 →  
 9.8 ↙                      10.8 \*                      9.7 ↗                      8.5 ←                      9.4 →  
 beste Teiler 152.3 (7.) 914.2 (6.) 1017.4 (8.)  
 Trefferlage 1.74 mm rechts, 4.97 mm tief  
 Streuwert 9.30, horizontal: 10.13, vertikal: 8.39



Serie 2:  
 8.9 ↘                      9.5 ↗                      8.5 ←                      9.9 →                      9.6 ←  
 8.8 ↘                      10.0 ↘                      7.8 ↑                      9.0 ↓                      9.7 ↓  
 beste Teiler 770.4 (17.) 848.7 (14.) 992.6 (20.)  
 Trefferlage 3.66 mm links, 2.08 mm tief  
 Streuwert 10.91, horizontal: 9.08, vertikal: 12.48



Serie 3:  
 10.2 ↗                      10.2 ↑                      8.3 ↗                      7.9 ↑                      9.2 ↓  
 9.9 ↑                      9.0 ←                      8.8 →                      9.3 →                      9.8 ↑  
 beste Teiler 590.6 (21.) 637.8 (22.) 804.0 (26.)  
 Trefferlage 2.81 mm rechts, 4.98 mm hoch  
 Streuwert 10.13, horizontal: 10.10, vertikal: 10.17





Serie 4:  
 5.3 ↑                      10.6 \*                      8.5 ↖                      10.2 ↓                      9.2 ↗  
 8.7 →                      8.7 ↖                      8.9 ↓                      9.3 ↑                      10.0 ↘  
 beste Teiler 289.2 (32.) 568.7 (34.) 761.9 (40.)  
 Trefferlage 0.76 mm rechts, 5.84 mm hoch  
 Streuwert 13.83, horizontal: 10.67, vertikal: 16.39

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>363</b>	(380.0)			
Serien:	89	92	91	91	
Zähler:	9	25	6	0	0 0 0 0 0 0
Innenzehner:	6				
weiteste:	2363 (27), 1841 (6), 1711 (16)				
beste Teiler	198.1 (26.) 267.2 (30.) 319.0 (28.)				
Trefferlage	4.68 mm links, 1.58 mm tief				
Streuwert	8.24, horizontal: 7.71, vertikal: 8.74				




Serie 1:

9.2 ↙	9.4 ↖	9.8 →	9.0 ↓	10.0 ↗
8.6 ↓	8.9 ←	9.0 ↙	9.2 ↙	9.3 ↗
beste Teiler	722.5 (5.) 898.6 (3.) 1202.0 (2.)			
Trefferlage	4.15 mm links, 4.02 mm tief			
Streuwert	9.41, horizontal: 9.85, vertikal: 8.94			




Serie 2:

10.5 *	9.4 ↖	9.7 ↘	10.4 *	10.0 ↓
8.8 ↙	9.7 ↓	9.5 ↖	9.9 ↖	9.4 ↑
beste Teiler	353.5 (11.) 440.9 (14.) 756.4 (15.)			
Trefferlage	4.02 mm links, 0.21 mm hoch			
Streuwert	7.25, horizontal: 6.73, vertikal: 7.74			



Serie 3:

9.3 ↑	8.9 ↓	9.4 ←	9.0 ↑	9.1 ←
10.7 *	8.0 ↙	10.6 *	9.3 ↓	10.6 *
beste Teiler	198.1 (26.) 267.2 (30.) 319.0 (28.)			
Trefferlage	5.93 mm links, 1.89 mm tief			
Streuwert	8.88, horizontal: 7.02, vertikal: 10.41			





Serie 4:

9.9 ↙	10.4 *	9.0 ↖	9.1 ↖	9.5 ↘
9.4 ↘	9.5 ↘	9.7 ↘	8.9 ↙	10.0 ↓
beste Teiler	426.2 (32.) 747.6 (40.) 857.9 (31.)			
Trefferlage	4.61 mm links, 0.65 mm tief			
Streuwert	8.21, horizontal: 7.97, vertikal: 8.44			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>368</b>	(385.9)
Serien:	93 91 93 91	
Zähler:	16 17 6 1 0 0 0 0 0 0	
Innenzehner:	6	
weiteste:	2695 (40), 2267 (14), 2182 (37)	
beste Teiler	237.5 (30.) 239.1 (17.) 294.2 (13.)	
Trefferlage	2.06 mm links, 4.27 mm hoch	
Streuwert	7.91, horizontal: 6.94, vertikal: 8.77	




Serie 1:	10.3 ↓	10.2 ↘	9.2 ↘	9.2 ↘	10.2 ↗
	9.9 ↑	9.8 ↗	8.9 ←	10.3 ↘	9.6 ←
beste Teiler	486.4 (9.)	546.0 (1.)	570.3 (5.)		
Trefferlage	4.20 mm links, 5.17 mm hoch				
Streuwert	5.90, horizontal: 6.48, vertikal: 5.26				



Serie 2:	10.0 ←	9.7 ←	10.6 *	8.1 ↑	10.3 ↗
	8.9 →	10.7 *	8.7 ↘	9.3 ↗	9.6 ↗
beste Teiler	239.1 (17.)	294.2 (13.)	540.9 (15.)		
Trefferlage	1.12 mm links, 6.14 mm hoch				
Streuwert	8.22, horizontal: 8.15, vertikal: 8.30				



Serie 3:	9.6 ↗	9.5 ↑	10.2 ←	9.5 ↗	10.5 *
	9.0 ←	9.3 ↗	9.6 ↘	9.7 ↓	10.7 *
beste Teiler	237.5 (30.)	369.9 (25.)	623.5 (23.)		
Trefferlage	1.12 mm links, 2.51 mm hoch				
Streuwert	7.51, horizontal: 6.98, vertikal: 8.00				





Serie 4:	9.5 ↗	10.3 ↘	10.4 *	8.5 ↑	9.6 ↗
	10.1 ↘	8.2 ↑	10.5 *	10.1 ←	7.6 ↗
beste Teiler	369.3 (38.)	432.1 (33.)	544.8 (32.)		
Trefferlage	1.83 mm links, 3.25 mm hoch				
Streuwert	10.20, horizontal: 6.67, vertikal: 12.79				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **369** (385.1)  
 Serien: 90 93 94 92  
 Zähler: 14 21 5 0 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 1921 (26), 1763 (32), 1700 (17)  
 beste Teiler 298.2 (4.) 305.0 (29.) 318.4 (14.)  
 Trefferlage 3.65 mm links, 3.30 mm tief  
 Streuwert 7.47, horizontal: 8.21, vertikal: 6.66




Serie 1:  
 9.9 ↓                      9.1 ↖                      9.1 ↙                      10.6 \*                      9.2 ←  
 8.9 ↘                      9.8 →                      9.6 ↘                      9.1 ↙                      9.5 ↑  
 beste Teiler 298.2 (4.) 822.6 (1.) 911.5 (7.)  
 Trefferlage 2.37 mm links, 3.00 mm tief  
 Streuwert 8.81, horizontal: 9.02, vertikal: 8.59



Serie 2:  
 9.1 ←                      9.6 ↓                      9.2 ↙                      10.6 \*                      10.3 ↓  
 9.2 ↓                      8.8 ←                      9.2 ↙                      10.2 ↗                      10.1 ←  
 beste Teiler 318.4 (14.) 501.3 (15.) 640.6 (19.)  
 Trefferlage 5.83 mm links, 4.68 mm tief  
 Streuwert 6.60, horizontal: 6.94, vertikal: 6.23



Serie 3:  
 8.9 ↓                      10.0 ←                      10.2 ↙                      10.0 ↓                      9.0 ↖  
 8.5 ↙                      10.5 \*                      9.9 ↙                      10.6 \*                      10.2 ↘  
 beste Teiler 305.0 (29.) 380.1 (27.) 614.0 (30.)  
 Trefferlage 5.68 mm links, 3.60 mm tief  
 Streuwert 6.36, horizontal: 6.60, vertikal: 6.10





Serie 4:  
 9.3 ↖                      8.7 ↙                      9.8 ↖                      9.9 →                      9.4 →  
 10.0 →                      9.5 ↙                      9.3 →                      10.3 ↙                      10.0 ↙  
 beste Teiler 484.6 (39.) 778.0 (40.) 779.1 (36.)  
 Trefferlage 0.71 mm links, 1.92 mm tief  
 Streuwert 8.22, horizontal: 9.88, vertikal: 6.14


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **369** (386.8)  
 Serien: 94 93 88 94  
 Zähler: 17 15 8 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 2393 (21), 2168 (26), 1997 (11)  
 beste Teiler 156.2 (19.) 350.8 (14.) 374.2 (39.)  
 Trefferlage 2.17 mm rechts, 0.71 mm tief  
 Streuwert 8.14, horizontal: 6.88, vertikal: 9.23




Serie 1:  
 9.5 ↓                      9.7 ↓                      10.5 \*                      10.0 ↓                      10.3 ↓  
 8.6 ↑                      10.4 \*                      9.7 ↗                      10.5 \*                      9.9 ↘  
 beste Teiler 380.8 (3.) 381.2 (9.) 432.0 (7.)  
 Trefferlage 1.68 mm rechts, 1.94 mm tief  
 Streuwert 6.83, horizontal: 4.06, vertikal: 8.77



Serie 2:  
 8.5 ↘                      9.2 ↘                      9.8 ↗                      10.5 \*                      9.5 ↖  
 9.9 ↘                      9.7 ↘                      10.1 ↗                      10.8 \*                      10.1 →  
 beste Teiler 156.2 (19.) 350.8 (14.) 685.7 (18.)  
 Trefferlage 4.81 mm rechts, 1.26 mm tief  
 Streuwert 6.81, horizontal: 7.92, vertikal: 5.49



Serie 3:  
 8.0 ↗                      8.5 ↗                      9.3 ↖                      9.7 ↙                      9.4 ↖  
 8.2 ↓                      9.6 ↑                      10.1 →                      8.9 ↓                      10.0 ↖  
 beste Teiler 698.6 (28.) 740.6 (30.) 961.3 (24.)  
 Trefferlage 0.87 mm rechts, 2.67 mm tief  
 Streuwert 11.24, horizontal: 9.28, vertikal: 12.91





Serie 4:  
 8.9 ↗                      10.0 ↓                      8.9 ↗                      10.1 ↘                      9.8 ↓  
 10.0 ↗                      9.5 ↖                      10.2 ↘                      10.5 \*                      10.0 ↑  
 beste Teiler 374.2 (39.) 629.0 (38.) 711.2 (34.)  
 Trefferlage 1.30 mm rechts, 3.02 mm hoch  
 Streuwert 7.18, horizontal: 5.40, vertikal: 8.60


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **374** (393.5)  
 Serien: 93 95 93 93  
 Zähler: 16 22 2 0 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 2012 (21), 1856 (9), 1575 (40)  
 beste Teiler 73.4 (33.) 178.4 (22.) 202.1 (29.)  
 Trefferlage 0.55 mm links, 0.29 mm tief  
 Streuwert 6.99, horizontal: 6.94, vertikal: 7.05




Serie 1:  
 10.3 ↗ 10.0 → 10.3 ↘ 10.2 ↑ 9.7 ↘  
 9.7 ↘ 9.7 ↘ 9.4 ↘ 8.6 → 9.0 ↘  
 beste Teiler 533.0 (3.) 534.6 (1.) 613.7 (4.)  
 Trefferlage 1.67 mm rechts, 2.63 mm hoch  
 Streuwert 7.83, horizontal: 8.62, vertikal: 6.94



Serie 2:  
 10.0 ↑ 9.5 ↘ 9.5 ↘ 10.6 \* 9.9 ↘  
 9.5 ↘ 10.0 ← 10.1 ↗ 9.7 ↓ 10.5 \*  
 beste Teiler 311.9 (14.) 346.1 (20.) 669.6 (18.)  
 Trefferlage 2.13 mm links, 1.42 mm hoch  
 Streuwert 6.10, horizontal: 5.89, vertikal: 6.30



Serie 3:  
 8.4 ↘ 10.7 \* 9.4 ↓ 10.2 ↓ 9.8 ↘  
 9.7 ↓ 9.5 ← 10.2 ↓ 10.7 \* 9.8 ↘  
 beste Teiler 178.4 (22.) 202.1 (29.) 566.6 (24.)  
 Trefferlage 0.70 mm links, 2.64 mm tief  
 Streuwert 7.33, horizontal: 5.90, vertikal: 8.53





Serie 4:  
 9.7 ↘ 9.9 ← 10.9 \* 9.6 ↘ 9.5 ↗  
 9.9 ↓ 10.5 \* 9.9 ← 10.0 ↓ 9.0 ↘  
 beste Teiler 73.4 (33.) 361.8 (37.) 729.0 (39.)  
 Trefferlage 1.06 mm links, 2.58 mm tief  
 Streuwert 6.56, horizontal: 7.49, vertikal: 5.48

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>366</b>	(381.6)			
Serien:	93	91	90	92	
Zähler:	16	16	6	2	0 0 0 0 0 0
Innenzehner:	4				
weiteste:	2812 (18), 2766 (2), 2293 (22)				
beste Teiler	392.9 (7.) 440.1 (4.) 442.0 (13.)				
Trefferlage	3.56 mm rechts, 2.25 mm tief				
Streuwert	8.75, horizontal: 8.77, vertikal: 8.72				



Serie 1:

8.6 ↘	7.5 →	9.1 ↘	10.4 *	10.3 ↗
9.4 →	10.5 *	10.1 ↗	10.2 ↗	10.0 ↓


beste Teiler 392.9 (7.) 440.1 (4.) 482.6 (5.)  
 Trefferlage 5.93 mm rechts, 1.22 mm tief  
 Streuwert 8.60, horizontal: 9.40, vertikal: 7.72



Serie 2:

9.6 →	10.2 →	10.4 *	9.6 ↓	10.0 ↘
8.8 ↗	10.3 ←	7.4 ↘	9.8 ↑	9.2 ↘


beste Teiler 442.0 (13.) 528.5 (17.) 567.8 (12.)  
 Trefferlage 3.57 mm rechts, 1.78 mm tief  
 Streuwert 9.40, horizontal: 9.42, vertikal: 9.39



Serie 3:

10.2 ↘	8.1 ↗	9.7 →	9.9 ←	8.6 ↓
10.0 ↗	10.2 ↘	9.4 ↓	9.3 ↓	8.6 ↗

beste Teiler 588.5 (27.) 598.5 (21.) 798.2 (26.)  
 Trefferlage 3.50 mm rechts, 0.72 mm tief  
 Streuwert 9.89, horizontal: 8.16, vertikal: 11.36



Serie 4:



9.6 ↘	9.5 →	9.7 ↓	10.3 ↘	10.0 ↗
9.0 ↓	9.5 →	8.5 ←	9.7 ↓	10.4 *

beste Teiler 447.6 (40.) 529.0 (34.) 739.6 (35.)  
 Trefferlage 1.25 mm rechts, 5.28 mm tief  
 Streuwert 7.64, horizontal: 8.82, vertikal: 6.23


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (385.6)  
 Serien: 95 93 88 91  
 Zähler: 14 21 3 2 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 2572 (24), 2554 (28), 2126 (23)  
 beste Teiler 353.9 (21.) 374.0 (1.) 386.1 (13.)  
 Trefferlage 1.91 mm links, 4.52 mm tief  
 Streuwert 7.60, horizontal: 7.64, vertikal: 7.57




Serie 1:  
 10.5 \*                      9.8 ↙                      10.1 ↗                      10.0 ↓                      9.3 ↘  
 9.7 ↘                      9.5 ↓                      10.4 \*                      10.4 \*                      9.7 →  
 beste Teiler 374.0 (1.) 418.7 (9.) 442.2 (8.)  
 Trefferlage 0.52 mm links, 3.51 mm tief  
 Streuwert 5.90, horizontal: 6.04, vertikal: 5.75



Serie 2:  
 9.5 ↘                      10.3 ↙                      10.5 \*                      10.5 \*                      9.2 ↙  
 8.7 ↙                      10.2 ↘                      9.3 ↘                      9.4 ↓                      9.7 →  
 beste Teiler 386.1 (13.) 391.6 (14.) 544.7 (12.)  
 Trefferlage 0.15 mm rechts, 6.67 mm tief  
 Streuwert 6.26, horizontal: 7.88, vertikal: 4.04



Serie 3:  
 10.5 \*                      9.7 ↘                      8.3 ↗                      7.7 ↓                      9.1 ↘  
 10.2 ↓                      9.4 ↙                      7.8 ↓                      9.4 ↖                      10.2 →  
 beste Teiler 353.9 (21.) 603.2 (26.) 622.3 (30.)  
 Trefferlage 0.80 mm links, 6.41 mm tief  
 Streuwert 10.65, horizontal: 9.55, vertikal: 11.65





Serie 4:  
 9.7 ↙                      9.8 ←                      9.5 ↓                      9.8 ↖                      10.1 ↙  
 9.6 ↗                      10.0 ↑                      9.9 ↙                      9.3 ←                      8.9 ←  
 beste Teiler 684.4 (35.) 753.4 (37.) 837.3 (38.)  
 Trefferlage 6.49 mm links, 1.47 mm tief  
 Streuwert 6.09, horizontal: 5.61, vertikal: 6.54

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **347** (364.3)  
 Serien: 90 87 86 84  
 Zähler: 9 15 11 4 1 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 3457 (37), 3118 (17), 2927 (6)  
 beste Teiler 120.8 (25.) 331.1 (14.) 454.7 (2.)  
 Trefferlage 0.14 mm rechts, 5.26 mm hoch  
 Streuwert 11.38, horizontal: 9.99, vertikal: 12.62




Serie 1:  
 9.4 ←                      10.4 \*                      9.0 ↑                      9.7 ↘                      9.2 ↓  
 7.3 ↗                      9.4 ↓                      10.1 ↖                      9.9 ↓                      9.6 ↓  
 beste Teiler 454.7 (2.) 690.6 (8.) 813.7 (9.)  
 Trefferlage 2.22 mm rechts, 1.44 mm tief  
 Streuwert 10.16, horizontal: 9.53, vertikal: 10.75



Serie 2:  
 10.2 ↖                      9.4 →                      9.0 →                      10.5 \*                      8.4 ↖  
 9.2 ↖                      7.1 ↙                      8.3 ↑                      8.5 ↖                      9.7 →  
 beste Teiler 331.1 (14.) 620.8 (11.) 1018.2 (20.)  
 Trefferlage 1.91 mm links, 3.14 mm hoch  
 Streuwert 12.55, horizontal: 13.27, vertikal: 11.78



Serie 3:  
 10.2 ←                      8.9 ↖                      8.2 ↗                      8.1 ↗                      10.8 \*  
 8.7 ↗                      8.6 ←                      10.2 ↘                      8.3 ↑                      8.5 ↑  
 beste Teiler 120.8 (25.) 573.5 (28.) 626.3 (21.)  
 Trefferlage 1.26 mm links, 10.80 mm hoch  
 Streuwert 9.69, horizontal: 9.39, vertikal: 9.97





Serie 4:  
 7.4 ↑                      7.9 ↑                      10.1 ↖                      9.6 ←                      9.6 ↖  
 8.9 →                      6.6 ↑                      10.2 →                      9.7 ↘                      9.5 ↓  
 beste Teiler 590.5 (38.) 714.7 (33.) 963.7 (39.)  
 Trefferlage 1.50 mm rechts, 8.53 mm hoch  
 Streuwert 12.24, horizontal: 7.99, vertikal: 15.36


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (372.0)  
 Serien: 87 91 85 91  
 Zähler: 10 20 8 0 1 0 1 0 0 0  
 Innenzehner: 6  
 weiteste: 5111 (28), 3802 (4), 2312 (22)  
 beste Teiler 289.7 (10.) 296.5 (17.) 338.7 (39.)  
 Trefferlage 6.01 mm links, 2.99 mm hoch  
 Streuwert 10.41, horizontal: 7.97, vertikal: 12.38




Serie 1:  
 8.6 ←                      9.5 ←                      9.8 ↗                      6.2 ↖                      9.9 ↑  
 10.4 \*                      9.1 ↘                      9.9 ↖                      8.3 ↑                      10.6 \*  
 beste Teiler 289.7 (10.) 405.3 (6.) 812.8 (8.)  
 Trefferlage 6.05 mm links, 7.80 mm hoch  
 Streuwert 10.11, horizontal: 8.64, vertikal: 11.38



Serie 2:  
 10.1 ↗                      10.5 \*                      8.7 ↖                      8.8 ↖                      9.9 ↗  
 9.4 ↑                      10.6 \*                      9.4 →                      9.4 ↙                      9.6 ↘  
 beste Teiler 296.5 (17.) 349.7 (12.) 720.1 (11.)  
 Trefferlage 3.93 mm links, 3.19 mm hoch  
 Streuwert 7.75, horizontal: 8.70, vertikal: 6.67



Serie 3:  
 9.3 ↑                      8.1 ←                      10.0 ←                      10.3 ↑                      9.6 ↖  
 8.6 ←                      9.6 ↓                      4.6 ↓                      9.2 ↘                      9.8 ↗  
 beste Teiler 525.4 (24.) 800.8 (23.) 943.1 (30.)  
 Trefferlage 7.93 mm links, 2.66 mm tief  
 Streuwert 14.14, horizontal: 7.68, vertikal: 18.47





Serie 4:  
 8.4 ↗                      9.1 ←                      8.5 ←                      9.2 ↓                      10.0 ↑  
 9.2 ↑                      9.7 ↖                      10.5 \*                      10.5 \*                      9.1 ↘  
 beste Teiler 338.7 (39.) 386.9 (38.) 764.8 (35.)  
 Trefferlage 6.14 mm links, 3.67 mm hoch  
 Streuwert 8.48, horizontal: 7.53, vertikal: 9.34


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **369** (384.1)  
 Serien: 90 95 90 94  
 Zähler: 15 20 4 1 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 2661 (30), 1843 (32), 1819 (5)  
 beste Teiler 170.2 (8.) 319.6 (9.) 360.3 (23.)  
 Trefferlage 2.01 mm links, 1.12 mm tief  
 Streuwert 8.40, horizontal: 6.91, vertikal: 9.66




Serie 1:  
 9.5 ↗ 9.8 ↘ 9.4 ↓ 8.7 ↓ 8.7 ↓  
 9.3 ↗ 9.1 ↓ 10.7 \* 10.6 \* 9.4 ↗  
 beste Teiler 170.2 (8.) 319.6 (9.) 955.1 (2.)  
 Trefferlage 0.52 mm rechts, 2.71 mm tief  
 Streuwert 9.11, horizontal: 4.12, vertikal: 12.21



Serie 2:  
 8.9 ↓ 10.0 ↓ 10.0 ↖ 9.1 ↗ 9.6 ↗  
 10.4 ↖ 10.1 ↗ 10.0 ← 9.2 ↘ 10.1 ↘  
 beste Teiler 479.0 (16.) 652.1 (17.) 678.2 (20.)  
 Trefferlage 1.31 mm links, 2.50 mm tief  
 Streuwert 7.47, horizontal: 6.44, vertikal: 8.38





Serie 3:  
 9.3 ↓ 9.2 ↗ 10.5 \* 9.9 ↖ 9.2 ↓  
 10.4 \* 9.2 ↑ 9.1 ↖ 9.0 ↖ 7.6 ↖  
 beste Teiler 360.3 (23.) 438.4 (26.) 825.9 (24.)  
 Trefferlage 4.57 mm links, 1.04 mm hoch  
 Streuwert 10.02, horizontal: 9.00, vertikal: 10.94




Serie 4:  
 10.4 \* 8.6 ↖ 9.0 ↗ 10.2 ↖ 10.0 ←  
 9.8 ↘ 10.4 \* 9.8 ← 10.3 ↖ 9.6 ←  
 beste Teiler 435.9 (37.) 463.0 (31.) 491.5 (39.)  
 Trefferlage 2.72 mm links, 0.32 mm tief  
 Streuwert 7.31, horizontal: 7.22, vertikal: 7.40

Unterschrift des Schützen


Ergebnis: **365** (385.0)  
 Serien: 92 89 91 93  
 Zähler: 16 16 6 1 1 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 3578 (12), 2487 (40), 2202 (18)  
 beste Teiler 69.3 (37.) 125.1 (20.) 200.3 (27.)  
 Trefferlage 1.12 mm links, 1.23 mm tief  
 Streuwert 9.14, horizontal: 6.92, vertikal: 10.91




Serie 1:  
 10.1 ↓                      10.6 \*                      8.6 ↓                      9.1 ↘                      10.3 ↗  
 10.1 →                      9.1 ↙                      9.9 ↘                      8.8 ←                      9.1 ↙  
 beste Teiler 288.6 (2.) 544.5 (5.) 657.5 (1.)  
 Trefferlage 1.69 mm links, 6.98 mm tief  
 Streuwert 7.46, horizontal: 7.71, vertikal: 7.20



Serie 2:  
 10.2 ↑                      6.5 ↑                      8.6 ↙                      10.5 \*                      9.6 ↓  
 10.6 \*                      9.1 →                      8.2 ↑                      9.1 ↙                      10.8 \*  
 beste Teiler 125.1 (20.) 263.7 (16.) 358.5 (14.)  
 Trefferlage 0.34 mm links, 2.41 mm hoch  
 Streuwert 12.18, horizontal: 7.96, vertikal: 15.27



Serie 3:  
 9.8 ↑                      9.7 ↓                      10.3 ←                      8.7 ↘                      9.5 →  
 9.8 ↗                      10.7 \*                      9.8 ↘                      9.7 ↑                      9.4 ↙  
 beste Teiler 200.3 (27.) 513.2 (23.) 913.1 (21.)  
 Trefferlage 1.28 mm links, 3.00 mm hoch  
 Streuwert 7.43, horizontal: 6.39, vertikal: 8.34



Serie 4:  
 10.5 \*                      10.4 \*                      9.8 ←                      10.5 \*                      8.6 ↙  
 10.4 \*                      10.9 \*                      10.3 ↑                      9.5 ↗                      7.8 ↓  
 beste Teiler 69.3 (37.) 349.1 (34.) 399.2 (31.)  
 Trefferlage 1.18 mm links, 3.36 mm tief  
 Streuwert 7.98, horizontal: 6.53, vertikal: 9.20

Unterschrift des Schützen

Meyton Elektronik