





Ergebnis: **380** (397.0)
 Serien: 92 96 95 97
 Zähler: 24 12 4 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 1984 (5), 1932 (16), 1929 (26)
 beste Teiler 100.2 (40.) 103.4 (13.) 119.7 (23.)
 Trefferlage 0.73 mm rechts, 1.45 mm tief
 Streuwert 6.79, horizontal: 7.21, vertikal: 6.35




Serie 1:
 8.6 ↙ 10.5 * 9.7 → 10.3 ↙ 8.5 ↙
 10.3 ↗ 9.4 ↘ 10.0 ↙ 9.5 ↑ 9.9 →
 beste Teiler 342.1 (2.) 484.5 (4.) 518.6 (6.)
 Trefferlage 0.57 mm links, 2.73 mm tief
 Streuwert 8.40, horizontal: 8.91, vertikal: 7.86



Serie 2:
 10.0 ↖ 10.4 * 10.8 * 9.9 ↙ 10.4 ↘
 8.5 ↗ 10.5 * 10.3 → 9.0 → 10.0 ←
 beste Teiler 103.4 (13.) 338.3 (17.) 466.8 (12.)
 Trefferlage 1.89 mm rechts, 1.31 mm hoch
 Streuwert 6.82, horizontal: 7.45, vertikal: 6.12



Serie 3:
 10.1 → 10.1 → 10.8 * 10.3 ↖ 9.6 ↘
 8.5 ↙ 10.4 * 9.7 ↖ 10.0 → 9.8 ↙
 beste Teiler 119.7 (23.) 443.2 (27.) 512.4 (24.)
 Trefferlage 0.39 mm links, 2.25 mm tief
 Streuwert 6.76, horizontal: 7.50, vertikal: 5.93





Serie 4:
 9.4 ↓ 10.0 ↗ 9.4 → 10.1 ↓ 10.6 *
 10.4 * 10.6 * 10.3 ↓ 9.6 → 10.8 *
 beste Teiler 100.2 (40.) 292.7 (35.) 310.2 (37.)
 Trefferlage 2.00 mm rechts, 2.13 mm tief
 Streuwert 5.31, horizontal: 5.27, vertikal: 5.35


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **356** (374.0)
 Serien: 85 90 92 89
 Zähler: 11 17 9 3 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2847 (10), 2725 (8), 2594 (5)
 beste Teiler 178.9 (34.) 231.4 (35.) 347.2 (36.)
 Trefferlage 2.86 mm links, 0.90 mm hoch
 Streuwert 10.12, horizontal: 8.62, vertikal: 11.43




Serie 1:
 9.2 ↙ 10.1 ↘ 8.3 ↗ 10.3 ↖ 7.7 ↖
 9.5 ↖ 9.9 ↗ 7.5 ↘ 9.2 ↗ 7.4 ↖
 beste Teiler 491.0 (4.) 664.5 (2.) 807.1 (7.)
 Trefferlage 8.44 mm links, 6.27 mm hoch
 Streuwert 11.08, horizontal: 5.72, vertikal: 14.59



Serie 2:
 8.6 ← 8.4 ← 8.9 ↑ 9.9 ↗ 10.1 →
 10.1 ↙ 10.3 ↗ 9.0 ↗ 9.5 ← 9.1 →
 beste Teiler 500.9 (17.) 646.2 (16.) 689.3 (15.)
 Trefferlage 5.09 mm links, 0.56 mm hoch
 Streuwert 9.38, horizontal: 10.49, vertikal: 8.12



Serie 3:
 8.9 ↓ 10.2 ↖ 9.7 ↙ 9.6 ↓ 9.3 ↑
 9.5 ↓ 10.3 ↖ 10.1 ↖ 9.3 ↗ 9.9 ↘
 beste Teiler 510.1 (27.) 561.6 (22.) 679.3 (28.)
 Trefferlage 2.84 mm links, 4.08 mm tief
 Streuwert 7.13, horizontal: 4.18, vertikal: 9.18





Serie 4:
 8.5 ↗ 9.3 ↑ 8.7 ↗ 10.7 * 10.7 *
 10.5 * 8.0 → 9.8 ↘ 8.7 ↓ 9.3 ↓
 beste Teiler 178.9 (34.) 231.4 (35.) 347.2 (36.)
 Trefferlage 4.91 mm rechts, 0.85 mm hoch
 Streuwert 9.93, horizontal: 7.36, vertikal: 11.95


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	388	(405.3)			
Serien:	97	97	97	97	
Zähler:	28	12	0	0	0 0 0 0 0 0
Innenzehner:	16				
weiteste:	1427 (25), 1257 (13), 1214 (16)				
beste Teiler	88.4 (28.) 183.5 (26.) 254.6 (18.)				
Trefferlage	0.59 mm rechts, 0.53 mm tief				
Streuwert	5.27, horizontal: 5.20, vertikal: 5.33				




Serie 1:	9.5 ↘	10.4 ↘	10.1 →	10.5 *	10.2 ↘
	10.3 ↓	10.5 *	9.6 →	10.4 *	9.6 ↖
beste Teiler	340.0 (4.) 375.3 (7.) 420.5 (9.)				
Trefferlage	2.34 mm rechts, 0.07 mm tief				
Streuwert	5.24, horizontal: 5.77, vertikal: 4.65				



Serie 2:	10.2 ↙	10.3 ↓	9.4 ←	10.6 *	10.3 ↗
	9.4 ↙	9.7 →	10.6 *	10.5 *	10.4 *
beste Teiler	254.6 (18.) 274.5 (14.) 380.7 (19.)				
Trefferlage	0.46 mm links, 1.54 mm tief				
Streuwert	5.35, horizontal: 6.20, vertikal: 4.34				



Serie 3:	9.6 ↓	10.0 →	10.4 *	10.3 ↖	9.2 ↑
	10.7 *	9.8 ↘	10.8 *	10.4 *	10.1 ←
beste Teiler	88.4 (28.) 183.5 (26.) 411.8 (23.)				
Trefferlage	0.04 mm links, 0.28 mm tief				
Streuwert	5.64, horizontal: 4.09, vertikal: 6.85				





Serie 4:	10.4 *	10.6 *	9.5 ↑	10.2 →	10.5 *
	9.7 ↘	9.4 ↙	10.6 *	10.2 ↖	10.4 *
beste Teiler	287.5 (38.) 290.4 (32.) 393.7 (35.)				
Trefferlage	0.56 mm rechts, 0.23 mm tief				
Streuwert	5.38, horizontal: 4.87, vertikal: 5.85				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	366	(381.6)
Serien:	89 92 91 94	
Zähler:	15 16 9 0 0 0 0 0 0 0	
Innenzehner:	5	
weiteste:	2261 (2), 2159 (3), 2009 (11)	
beste Teiler	208.0 (19.) 234.6 (34.) 251.2 (23.)	
Trefferlage	2.13 mm rechts, 6.56 mm tief	
Streuwert	7.56, horizontal: 6.44, vertikal: 8.53	




Serie 1:	10.2 ↘	8.1 ↓	8.3 ↓	9.2 ↘	9.2 ↘
	9.1 ↓	9.8 ←	10.3 ↑	8.9 ↘	9.0 ↓
beste Teiler	529.0 (8.)	631.5 (1.)	918.5 (7.)		
Trefferlage	0.76 mm rechts, 10.73 mm tief				
Streuwert	7.76, horizontal: 6.62, vertikal: 8.75				



Serie 2:	8.4 ↙	9.2 ↙	8.8 ↓	9.0 ↓	10.5 *
	9.7 ↘	9.7 →	10.3 ↓	10.7 *	10.1 →
beste Teiler	208.0 (19.)	344.4 (15.)	553.2 (18.)		
Trefferlage	0.28 mm rechts, 6.94 mm tief				
Streuwert	7.40, horizontal: 7.81, vertikal: 6.97				



Serie 3:	9.5 ↓	9.2 ↗	10.6 *	10.0 ↓	9.0 ↗
	9.3 ↓	8.9 →	8.6 ↓	9.7 ↘	10.2 ↓
beste Teiler	251.2 (23.)	561.7 (30.)	791.6 (24.)		
Trefferlage	5.03 mm rechts, 4.66 mm tief				
Streuwert	7.79, horizontal: 6.13, vertikal: 9.16				





Serie 4:	10.5 *	8.7 ↑	10.0 ↙	10.7 *	10.2 ↘
	9.7 ↘	8.8 ↘	9.2 ↓	10.2 ↙	10.1 ↓
beste Teiler	234.6 (34.)	375.6 (31.)	586.5 (35.)		
Trefferlage	2.45 mm rechts, 3.90 mm tief				
Streuwert	6.97, horizontal: 4.69, vertikal: 8.67				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **365** (383.6)
 Serien: 90 88 92 95
 Zähler: 14 18 7 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2612 (3), 2086 (20), 1920 (28)
 beste Teiler 378.5 (4.) 378.6 (39.) 394.3 (36.)
 Trefferlage 0.57 mm links, 0.91 mm hoch
 Streuwert 8.72, horizontal: 9.17, vertikal: 8.25




Serie 1:
 10.4 * 10.2 ↘ 7.7 ↗ 10.5 * 8.7 ↗
 8.9 → 9.4 ↙ 10.3 ↖ 8.7 ← 10.3 ↘
 beste Teiler 378.5 (4.) 406.3 (1.) 532.2 (10.)
 Trefferlage 2.20 mm rechts, 3.19 mm hoch
 Streuwert 9.78, horizontal: 12.16, vertikal: 6.61



Serie 2:
 9.5 ↓ 8.6 ↑ 9.8 ← 9.0 ↓ 8.6 ←
 9.3 ↑ 9.3 ← 10.1 ↘ 9.7 → 8.3 ↓
 beste Teiler 708.6 (18.) 883.4 (13.) 999.9 (19.)
 Trefferlage 4.37 mm links, 0.37 mm tief
 Streuwert 10.34, horizontal: 8.04, vertikal: 12.21



Serie 3:
 9.8 ↖ 9.1 ↖ 10.3 ↖ 10.3 ↗ 9.6 ↖
 10.1 ↘ 9.6 ↖ 8.6 ↗ 9.8 ↑ 9.7 ↓
 beste Teiler 514.1 (24.) 548.1 (23.) 700.2 (26.)
 Trefferlage 2.84 mm links, 2.80 mm hoch
 Streuwert 7.53, horizontal: 8.71, vertikal: 6.12





Serie 4:
 10.3 ↖ 9.6 → 9.8 ↑ 10.3 ↗ 9.1 ↘
 10.5 * 10.4 * 9.1 ↘ 10.5 * 9.8 ↓
 beste Teiler 378.6 (39.) 394.3 (36.) 412.5 (37.)
 Trefferlage 2.70 mm rechts, 1.97 mm tief
 Streuwert 6.23, horizontal: 5.81, vertikal: 6.63


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377** (397.4)
 Serien: 91 94 97 95
 Zähler: 19 19 2 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 1934 (5), 1774 (7), 1509 (25)
 beste Teiler 88.4 (9.) 192.2 (11.) 330.9 (23.)
 Trefferlage 1.33 mm links, 3.41 mm tief
 Streuwert 5.86, horizontal: 5.56, vertikal: 6.15




Serie 1:
 9.5 ↗ 9.9 ↓ 9.5 ↘ 10.4 * 8.5 ↖
 9.9 ↓ 8.7 ↓ 9.4 ← 10.8 * 10.5 *
 beste Teiler 88.4 (9.) 339.0 (10.) 473.2 (4.)
 Trefferlage 2.62 mm links, 5.25 mm tief
 Streuwert 7.21, horizontal: 7.49, vertikal: 6.91



Serie 2:
 10.7 * 10.4 * 9.5 ↓ 10.0 ↖ 9.8 ↓
 9.7 ↓ 9.9 ↓ 10.5 * 9.7 ↓ 9.9 ↖
 beste Teiler 192.2 (11.) 360.0 (18.) 437.5 (12.)
 Trefferlage 1.18 mm links, 3.92 mm tief
 Streuwert 5.25, horizontal: 3.88, vertikal: 6.33



Serie 3:
 9.9 ↗ 10.3 ← 10.5 * 10.5 * 9.1 ↓
 10.1 ↘ 10.0 → 10.0 ↘ 9.6 ↖ 10.5 *
 beste Teiler 330.9 (23.) 348.3 (24.) 360.4 (30.)
 Trefferlage 0.73 mm links, 1.53 mm tief
 Streuwert 5.82, horizontal: 5.01, vertikal: 6.52





Serie 4:
 9.8 ↘ 9.9 ↘ 9.5 ↘ 9.8 ↓ 10.0 ←
 10.3 ↓ 10.2 ↘ 10.5 * 9.6 ← 10.1 ↗
 beste Teiler 350.7 (38.) 491.5 (36.) 584.6 (37.)
 Trefferlage 0.80 mm links, 2.96 mm tief
 Streuwert 5.49, horizontal: 5.93, vertikal: 5.01


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **376** (393.8)
 Serien: 92 97 94 93
 Zähler: 19 19 1 1 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2645 (39), 1835 (3), 1540 (9)
 beste Teiler 74.0 (31.) 187.8 (24.) 196.1 (25.)
 Trefferlage 2.44 mm rechts, 0.95 mm hoch
 Streuwert 6.98, horizontal: 7.31, vertikal: 6.64




Serie 1:
 10.3 ↑ 10.4 * 8.7 ↗ 10.1 → 9.5 →
 9.5 ↓ 9.3 ↓ 9.3 ↓ 9.0 ↗ 9.9 ↗
 beste Teiler 408.7 (2.) 533.4 (1.) 687.1 (4.)
 Trefferlage 4.31 mm rechts, 0.73 mm tief
 Streuwert 8.02, horizontal: 7.25, vertikal: 8.72



Serie 2:
 10.5 * 10.1 ↘ 10.4 * 9.8 ↖ 10.6 *
 10.1 ↑ 9.2 ↘ 9.8 ↗ 10.0 ↗ 10.0 →
 beste Teiler 259.9 (15.) 356.3 (11.) 413.4 (13.)
 Trefferlage 3.65 mm rechts, 1.48 mm hoch
 Streuwert 5.08, horizontal: 5.15, vertikal: 5.01



Serie 3:
 9.5 ↖ 9.1 ↖ 10.0 ↑ 10.7 * 10.7 *
 9.8 ↖ 9.9 ↘ 9.8 ↗ 9.7 ↗ 10.3 ↖
 beste Teiler 187.8 (24.) 196.1 (25.) 483.0 (30.)
 Trefferlage 2.40 mm links, 1.24 mm hoch
 Streuwert 6.30, horizontal: 6.61, vertikal: 5.98





Serie 4:
 10.9 * 10.2 ↑ 9.8 ← 9.6 → 10.4 *
 10.0 → 10.2 ↘ 9.2 ↑ 7.6 ↗ 9.9 ↓
 beste Teiler 74.0 (31.) 471.8 (35.) 590.7 (37.)
 Trefferlage 4.19 mm rechts, 1.81 mm hoch
 Streuwert 7.86, horizontal: 8.60, vertikal: 7.04


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	366	(385.3)
Serien:	91 92 90 93	
Zähler:	13 21 5 1 0 0 0 0 0 0	
Innenzehner:	4	
weiteste:	2566 (40), 1859 (14), 1845 (26)	
beste Teiler	131.1 (37.) 232.8 (9.) 252.5 (39.)	
Trefferlage	0.14 mm rechts, 0.68 mm hoch	
Streuwert	8.32, horizontal: 7.18, vertikal: 9.33	




Serie 1:	9.9 ↑	9.3 ←	9.9 →	9.1 ↘	9.6 ↓
	9.2 ↓	9.3 ↘	9.7 ↑	10.7 *	9.9 →
beste Teiler	232.8 (9.) 805.1 (1.) 837.3 (10.)				
Trefferlage	2.59 mm rechts, 3.17 mm tief				
Streuwert	7.55, horizontal: 7.34, vertikal: 7.74				



Serie 2:	10.3 ↙	9.3 ↙	8.9 ↓	8.6 ↑	9.8 →
	10.1 ←	9.5 ↗	10.1 ↓	9.3 ↑	10.0 ←
beste Teiler	557.7 (11.) 705.1 (16.) 718.8 (18.)				
Trefferlage	1.03 mm links, 0.30 mm tief				
Streuwert	8.70, horizontal: 6.06, vertikal: 10.71				



Serie 3:	9.1 ↖	9.9 ←	10.0 ↑	10.0 →	9.9 ↖
	8.6 ↑	8.7 ↙	9.5 →	9.5 ←	9.9 ←
beste Teiler	738.0 (24.) 760.5 (23.) 814.0 (22.)				
Trefferlage	2.48 mm links, 3.17 mm hoch				
Streuwert	8.49, horizontal: 8.33, vertikal: 8.65				





Serie 4:	9.6 ↘	8.7 ↗	10.2 ↑	10.3 ↙	9.4 ↘
	10.0 ↓	10.8 *	10.4 *	10.6 *	7.7 ↑
beste Teiler	131.1 (37.) 252.5 (39.) 430.6 (38.)				
Trefferlage	1.49 mm rechts, 3.03 mm hoch				
Streuwert	8.44, horizontal: 6.74, vertikal: 9.85				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	386	(403.9)
Serien:	93 97 99 97	
Zähler:	26 14 0 0 0 0 0 0 0	
Innenzehner:	15	
weiteste:	1415 (10), 1344 (34), 1343 (9)	
beste Teiler	108.2 (2.) 142.3 (35.) 165.0 (20.)	
Trefferlage	0.60 mm links, 0.51 mm tief	
Streuwert	5.56, horizontal: 6.33, vertikal: 4.65	




Serie 1:	9.6 ↘	10.8 *	9.5 ←	9.4 ✓	9.4 ↘
	9.9 ←	10.5 *	10.0 ↑	9.3 ✓	9.2 →
beste Teiler	108.2 (2.)	326.6 (7.)	755.8 (8.)		
Trefferlage	1.47 mm links, 1.37 mm tief				
Streuwert	7.61, horizontal: 8.37, vertikal: 6.77				



Serie 2:	9.7 →	10.2 ←	10.0 →	10.1 ↘	10.5 *
	9.5 ←	9.4 →	10.4 *	10.1 →	10.7 *
beste Teiler	165.0 (20.)	361.0 (15.)	444.0 (18.)		
Trefferlage	0.75 mm rechts, 1.63 mm hoch				
Streuwert	5.57, horizontal: 7.67, vertikal: 1.82				



Serie 3:	10.3 ↑	9.9 ↘	10.7 *	10.6 *	10.6 *
	10.2 ↘	10.0 →	10.0 ↓	10.7 *	10.1 ↘
beste Teiler	172.5 (23.)	224.0 (29.)	294.7 (25.)		
Trefferlage	0.15 mm links, 0.02 mm hoch				
Streuwert	4.22, horizontal: 3.67, vertikal: 4.70				





Serie 4:	9.9 →	10.1 ←	10.4 *	9.3 ✓	10.8 *
	10.5 *	10.6 *	9.8 ↓	10.7 *	10.5 *
beste Teiler	142.3 (35.)	204.1 (39.)	241.6 (37.)		
Trefferlage	1.54 mm links, 2.32 mm tief				
Streuwert	4.47, horizontal: 5.24, vertikal: 3.54				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (386.9)
 Serien: 92 92 96 90
 Zähler: 19 13 7 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2607 (1), 1933 (13), 1867 (34)
 beste Teiler 284.0 (22.) 316.9 (8.) 340.0 (2.)
 Trefferlage 2.62 mm links, 2.02 mm hoch
 Streuwert 7.93, horizontal: 8.23, vertikal: 7.61




Serie 1:
 7.7 ↗ 10.5 * 8.9 ↖ 9.8 ↖ 9.2 ↘
 9.3 ↙ 10.3 ↘ 10.6 * 10.5 * 10.0 →
 beste Teiler 316.9 (8.) 340.0 (2.) 361.0 (9.)
 Trefferlage 1.43 mm links, 0.05 mm tief
 Streuwert 9.15, horizontal: 10.65, vertikal: 7.36



Serie 2:
 9.4 ← 8.9 ↖ 8.5 ↑ 10.1 ↗ 9.9 ↘
 10.1 ↑ 10.0 ← 10.5 * 10.3 ← 8.8 ↙
 beste Teiler 367.2 (18.) 497.1 (19.) 690.3 (16.)
 Trefferlage 4.48 mm links, 2.77 mm hoch
 Streuwert 7.72, horizontal: 6.61, vertikal: 8.69



Serie 3:
 10.5 * 10.6 * 8.6 ↗ 10.0 ↓ 10.1 ↘
 9.1 ↘ 10.0 ↘ 9.7 ← 10.3 ↑ 10.2 ↘
 beste Teiler 284.0 (22.) 343.5 (21.) 546.6 (29.)
 Trefferlage 1.97 mm rechts, 1.51 mm hoch
 Streuwert 6.83, horizontal: 7.23, vertikal: 6.40





Serie 4:
 9.7 ↘ 9.2 ← 9.5 ↘ 8.6 ↗ 10.1 ↓
 8.9 ↖ 9.7 ← 9.4 ↙ 10.0 ↗ 9.4 ↘
 beste Teiler 694.1 (35.) 727.6 (39.) 984.7 (31.)
 Trefferlage 6.54 mm links, 3.86 mm hoch
 Streuwert 7.39, horizontal: 6.18, vertikal: 8.42


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (390.8)
 Serien: 89 93 96 95
 Zähler: 18 18 3 1 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2636 (6), 2176 (5), 2101 (8)
 beste Teiler 160.8 (1.) 212.5 (13.) 220.7 (14.)
 Trefferlage 0.75 mm rechts, 2.93 mm tief
 Streuwert 7.56, horizontal: 7.61, vertikal: 7.51




Serie 1:
 10.8 * 10.1 → 10.3 ↘ 10.1 ↘ 8.2 ↓
 7.7 → 9.2 ↘ 8.3 ↓ 9.2 ↓ 8.8 ↓
 beste Teiler 160.8 (1.) 518.6 (3.) 642.5 (2.)
 Trefferlage 3.89 mm rechts, 7.62 mm tief
 Streuwert 9.66, horizontal: 10.08, vertikal: 9.23



Serie 2:
 9.5 ↗ 9.9 ↘ 10.7 * 10.7 * 9.9 ↘
 9.1 → 9.8 ↓ 10.6 * 9.0 → 9.8 ↙
 beste Teiler 212.5 (13.) 220.7 (14.) 308.2 (18.)
 Trefferlage 3.85 mm rechts, 1.28 mm tief
 Streuwert 6.45, horizontal: 6.67, vertikal: 6.22



Serie 3:
 10.5 * 9.8 ↓ 10.5 * 9.9 ↓ 10.1 ↖
 9.3 ↙ 10.0 ↘ 10.1 ← 9.6 ↓ 10.5 *
 beste Teiler 350.6 (30.) 379.1 (21.) 391.8 (23.)
 Trefferlage 1.93 mm links, 3.23 mm tief
 Streuwert 5.26, horizontal: 5.09, vertikal: 5.42





Serie 4:
 9.7 ↗ 10.4 * 10.1 ↑ 9.6 ← 10.0 ←
 10.4 * 9.0 ↙ 9.6 ↑ 10.5 * 9.5 ↓
 beste Teiler 338.6 (39.) 440.6 (32.) 466.5 (36.)
 Trefferlage 2.80 mm links, 0.40 mm hoch
 Streuwert 6.60, horizontal: 5.96, vertikal: 7.17


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (388.0)
 Serien: 96 96 90 93
 Zähler: 21 14 4 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2750 (21), 2009 (38), 1923 (20)
 beste Teiler 84.5 (24.) 195.4 (5.) 322.3 (3.)
 Trefferlage 0.28 mm links, 0.29 mm hoch
 Streuwert 8.21, horizontal: 8.94, vertikal: 7.42




Serie 1:
 10.2 ↗ 9.1 ↘ 10.5 * 9.0 ↖ 10.7 *
 10.5 * 10.3 ← 10.1 ↙ 8.6 ↑ 10.5 *
 beste Teiler 195.4 (5.) 322.3 (3.) 346.5 (10.)
 Trefferlage 0.31 mm rechts, 3.58 mm hoch
 Streuwert 6.74, horizontal: 5.89, vertikal: 7.49



Serie 2:
 10.0 ↗ 9.1 ↓ 10.0 ↘ 10.2 ↓ 10.0 ↘
 10.1 ↑ 10.0 ↖ 10.2 ↘ 9.9 ↙ 8.5 ←
 beste Teiler 596.7 (18.) 606.6 (14.) 666.8 (16.)
 Trefferlage 3.38 mm links, 1.28 mm tief
 Streuwert 7.02, horizontal: 7.22, vertikal: 6.81



Serie 3:
 7.5 ← 9.5 ↗ 9.4 ← 10.8 * 9.0 ↘
 10.3 ↓ 9.8 ↗ 10.0 ↑ 9.5 ↑ 8.6 ↘
 beste Teiler 84.5 (24.) 487.2 (26.) 761.4 (28.)
 Trefferlage 0.84 mm rechts, 0.68 mm tief
 Streuwert 10.37, horizontal: 12.60, vertikal: 7.51





Serie 4:
 10.3 ↘ 9.5 ↙ 9.4 → 9.1 ↙ 10.0 ↙
 10.3 ↗ 9.5 ← 8.4 ↗ 10.1 ↑ 9.5 →
 beste Teiler 503.7 (31.) 515.6 (36.) 706.2 (39.)
 Trefferlage 1.08 mm rechts, 0.44 mm tief
 Streuwert 8.63, horizontal: 9.29, vertikal: 7.93


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **386** (402.1)
 Serien: 94 98 97 97
 Zähler: 28 10 2 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 1870 (24), 1706 (8), 1492 (2)
 beste Teiler 183.2 (15.) 210.3 (20.) 233.7 (16.)
 Trefferlage 0.15 mm rechts, 0.96 mm tief
 Streuwert 5.93, horizontal: 4.92, vertikal: 6.80




Serie 1:
 10.1 ↓ 9.1 ← 9.9 ↖ 10.0 ↗ 10.5 *
 10.0 ↙ 9.2 ↓ 8.8 → 9.2 ↓ 10.2 →
 beste Teiler 372.7 (5.) 605.6 (10.) 676.0 (1.)
 Trefferlage 0.18 mm rechts, 2.08 mm tief
 Streuwert 7.92, horizontal: 8.15, vertikal: 7.68



Serie 2:
 9.9 ↓ 9.1 ↙ 10.4 * 10.0 ↓ 10.7 *
 10.7 * 10.6 * 10.4 * 10.4 * 10.7 *
 beste Teiler 183.2 (15.) 210.3 (20.) 233.7 (16.)
 Trefferlage 0.69 mm links, 3.14 mm tief
 Streuwert 4.20, horizontal: 3.40, vertikal: 4.86



Serie 3:
 10.5 * 10.5 * 10.5 * 8.6 ↑ 10.1 →
 9.3 ↓ 10.5 * 10.1 ↖ 10.3 ↑ 10.5 *
 beste Teiler 322.5 (23.) 325.4 (21.) 327.8 (30.)
 Trefferlage 0.49 mm rechts, 1.11 mm hoch
 Streuwert 6.24, horizontal: 3.64, vertikal: 8.04





Serie 4:
 10.3 ↑ 10.3 → 10.4 * 10.6 * 9.5 ↖
 10.1 ↑ 9.9 ↓ 9.7 ↓ 10.1 → 10.4 *
 beste Teiler 247.6 (34.) 415.0 (33.) 462.6 (40.)
 Trefferlage 0.63 mm rechts, 0.24 mm hoch
 Streuwert 5.12, horizontal: 3.54, vertikal: 6.31


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366** (385.0)
 Serien: 92 90 90 94
 Zähler: 16 15 8 1 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2480 (29), 2379 (16), 2315 (22)
 beste Teiler 121.7 (38.) 144.7 (8.) 149.3 (4.)
 Trefferlage 2.89 mm links, 1.23 mm tief
 Streuwert 8.67, horizontal: 9.26, vertikal: 8.03




Serie 1:
 10.3 ↗ 10.2 ↖ 9.9 → 10.8 * 9.3 ↓
 8.7 → 8.8 ← 10.8 * 9.6 ↖ 9.1 ↑
 beste Teiler 144.7 (8.) 149.3 (4.) 510.8 (1.)
 Trefferlage 0.01 mm links, 1.61 mm hoch
 Streuwert 8.26, horizontal: 9.15, vertikal: 7.27



Serie 2:
 8.4 ↙ 9.8 ↙ 9.3 ← 9.3 ↘ 9.3 ↙
 8.0 → 10.4 * 9.2 ↓ 9.1 ← 10.4 *
 beste Teiler 421.0 (20.) 441.8 (17.) 912.7 (12.)
 Trefferlage 4.15 mm links, 3.71 mm tief
 Streuwert 9.78, horizontal: 11.52, vertikal: 7.65



Serie 3:
 10.4 * 8.1 ↓ 9.9 ↓ 8.9 ↘ 9.9 ←
 9.0 ← 10.2 ↘ 10.5 * 7.9 ↗ 10.2 ↖
 beste Teiler 321.6 (28.) 472.0 (21.) 580.8 (27.)
 Trefferlage 1.97 mm links, 0.41 mm tief
 Streuwert 10.20, horizontal: 8.35, vertikal: 11.76





Serie 4:
 10.0 ← 9.6 ← 10.7 * 8.5 ← 10.3 ↙
 10.5 * 8.6 ← 10.8 * 10.4 * 9.9 ↘
 beste Teiler 121.7 (38.) 220.7 (33.) 350.8 (36.)
 Trefferlage 5.41 mm links, 2.44 mm tief
 Streuwert 6.24, horizontal: 8.17, vertikal: 3.35

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	365	(381.8)
Serien:	93 88 91 93	
Zähler:	16 15 7 2 0 0 0 0 0 0	
Innenzehner:	4	
weiteste:	2585 (21), 2409 (13), 2200 (10)	
beste Teiler	127.3 (33.) 287.2 (6.) 335.8 (2.)	
Trefferlage	2.86 mm rechts, 3.36 mm hoch	
Streuwert	8.51, horizontal: 8.33, vertikal: 8.68	




Serie 1:

9.2 ↗	10.5 *	8.6 ↘	9.4 ↘	10.4 *
10.6 *	10.2 ↘	10.2 ↗	9.0 ↗	8.2 ↗
beste Teiler	287.2 (6.) 335.8 (2.) 407.0 (5.)			
Trefferlage	4.03 mm rechts, 4.38 mm hoch			
Streuwert	8.12, horizontal: 8.31, vertikal: 7.92			




Serie 2:

8.6 ↗	9.4 ↘	7.9 ↑	10.0 ↓	8.2 →
10.3 ←	8.9 →	9.5 ↙	10.2 ↗	9.3 →
beste Teiler	524.7 (16.) 577.0 (19.) 790.5 (14.)			
Trefferlage	5.44 mm rechts, 2.25 mm hoch			
Streuwert	10.34, horizontal: 9.88, vertikal: 10.78			



Serie 3:

7.7 ↗	8.8 →	10.2 ←	9.4 ↗	10.1 ↘
9.9 ↗	9.7 ↗	10.2 ↗	10.0 ↘	9.8 ↙
beste Teiler	571.4 (28.) 599.1 (23.) 678.4 (25.)			
Trefferlage	4.17 mm rechts, 4.74 mm hoch			
Streuwert	7.99, horizontal: 7.80, vertikal: 8.17			





Serie 4:

9.6 ↗	9.3 ↘	10.8 *	9.6 ↘	9.4 ↗
10.0 →	10.1 ↘	10.1 ←	8.9 ↓	9.6 ↙
beste Teiler	127.3 (33.) 662.2 (38.) 712.8 (37.)			
Trefferlage	2.17 mm links, 2.05 mm hoch			
Streuwert	7.37, horizontal: 5.85, vertikal: 8.64			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **346** (365.8)
 Serien: 82 90 87 87
 Zähler: 8 15 13 3 1 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3400 (5), 2983 (9), 2616 (34)
 beste Teiler 224.1 (32.) 246.1 (37.) 372.5 (17.)
 Trefferlage 2.66 mm rechts, 5.09 mm hoch
 Streuwert 10.89, horizontal: 10.16, vertikal: 11.57




Serie 1:
 7.8 → 10.4 * 9.7 → 8.7 ↑ 6.7 ↖
 8.9 ↗ 9.7 ↓ 10.0 ↘ 7.2 ↑ 8.2 ↗
 beste Teiler 412.6 (2.) 798.3 (8.) 962.1 (3.)
 Trefferlage 4.71 mm rechts, 9.29 mm hoch
 Streuwert 12.83, horizontal: 11.38, vertikal: 14.14



Serie 2:
 8.1 ↗ 8.7 ↗ 9.0 ↑ 9.1 ↘ 10.3 ↖
 9.4 ↓ 10.5 * 9.5 ↗ 10.3 → 8.8 ↗
 beste Teiler 372.5 (17.) 491.9 (19.) 543.7 (15.)
 Trefferlage 5.07 mm rechts, 4.23 mm hoch
 Streuwert 9.14, horizontal: 6.62, vertikal: 11.10



Serie 3:
 8.8 ↓ 9.2 ← 9.2 ↗ 8.0 ← 8.5 ↖
 9.8 ↑ 9.4 ↙ 9.9 → 9.9 ↑ 9.8 →
 beste Teiler 823.0 (28.) 858.5 (29.) 908.0 (26.)
 Trefferlage 2.82 mm links, 0.06 mm hoch
 Streuwert 10.58, horizontal: 11.12, vertikal: 10.02



Serie 4:
 9.1 ↑ 10.7 * 8.4 ↑ 7.7 → 8.7 ↑
 9.4 → 10.6 * 10.3 ↑ 8.7 ↖ 8.7 ↑
 beste Teiler 224.1 (32.) 246.1 (37.) 529.9 (38.)
 Trefferlage 3.67 mm rechts, 6.77 mm hoch
 Streuwert 10.23, horizontal: 10.22, vertikal: 10.25

Unterschrift des Schützen

Meyton Elektronik