

**EYL Pistol – Wertung – offene Klasse**

**StartNr: 19**



StandNr: 117

9. Juni 2018 12:16


**NAGY, Vivien** #1000000243

Hungary / Hungary


Ergebnis: **373** (391.6)  
 Serien: 89 94 95 95  
 Zähler: 19 16 4 1 0 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 2607 (4), 2398 (23), 1914 (7)  
 beste Teiler 150.1 (24.) 192.0 (31.) 219.1 (20.)  
 Trefferlage 2.39 mm links, 2.93 mm tief  
 Streuwert 7.41, horizontal: 6.48, vertikal: 8.24




Serie 1:  
 10.4 \* 9.8 ↗ 9.3 ↘ 7.7 ↗ 9.2 ↘  
 10.5 \* 8.6 ↙ 9.4 ↓ 9.3 ↓ 9.0 ↙  
 beste Teiler 340.1 (6.) 443.7 (1.) 951.4 (2.)  
 Trefferlage 2.63 mm links, 2.53 mm tief  
 Streuwert 10.46, horizontal: 8.86, vertikal: 11.84



Serie 2:  
 10.2 ↘ 9.8 ↓ 10.6 \* 10.2 ↖ 9.9 ↓  
 9.7 ↓ 9.3 ↗ 10.4 \* 8.8 ↓ 10.7 \*  
 beste Teiler 219.1 (20.) 267.8 (13.) 463.7 (18.)  
 Trefferlage 0.81 mm rechts, 4.72 mm tief  
 Streuwert 5.82, horizontal: 4.57, vertikal: 6.84



Serie 3:  
 10.0 ↙ 10.6 \* 8.0 ↙ 10.8 \* 9.5 ↘  
 10.2 ↘ 10.1 ↑ 9.5 ↖ 10.4 \* 9.9 ↖  
 beste Teiler 150.1 (24.) 274.4 (22.) 458.8 (29.)  
 Trefferlage 4.31 mm links, 4.02 mm tief  
 Streuwert 6.49, horizontal: 6.29, vertikal: 6.68





Serie 4:  
 10.7 \* 9.9 ↖ 10.1 → 10.2 ↖ 10.5 \*  
 9.5 ↘ 10.6 \* 9.5 ↘ 8.6 ↓ 10.2 ↑  
 beste Teiler 192.0 (31.) 276.9 (37.) 345.3 (35.)  
 Trefferlage 3.42 mm links, 0.47 mm tief  
 Streuwert 6.20, horizontal: 5.11, vertikal: 7.13


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **355** (374.4)  
 Serien: 85 88 92 90  
 Zähler: 7 23 8 2 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 2800 (39), 2512 (16), 2269 (1)  
 beste Teiler 222.2 (28.) 348.0 (15.) 387.6 (24.)  
 Trefferlage 5.29 mm links, 1.84 mm hoch  
 Streuwert 9.15, horizontal: 9.08, vertikal: 9.23




Serie 1:  
 8.1 ↘ 9.1 ↓ 9.9 ↘ 8.8 ← 9.8 ↙  
 10.0 ↑ 8.7 ↙ 8.7 ← 8.3 ↗ 8.9 ↗  
 beste Teiler 783.3 (6.) 880.8 (3.) 950.5 (5.)  
 Trefferlage 5.32 mm links, 1.13 mm hoch  
 Streuwert 11.30, horizontal: 12.27, vertikal: 10.24



Serie 2:  
 9.4 ↗ 8.4 ↘ 9.4 ↘ 9.2 ↗ 10.5 \*  
 7.8 ↑ 8.5 ↘ 10.1 ↗ 9.7 ↗ 9.7 ↓  
 beste Teiler 348.0 (15.) 715.0 (18.) 969.8 (20.)  
 Trefferlage 4.63 mm links, 5.00 mm hoch  
 Streuwert 9.75, horizontal: 7.70, vertikal: 11.44



Serie 3:  
 9.2 ↓ 9.7 ↑ 9.7 ↗ 10.5 \* 9.1 ←  
 9.6 ↘ 9.6 ↘ 10.7 \* 9.7 ↗ 9.6 ↙  
 beste Teiler 222.2 (28.) 387.6 (24.) 973.4 (22.)  
 Trefferlage 3.00 mm links, 0.04 mm hoch  
 Streuwert 7.51, horizontal: 6.84, vertikal: 8.12



Serie 4:  
 9.7 ↑ 9.6 ↘ 10.0 ↗ 9.6 ↘ 9.1 ←  
 9.9 ↘ 10.4 \* 9.2 ← 7.5 ← 9.0 ↙  
 beste Teiler 451.7 (37.) 756.6 (33.) 838.5 (36.)  
 Trefferlage 8.22 mm links, 1.20 mm hoch  
 Streuwert 8.26, horizontal: 9.20, vertikal: 7.22

Unterschrift des Schützen

Meyton Elektronik

**EYL Pistol – Wertung – offene Klasse**

**StartNr: 21**



StandNr: 121

9. Juni 2018 12:22


**POLGÁR, János** #1000000226

Hungary / Hungary


Ergebnis: **374** (390.2)  
 Serien: 93 97 96 88  
 Zähler: 19 17 3 1 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2410 (32), 2195 (37), 1831 (26)  
 beste Teiler 217.5 (28.) 313.2 (29.) 313.3 (1.)  
 Trefferlage 1.26 mm links, 1.97 mm tief  
 Streuwert 7.66, horizontal: 7.37, vertikal: 7.94




Serie 1:  
 10.6 \* 9.3 ↙ 9.8 ↘ 9.2 ↘ 9.6 ↓  
 10.2 ← 10.0 ↘ 8.9 ↙ 9.1 ↘ 10.1 →  
 beste Teiler 313.3 (1.) 580.2 (6.) 666.8 (10.)  
 Trefferlage 4.32 mm links, 4.56 mm tief  
 Streuwert 6.79, horizontal: 6.58, vertikal: 7.00



Serie 2:  
 10.3 ↖ 10.3 ↗ 10.6 \* 10.4 \* 9.9 ↓  
 10.2 ↘ 9.0 ↗ 9.1 ↘ 10.0 ↘ 10.3 ↓  
 beste Teiler 318.9 (13.) 465.5 (14.) 530.6 (20.)  
 Trefferlage 0.77 mm rechts, 1.24 mm tief  
 Streuwert 6.48, horizontal: 5.65, vertikal: 7.21



Serie 3:  
 9.8 ↙ 10.1 ↙ 10.0 ↓ 10.2 ← 10.2 ↑  
 8.7 ↘ 9.6 ↘ 10.7 \* 10.6 \* 10.3 ↖  
 beste Teiler 217.5 (28.) 313.2 (29.) 508.9 (30.)  
 Trefferlage 2.63 mm links, 0.22 mm tief  
 Streuwert 6.21, horizontal: 6.04, vertikal: 6.38





Serie 4:  
 9.7 ↑ 7.9 ↙ 9.5 ↗ 9.4 ↑ 9.7 ←  
 9.8 ↘ 8.2 → 9.7 ↓ 10.0 ↘ 9.2 ↓  
 beste Teiler 791.6 (39.) 951.0 (36.) 1016.1 (31.)  
 Trefferlage 1.10 mm rechts, 1.88 mm tief  
 Streuwert 10.49, horizontal: 10.02, vertikal: 10.94


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (388.2)  
 Serien: 93 95 91 91  
 Zähler: 18 14 8 0 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 2158 (5), 2129 (35), 1927 (18)  
 beste Teiler 135.6 (12.) 191.7 (8.) 221.8 (10.)  
 Trefferlage 0.40 mm rechts, 2.88 mm tief  
 Streuwert 7.97, horizontal: 5.74, vertikal: 9.70




Serie 1:  
 9.5 ↙ 9.4 ↘ 9.6 ↖ 9.6 ↗ 8.3 ↖  
 10.6 \* 10.0 ↙ 10.7 \* 9.3 ↙ 10.7 \*  
 beste Teiler 191.7 (8.) 221.8 (10.) 312.8 (6.)  
 Trefferlage 1.69 mm links, 0.22 mm hoch  
 Streuwert 8.28, horizontal: 6.51, vertikal: 9.73



Serie 2:  
 10.2 ↙ 10.8 \* 10.6 \* 9.9 ↖ 9.5 ↑  
 10.2 → 9.3 ↓ 8.5 ↓ 10.5 \* 10.5 \*  
 beste Teiler 135.6 (12.) 244.0 (13.) 393.3 (20.)  
 Trefferlage 0.07 mm links, 2.41 mm tief  
 Streuwert 6.66, horizontal: 3.41, vertikal: 8.78



Serie 3:  
 8.7 ↗ 10.6 \* 9.3 ↙ 10.3 ↖ 10.3 ↘  
 8.9 ↓ 10.1 ↓ 8.6 ↓ 9.2 ↖ 9.5 ↓  
 beste Teiler 307.3 (22.) 509.7 (24.) 528.4 (25.)  
 Trefferlage 0.20 mm rechts, 2.51 mm tief  
 Streuwert 9.10, horizontal: 5.82, vertikal: 11.48





Serie 4:  
 10.2 ↑ 8.8 → 9.6 ↓ 10.0 ↙ 8.3 ↓  
 10.2 → 9.2 ↓ 8.8 ↘ 9.8 ↓ 10.1 ↓  
 beste Teiler 591.2 (36.) 624.2 (31.) 676.1 (40.)  
 Trefferlage 3.19 mm rechts, 6.84 mm tief  
 Streuwert 7.64, horizontal: 6.41, vertikal: 8.70


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368** (387.6)  
 Serien: 92 90 94 92  
 Zähler: 14 20 6 0 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2158 (21), 2069 (1), 1862 (40)  
 beste Teiler 5.0 (26.) 188.4 (37.) 311.4 (6.)  
 Trefferlage 2.13 mm links, 0.12 mm hoch  
 Streuwert 7.87, horizontal: 7.03, vertikal: 8.64




Serie 1:  
 8.4 ↗ 9.9 ↑ 9.9 ↖ 9.4 ↘ 9.0 ←  
 10.6 \* 10.3 ↙ 9.4 → 10.4 → 9.6 ↘  
 beste Teiler 311.4 (6.) 479.0 (9.) 524.1 (7.)  
 Trefferlage 0.29 mm rechts, 1.60 mm hoch  
 Streuwert 8.31, horizontal: 8.59, vertikal: 8.02



Serie 2:  
 10.4 \* 8.8 ↘ 9.5 ↙ 10.3 ↘ 9.5 ↖  
 8.9 ↗ 9.8 ↓ 9.2 ← 9.9 ↗ 9.7 ↖  
 beste Teiler 463.7 (11.) 529.0 (14.) 803.3 (19.)  
 Trefferlage 3.76 mm links, 0.70 mm tief  
 Streuwert 8.09, horizontal: 5.89, vertikal: 9.80



Serie 3:  
 8.3 ↖ 10.0 ↘ 10.1 ↗ 9.5 ↘ 10.0 ↘  
 10.9 \* 9.3 ↙ 10.1 ↘ 9.9 → 9.0 ↘  
 beste Teiler 5.0 (26.) 667.1 (23.) 713.3 (28.)  
 Trefferlage 1.40 mm links, 1.01 mm tief  
 Streuwert 8.34, horizontal: 6.77, vertikal: 9.65





Serie 4:  
 9.3 ↖ 10.4 \* 9.9 ↓ 10.0 ↓ 10.3 →  
 9.8 ↓ 10.7 \* 9.7 ↑ 8.9 ← 8.6 ↖  
 beste Teiler 188.4 (37.) 433.0 (32.) 516.9 (35.)  
 Trefferlage 3.66 mm links, 0.63 mm hoch  
 Streuwert 7.46, horizontal: 6.84, vertikal: 8.04


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **357** (379.1)  
 Serien: 86 90 90 91  
 Zähler: 11 18 9 1 1 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 3299 (21), 2566 (7), 2127 (19)  
 beste Teiler 104.1 (30.) 121.0 (12.) 439.0 (33.)  
 Trefferlage 0.38 mm links, 0.66 mm tief  
 Streuwert 9.61, horizontal: 9.13, vertikal: 10.06




Serie 1:  
 9.9 ↙ 9.9 ↓ 9.6 ↘ 8.6 ↘ 9.7 ↗  
 9.8 ↘ 7.7 ↗ 9.2 ↓ 9.7 ↑ 8.6 ←  
 beste Teiler 810.6 (1.) 817.3 (2.) 893.8 (6.)  
 Trefferlage 6.76 mm links, 3.15 mm hoch  
 Streuwert 9.21, horizontal: 7.11, vertikal: 10.91



Serie 2:  
 9.7 ↓ 10.8 \* 8.7 → 9.9 ↗ 9.1 ←  
 8.7 → 10.0 ↖ 9.6 ↓ 8.3 ↓ 10.2 ↘  
 beste Teiler 121.0 (12.) 632.9 (20.) 779.7 (17.)  
 Trefferlage 2.45 mm rechts, 2.12 mm tief  
 Streuwert 9.33, horizontal: 9.08, vertikal: 9.57



Serie 3:  
 6.8 ↘ 10.3 ↗ 9.4 ↖ 8.8 ↓ 9.5 ↘  
 10.1 ↓ 9.4 ↘ 9.9 ↗ 10.0 ↘ 10.8 \*  
 beste Teiler 104.1 (30.) 543.5 (22.) 694.6 (26.)  
 Trefferlage 3.45 mm rechts, 4.67 mm tief  
 Streuwert 9.64, horizontal: 7.65, vertikal: 11.28



Serie 4:  
 9.8 → 8.3 ↗ 10.4 \* 9.9 → 8.4 ←  
 10.3 ↑ 9.9 → 10.2 ↑ 10.3 ↓ 8.9 ↖  
 beste Teiler 439.0 (33.) 490.2 (39.) 558.9 (36.)  
 Trefferlage 0.66 mm links, 0.99 mm hoch  
 Streuwert 8.95, horizontal: 9.94, vertikal: 7.83

Unterschrift des Schützen