

EYL Pistol – Wertung – offene Klasse

StartNr: 1



StandNr: 127

9. Juni 2018 12:19


SCHEJBAL, Pavel #139

Czech Republic / Czech Republic


Ergebnis: **365** (381.6)
 Serien: 92 91 95 87
 Zähler: 14 17 9 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2310 (9), 2280 (17), 2244 (35)
 beste Teiler 249.7 (3.) 282.5 (8.) 283.1 (15.)
 Trefferlage 1.09 mm links, 2.54 mm tief
 Streuwert 8.91, horizontal: 9.62, vertikal: 8.15




Serie 1:
 9.0 ← 8.7 ← 10.6 * 9.5 ↓ 10.0 ↗
 9.2 ↘ 9.8 ↘ 10.6 * 8.1 ↘ 10.0 ↘
 beste Teiler 249.7 (3.) 282.5 (8.) 722.6 (10.)
 Trefferlage 0.30 mm links, 3.05 mm tief
 Streuwert 9.34, horizontal: 10.86, vertikal: 7.52



Serie 2:
 9.4 ↗ 9.5 ← 9.4 ↘ 9.8 ← 10.6 *
 10.2 ↓ 8.1 ↓ 9.3 ↓ 10.3 → 8.9 ←
 beste Teiler 283.1 (15.) 530.3 (19.) 634.4 (16.)
 Trefferlage 1.90 mm links, 4.29 mm tief
 Streuwert 8.68, horizontal: 7.76, vertikal: 9.51



Serie 3:
 10.3 ↓ 9.0 ↘ 10.2 ↓ 10.3 ↓ 10.4 *
 9.3 ← 9.8 ↗ 9.9 ↓ 10.5 * 9.9 ←
 beste Teiler 321.7 (29.) 445.6 (25.) 522.0 (21.)
 Trefferlage 2.68 mm links, 2.91 mm tief
 Streuwert 5.90, horizontal: 5.74, vertikal: 6.05





Serie 4:
 8.8 ↘ 8.5 ← 9.8 ↘ 10.1 → 8.1 →
 9.1 ↗ 8.7 → 8.3 ↓ 9.6 ↘ 10.0 ←
 beste Teiler 677.7 (34.) 753.0 (40.) 908.2 (33.)
 Trefferlage 0.53 mm rechts, 0.06 mm hoch
 Streuwert 11.73, horizontal: 13.51, vertikal: 9.63


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **372** (391.9)
 Serien: 93 93 93 93
 Zähler: 18 16 6 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2106 (12), 1902 (7), 1805 (40)
 beste Teiler 188.6 (20.) 217.2 (19.) 342.3 (16.)
 Trefferlage 1.05 mm rechts, 0.76 mm hoch
 Streuwert 7.51, horizontal: 8.03, vertikal: 6.95




Serie 1:
 9.9 ↖ 9.7 ↓ 10.2 ↑ 9.8 ↑ 10.5 *
 9.8 ↘ 8.6 → 9.0 ↗ 10.0 ↖ 10.3 →
 beste Teiler 383.1 (5.) 552.1 (10.) 624.0 (3.)
 Trefferlage 3.42 mm rechts, 0.83 mm hoch
 Streuwert 7.37, horizontal: 8.01, vertikal: 6.67



Serie 2:
 10.0 ↓ 8.3 ↙ 8.7 ↘ 10.5 * 9.8 ↑
 10.5 * 8.8 ↙ 10.2 ↓ 10.7 * 10.7 *
 beste Teiler 188.6 (20.) 217.2 (19.) 342.3 (16.)
 Trefferlage 1.77 mm links, 1.76 mm tief
 Streuwert 8.21, horizontal: 8.78, vertikal: 7.59



Serie 3:
 10.4 * 9.6 → 9.7 ↓ 9.8 ↙ 9.6 →
 9.2 → 10.4 * 9.8 ↘ 10.5 * 9.4 ↑
 beste Teiler 380.4 (29.) 419.3 (21.) 452.2 (27.)
 Trefferlage 2.08 mm rechts, 0.39 mm tief
 Streuwert 6.97, horizontal: 7.56, vertikal: 6.34





Serie 4:
 10.5 * 10.0 ↘ 10.4 * 9.7 ← 10.0 ↑
 9.4 ↗ 9.9 ↑ 10.2 ↑ 8.7 ↘ 8.7 →
 beste Teiler 381.8 (31.) 443.2 (33.) 585.6 (38.)
 Trefferlage 0.49 mm rechts, 4.38 mm hoch
 Streuwert 7.37, horizontal: 8.02, vertikal: 6.65


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362** (381.0)
 Serien: 91 86 94 91
 Zähler: 10 23 6 1 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2441 (14), 2098 (9), 2001 (17)
 beste Teiler 51.0 (21.) 52.2 (29.) 250.3 (4.)
 Trefferlage 1.96 mm rechts, 3.33 mm tief
 Streuwert 8.62, horizontal: 8.42, vertikal: 8.81




Serie 1:
 8.6 → 9.3 ↗ 10.0 ← 10.6 * 9.1 ↘
 9.0 ↙ 9.6 ↖ 9.0 → 8.3 ↓ 10.3 ←
 beste Teiler 250.3 (4.) 527.2 (10.) 733.0 (3.)
 Trefferlage 0.40 mm rechts, 3.46 mm tief
 Streuwert 9.88, horizontal: 10.34, vertikal: 9.40



Serie 2:
 8.7 → 9.1 ↘ 9.6 ↓ 7.9 ↓ 9.9 ↘
 9.8 ↓ 8.4 ← 9.4 ↓ 9.7 → 9.6 ↑
 beste Teiler 834.8 (15.) 897.7 (16.) 1009.5 (19.)
 Trefferlage 2.44 mm rechts, 5.93 mm tief
 Streuwert 9.96, horizontal: 10.19, vertikal: 9.73



Serie 3:
 10.9 * 8.7 ↑ 10.5 * 9.5 ↘ 10.1 →
 9.9 ↘ 9.4 → 9.0 ↖ 10.9 * 10.2 ↓
 beste Teiler 51.0 (21.) 52.2 (29.) 370.6 (23.)
 Trefferlage 1.95 mm rechts, 0.46 mm tief
 Streuwert 7.43, horizontal: 7.05, vertikal: 7.78





Serie 4:
 10.2 ↗ 9.9 ↗ 9.3 ↓ 9.5 ↘ 8.9 ↘
 9.9 → 9.7 ↑ 9.4 ↓ 10.1 ↘ 9.1 →
 beste Teiler 639.3 (31.) 716.3 (39.) 833.1 (36.)
 Trefferlage 3.06 mm rechts, 3.46 mm tief
 Streuwert 7.69, horizontal: 6.52, vertikal: 8.70


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (390.4)
 Serien: 89 95 93 94
 Zähler: 14 23 3 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2070 (1), 1905 (2), 1630 (38)
 beste Teiler 140.0 (39.) 236.0 (32.) 337.8 (14.)
 Trefferlage 1.10 mm links, 0.40 mm tief
 Streuwert 7.51, horizontal: 7.13, vertikal: 7.87




Serie 1:
 8.4 ↗ 8.6 ← 10.4 * 9.4 ↘ 9.1 ↓
 9.9 ↙ 9.2 ↑ 9.5 ↘ 9.9 → 9.7 ↖
 beste Teiler 458.5 (3.) 874.5 (9.) 875.6 (6.)
 Trefferlage 1.31 mm links, 2.62 mm hoch
 Streuwert 9.68, horizontal: 8.85, vertikal: 10.44



Serie 2:
 9.4 ↙ 9.4 ↘ 10.0 ↘ 10.5 * 10.3 ↓
 9.6 ↓ 10.1 ↓ 9.8 ↘ 9.1 ↙ 10.3 ←
 beste Teiler 337.8 (14.) 542.6 (15.) 548.9 (20.)
 Trefferlage 4.07 mm links, 2.89 mm tief
 Streuwert 6.08, horizontal: 5.73, vertikal: 6.42





Serie 3:
 9.6 ↙ 9.1 ↙ 9.2 ↑ 9.7 ↘ 10.2 ↑
 9.6 ↗ 9.8 ↗ 10.3 ↓ 10.3 ↙ 9.9 ↘
 beste Teiler 496.0 (29.) 524.6 (28.) 580.0 (25.)
 Trefferlage 0.77 mm rechts, 0.12 mm tief
 Streuwert 7.36, horizontal: 7.47, vertikal: 7.24




Serie 4:
 9.8 ↘ 10.7 * 9.8 ↘ 9.4 ↘ 10.4 *
 10.5 * 10.1 ↘ 8.9 ↓ 10.8 * 9.7 ↓
 beste Teiler 140.0 (39.) 236.0 (32.) 400.2 (36.)
 Trefferlage 0.20 mm rechts, 1.23 mm tief
 Streuwert 6.54, horizontal: 6.11, vertikal: 6.94

Unterschrift des Schützen


Ergebnis: **329** (347.8)
 Serien: 86 84 84 75
 Zähler: 5 11 15 6 3 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3730 (37), 3557 (33), 3294 (32)
 beste Teiler 147.3 (5.) 149.7 (23.) 177.5 (28.)
 Trefferlage 6.49 mm rechts, 4.06 mm tief
 Streuwert 13.46, horizontal: 15.69, vertikal: 10.79




Serie 1:
 7.6 ↘ 8.2 ↘ 9.8 ↙ 9.3 → 10.8 *
 8.9 ↓ 8.6 → 9.9 ↘ 9.9 → 9.0 ↘
 beste Teiler 147.3 (5.) 869.3 (9.) 875.8 (8.)
 Trefferlage 9.35 mm rechts, 4.91 mm tief
 Streuwert 8.65, horizontal: 10.94, vertikal: 5.49



Serie 2:
 8.5 ↘ 8.0 ↘ 9.3 ← 9.9 → 7.6 ↓
 8.4 ↘ 8.1 ↓ 9.5 ↘ 10.5 * 8.1 →
 beste Teiler 345.7 (19.) 872.6 (14.) 1150.7 (18.)
 Trefferlage 7.47 mm rechts, 8.40 mm tief
 Streuwert 11.17, horizontal: 11.20, vertikal: 11.15



Serie 3:
 8.0 ↘ 7.6 ← 10.8 * 8.3 ↘ 8.4 ↙
 8.8 ↓ 7.3 ↓ 10.7 * 10.3 → 8.5 →
 beste Teiler 149.7 (23.) 177.5 (28.) 501.8 (29.)
 Trefferlage 0.99 mm rechts, 7.20 mm tief
 Streuwert 13.35, horizontal: 15.70, vertikal: 10.47





Serie 4:
 8.3 → 6.8 ← 6.5 ↘ 7.1 → 9.7 ↗
 7.7 → 6.3 ↘ 9.0 ↗ 8.0 ↗ 9.8 ↘
 beste Teiler 892.2 (40.) 976.7 (35.) 1550.7 (38.)
 Trefferlage 8.16 mm rechts, 4.24 mm hoch
 Streuwert 18.15, horizontal: 22.98, vertikal: 11.44


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **361** (378.1)
 Serien: 94 91 85 91
 Zähler: 10 23 5 2 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2548 (23), 2537 (26), 1981 (24)
 beste Teiler 286.6 (10.) 340.2 (7.) 500.2 (11.)
 Trefferlage 1.75 mm links, 5.31 mm tief
 Streuwert 8.44, horizontal: 8.14, vertikal: 8.74




Serie 1:
 10.2 ↗ 8.5 ↓ 10.2 ← 9.6 ↓ 9.2 ↓
 9.8 ↖ 10.5 * 10.1 ← 9.8 ↘ 10.6 *
 beste Teiler 286.6 (10.) 340.2 (7.) 562.8 (1.)
 Trefferlage 2.30 mm links, 5.11 mm tief
 Streuwert 6.16, horizontal: 3.93, vertikal: 7.77



Serie 2:
 10.3 ↗ 10.2 ← 8.9 ↓ 9.2 ↓ 9.8 ←
 9.8 ↗ 8.7 ← 9.2 ← 10.0 ↘ 9.0 ←
 beste Teiler 500.2 (11.) 598.4 (12.) 751.2 (19.)
 Trefferlage 5.04 mm links, 4.55 mm tief
 Streuwert 7.63, horizontal: 8.02, vertikal: 7.23



Serie 3:
 9.4 ↘ 9.1 ↗ 7.8 ↓ 8.5 ↓ 9.2 ↘
 7.8 ↘ 9.7 ← 9.3 ↓ 9.5 ↓ 9.2 ←
 beste Teiler 963.8 (27.) 1192.5 (29.) 1220.1 (21.)
 Trefferlage 0.12 mm rechts, 10.24 mm tief
 Streuwert 9.95, horizontal: 10.47, vertikal: 9.40



Serie 4:
 9.8 ↖ 10.2 ↘ 9.2 ↓ 10.3 ↘ 9.1 ↑
 8.6 ← 9.7 ← 9.5 ↘ 9.2 ↗ 9.4 ↘
 beste Teiler 527.0 (34.) 626.2 (32.) 906.5 (31.)
 Trefferlage 0.20 mm rechts, 1.32 mm tief
 Streuwert 8.99, horizontal: 8.77, vertikal: 9.21

Unterschrift des Schützen

Meyton Elektronik