

**EYL Rifle – Wertung – offene Klasse**

**StartNr: 23**



StandNr: 133

9. Juni 2018 9:46


**HAFNER, Lisa #74**

Austria / Austria


Ergebnis: **402.8** (387)  
 Serien: 101.3 100.2 100.3 101.0  
 Zähler: 27 13 0 0 0 0 0 0 0 0  
 Innenzehner: 18  
 weiteste: 485 (23), 377 (34), 354 (20)  
 beste Teiler 46.6 (29.) 96.8 (30.) 104.9 (27.)  
 Trefferlage 0.14 mm rechts, 0.61 mm hoch  
 Streuwert 1.64, horizontal: 1.84, vertikal: 1.41




Serie 1:  
 10.0 ↘ 9.8 ↓ 10.3 \* 10.0 → 10.4 \*  
 10.4 \* 10.0 ← 10.3 \* 9.6 ↑ 10.5 \*  
 beste Teiler 120.1 (10.) 128.9 (6.) 130.6 (5.)  
 Trefferlage 0.28 mm rechts, 0.08 mm tief  
 Streuwert 1.59, horizontal: 1.43, vertikal: 1.74



Serie 2:  
 10.4 \* 10.3 \* 10.2 \* 10.1 ↑ 9.7 →  
 10.0 ↗ 10.1 ↗ 10.1 ↖ 9.8 ↑ 9.5 →  
 beste Teiler 133.2 (11.) 160.7 (12.) 196.2 (13.)  
 Trefferlage 1.23 mm rechts, 1.27 mm hoch  
 Streuwert 1.19, horizontal: 1.58, vertikal: 0.60



Serie 3:  
 9.7 ← 10.1 ↘ 9.0 ↘ 9.9 ↑ 10.2 \*  
 9.6 ↑ 10.5 \* 9.9 ↖ 10.8 \* 10.6 \*  
 beste Teiler 46.6 (29.) 96.8 (30.) 104.9 (27.)  
 Trefferlage 0.47 mm links, 0.61 mm hoch  
 Streuwert 1.90, horizontal: 1.92, vertikal: 1.88



Serie 4:  
 10.3 \* 10.4 \* 10.4 \* 9.4 ↖ 9.7 ↗  
 10.3 \* 10.3 \* 9.9 ← 10.2 \* 10.1 →  
 beste Teiler 129.8 (33.) 136.4 (32.) 162.2 (31.)  
 Trefferlage 0.46 mm links, 0.64 mm hoch  
 Streuwert 1.59, horizontal: 2.09, vertikal: 0.83

Unterschrift des Schützen

Meyton Elektronik

**EYL Rifle – Wertung – offene Klasse**

**StartNr: 24**



StandNr: 137

9. Juni 2018 9:45


**MAIR, Tobias #161**

Austria / Austria


Ergebnis: **404.9** (389)  
 Serien: 100.0 99.1 101.4 104.4  
 Zähler: 29 11 0 0 0 0 0 0 0 0  
 Innenzehner: 21  
 weiteste: 383 (20), 379 (7), 363 (14)  
 beste Teiler 65.3 (37.) 72.8 (15.) 81.4 (31.)  
 Trefferlage 0.14 mm links, 0.25 mm tief  
 Streuwert 1.61, horizontal: 1.37, vertikal: 1.81




Serie 1:  
 10.0 ↑                      10.0 ↗                      10.0 ↘                      10.3 \*                      10.5 \*  
 9.5 ↘                      9.4 ↖                      9.9 ↖                      10.1 ↖                      10.3 \*  
 beste Teiler 107.5 (5.) 152.8 (10.) 167.9 (4.)  
 Trefferlage 0.19 mm rechts, 0.82 mm hoch  
 Streuwert 1.76, horizontal: 1.77, vertikal: 1.74



Serie 2:  
 9.6 ↖                      9.8 ↘                      9.5 ↓                      9.5 ↙                      10.7 \*  
 10.2 \*                      10.3 \*                      9.8 ↙                      10.3 \*                      9.4 ↙  
 beste Teiler 72.8 (15.) 159.5 (17.) 161.1 (19.)  
 Trefferlage 0.94 mm links, 0.84 mm tief  
 Streuwert 1.84, horizontal: 1.20, vertikal: 2.31



Serie 3:  
 10.5 \*                      10.0 →                      9.8 ↙                      10.3 \*                      10.1 ↘  
 10.3 \*                      10.0 ↓                      10.4 \*                      10.3 \*                      9.7 ↓  
 beste Teiler 108.9 (21.) 146.5 (28.) 154.8 (29.)  
 Trefferlage 0.28 mm rechts, 1.38 mm tief  
 Streuwert 1.20, horizontal: 1.27, vertikal: 1.13



Serie 4:  
 10.6 \*                      10.6 \*                      10.5 \*                      10.0 ↙                      10.5 \*  
 10.4 \*                      10.7 \*                      10.4 \*                      10.3 \*                      10.4 \*  
 beste Teiler 65.3 (37.) 81.4 (31.) 87.6 (32.)  
 Trefferlage 0.09 mm links, 0.36 mm hoch  
 Streuwert 0.98, horizontal: 0.95, vertikal: 1.02

Unterschrift des Schützen

Meyton Elektronik

**EYL Rifle – Wertung – offene Klasse**

**StartNr: 25**



StandNr: 135

9. Juni 2018 9:46


**WADLEGGER, Stefan #150**

Austria / Austria


Ergebnis: **413.5** (396)  
 Serien: 103.3 103.9 104.3 102.0  
 Zähler: 36 4 0 0 0 0 0 0 0 0  
 Innenzehner: 28  
 weiteste: 310 (4), 305 (34), 262 (31)  
 beste Teiler 43.4 (9.) 57.7 (23.) 68.0 (6.)  
 Trefferlage 0.23 mm links, 0.16 mm tief  
 Streuwert 1.19, horizontal: 1.34, vertikal: 1.01




Serie 1:  
 10.5 \*                      10.5 \*                      10.1 ✓                      9.7 ←                      10.5 \*  
 10.7 \*                      10.2 \*                      10.0 ✘                      10.8 \*                      10.3 \*  
 beste Teiler 43.4 (9.) 68.0 (6.) 114.6 (5.)  
 Trefferlage 0.32 mm links, 0.25 mm tief  
 Streuwert 1.26, horizontal: 1.43, vertikal: 1.06



Serie 2:  
 10.5 \*                      10.1 ✘                      10.7 \*                      10.0 ←                      10.1 ✘  
 10.6 \*                      10.3 \*                      10.6 \*                      10.6 \*                      10.4 \*  
 beste Teiler 70.2 (13.) 82.8 (19.) 96.2 (18.)  
 Trefferlage 0.40 mm links, 0.17 mm tief  
 Streuwert 1.08, horizontal: 1.07, vertikal: 1.09



Serie 3:  
 10.2 \*                      10.6 \*                      10.7 \*                      10.1 ✓                      10.4 \*  
 10.6 \*                      10.1 ✘                      10.6 \*                      10.6 \*                      10.4 \*  
 beste Teiler 57.7 (23.) 84.7 (29.) 85.4 (22.)  
 Trefferlage 0.24 mm links, 0.14 mm tief  
 Streuwert 1.05, horizontal: 1.00, vertikal: 1.10





Serie 4:  
 9.9 ✘                      10.2 \*                      10.6 \*                      9.7 →                      9.9 ✘  
 10.0 ←                      10.3 \*                      10.5 \*                      10.4 \*                      10.5 \*  
 beste Teiler 89.4 (33.) 113.8 (40.) 120.0 (38.)  
 Trefferlage 0.04 mm rechts, 0.08 mm tief  
 Streuwert 1.47, horizontal: 1.87, vertikal: 0.92


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **412.5** (394)  
 Serien: 103.0 104.2 101.9 103.4  
 Zähler: 34 6 0 0 0 0 0 0 0 0  
 Innenzehner: 27  
 weiteste: 429 (30), 328 (21), 305 (32)  
 beste Teiler 20.5 (12.) 39.9 (23.) 40.4 (38.)  
 Trefferlage 0.27 mm links, 0.25 mm hoch  
 Streuwert 1.29, horizontal: 1.45, vertikal: 1.10




Serie 1:  
 10.6 \*                      10.5 \*                      10.7 \*                      9.8 ↘                      10.1 ↗  
 9.8 ↙                      9.9 ↘                      10.5 \*                      10.6 \*                      10.5 \*  
 beste Teiler 58.0 (3.) 81.4 (1.) 99.3 (9.)  
 Trefferlage 0.09 mm links, 0.43 mm hoch  
 Streuwert 1.33, horizontal: 1.22, vertikal: 1.42



Serie 2:  
 10.1 →                      10.9 \*                      10.2 \*                      10.2 \*                      10.1 ↘  
 10.5 \*                      10.5 \*                      10.7 \*                      10.5 \*                      10.5 \*  
 beste Teiler 20.5 (12.) 59.9 (18.) 104.1 (19.)  
 Trefferlage 0.28 mm rechts, 0.21 mm hoch  
 Streuwert 1.09, horizontal: 1.22, vertikal: 0.94



Serie 3:  
 9.6 →                      10.4 \*                      10.8 \*                      10.1 ↘                      10.3 \*  
 10.6 \*                      10.5 \*                      10.0 ←                      10.4 \*                      9.2 ↘  
 beste Teiler 39.9 (23.) 90.1 (26.) 108.2 (27.)  
 Trefferlage 0.71 mm links, 0.33 mm hoch  
 Streuwert 1.54, horizontal: 1.77, vertikal: 1.27



Serie 4:  
 10.2 \*                      9.7 ←                      10.4 \*                      10.6 \*                      10.5 \*  
 10.1 ↙                      10.4 \*                      10.8 \*                      10.0 ←                      10.7 \*  
 beste Teiler 40.4 (38.) 64.6 (40.) 87.3 (34.)  
 Trefferlage 0.57 mm links, 0.03 mm hoch  
 Streuwert 1.20, horizontal: 1.49, vertikal: 0.81

Unterschrift des Schützen

Meyton Elektronik

**EYL Rifle – Wertung – offene Klasse**

**StartNr: 27**



StandNr: 134

9. Juni 2018 9:43


**GABRIELLI, Nicole #71**

Italy / Italy


Ergebnis: **409.3** (392)  
 Serien: 100.6 104.7 100.5 103.5  
 Zähler: 32 8 0 0 0 0 0 0 0 0  
 Innenzehner: 25  
 weiteste: 357 (1), 324 (40), 315 (26)  
 beste Teiler 31.7 (33.) 57.9 (14.) 59.0 (32.)  
 Trefferlage 0.16 mm rechts, 0.40 mm hoch  
 Streuwert 1.38, horizontal: 1.43, vertikal: 1.32




Serie 1:  
 9.5 ↑ 10.1 ↓ 9.8 ↖ 9.7 ↗ 10.4 \*  
 10.6 \* 10.0 ← 10.1 ↑ 10.3 \* 10.1 ↗  
 beste Teiler 94.6 (6.) 141.1 (5.) 170.4 (9.)  
 Trefferlage 0.07 mm links, 1.18 mm hoch  
 Streuwert 1.50, horizontal: 1.51, vertikal: 1.49



Serie 2:  
 10.6 \* 10.4 \* 10.6 \* 10.7 \* 10.5 \*  
 10.5 \* 10.4 \* 10.5 \* 10.2 \* 10.3 \*  
 beste Teiler 57.9 (14.) 77.6 (11.) 95.8 (13.)  
 Trefferlage 0.04 mm rechts, 0.25 mm hoch  
 Streuwert 0.92, horizontal: 1.01, vertikal: 0.81



Serie 3:  
 10.2 \* 10.1 ↑ 9.8 ↗ 10.2 \* 10.6 \*  
 9.7 ↗ 10.2 \* 9.9 ← 10.1 ↓ 9.7 ↘  
 beste Teiler 79.0 (25.) 184.2 (27.) 190.6 (24.)  
 Trefferlage 1.00 mm rechts, 0.26 mm hoch  
 Streuwert 1.57, horizontal: 1.60, vertikal: 1.53





Serie 4:  
 10.2 \* 10.7 \* 10.8 \* 10.4 \* 10.2 \*  
 10.5 \* 10.5 \* 10.5 \* 10.0 ↓ 9.7 ↖  
 beste Teiler 31.7 (33.) 59.0 (32.) 108.9 (37.)  
 Trefferlage 0.33 mm links, 0.10 mm tief  
 Streuwert 1.27, horizontal: 1.37, vertikal: 1.16


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **414.7** (395)  
 Serien: 103.4 103.9 104.5 102.9  
 Zähler: 35 5 0 0 0 0 0 0 0 0  
 Innenzehner: 33  
 weiteste: 318 (8), 298 (40), 295 (33)  
 beste Teiler 29.1 (37.) 36.1 (14.) 42.7 (27.)  
 Trefferlage 0.36 mm rechts, 0.06 mm tief  
 Streuwert 1.13, horizontal: 1.23, vertikal: 1.02




Serie 1:  
 10.1 ↗ 10.2 \* 10.6 \* 10.3 \* 10.6 \*  
 10.6 \* 10.4 \* 9.7 ↘ 10.5 \* 10.4 \*  
 beste Teiler 78.4 (5.) 85.2 (6.) 88.5 (3.)  
 Trefferlage 0.22 mm rechts, 0.23 mm tief  
 Streuwert 1.21, horizontal: 1.38, vertikal: 1.01



Serie 2:  
 10.5 \* 9.9 → 10.3 \* 10.8 \* 10.7 \*  
 10.2 \* 10.6 \* 10.2 \* 10.5 \* 10.2 \*  
 beste Teiler 36.1 (14.) 60.3 (15.) 94.5 (17.)  
 Trefferlage 0.41 mm rechts, 0.01 mm tief  
 Streuwert 1.09, horizontal: 1.10, vertikal: 1.09



Serie 3:  
 10.2 \* 10.3 \* 10.6 \* 10.2 \* 10.3 \*  
 10.7 \* 10.8 \* 10.6 \* 10.4 \* 10.4 \*  
 beste Teiler 42.7 (27.) 73.2 (26.) 78.8 (23.)  
 Trefferlage 0.00 mm , 0.01 mm hoch  
 Streuwert 1.01, horizontal: 1.10, vertikal: 0.92



Serie 4:  
 10.1 ↓ 10.6 \* 9.8 ↘ 9.9 ↗ 10.3 \*  
 10.5 \* 10.8 \* 10.5 \* 10.6 \* 9.8 →  
 beste Teiler 29.1 (37.) 88.0 (32.) 98.0 (39.)  
 Trefferlage 0.80 mm rechts, 0.02 mm tief  
 Streuwert 1.26, horizontal: 1.35, vertikal: 1.17

Unterschrift des Schützen

Meyton Elektronik