





Ergebnis: **397.6** (376)
 Serien: 98.1 102.8 99.4 97.3
 Zähler: 20 16 4 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 666 (22), 633 (1), 571 (40)
 beste Teiler 19.7 (11.) 26.2 (29.) 26.6 (13.)
 Trefferlage 0.08 mm links, 0.22 mm tief
 Streuwert 2.13, horizontal: 2.61, vertikal: 1.51




Serie 1:
 8.4 → 9.2 ↘ 9.2 → 10.4 * 9.8 ↙
 10.5 * 10.5 * 9.9 ↙ 10.3 * 9.9 ↙
 beste Teiler 106.6 (6.) 123.0 (7.) 146.0 (4.)
 Trefferlage 0.72 mm rechts, 0.58 mm tief
 Streuwert 2.37, horizontal: 2.94, vertikal: 1.60



Serie 2:
 10.9 * 9.6 → 10.8 * 10.0 ↓ 10.0 ↙
 10.7 * 10.7 * 9.9 ↘ 9.9 ↓ 10.3 *
 beste Teiler 19.7 (11.) 26.6 (13.) 54.4 (16.)
 Trefferlage 0.01 mm links, 0.42 mm tief
 Streuwert 1.45, horizontal: 1.32, vertikal: 1.58



Serie 3:
 10.7 * 8.3 ← 9.5 ← 10.1 ↙ 9.8 ↓
 10.3 * 10.4 * 10.0 ← 10.8 * 9.5 ↘
 beste Teiler 26.2 (29.) 73.8 (21.) 134.5 (27.)
 Trefferlage 0.73 mm links, 0.46 mm tief
 Streuwert 2.19, horizontal: 2.81, vertikal: 1.30





Serie 4:
 10.3 * 10.5 * 9.6 ↖ 9.8 → 10.2 *
 9.9 ↓ 9.8 ← 9.7 → 8.8 → 8.7 ↖
 beste Teiler 124.6 (32.) 158.3 (31.) 185.5 (35.)
 Trefferlage 0.31 mm links, 0.56 mm hoch
 Streuwert 2.47, horizontal: 3.16, vertikal: 1.49


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **396.7** (379)
 Serien: 100.7 95.2 100.1 100.7
 Zähler: 19 21 0 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 492 (17), 467 (28), 460 (11)
 beste Teiler 75.3 (25.) 97.2 (29.) 107.8 (4.)
 Trefferlage 0.55 mm rechts, 0.14 mm tief
 Streuwert 2.01, horizontal: 2.39, vertikal: 1.54




Serie 1:
 10.5 * 10.5 * 9.7 ← 10.5 * 10.0 ↙
 9.9 → 9.8 ↘ 9.8 → 10.3 * 9.7 →
 beste Teiler 107.8 (4.) 110.6 (2.) 121.7 (1.)
 Trefferlage 0.64 mm rechts, 0.06 mm tief
 Streuwert 1.67, horizontal: 2.04, vertikal: 1.19



Serie 2:
 9.1 ↑ 10.4 * 10.0 ↖ 9.7 ← 9.2 →
 9.2 ← 9.0 → 9.9 → 9.5 → 9.2 ←
 beste Teiler 145.5 (12.) 228.3 (13.) 271.9 (18.)
 Trefferlage 0.38 mm rechts, 0.23 mm hoch
 Streuwert 2.79, horizontal: 3.42, vertikal: 1.97



Serie 3:
 10.2 * 10.3 * 9.9 ↘ 9.5 → 10.7 *
 9.2 ↘ 10.2 * 9.1 ← 10.6 * 10.4 *
 beste Teiler 75.3 (25.) 97.2 (29.) 149.7 (30.)
 Trefferlage 0.31 mm rechts, 0.64 mm tief
 Streuwert 2.00, horizontal: 2.30, vertikal: 1.65





Serie 4:
 9.8 → 10.2 * 9.6 → 10.3 * 9.7 →
 9.9 ↘ 10.4 * 10.4 * 10.4 * 10.0 →
 beste Teiler 134.7 (39.) 140.6 (37.) 147.1 (38.)
 Trefferlage 0.87 mm rechts, 0.10 mm tief
 Streuwert 1.62, horizontal: 1.84, vertikal: 1.37


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **404.9** (391)
 Serien: 97.9 100.6 102.4 104.0
 Zähler: 32 7 1 0 0 0 0 0 0 0
 Innenzehner: 25
 weiteste: 511 (7), 475 (13), 442 (8)
 beste Teiler 32.5 (40.) 42.2 (1.) 48.3 (35.)
 Trefferlage 0.31 mm rechts, 0.13 mm hoch
 Streuwert 1.71, horizontal: 1.80, vertikal: 1.62




Serie 1:
 10.8 * 9.4 ↙ 10.3 * 9.2 ↘ 10.3 *
 9.4 ↘ 8.9 ↘ 9.2 → 10.2 * 10.2 *
 beste Teiler 42.2 (1.) 161.5 (5.) 166.3 (3.)
 Trefferlage 1.11 mm rechts, 0.90 mm tief
 Streuwert 2.22, horizontal: 2.32, vertikal: 2.12



Serie 2:
 9.3 ↖ 10.6 * 9.1 ← 10.0 ↙ 10.1 ↑
 10.7 * 10.1 → 10.2 * 10.2 * 10.3 *
 beste Teiler 56.6 (16.) 84.1 (12.) 159.2 (20.)
 Trefferlage 1.09 mm links, 0.07 mm tief
 Streuwert 1.71, horizontal: 1.99, vertikal: 1.38



Serie 3:
 10.2 * 10.2 * 10.5 * 10.2 * 10.1 ↑
 10.0 → 10.4 * 10.3 * 10.6 * 9.9 ↑
 beste Teiler 78.0 (29.) 109.2 (23.) 150.4 (27.)
 Trefferlage 0.98 mm rechts, 0.64 mm hoch
 Streuwert 1.09, horizontal: 0.80, vertikal: 1.32





Serie 4:
 10.4 * 10.5 * 10.2 * 10.1 ↑ 10.8 *
 10.1 ↑ 10.7 * 10.2 * 10.2 * 10.8 *
 beste Teiler 32.5 (40.) 48.3 (35.) 70.2 (37.)
 Trefferlage 0.25 mm rechts, 0.89 mm hoch
 Streuwert 0.91, horizontal: 0.77, vertikal: 1.03


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378.1** (360)
 Serien: 96.5 98.3 92.6 90.7
 Zähler: 15 17 3 3 2 0 0 0 0 0
 Innenzehner: 12
 weiteste: 1175 (35), 1072 (22), 918 (21)
 beste Teiler 34.9 (5.) 48.7 (17.) 95.5 (25.)
 Trefferlage 1.51 mm rechts, 0.50 mm hoch
 Streuwert 3.13, horizontal: 3.87, vertikal: 2.14




Serie 1:
 9.3 → 10.1 ↘ 10.2 * 9.7 ← 10.8 *
 7.6 → 10.5 * 8.5 → 9.9 ↑ 9.9 ↑
 beste Teiler 34.9 (5.) 108.5 (7.) 185.6 (3.)
 Trefferlage 1.38 mm rechts, 0.70 mm hoch
 Streuwert 2.72, horizontal: 3.59, vertikal: 1.37



Serie 2:
 9.9 → 9.5 ↘ 10.4 * 9.0 ← 9.4 ←
 9.0 ↗ 10.8 * 10.5 * 10.0 ↑ 9.8 ↘
 beste Teiler 48.7 (17.) 118.9 (18.) 133.0 (13.)
 Trefferlage 0.23 mm rechts, 0.15 mm tief
 Streuwert 2.33, horizontal: 2.75, vertikal: 1.82





Serie 3:
 7.3 ↖ 6.7 ↘ 9.6 ↖ 9.6 ↖ 10.6 *
 10.0 → 8.5 ↗ 10.4 * 9.7 ↗ 10.2 *
 beste Teiler 95.5 (25.) 135.0 (28.) 185.1 (30.)
 Trefferlage 1.00 mm rechts, 0.97 mm hoch
 Streuwert 3.81, horizontal: 4.31, vertikal: 3.22




Serie 4:
 10.4 * 7.3 → 8.7 → 10.4 * 6.3 →
 10.2 * 9.5 ↗ 9.7 ↘ 9.1 ↖ 9.1 →
 beste Teiler 135.0 (31.) 147.8 (34.) 180.8 (36.)
 Trefferlage 3.41 mm rechts, 0.47 mm hoch
 Streuwert 3.40, horizontal: 4.45, vertikal: 1.84

Unterschrift des Schützen


Ergebnis: **376.9** (359)
 Serien: 95.3 91.2 95.6 94.8
 Zähler: 10 21 7 2 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 764 (17), 763 (1), 672 (9)
 beste Teiler 101.0 (3.) 128.4 (23.) 141.8 (6.)
 Trefferlage 1.31 mm rechts, 0.56 mm hoch
 Streuwert 2.81, horizontal: 3.21, vertikal: 2.35




Serie 1:
 7.9 ↘ 9.0 ↗ 10.5 * 10.2 * 10.1 ↑
 10.4 * 9.9 ↘ 9.3 → 8.3 ← 9.7 ↗
 beste Teiler 101.0 (3.) 141.8 (6.) 193.2 (4.)
 Trefferlage 1.10 mm rechts, 0.15 mm hoch
 Streuwert 2.99, horizontal: 3.38, vertikal: 2.53



Serie 2:
 8.8 → 9.5 → 9.7 ↓ 9.5 ↗ 10.1 ↖
 8.8 ↗ 7.9 → 8.3 → 9.0 ↓ 9.6 ↖
 beste Teiler 223.0 (15.) 318.0 (13.) 326.0 (20.)
 Trefferlage 2.30 mm rechts, 0.93 mm hoch
 Streuwert 3.07, horizontal: 3.37, vertikal: 2.74



Serie 3:
 9.3 ↘ 9.0 → 10.4 * 8.8 ← 10.0 →
 9.8 ← 9.3 ↗ 9.2 ↖ 9.9 ↘ 9.9 ←
 beste Teiler 128.4 (23.) 234.3 (25.) 253.1 (29.)
 Trefferlage 0.29 mm rechts, 0.16 mm tief
 Streuwert 2.75, horizontal: 3.30, vertikal: 2.05





Serie 4:
 10.0 → 8.8 ↖ 9.2 ↑ 10.3 * 9.1 →
 9.3 ↗ 8.7 → 9.3 ↗ 10.3 * 9.8 ↘
 beste Teiler 169.3 (34.) 170.9 (39.) 246.2 (31.)
 Trefferlage 1.53 mm rechts, 1.36 mm hoch
 Streuwert 2.52, horizontal: 2.94, vertikal: 2.02


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **406.8** (390)
 Serien: 102.8 101.3 102.4 100.3
 Zähler: 32 7 0 1 0 0 0 0 0 0
 Innenzehner: 23
 weiteste: 814 (31), 389 (27), 338 (11)
 beste Teiler 32.3 (24.) 38.5 (10.) 60.8 (14.)
 Trefferlage 0.14 mm links, 0.35 mm hoch
 Streuwert 1.65, horizontal: 1.91, vertikal: 1.36




Serie 1:
 10.1 ↑ 10.3 * 10.4 * 9.8 ↘ 10.1 ↘
 10.4 * 10.6 * 10.0 ↗ 10.3 * 10.8 *
 beste Teiler 38.5 (10.) 98.0 (7.) 128.6 (3.)
 Trefferlage 0.83 mm rechts, 0.05 mm hoch
 Streuwert 1.21, horizontal: 1.12, vertikal: 1.29



Serie 2:
 9.6 ← 10.4 * 10.6 * 10.7 * 10.3 *
 10.1 ↙ 9.6 ↘ 9.9 → 10.0 ↘ 10.1 ←
 beste Teiler 60.8 (14.) 90.6 (13.) 130.5 (12.)
 Trefferlage 0.76 mm links, 0.06 mm hoch
 Streuwert 1.56, horizontal: 1.79, vertikal: 1.30



Serie 3:
 10.2 * 10.2 * 10.4 * 10.8 * 10.2 *
 10.0 ↑ 9.4 ↘ 10.0 ↙ 10.6 * 10.6 *
 beste Teiler 32.3 (24.) 90.4 (30.) 94.3 (29.)
 Trefferlage 0.01 mm rechts, 0.18 mm hoch
 Streuwert 1.52, horizontal: 1.59, vertikal: 1.45





Serie 4:
 7.7 ↖ 10.6 * 10.6 * 9.9 ↗ 9.8 →
 10.4 * 10.4 * 10.4 * 10.4 * 10.1 ↑
 beste Teiler 82.0 (32.) 91.9 (33.) 126.0 (36.)
 Trefferlage 0.68 mm links, 1.12 mm hoch
 Streuwert 2.07, horizontal: 2.63, vertikal: 1.28


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **390.1** (374)
 Serien: 97.4 96.4 98.7 97.6
 Zähler: 16 22 2 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 648 (11), 581 (37), 497 (32)
 beste Teiler 40.2 (30.) 55.9 (35.) 79.6 (27.)
 Trefferlage 0.29 mm links, 0.64 mm tief
 Streuwert 2.31, horizontal: 2.29, vertikal: 2.32




Serie 1:
 9.3 ↗ 10.4 * 9.6 ↘ 9.6 ↖ 9.4 ←
 10.2 * 9.5 ← 10.0 ↘ 10.0 ↓ 9.4 →
 beste Teiler 129.0 (2.) 184.1 (6.) 226.5 (8.)
 Trefferlage 0.15 mm rechts, 0.28 mm tief
 Streuwert 2.32, horizontal: 2.44, vertikal: 2.19



Serie 2:
 8.4 ↘ 9.5 ↓ 10.6 * 9.9 ↗ 9.4 ↖
 10.0 ↙ 9.4 ↖ 9.1 ↓ 9.9 ↓ 10.2 *
 beste Teiler 80.0 (13.) 196.6 (20.) 246.8 (16.)
 Trefferlage 0.67 mm links, 1.35 mm tief
 Streuwert 2.48, horizontal: 2.28, vertikal: 2.66



Serie 3:
 9.3 ← 9.4 ↓ 10.4 * 9.6 ↓ 9.9 →
 9.0 ↓ 10.6 * 10.3 * 9.4 ← 10.8 *
 beste Teiler 40.2 (30.) 79.6 (27.) 127.5 (23.)
 Trefferlage 0.70 mm links, 1.36 mm tief
 Streuwert 1.93, horizontal: 1.97, vertikal: 1.88





Serie 4:
 10.1 ↘ 9.0 ↖ 10.5 * 10.0 ↑ 10.7 *
 9.8 → 8.6 ↖ 9.5 ↘ 10.1 ↖ 9.3 ↓
 beste Teiler 55.9 (35.) 118.5 (33.) 213.4 (31.)
 Trefferlage 0.05 mm rechts, 0.41 mm hoch
 Streuwert 2.49, horizontal: 2.65, vertikal: 2.31


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **394.6** (374)
 Serien: 97.7 100.7 99.3 96.9
 Zähler: 21 12 7 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 614 (9), 586 (30), 561 (35)
 beste Teiler 7.2 (11.) 54.4 (12.) 68.2 (19.)
 Trefferlage 0.22 mm links, 1.24 mm hoch
 Streuwert 2.08, horizontal: 2.37, vertikal: 1.75




Serie 1:
 10.5 * 10.4 * 10.0 ↑ 9.6 ↗ 9.6 ↖
 9.7 ← 10.0 ↗ 9.4 ↗ 8.5 ↗ 10.0 ←
 beste Teiler 101.2 (1.) 141.9 (2.) 230.4 (10.)
 Trefferlage 0.25 mm rechts, 1.36 mm hoch
 Streuwert 2.20, horizontal: 2.83, vertikal: 1.30



Serie 2:
 10.9 * 10.7 * 10.5 * 9.5 ↑ 8.9 ↖
 9.9 ↘ 10.2 * 10.5 * 10.7 * 8.9 ↖
 beste Teiler 7.2 (11.) 54.4 (12.) 68.2 (19.)
 Trefferlage 0.66 mm links, 1.49 mm hoch
 Streuwert 1.72, horizontal: 1.80, vertikal: 1.64



Serie 3:
 10.3 * 10.1 ↘ 10.4 * 9.9 ↓ 10.0 ←
 10.6 * 9.6 ↗ 9.8 ↗ 10.0 ← 8.6 →
 beste Teiler 100.4 (26.) 147.3 (23.) 162.3 (21.)
 Trefferlage 0.32 mm rechts, 0.20 mm hoch
 Streuwert 2.13, horizontal: 2.68, vertikal: 1.37





Serie 4:
 10.5 * 10.5 * 8.9 ← 10.7 * 8.7 ↗
 9.9 ↘ 9.5 ↘ 10.1 ↗ 8.9 ↑ 9.2 ↖
 beste Teiler 70.2 (34.) 101.2 (31.) 106.3 (32.)
 Trefferlage 0.82 mm links, 1.89 mm hoch
 Streuwert 2.23, horizontal: 2.17, vertikal: 2.28


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **394.8** (376)
 Serien: 98.5 97.5 98.7 100.1
 Zähler: 18 20 2 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 583 (17), 547 (18), 479 (13)
 beste Teiler 54.2 (16.) 60.8 (19.) 90.0 (40.)
 Trefferlage 0.31 mm rechts, 0.64 mm hoch
 Streuwert 2.11, horizontal: 2.53, vertikal: 1.58




Serie 1:
 10.5 * 9.6 ↘ 9.4 → 9.7 ↗ 10.0 →
 9.4 ↙ 10.2 * 9.8 ↘ 9.7 ↑ 10.2 *
 beste Teiler 102.8 (1.) 189.7 (10.) 197.6 (7.)
 Trefferlage 0.90 mm rechts, 0.59 mm hoch
 Streuwert 2.00, horizontal: 2.21, vertikal: 1.75



Serie 2:
 10.2 * 10.2 * 9.0 ↑ 9.8 → 9.7 ↗
 10.7 * 8.6 ← 8.8 → 10.7 * 9.8 ↙
 beste Teiler 54.2 (16.) 60.8 (19.) 176.1 (12.)
 Trefferlage 0.73 mm rechts, 0.45 mm hoch
 Streuwert 2.52, horizontal: 3.13, vertikal: 1.68



Serie 3:
 9.4 → 9.7 ↑ 10.2 * 9.6 → 9.1 ↙
 9.9 → 10.2 * 10.1 ↑ 9.9 ← 10.6 *
 beste Teiler 92.2 (30.) 191.0 (27.) 196.3 (23.)
 Trefferlage 0.24 mm rechts, 0.82 mm hoch
 Streuwert 2.09, horizontal: 2.60, vertikal: 1.39





Serie 4:
 9.2 ↙ 9.1 ↗ 10.5 * 10.2 * 9.3 ↙
 9.6 ↘ 10.6 * 10.5 * 10.5 * 10.6 *
 beste Teiler 90.0 (40.) 93.8 (37.) 103.1 (39.)
 Trefferlage 0.61 mm links, 0.69 mm hoch
 Streuwert 1.96, horizontal: 2.19, vertikal: 1.70


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **390.4** (376)
 Serien: 96.1 100.2 97.2 96.9
 Zähler: 22 12 6 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 728 (28), 695 (7), 676 (32)
 beste Teiler 69.9 (13.) 76.0 (36.) 79.9 (33.)
 Trefferlage 0.00 mm , 1.10 mm hoch
 Streuwert 2.39, horizontal: 3.02, vertikal: 1.53




Serie 1:
 9.1 ↘ 10.2 * 9.0 ↗ 8.7 ← 10.2 *
 10.0 ↘ 8.2 ← 10.4 * 10.1 ↘ 10.2 *
 beste Teiler 137.7 (8.) 183.6 (5.) 186.8 (2.)
 Trefferlage 0.57 mm links, 0.15 mm hoch
 Streuwert 2.84, horizontal: 3.62, vertikal: 1.74



Serie 2:
 10.3 * 10.5 * 10.7 * 9.5 ↘ 9.6 ↗
 9.1 ↘ 10.4 * 10.3 * 10.5 * 9.3 ←
 beste Teiler 69.9 (13.) 111.6 (12.) 112.2 (19.)
 Trefferlage 0.55 mm links, 1.07 mm hoch
 Streuwert 1.80, horizontal: 2.12, vertikal: 1.40





Serie 3:
 9.7 ← 9.7 ↗ 10.6 * 10.3 * 10.4 *
 9.2 ↑ 10.4 * 8.0 ← 9.1 ↘ 9.8 ↗
 beste Teiler 92.3 (23.) 148.6 (27.) 150.5 (25.)
 Trefferlage 0.71 mm links, 1.79 mm hoch
 Streuwert 2.27, horizontal: 2.90, vertikal: 1.38




Serie 4:
 8.5 → 8.2 ↗ 10.6 * 8.9 ↗ 10.3 *
 10.6 * 10.3 * 9.2 ↗ 10.2 * 10.1 ↘
 beste Teiler 76.0 (36.) 79.9 (33.) 158.3 (37.)
 Trefferlage 1.86 mm rechts, 1.40 mm hoch
 Streuwert 2.22, horizontal: 2.88, vertikal: 1.26

Unterschrift des Schützen


Ergebnis: **390.8** (370)
 Serien: 96.4 98.0 96.9 99.5
 Zähler: 14 22 4 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 645 (2), 538 (11), 503 (25)
 beste Teiler 24.5 (24.) 37.9 (15.) 62.5 (12.)
 Trefferlage 1.06 mm links, 0.40 mm tief
 Streuwert 2.20, horizontal: 2.57, vertikal: 1.75




Serie 1:
 9.2 ← 8.4 ↖ 9.6 ↖ 10.0 ↑ 10.1 ↗
 9.9 ↘ 10.3 * 9.6 ↖ 9.9 ↑ 9.4 ←
 beste Teiler 159.9 (7.) 225.4 (5.) 250.2 (4.)
 Trefferlage 2.03 mm links, 1.12 mm hoch
 Streuwert 2.00, horizontal: 2.32, vertikal: 1.62



Serie 2:
 8.8 ↖ 10.7 * 10.0 ↓ 8.9 → 10.8 *
 9.7 ↗ 9.8 ← 10.2 * 9.7 ↘ 9.4 ←
 beste Teiler 37.9 (15.) 62.5 (12.) 196.5 (18.)
 Trefferlage 0.56 mm links, 0.40 mm tief
 Streuwert 2.40, horizontal: 3.02, vertikal: 1.53



Serie 3:
 9.5 ↗ 10.0 ↓ 9.7 ↗ 10.9 * 8.9 ←
 10.3 * 9.2 → 9.4 ← 9.1 ← 9.9 ↘
 beste Teiler 24.5 (24.) 175.1 (26.) 243.3 (22.)
 Trefferlage 1.43 mm links, 1.28 mm tief
 Streuwert 2.14, horizontal: 2.66, vertikal: 1.45





Serie 4:
 9.8 → 10.6 * 9.5 ↓ 10.7 * 9.6 ↗
 10.4 * 9.1 ↖ 10.1 ↓ 9.8 ↓ 9.9 →
 beste Teiler 68.6 (34.) 79.1 (32.) 127.2 (36.)
 Trefferlage 0.23 mm links, 1.03 mm tief
 Streuwert 1.88, horizontal: 2.18, vertikal: 1.52


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **399.4** (380)
 Serien: 99.1 99.0 100.6 100.7
 Zähler: 21 18 1 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 505 (22), 483 (15), 445 (9)
 beste Teiler 8.0 (34.) 61.3 (30.) 61.6 (35.)
 Trefferlage 0.30 mm rechts, 0.54 mm hoch
 Streuwert 1.89, horizontal: 1.94, vertikal: 1.83




Serie 1:
 10.2 * 10.1 → 9.9 ↗ 9.8 ↘ 10.0 →
 10.1 ↘ 10.0 ↓ 10.5 * 9.2 ↘ 9.3 ↘
 beste Teiler 115.2 (8.) 183.0 (1.) 216.4 (6.)
 Trefferlage 0.48 mm links, 1.17 mm hoch
 Streuwert 1.85, horizontal: 1.91, vertikal: 1.80



Serie 2:
 10.1 ↘ 9.4 ↖ 10.6 * 10.4 * 9.0 ↑
 9.7 → 9.8 ↗ 9.9 ↓ 9.6 → 10.5 *
 beste Teiler 91.0 (13.) 105.2 (20.) 132.8 (14.)
 Trefferlage 0.27 mm rechts, 0.78 mm hoch
 Streuwert 2.07, horizontal: 2.01, vertikal: 2.12



Serie 3:
 10.1 ↗ 8.9 → 10.7 * 9.9 ← 10.3 *
 9.6 ↘ 9.7 ↗ 10.2 * 10.5 * 10.7 *
 beste Teiler 61.3 (30.) 62.3 (23.) 118.1 (29.)
 Trefferlage 0.56 mm rechts, 0.52 mm hoch
 Streuwert 1.86, horizontal: 2.09, vertikal: 1.61





Serie 4:
 9.2 → 10.5 * 9.7 ↘ 10.9 * 10.7 *
 9.8 → 9.9 → 10.0 ↘ 9.8 ↓ 10.2 *
 beste Teiler 8.0 (34.) 61.6 (35.) 116.4 (32.)
 Trefferlage 0.89 mm rechts, 0.29 mm tief
 Streuwert 1.75, horizontal: 1.79, vertikal: 1.71


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **393.9** (373)
 Serien: 95.7 100.7 97.6 99.9
 Zähler: 17 19 4 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 658 (27), 605 (31), 537 (1)
 beste Teiler 21.4 (33.) 45.3 (36.) 88.0 (13.)
 Trefferlage 0.47 mm links, 0.77 mm hoch
 Streuwert 2.16, horizontal: 2.46, vertikal: 1.82




Serie 1:
 8.8 ↑ 9.3 → 9.1 → 10.3 * 9.0 ↘
 9.3 ← 10.0 ↑ 9.8 ↖ 9.8 ↗ 10.3 *
 beste Teiler 156.7 (10.) 173.6 (4.) 239.7 (7.)
 Trefferlage 0.09 mm links, 1.34 mm hoch
 Streuwert 2.55, horizontal: 2.90, vertikal: 2.13



Serie 2:
 10.5 * 10.5 * 10.6 * 9.8 ↑ 10.2 *
 9.5 ← 10.1 ↑ 9.8 ↘ 9.9 ↙ 9.8 ↓
 beste Teiler 88.0 (13.) 110.0 (11.) 115.3 (12.)
 Trefferlage 0.75 mm links, 0.41 mm hoch
 Streuwert 1.65, horizontal: 1.34, vertikal: 1.91



Serie 3:
 10.4 * 10.5 * 9.9 ↘ 10.6 * 10.0 ↗
 9.7 → 8.3 ↖ 8.9 ← 9.7 ← 9.6 ↑
 beste Teiler 96.6 (24.) 105.2 (22.) 139.2 (21.)
 Trefferlage 0.55 mm links, 1.06 mm hoch
 Streuwert 2.39, horizontal: 3.04, vertikal: 1.48





Serie 4:
 8.5 ← 9.7 ↘ 10.9 * 9.8 ← 10.2 *
 10.8 * 10.6 * 9.8 → 10.5 * 9.1 ↑
 beste Teiler 21.4 (33.) 45.3 (36.) 97.0 (37.)
 Trefferlage 0.49 mm links, 0.26 mm hoch
 Streuwert 2.19, horizontal: 2.54, vertikal: 1.77


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **392.1** (374)
 Serien: 100.3 98.5 97.1 96.2
 Zähler: 18 18 4 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 725 (24), 645 (34), 631 (40)
 beste Teiler 28.0 (6.) 61.8 (18.) 72.7 (35.)
 Trefferlage 0.09 mm links, 0.07 mm hoch
 Streuwert 2.40, horizontal: 2.90, vertikal: 1.75




Serie 1:
 10.6 * 10.1 ↓ 10.4 * 9.9 → 9.3 ↓
 10.8 * 10.5 * 9.9 ↑ 9.0 ← 9.8 ←
 beste Teiler 28.0 (6.) 100.3 (1.) 109.1 (7.)
 Trefferlage 0.57 mm links, 0.38 mm tief
 Streuwert 1.91, horizontal: 2.12, vertikal: 1.67



Serie 2:
 9.1 → 10.6 * 8.6 → 10.3 * 10.2 *
 9.2 ← 10.3 * 10.7 * 10.3 * 9.2 →
 beste Teiler 61.8 (18.) 93.9 (12.) 151.9 (14.)
 Trefferlage 1.32 mm rechts, 0.19 mm hoch
 Streuwert 2.23, horizontal: 2.91, vertikal: 1.24



Serie 3:
 9.2 ↑ 10.1 → 9.7 ↓ 8.1 ← 10.2 *
 9.9 ↘ 9.5 → 10.4 * 9.7 ↗ 10.3 *
 beste Teiler 144.6 (28.) 164.3 (30.) 189.6 (25.)
 Trefferlage 0.08 mm links, 0.33 mm hoch
 Streuwert 2.60, horizontal: 2.89, vertikal: 2.28





Serie 4:
 9.9 ← 9.3 ← 9.6 ↑ 8.4 → 10.7 *
 10.6 * 10.3 * 9.4 ← 9.6 ↘ 8.4 ←
 beste Teiler 72.7 (35.) 91.0 (36.) 173.0 (37.)
 Trefferlage 1.07 mm links, 0.16 mm hoch
 Streuwert 2.74, horizontal: 3.41, vertikal: 1.85


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **397.9** (378)
 Serien: 102.1 100.3 97.8 97.7
 Zähler: 20 18 2 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 544 (34), 524 (40), 465 (28)
 beste Teiler 83.8 (17.) 85.4 (12.) 91.8 (1.)
 Trefferlage 0.07 mm rechts, 0.24 mm hoch
 Streuwert 2.01, horizontal: 2.21, vertikal: 1.77




Serie 1:
 10.6 * 10.4 * 9.6 ↘ 10.4 * 10.1 ↘
 10.5 * 10.2 * 10.6 * 9.8 → 9.9 ↘
 beste Teiler 91.8 (1.) 98.7 (8.) 121.0 (6.)
 Trefferlage 0.33 mm links, 0.67 mm hoch
 Streuwert 1.44, horizontal: 1.86, vertikal: 0.82



Serie 2:
 9.4 ↗ 10.6 * 10.5 * 9.8 ↘ 9.9 ↓
 9.6 → 10.6 * 10.0 ← 10.5 * 9.4 ←
 beste Teiler 83.8 (17.) 85.4 (12.) 101.6 (19.)
 Trefferlage 0.03 mm rechts, 0.09 mm hoch
 Streuwert 1.93, horizontal: 2.16, vertikal: 1.68



Serie 3:
 10.4 * 9.1 ↑ 10.1 ↘ 9.4 ↘ 9.9 ↘
 10.3 * 10.1 ↓ 9.1 → 9.5 ↗ 9.9 ↗
 beste Teiler 141.0 (21.) 170.1 (26.) 203.4 (23.)
 Trefferlage 0.33 mm links, 0.18 mm hoch
 Streuwert 2.33, horizontal: 2.20, vertikal: 2.45



Serie 4:
 9.8 ↘ 10.1 ↑ 10.2 * 8.8 ↘ 9.8 ↘
 10.5 * 10.1 ↑ 9.7 → 9.8 ↗ 8.9 ←
 beste Teiler 119.0 (36.) 192.7 (33.) 205.0 (37.)
 Trefferlage 0.93 mm rechts, 0.03 mm hoch
 Streuwert 2.34, horizontal: 2.66, vertikal: 1.97

Unterschrift des Schützen

Meyton Elektronik