





Ergebnis: **390.7** (372)
 Serien: 97.4 96.3 99.0 98.0
 Zaehler: 16 20 4 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 740 (6), 595 (31), 528 (28)
 beste Teiler 13.0 (7.) 36.8 (23.) 51.7 (29.)
 Trefferlage 0.84 mm rechts, 0.03 mm tief
 Streuwert 2.39, horizontal: 2.76, vertikal: 1.94




Serie 1:
 9.6 ← 8.9 ← 10.0 ↓ 10.6 * 9.8 ←
 8.0 ↙ 10.9 * 9.8 ↑ 9.6 ↘ 10.2 *
 beste Teiler 13.0 (7.) 82.9 (4.) 196.9 (10.)
 Trefferlage 1.44 mm links, 0.83 mm tief
 Streuwert 2.40, horizontal: 2.69, vertikal: 2.06



Serie 2:
 9.0 ↗ 9.1 ← 9.1 ↓ 10.7 * 9.7 ↗
 9.5 ↘ 10.4 * 10.6 * 9.1 → 9.1 →
 beste Teiler 72.3 (14.) 79.4 (18.) 146.7 (17.)
 Trefferlage 1.16 mm rechts, 0.34 mm hoch
 Streuwert 2.56, horizontal: 2.80, vertikal: 2.29



Serie 3:
 9.2 ↘ 10.7 * 10.8 * 9.7 ↗ 10.5 *
 9.6 → 10.0 ↓ 8.8 → 10.7 * 9.0 →
 beste Teiler 36.8 (23.) 51.7 (29.) 63.6 (22.)
 Trefferlage 2.17 mm rechts, 0.45 mm tief
 Streuwert 1.70, horizontal: 2.07, vertikal: 1.24





Serie 4:
 8.6 → 9.8 ↘ 10.5 * 10.5 * 9.6 ↑
 9.7 ↗ 9.3 ↗ 9.4 ↗ 10.6 * 10.0 ↖
 beste Teiler 89.0 (39.) 110.3 (33.) 119.6 (34.)
 Trefferlage 1.49 mm rechts, 0.78 mm hoch
 Streuwert 2.10, horizontal: 2.30, vertikal: 1.87


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **396.2** (380)
 Serien: 96.6 100.6 100.3 98.7
 Zaehler: 23 14 3 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 589 (1), 551 (6), 509 (35)
 beste Teiler 61.2 (20.) 113.2 (39.) 122.6 (11.)
 Trefferlage 0.37 mm links, 0.46 mm tief
 Streuwert 2.03, horizontal: 2.22, vertikal: 1.82




Serie 1:
 8.6 ↙ 9.1 ↙ 10.2 * 10.1 ↗ 10.0 ↓
 8.7 ↓ 9.8 ↙ 10.1 ↗ 9.7 ← 10.3 *
 beste Teiler 170.2 (10.) 184.8 (3.) 211.1 (4.)
 Trefferlage 0.88 mm links, 0.89 mm tief
 Streuwert 2.48, horizontal: 2.47, vertikal: 2.49



Serie 2:
 10.5 * 9.6 ↖ 10.4 * 10.3 * 9.6 ↙
 9.9 ↘ 10.0 ↘ 9.6 → 10.0 ← 10.7 *
 beste Teiler 61.2 (20.) 122.6 (11.) 140.0 (13.)
 Trefferlage 0.09 mm links, 0.27 mm tief
 Streuwert 1.83, horizontal: 2.23, vertikal: 1.31





Serie 3:
 10.4 * 10.2 * 10.1 ↖ 10.1 ↓ 10.0 ↑
 9.8 ↘ 9.7 ↖ 10.3 * 10.4 * 9.3 →
 beste Teiler 132.0 (21.) 145.8 (29.) 171.0 (28.)
 Trefferlage 0.04 mm rechts, 0.07 mm tief
 Streuwert 1.80, horizontal: 1.94, vertikal: 1.65




Serie 4:
 9.8 ↖ 9.6 ↖ 9.4 ↙ 10.2 * 8.9 ↘
 10.4 * 9.9 ↑ 10.0 ↘ 10.5 * 10.0 ←
 beste Teiler 113.2 (39.) 146.8 (36.) 177.4 (34.)
 Trefferlage 0.54 mm links, 0.59 mm tief
 Streuwert 2.13, horizontal: 2.42, vertikal: 1.81

Unterschrift des Schuetzen


Ergebnis: **405.2** (389)
 Serien: 101.5 100.2 100.3 103.2
 Zaehler: 30 9 1 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 551 (23), 478 (34), 444 (27)
 beste Teiler 32.3 (8.) 34.4 (24.) 51.7 (39.)
 Trefferlage 0.51 mm rechts, 0.17 mm tief
 Streuwert 1.67, horizontal: 1.88, vertikal: 1.44




Serie 1:
 9.7 ↖ 10.4 * 10.3 * 10.3 * 9.5 ↘
 9.2 ↗ 10.4 * 10.8 * 10.3 * 10.6 *
 beste Teiler 32.3 (8.) 98.0 (10.) 137.0 (7.)
 Trefferlage 0.06 mm rechts, 0.96 mm tief
 Streuwert 1.59, horizontal: 1.90, vertikal: 1.20



Serie 2:
 10.6 * 10.0 ↓ 10.3 * 9.5 → 9.8 ↖
 10.1 ↗ 10.0 ↓ 10.0 ↓ 9.8 ↓ 10.1 ↗
 beste Teiler 82.8 (11.) 170.3 (13.) 207.2 (16.)
 Trefferlage 0.42 mm rechts, 0.23 mm tief
 Streuwert 1.79, horizontal: 1.61, vertikal: 1.95



Serie 3:
 10.2 * 10.1 ↗ 8.7 → 10.8 * 10.5 *
 10.0 ↖ 9.2 → 10.4 * 10.7 * 9.7 ↗
 beste Teiler 34.4 (24.) 59.5 (29.) 101.0 (25.)
 Trefferlage 0.77 mm rechts, 0.34 mm hoch
 Streuwert 1.95, horizontal: 2.50, vertikal: 1.16





Serie 4:
 10.7 * 10.1 ↓ 10.7 * 9.0 → 10.5 *
 10.7 * 10.2 * 10.0 ↗ 10.7 * 10.6 *
 beste Teiler 51.7 (39.) 51.9 (36.) 52.4 (31.)
 Trefferlage 0.80 mm rechts, 0.15 mm hoch
 Streuwert 1.36, horizontal: 1.56, vertikal: 1.12


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **383.5** (367)
 Serien: 99.2 93.9 93.0 97.4
 Zaehler: 14 20 5 1 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 795 (15), 727 (21), 597 (23)
 beste Teiler 76.3 (36.) 85.4 (4.) 90.8 (38.)
 Trefferlage 0.47 mm rechts, 0.05 mm hoch
 Streuwert 2.70, horizontal: 3.44, vertikal: 1.64




Serie 1:
 10.0 ↘ 9.6 → 8.8 ← 10.6 * 9.5 →
 9.7 → 10.5 * 10.3 * 10.0 ↓ 10.2 *
 beste Teiler 85.4 (4.) 113.2 (7.) 165.2 (8.)
 Trefferlage 0.67 mm rechts, 0.34 mm hoch
 Streuwert 2.07, horizontal: 2.70, vertikal: 1.14



Serie 2:
 9.2 ← 10.3 * 9.0 → 9.5 → 7.8 ↙
 9.2 ↘ 10.2 * 10.2 * 8.7 → 9.8 ←
 beste Teiler 161.0 (12.) 178.6 (18.) 185.1 (17.)
 Trefferlage 0.38 mm rechts, 0.47 mm tief
 Streuwert 3.20, horizontal: 4.16, vertikal: 1.80



Serie 3:
 8.0 → 8.8 ← 8.6 → 9.4 ↘ 9.1 ←
 9.5 ↗ 9.6 → 10.1 ↓ 10.2 * 9.7 →
 beste Teiler 192.6 (29.) 207.1 (28.) 318.9 (30.)
 Trefferlage 1.25 mm rechts, 0.07 mm tief
 Streuwert 3.17, horizontal: 4.14, vertikal: 1.71



Serie 4:
 9.4 → 9.8 → 9.6 ↘ 9.1 ↘ 10.0 ↙
 10.6 * 9.1 ↘ 10.6 * 9.9 ← 9.3 ←
 beste Teiler 76.3 (36.) 90.8 (38.) 243.9 (35.)
 Trefferlage 0.42 mm links, 0.41 mm hoch
 Streuwert 2.42, horizontal: 2.85, vertikal: 1.90

Unterschrift des Schuetzen

Meyton Elektronik

Ergebnis: **378.5** (360)

Serien: 91.9 97.2 95.6 93.8

Zaehler: 14 15 8 3 0 0 0 0 0 0



Innenzehner: 11

weiteste: 945 (6), 879 (10), 802 (28)

beste Teiler 52.0 (33.) 54.2 (9.) 68.6 (27.)

Trefferlage 1.57 mm links, 1.37 mm hoch

Streuwert 2.74, horizontal: 2.55, vertikal: 2.91




Serie 1:

10.6 *	8.6 ↘	9.1 ←	9.9 ↙	10.6 *
7.2 ↘	8.8 ←	9.0 ←	10.7 *	7.4 ↘

beste Teiler 54.2 (9.) 91.2 (1.) 100.1 (5.)

Trefferlage 3.09 mm links, 1.66 mm hoch

Streuwert 2.99, horizontal: 2.54, vertikal: 3.38




Serie 2:

9.9 ↙	10.0 ↘	9.1 ↑	10.2 *	10.5 *
8.0 ↑	9.0 ↑	10.2 *	10.5 *	9.8 ↑

beste Teiler 118.2 (19.) 118.3 (15.) 180.0 (14.)

Trefferlage 0.15 mm links, 2.27 mm hoch

Streuwert 2.10, horizontal: 0.80, vertikal: 2.85




Serie 3:

10.1 ↘	10.1 ←	9.6 ↑	9.2 ←	10.2 *
9.8 ↙	10.7 *	7.7 ↘	8.6 ↘	9.6 ↗

beste Teiler 68.6 (27.) 193.3 (25.) 210.6 (22.)

Trefferlage 0.91 mm links, 0.69 mm hoch

Streuwert 2.87, horizontal: 3.02, vertikal: 2.72



Serie 4:

8.9 ←	9.5 ↓	10.7 *	10.4 *	8.8 ↗
9.5 ↘	8.4 ↘	8.8 ←	9.4 ←	9.4 ←

beste Teiler 52.0 (33.) 130.9 (34.) 367.8 (32.)



Trefferlage 2.14 mm links, 0.88 mm hoch

Streuwert 2.69, horizontal: 2.54, vertikal: 2.84


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **393.0** (374)
 Serien: 98.1 97.5 99.9 97.5
 Zaehler: 18 19 2 1 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 885 (37), 549 (7), 509 (23)
 beste Teiler 79.7 (4.) 84.1 (6.) 89.8 (29.)
 Trefferlage 0.75 mm links, 0.67 mm hoch
 Streuwert 2.20, horizontal: 2.79, vertikal: 1.36




Serie 1:
 9.3 ↗ 9.3 ↘ 9.4 ← 10.6 * 10.1 ↖
 10.6 * 8.8 ↗ 9.6 ↘ 10.1 ↑ 10.3 *
 beste Teiler 79.7 (4.) 84.1 (6.) 161.6 (10.)
 Trefferlage 0.24 mm links, 1.22 mm hoch
 Streuwert 2.20, horizontal: 2.73, vertikal: 1.49



Serie 2:
 9.4 ← 9.4 → 9.8 ↑ 9.9 ↘ 9.7 ←
 10.4 * 9.8 ↗ 9.6 → 9.6 ↘ 9.9 →
 beste Teiler 128.3 (16.) 261.2 (20.) 273.0 (14.)
 Trefferlage 0.01 mm rechts, 1.01 mm hoch
 Streuwert 2.20, horizontal: 2.87, vertikal: 1.20



Serie 3:
 10.0 ↓ 10.4 * 8.9 ← 10.6 * 10.0 ↖
 10.1 → 9.5 ↙ 9.7 → 10.6 * 10.1 ↑
 beste Teiler 89.8 (29.) 95.1 (24.) 126.2 (22.)
 Trefferlage 0.34 mm links, 0.04 mm hoch
 Streuwert 2.01, horizontal: 2.39, vertikal: 1.54



Serie 4:
 9.4 ← 9.7 ← 10.5 * 10.6 * 9.1 ←
 10.3 * 7.4 ← 10.2 * 10.5 * 9.8 ←
 beste Teiler 99.4 (34.) 109.1 (33.) 109.6 (39.)
 Trefferlage 2.43 mm links, 0.43 mm hoch
 Streuwert 2.13, horizontal: 2.84, vertikal: 1.00

Unterschrift des Schuetzen

Meyton Elektronik

Ergebnis: **399.3** (380)

Serien: 98.0 100.6 102.1 98.6

Zaehler: 22 16 2 0 0 0 0 0 0 0



Innenzehner: 13

weiteste: 576 (3), 568 (4), 460 (14)

beste Teiler 51.2 (22.) 68.1 (24.) 70.2 (29.)

Trefferlage 0.41 mm rechts, 1.05 mm hoch

Streuwert 1.79, horizontal: 2.05, vertikal: 1.47




Serie 1:

10.5 *	10.4 *	8.6 ↗	8.7 ↖	10.1 ↑
10.0 ↘	10.0 ↑	10.1 ↑	9.7 ↗	9.9 ↑

beste Teiler 119.6 (1.) 145.0 (2.) 210.6 (5.)

Trefferlage 0.38 mm rechts, 1.42 mm hoch

Streuwert 2.16, horizontal: 2.62, vertikal: 1.58




Serie 2:

10.7 *	10.4 *	10.5 *	9.1 ↗	9.6 ↗
10.7 *	10.1 ↑	9.9 ↖	9.9 →	9.7 →

beste Teiler 71.5 (11.) 73.2 (16.) 117.4 (13.)

Trefferlage 0.88 mm rechts, 0.82 mm hoch

Streuwert 1.68, horizontal: 1.73, vertikal: 1.62




Serie 3:

10.1 ←	10.7 *	10.5 *	10.7 *	10.4 *
10.0 ↗	9.2 ↗	9.9 →	10.7 *	9.9 ↖

beste Teiler 51.2 (22.) 68.1 (24.) 70.2 (29.)

Trefferlage 0.22 mm rechts, 0.57 mm hoch

Streuwert 1.58, horizontal: 1.93, vertikal: 1.11



Serie 4:

10.1 ↖	9.5 ↖	9.9 ↗	10.2 *	10.1 ↓
9.3 →	9.8 ↖	9.5 ↗	10.5 *	9.7 ↑

beste Teiler 114.4 (39.) 180.6 (34.) 202.7 (35.)



Trefferlage 0.15 mm rechts, 1.39 mm hoch

Streuwert 1.84, horizontal: 2.08, vertikal: 1.56


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **404.5** (388)
 Serien: 102.1 100.0 102.6 99.8
 Zaehler: 28 12 0 0 0 0 0 0 0 0
 Innenzehner: 22
 weiteste: 490 (1), 422 (11), 341 (31)
 beste Teiler 14.7 (10.) 35.6 (8.) 55.0 (29.)
 Trefferlage 0.17 mm rechts, 0.32 mm hoch
 Streuwert 1.64, horizontal: 1.55, vertikal: 1.72




Serie 1:
 9.0 ↓ 10.7 * 9.6 ↑ 10.5 * 10.2 *
 10.1 ↓ 10.3 * 10.8 * 10.0 ← 10.9 *
 beste Teiler 14.7 (10.) 35.6 (8.) 75.6 (2.)
 Trefferlage 0.09 mm links, 0.11 mm hoch
 Streuwert 1.73, horizontal: 1.07, vertikal: 2.20



Serie 2:
 9.3 ↘ 10.0 ↘ 10.2 * 10.2 * 10.3 *
 9.7 ↘ 9.6 ↘ 10.0 ↑ 10.2 * 10.5 *
 beste Teiler 112.7 (20.) 156.4 (15.) 187.9 (14.)
 Trefferlage 0.30 mm rechts, 0.86 mm hoch
 Streuwert 1.78, horizontal: 1.56, vertikal: 1.98



Serie 3:
 10.2 * 10.1 ↘ 9.9 → 10.2 * 10.1 ↘
 10.4 * 10.3 * 10.2 * 10.7 * 10.5 *
 beste Teiler 55.0 (29.) 121.5 (30.) 126.1 (26.)
 Trefferlage 0.46 mm rechts, 0.23 mm hoch
 Streuwert 1.27, horizontal: 1.39, vertikal: 1.13





Serie 4:
 9.6 ← 10.2 * 9.7 ↘ 9.8 → 10.2 *
 10.4 * 9.9 ↘ 9.8 ↘ 10.4 * 9.8 ↘
 beste Teiler 141.4 (39.) 146.9 (36.) 179.9 (35.)
 Trefferlage 0.03 mm rechts, 0.10 mm hoch
 Streuwert 1.88, horizontal: 2.17, vertikal: 1.55


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **394.9** (377)
 Serien: 98.4 100.9 99.7 95.9
 Zaehler: 18 21 1 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 629 (32), 470 (35), 427 (38)
 beste Teiler 28.6 (17.) 92.1 (12.) 111.0 (25.)
 Trefferlage 0.04 mm rechts, 0.87 mm hoch
 Streuwert 2.03, horizontal: 2.22, vertikal: 1.81




Serie 1:
 10.3 * 10.3 * 9.5 ← 10.5 * 10.2 *
 9.6 ↖ 9.4 ↗ 9.6 ↗ 9.4 ↑ 9.6 ←
 beste Teiler 124.1 (4.) 165.0 (1.) 169.7 (2.)
 Trefferlage 0.48 mm links, 1.02 mm hoch
 Streuwert 2.08, horizontal: 2.42, vertikal: 1.66



Serie 2:
 10.3 * 10.6 * 9.7 ↗ 9.6 ↖ 9.9 ↗
 10.0 ← 10.8 * 9.7 ↘ 10.1 → 10.2 *
 beste Teiler 28.6 (17.) 92.1 (12.) 174.7 (11.)
 Trefferlage 0.33 mm rechts, 0.33 mm hoch
 Streuwert 1.72, horizontal: 1.75, vertikal: 1.69



Serie 3:
 10.1 ↑ 10.3 * 9.9 ↖ 9.4 ↘ 10.5 *
 9.8 ↘ 10.3 * 9.7 ↗ 10.2 * 9.5 ↓
 beste Teiler 111.0 (25.) 162.6 (22.) 169.0 (27.)
 Trefferlage 0.63 mm rechts, 0.23 mm hoch
 Streuwert 1.89, horizontal: 1.58, vertikal: 2.16





Serie 4:
 9.4 ↖ 8.4 ↖ 10.3 * 9.5 → 9.1 ↖
 10.3 * 9.6 ↑ 9.2 → 10.4 * 9.7 ↑
 beste Teiler 148.0 (39.) 163.8 (36.) 174.0 (33.)
 Trefferlage 0.29 mm links, 1.89 mm hoch
 Streuwert 2.35, horizontal: 3.01, vertikal: 1.40


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **394.0** (380)
 Serien: 96.0 99.1 100.3 98.6
 Zaehler: 22 16 2 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 712 (4), 618 (9), 480 (15)
 beste Teiler 79.0 (27.) 102.7 (22.) 131.5 (28.)
 Trefferlage 0.86 mm links, 0.15 mm hoch
 Streuwert 2.08, horizontal: 2.04, vertikal: 2.11




Serie 1:
 9.4 ↖ 9.8 ↓ 9.6 ↖ 8.1 ↘ 10.0 ←
 10.2 * 10.2 * 10.1 ↘ 8.5 ↙ 10.1 ↘
 beste Teiler 177.1 (6.) 195.9 (7.) 213.4 (10.)
 Trefferlage 1.72 mm links, 0.13 mm tief
 Streuwert 2.53, horizontal: 2.64, vertikal: 2.42



Serie 2:
 10.0 ↑ 9.8 ↘ 10.1 ↓ 10.2 * 9.0 ↘
 10.3 * 9.7 → 10.3 * 9.9 ↓ 9.8 ↙
 beste Teiler 155.6 (16.) 174.0 (18.) 194.8 (14.)
 Trefferlage 0.30 mm links, 0.04 mm hoch
 Streuwert 2.04, horizontal: 1.74, vertikal: 2.30





Serie 3:
 9.8 ↖ 10.5 * 10.4 * 10.0 ↘ 10.0 ↘
 9.9 ↑ 10.6 * 10.4 * 9.1 ↑ 9.6 ↖
 beste Teiler 79.0 (27.) 102.7 (22.) 131.5 (28.)
 Trefferlage 0.45 mm links, 1.15 mm hoch
 Streuwert 1.66, horizontal: 1.62, vertikal: 1.70




Serie 4:
 10.0 ↙ 9.7 → 10.0 ↓ 9.1 ↖ 10.1 ↘
 10.2 * 10.0 ↘ 9.6 ↓ 10.0 ↖ 9.9 ↙
 beste Teiler 182.1 (36.) 211.6 (35.) 227.2 (39.)
 Trefferlage 0.99 mm links, 0.42 mm tief
 Streuwert 1.96, horizontal: 2.01, vertikal: 1.91

Unterschrift des Schuetzen


Ergebnis: **397.0** (378)
 Serien: 98.3 98.8 100.2 99.7
 Zaehler: 19 20 1 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 708 (1), 464 (14), 447 (32)
 beste Teiler 39.3 (22.) 70.7 (26.) 79.2 (37.)
 Trefferlage 0.17 mm links, 0.48 mm hoch
 Streuwert 2.05, horizontal: 2.27, vertikal: 1.81




Serie 1:
 8.1 → 9.5 ← 10.6 * 9.2 ← 10.4 *
 10.4 * 9.9 ← 10.5 * 10.1 ↓ 9.6 →
 beste Teiler 85.7 (3.) 114.3 (8.) 142.2 (5.)
 Trefferlage 0.25 mm rechts, 0.54 mm tief
 Streuwert 2.45, horizontal: 3.26, vertikal: 1.17



Serie 2:
 9.6 ← 9.8 ↓ 9.9 ↘ 9.1 ↑ 10.3 *
 10.3 * 9.9 ↘ 9.8 ↘ 9.8 ↖ 10.3 *
 beste Teiler 153.1 (15.) 161.0 (20.) 172.2 (16.)
 Trefferlage 0.47 mm links, 0.35 mm hoch
 Streuwert 2.06, horizontal: 1.84, vertikal: 2.26



Serie 3:
 9.5 ↖ 10.8 * 9.2 ↑ 9.9 ↑ 10.6 *
 10.7 * 10.1 ↖ 10.2 * 9.8 ↖ 9.4 →
 beste Teiler 39.3 (22.) 70.7 (26.) 87.8 (25.)
 Trefferlage 0.45 mm links, 1.37 mm hoch
 Streuwert 1.69, horizontal: 1.95, vertikal: 1.39



Serie 4:
 10.1 ↑ 9.2 ↘ 10.6 * 9.2 ↖ 9.8 ↖
 10.1 ↖ 10.6 * 9.7 ↗ 10.0 ← 10.4 *
 beste Teiler 79.2 (37.) 87.2 (33.) 133.0 (40.)
 Trefferlage 0.02 mm links, 0.77 mm hoch
 Streuwert 1.96, horizontal: 2.00, vertikal: 1.92

Unterschrift des Schuetzen

Meyton Elektronik