

EYL Rifle – Wertung – offene Klasse

StartNr: 6



StandNr: 139

9. Juni 2018 12:20


KRUMM, Clémentine #1000000237

France / France


Ergebnis: **410.8** (396)
 Serien: 103.3 102.9 103.8 100.8
 Zähler: 36 4 0 0 0 0 0 0 0 0
 Innenzehner: 27
 weiteste: 451 (35), 293 (40), 278 (12)
 beste Teiler 34.4 (39.) 52.6 (28.) 56.5 (6.)
 Trefferlage 0.18 mm rechts, 0.38 mm hoch
 Streuwert 1.29, horizontal: 1.43, vertikal: 1.13




Serie 1:
 10.1 ↓ 10.7 * 10.5 * 10.3 * 10.3 *
 10.7 * 9.9 → 10.3 * 10.5 * 10.0 ↖
 beste Teiler 56.5 (6.) 69.6 (2.) 102.1 (3.)
 Trefferlage 0.04 mm links, 0.34 mm hoch
 Streuwert 1.19, horizontal: 1.40, vertikal: 0.94



Serie 2:
 10.3 * 9.8 ↖ 10.5 * 10.3 * 10.4 *
 10.1 ↘ 10.4 * 10.1 ← 10.4 * 10.6 *
 beste Teiler 89.2 (20.) 104.0 (13.) 127.6 (15.)
 Trefferlage 0.26 mm links, 0.46 mm hoch
 Streuwert 1.22, horizontal: 1.13, vertikal: 1.30



Serie 3:
 10.6 * 10.6 * 10.2 * 10.3 * 10.4 *
 10.2 * 10.3 * 10.7 * 10.1 ↑ 10.4 *
 beste Teiler 52.6 (28.) 93.3 (22.) 100.3 (21.)
 Trefferlage 0.19 mm rechts, 0.44 mm hoch
 Streuwert 1.04, horizontal: 0.83, vertikal: 1.21



Serie 4:
 10.4 * 10.1 ← 10.0 ↘ 10.3 * 9.1 →
 10.2 * 10.0 → 10.1 ↑ 10.8 * 9.8 →
 beste Teiler 34.4 (39.) 141.6 (31.) 166.2 (34.)
 Trefferlage 0.83 mm rechts, 0.29 mm hoch
 Streuwert 1.68, horizontal: 2.03, vertikal: 1.24

Unterschrift des Schützen

Meyton Elektronik

EYL Rifle – Wertung – offene Klasse

StartNr: 7



StandNr: 141

9. Juni 2018 12:20


MULLER, Océane #1000000239

France / France


Ergebnis: **414.5** (397)
 Serien: 103.1 104.7 104.1 102.6
 Zähler: 37 3 0 0 0 0 0 0 0 0
 Innenzehner: 30
 weiteste: 336 (5), 270 (1), 259 (31)
 beste Teiler 20.6 (10.) 49.7 (15.) 55.0 (27.)
 Trefferlage 0.03 mm rechts, 0.23 mm hoch
 Streuwert 1.17, horizontal: 1.30, vertikal: 1.01




Serie 1:
 9.9 ↗ 10.5 * 10.4 * 10.6 * 9.6 ↖
 10.2 * 10.0 ↘ 10.7 * 10.3 * 10.9 *
 beste Teiler 20.6 (10.) 69.6 (8.) 82.8 (4.)
 Trefferlage 0.31 mm links, 0.51 mm hoch
 Streuwert 1.34, horizontal: 1.44, vertikal: 1.22



Serie 2:
 10.6 * 10.1 → 10.1 ↘ 10.6 * 10.8 *
 10.6 * 10.4 * 10.6 * 10.7 * 10.2 *
 beste Teiler 49.7 (15.) 66.2 (19.) 82.7 (16.)
 Trefferlage 0.02 mm rechts, 0.04 mm hoch
 Streuwert 1.00, horizontal: 1.08, vertikal: 0.91



Serie 3:
 10.3 * 10.0 ↘ 10.5 * 10.5 * 10.4 *
 10.5 * 10.7 * 10.6 * 10.3 * 10.3 *
 beste Teiler 55.0 (27.) 93.8 (28.) 120.2 (24.)
 Trefferlage 0.14 mm rechts, 0.06 mm hoch
 Streuwert 1.09, horizontal: 1.21, vertikal: 0.96



Serie 4:
 9.9 ↘ 10.1 → 10.0 ↘ 10.5 * 10.2 *
 10.4 * 10.6 * 10.2 * 10.6 * 10.1 ←
 beste Teiler 85.4 (37.) 89.5 (39.) 116.2 (34.)
 Trefferlage 0.31 mm rechts, 0.30 mm hoch
 Streuwert 1.32, horizontal: 1.55, vertikal: 1.02

Unterschrift des Schützen

Meyton Elektronik

EYL Rifle – Wertung – offene Klasse

StartNr: 8



StandNr: 143

9. Juni 2018 12:20


DESTEFANIS, Bastien #1000000253

France / France


Ergebnis: **402.9** (386)
 Serien: 99.4 99.8 101.8 101.9
 Zähler: 26 14 0 0 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 495 (18), 463 (10), 350 (16)
 beste Teiler 37.5 (35.) 60.0 (36.) 72.4 (21.)
 Trefferlage 0.15 mm rechts, 0.78 mm hoch
 Streuwert 1.64, horizontal: 1.84, vertikal: 1.41




Serie 1:
 10.0 ↗ 10.0 → 10.1 ↗ 9.7 ← 10.6 *
 9.6 ↖ 10.5 * 9.8 ↓ 10.0 ← 9.1 ↖
 beste Teiler 77.4 (5.) 125.2 (7.) 223.5 (3.)
 Trefferlage 0.68 mm links, 0.66 mm hoch
 Streuwert 1.93, horizontal: 2.27, vertikal: 1.51



Serie 2:
 10.4 * 10.0 ↖ 10.4 * 9.8 ↑ 10.1 →
 9.6 → 9.7 → 9.0 ↑ 10.2 * 10.6 *
 beste Teiler 94.1 (20.) 129.2 (11.) 132.4 (13.)
 Trefferlage 0.10 mm rechts, 1.21 mm hoch
 Streuwert 1.78, horizontal: 1.95, vertikal: 1.59



Serie 3:
 10.7 * 10.0 ↑ 9.7 ↑ 10.4 * 10.4 *
 10.4 * 9.8 ↗ 10.4 * 9.8 ↗ 10.2 *
 beste Teiler 72.4 (21.) 132.7 (26.) 141.7 (28.)
 Trefferlage 0.93 mm rechts, 0.74 mm hoch
 Streuwert 1.26, horizontal: 1.06, vertikal: 1.43



Serie 4:
 10.4 * 9.6 ↗ 10.2 * 9.9 ↘ 10.8 *
 10.7 * 10.2 * 10.1 → 9.8 ← 10.2 *
 beste Teiler 37.5 (35.) 60.0 (36.) 144.2 (31.)
 Trefferlage 0.25 mm rechts, 0.50 mm hoch
 Streuwert 1.52, horizontal: 1.77, vertikal: 1.21

Unterschrift des Schützen

Meyton Elektronik

EYL Rifle – Wertung – offene Klasse

StartNr: 22



StandNr: 144

9. Juni 2018 12:19


MAYR, Carmen #159

Austria / Austria


Ergebnis: **408.6** (392)
 Serien: 102.0 100.4 102.2 104.0
 Zähler: 32 8 0 0 0 0 0 0 0 0
 Innenzehner: 24
 weiteste: 368 (30), 334 (14), 308 (18)
 beste Teiler 26.5 (33.) 33.1 (36.) 53.4 (37.)
 Trefferlage 0.02 mm links, 0.25 mm tief
 Streuwert 1.42, horizontal: 1.45, vertikal: 1.39




Serie 1:
 9.9 ← 10.2 * 10.7 * 10.2 * 10.3 *
 10.2 * 10.0 → 10.4 * 10.2 * 9.9 ↖
 beste Teiler 56.9 (3.) 132.9 (8.) 159.3 (5.)
 Trefferlage 0.01 mm links, 0.47 mm hoch
 Streuwert 1.40, horizontal: 1.73, vertikal: 0.95



Serie 2:
 10.7 * 10.0 ↙ 9.7 ↓ 9.6 ↓ 10.0 ↘
 10.4 * 10.0 ↘ 9.7 → 10.0 ↖ 10.3 *
 beste Teiler 55.8 (11.) 146.2 (16.) 169.5 (20.)
 Trefferlage 0.04 mm links, 0.58 mm tief
 Streuwert 1.73, horizontal: 1.70, vertikal: 1.75



Serie 3:
 10.4 * 10.0 ↘ 10.6 * 9.9 ↓ 10.5 *
 10.3 * 10.7 * 10.1 ↑ 10.2 * 9.5 ←
 beste Teiler 66.4 (27.) 76.6 (23.) 109.6 (25.)
 Trefferlage 0.21 mm rechts, 0.01 mm hoch
 Streuwert 1.49, horizontal: 1.58, vertikal: 1.41



Serie 4:
 10.5 * 9.8 ↙ 10.8 * 10.1 ↓ 10.5 *
 10.8 * 10.7 * 10.2 * 10.4 * 10.2 *
 beste Teiler 26.5 (33.) 33.1 (36.) 53.4 (37.)
 Trefferlage 0.24 mm links, 0.92 mm tief
 Streuwert 0.94, horizontal: 0.83, vertikal: 1.03

Unterschrift des Schützen

Meyton Elektronik

EYL Rifle – Wertung – offene Klasse

StartNr: 24



StandNr: 140

9. Juni 2018 12:18


MAIR, Tobias #161

Austria / Austria


Ergebnis: **412.0** (395)
 Serien: 103.4 102.7 103.0 102.9
 Zähler: 35 5 0 0 0 0 0 0 0 0
 Innenzehner: 28
 weiteste: 346 (30), 325 (40), 275 (21)
 beste Teiler 2.2 (29.) 46.2 (22.) 48.6 (6.)
 Trefferlage 0.15 mm rechts, 0.10 mm hoch
 Streuwert 1.29, horizontal: 1.52, vertikal: 1.00




Serie 1:
 10.2 * 10.5 * 10.4 * 10.0 ↘ 10.1 ↘
 10.8 * 10.1 → 10.3 * 10.7 * 10.3 *
 beste Teiler 48.6 (6.) 56.3 (9.) 109.7 (2.)
 Trefferlage 0.24 mm rechts, 0.14 mm tief
 Streuwert 1.19, horizontal: 1.45, vertikal: 0.84



Serie 2:
 10.4 * 10.5 * 10.2 * 10.0 ↖ 10.6 *
 9.9 → 10.2 * 10.2 * 10.6 * 10.1 ←
 beste Teiler 89.8 (19.) 94.7 (15.) 119.0 (12.)
 Trefferlage 0.25 mm links, 0.67 mm hoch
 Streuwert 1.25, horizontal: 1.60, vertikal: 0.76



Serie 3:
 9.9 → 10.8 * 9.9 ↙ 10.4 * 10.6 *
 10.4 * 10.2 * 10.3 * 10.9 * 9.6 →
 beste Teiler 2.2 (29.) 46.2 (22.) 76.2 (25.)
 Trefferlage 0.20 mm rechts, 0.37 mm tief
 Streuwert 1.42, horizontal: 1.80, vertikal: 0.89



Serie 4:
 10.5 * 10.4 * 10.3 * 10.4 * 10.4 *
 10.8 * 10.2 * 10.1 ↘ 10.1 ↗ 9.7 ↘
 beste Teiler 50.6 (36.) 108.1 (31.) 134.4 (34.)
 Trefferlage 0.42 mm rechts, 0.27 mm hoch
 Streuwert 1.30, horizontal: 1.36, vertikal: 1.24

Unterschrift des Schützen

Meyton Elektronik

EYL Rifle – Wertung – offene Klasse

StartNr: 25



StandNr: 142

9. Juni 2018 12:18


WADLEGGER, Stefan #150

Austria / Austria


Ergebnis: **413.4** (396)
 Serien: 102.6 103.0 104.0 103.8
 Zähler: 36 4 0 0 0 0 0 0 0 0
 Innenzehner: 31
 weiteste: 278 (4), 270 (14), 268 (38)
 beste Teiler 33.5 (34.) 40.7 (22.) 54.5 (32.)
 Trefferlage 0.41 mm links, 0.52 mm hoch
 Streuwert 1.11, horizontal: 1.23, vertikal: 0.97




Serie 1:
 10.1 ↓ 10.1 ↓ 10.3 * 9.8 ← 10.5 *
 10.6 * 10.2 * 10.1 ↑ 10.4 * 10.5 *
 beste Teiler 87.0 (6.) 114.6 (5.) 121.2 (10.)
 Trefferlage 0.62 mm links, 0.37 mm hoch
 Streuwert 1.24, horizontal: 1.06, vertikal: 1.40



Serie 2:
 10.5 * 10.3 * 10.4 * 9.9 ← 10.2 *
 10.1 ↖ 10.7 * 10.0 ↘ 10.2 * 10.7 *
 beste Teiler 55.0 (17.) 75.0 (20.) 118.2 (11.)
 Trefferlage 0.46 mm links, 0.42 mm hoch
 Streuwert 1.24, horizontal: 1.41, vertikal: 1.04



Serie 3:
 10.3 * 10.8 * 10.6 * 10.3 * 10.4 *
 10.2 * 10.3 * 10.3 * 10.5 * 10.3 *
 beste Teiler 40.7 (22.) 88.1 (23.) 111.0 (29.)
 Trefferlage 0.39 mm links, 0.53 mm hoch
 Streuwert 0.98, horizontal: 1.21, vertikal: 0.67



Serie 4:
 10.4 * 10.7 * 10.2 * 10.8 * 9.9 ↖
 10.3 * 10.5 * 9.9 ↑ 10.7 * 10.4 *
 beste Teiler 33.5 (34.) 54.5 (32.) 73.4 (39.)
 Trefferlage 0.17 mm links, 0.77 mm hoch
 Streuwert 1.09, horizontal: 1.36, vertikal: 0.73

Unterschrift des Schützen

Meyton Elektronik