

EYL Rifle – Wertung – offene Klasse

StartNr: 27



StandNr: 134

9. Juni 2018 12:15


GABRIELLI, Nicole #71

Italy / Italy


Ergebnis: **407.6** (393)
 Serien: 101.0 99.8 103.8 103.0
 Zähler: 33 7 0 0 0 0 0 0 0 0
 Innenzehner: 25
 weiteste: 424 (11), 386 (1), 355 (12)
 beste Teiler 44.9 (30.) 68.4 (29.) 87.0 (38.)
 Trefferlage 0.23 mm links, 0.50 mm hoch
 Streuwert 1.46, horizontal: 1.56, vertikal: 1.34




Serie 1:
 9.4 ← 10.4 * 10.0 ← 10.0 ↘ 10.1 ↘
 10.4 * 10.3 * 9.6 ↘ 10.4 * 10.4 *
 beste Teiler 127.4 (2.) 134.4 (9.) 141.7 (6.)
 Trefferlage 1.04 mm links, 0.58 mm hoch
 Streuwert 1.44, horizontal: 1.53, vertikal: 1.34



Serie 2:
 9.3 ↘ 9.5 ↑ 10.3 * 10.1 ↘ 10.1 →
 10.2 * 10.5 * 10.6 * 9.6 → 9.6 ↗
 beste Teiler 91.5 (18.) 113.1 (17.) 175.0 (13.)
 Trefferlage 0.28 mm rechts, 1.14 mm hoch
 Streuwert 1.78, horizontal: 1.99, vertikal: 1.54



Serie 3:
 10.5 * 10.3 * 10.1 → 10.3 * 10.4 *
 10.1 ↘ 10.6 * 10.0 ↘ 10.7 * 10.8 *
 beste Teiler 44.9 (30.) 68.4 (29.) 97.3 (27.)
 Trefferlage 0.01 mm rechts, 0.44 mm hoch
 Streuwert 1.15, horizontal: 1.13, vertikal: 1.16



Serie 4:
 10.2 * 10.3 * 10.4 * 9.9 ↙ 10.3 *
 10.3 * 10.6 * 10.6 * 10.2 * 10.2 *
 beste Teiler 87.0 (38.) 95.6 (37.) 138.6 (33.)
 Trefferlage 0.17 mm links, 0.14 mm tief
 Streuwert 1.28, horizontal: 1.37, vertikal: 1.18

Unterschrift des Schützen

Meyton Elektronik

EYL Rifle – Wertung – offene Klasse

StartNr: 28



StandNr: 132

9. Juni 2018 12:19


FORMICHELLA, Carmine #1000000236

Italy / Italy


Ergebnis: **417.0** (396)
 Serien: 103.2 103.5 104.4 105.9
 Zähler: 36 4 0 0 0 0 0 0 0 0
 Innenzehner: 33
 weiteste: 291 (4), 273 (13), 269 (30)
 beste Teiler 13.6 (37.) 34.0 (22.) 48.0 (16.)
 Trefferlage 0.04 mm rechts, 0.00 mm
 Streuwert 1.07, horizontal: 1.11, vertikal: 1.03




Serie 1:
 10.1 ← 10.8 * 10.4 * 9.8 ↖ 10.7 *
 10.2 * 10.4 * 10.1 ↑ 10.2 * 10.5 *
 beste Teiler 49.2 (2.) 75.1 (5.) 111.3 (10.)
 Trefferlage 0.39 mm links, 0.13 mm hoch
 Streuwert 1.27, horizontal: 1.31, vertikal: 1.23



Serie 2:
 10.6 * 10.4 * 9.9 ↘ 10.3 * 10.1 ↗
 10.8 * 9.9 ↗ 10.5 * 10.5 * 10.5 *
 beste Teiler 48.0 (16.) 79.0 (11.) 109.6 (20.)
 Trefferlage 0.40 mm rechts, 0.17 mm hoch
 Streuwert 1.23, horizontal: 1.30, vertikal: 1.15



Serie 3:
 10.5 * 10.8 * 10.3 * 10.4 * 10.5 *
 10.5 * 10.7 * 10.4 * 10.4 * 9.9 ↓
 beste Teiler 34.0 (22.) 65.1 (27.) 110.1 (26.)
 Trefferlage 0.35 mm rechts, 0.43 mm tief
 Streuwert 0.97, horizontal: 0.85, vertikal: 1.07



Serie 4:
 10.2 * 10.5 * 10.6 * 10.6 * 10.5 *
 10.7 * 10.9 * 10.8 * 10.6 * 10.5 *
 beste Teiler 13.6 (37.) 50.0 (38.) 53.7 (36.)
 Trefferlage 0.16 mm links, 0.11 mm hoch
 Streuwert 0.71, horizontal: 0.83, vertikal: 0.57

Unterschrift des Schützen

Meyton Elektronik

EYL Rifle – Wertung – offene Klasse

StartNr: 29



StandNr: 136

9. Juni 2018 12:21


SOLLAZZO, Danilo #1000000251

Italy / Italy


Ergebnis: **407.9** (390)
 Serien: 101.1 103.3 102.2 101.3
 Zähler: 30 10 0 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 367 (13), 359 (31), 346 (26)
 beste Teiler 1.0 (25.) 34.1 (11.) 65.7 (18.)
 Trefferlage 0.03 mm links, 0.27 mm hoch
 Streuwert 1.48, horizontal: 1.65, vertikal: 1.28




Serie 1:
 9.8 ↙ 10.1 → 10.1 → 10.3 * 10.1 ↘
 10.0 → 10.5 * 10.1 → 10.1 ← 10.0 ↖
 beste Teiler 106.9 (7.) 154.5 (4.) 208.5 (2.)
 Trefferlage 0.44 mm rechts, 0.22 mm tief
 Streuwert 1.57, horizontal: 1.77, vertikal: 1.34



Serie 2:
 10.8 * 10.6 * 9.5 ↖ 9.7 ← 10.6 *
 10.4 * 10.7 * 10.7 * 9.9 ↘ 10.4 *
 beste Teiler 34.1 (11.) 65.7 (18.) 69.6 (17.)
 Trefferlage 0.69 mm links, 0.53 mm hoch
 Streuwert 1.28, horizontal: 1.37, vertikal: 1.17



Serie 3:
 10.2 * 10.4 * 10.1 ↑ 10.1 ↑ 10.9 *
 9.6 ↖ 10.0 ↖ 10.4 * 10.6 * 9.9 ↗
 beste Teiler 1.0 (25.) 98.0 (29.) 132.2 (22.)
 Trefferlage 0.02 mm rechts, 1.26 mm hoch
 Streuwert 1.20, horizontal: 1.39, vertikal: 0.97



Serie 4:
 9.5 ← 9.9 ← 10.6 * 10.3 * 10.5 *
 10.4 * 10.4 * 9.8 → 10.0 ← 9.9 ↘
 beste Teiler 85.4 (33.) 108.2 (35.) 131.8 (36.)
 Trefferlage 0.10 mm rechts, 0.48 mm tief
 Streuwert 1.58, horizontal: 2.03, vertikal: 0.92

Unterschrift des Schützen

Meyton Elektronik

EYL Rifle – Wertung – offene Klasse

StartNr: 38



StandNr: 133

9. Juni 2018 12:18


?NIDARI?, Nusa #1000000249

Slovenia / Slovenia


Ergebnis: **410.6** (393)
 Serien: 99.8 103.8 103.1 103.9
 Zähler: 33 7 0 0 0 0 0 0 0 0
 Innenzehner: 28
 weiteste: 449 (2), 439 (5), 307 (13)
 beste Teiler 3.0 (23.) 23.4 (31.) 54.7 (18.)
 Trefferlage 0.09 mm rechts, 0.23 mm tief
 Streuwert 1.39, horizontal: 1.58, vertikal: 1.17




Serie 1:
 10.5 * 9.2 ↖ 9.8 ↙ 9.9 ↗ 9.2 →
 10.2 * 10.1 ↘ 10.5 * 10.3 * 10.1 ↓
 beste Teiler 112.8 (1.) 118.6 (8.) 153.6 (9.)
 Trefferlage 0.28 mm rechts, 0.41 mm tief
 Streuwert 1.98, horizontal: 2.42, vertikal: 1.42



Serie 2:
 10.3 * 10.0 ↘ 9.7 ↘ 10.5 * 10.7 *
 10.6 * 10.6 * 10.7 * 10.2 * 10.5 *
 beste Teiler 54.7 (18.) 62.2 (15.) 89.1 (16.)
 Trefferlage 0.34 mm rechts, 0.42 mm tief
 Streuwert 1.12, horizontal: 1.39, vertikal: 0.75



Serie 3:
 9.9 ↖ 10.3 * 10.9 * 10.1 ↙ 10.5 *
 10.2 * 10.3 * 10.2 * 10.4 * 10.3 *
 beste Teiler 3.0 (23.) 118.3 (25.) 128.6 (29.)
 Trefferlage 0.00 mm , 0.22 mm tief
 Streuwert 1.29, horizontal: 1.31, vertikal: 1.26





Serie 4:
 10.9 * 10.3 * 10.6 * 10.2 * 10.3 *
 10.5 * 10.1 ↙ 10.6 * 9.9 ↗ 10.5 *
 beste Teiler 23.4 (31.) 84.2 (38.) 93.3 (33.)
 Trefferlage 0.26 mm links, 0.12 mm hoch
 Streuwert 1.14, horizontal: 1.03, vertikal: 1.24


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **408.8** (392)
 Serien: 102.8 102.7 102.2 101.1
 Zähler: 32 8 0 0 0 0 0 0 0 0
 Innenzehner: 23
 weiteste: 408 (31), 406 (28), 326 (7)
 beste Teiler 18.6 (29.) 56.8 (23.) 58.2 (6.)
 Trefferlage 0.16 mm rechts, 0.29 mm hoch
 Streuwert 1.46, horizontal: 1.47, vertikal: 1.45




Serie 1:
 10.7 * 10.0 ↘ 10.3 * 9.8 ↖ 10.4 *
 10.7 * 9.6 ↗ 10.7 * 10.3 * 10.3 *
 beste Teiler 58.2 (6.) 64.5 (8.) 69.0 (1.)
 Trefferlage 0.04 mm rechts, 0.23 mm hoch
 Streuwert 1.41, horizontal: 1.30, vertikal: 1.52



Serie 2:
 9.8 ↗ 10.0 ↖ 10.7 * 10.6 * 10.2 *
 10.6 * 10.1 ↓ 10.1 ← 10.4 * 10.2 *
 beste Teiler 73.7 (13.) 76.6 (16.) 100.0 (14.)
 Trefferlage 0.00 mm , 0.28 mm hoch
 Streuwert 1.40, horizontal: 1.46, vertikal: 1.34



Serie 3:
 10.5 * 10.0 → 10.7 * 10.4 * 10.0 ↓
 9.7 ↖ 10.4 * 9.3 → 10.9 * 10.3 *
 beste Teiler 18.6 (29.) 56.8 (23.) 102.5 (21.)
 Trefferlage 0.66 mm rechts, 0.29 mm hoch
 Streuwert 1.50, horizontal: 1.70, vertikal: 1.28



Serie 4:
 9.3 ↙ 10.0 ↓ 10.1 ↖ 10.5 * 10.6 *
 9.9 ↗ 10.0 → 9.9 ↗ 10.2 * 10.6 *
 beste Teiler 98.2 (40.) 99.0 (35.) 114.4 (34.)
 Trefferlage 0.02 mm links, 0.37 mm hoch
 Streuwert 1.67, horizontal: 1.51, vertikal: 1.82

Unterschrift des Schützen

Meyton Elektronik

EYL Rifle – Wertung – offene Klasse

StartNr: 41



StandNr: 137

9. Juni 2018 12:21


MEDVED, Teja #1000000252

Slovenia / Slovenia


Ergebnis: **394.5** (376)
 Serien: 99.2 96.3 99.6 99.4
 Zähler: 19 18 3 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 659 (18), 601 (20), 522 (31)
 beste Teiler 71.4 (22.) 84.5 (33.) 88.8 (5.)
 Trefferlage 0.82 mm links, 0.01 mm tief
 Streuwert 2.12, horizontal: 2.44, vertikal: 1.74




Serie 1:
 9.6 ↘ 10.4 * 9.1 ← 9.8 ↘ 10.6 *
 9.9 ↙ 9.6 ↗ 10.3 * 9.5 ↙ 10.4 *
 beste Teiler 88.8 (5.) 128.5 (10.) 139.2 (2.)
 Trefferlage 0.27 mm links, 0.53 mm hoch
 Streuwert 2.04, horizontal: 2.38, vertikal: 1.64



Serie 2:
 10.1 ↓ 10.1 ↘ 9.8 ↗ 10.2 * 9.3 ↘
 10.3 * 10.2 * 8.3 ← 9.5 ↙ 8.5 ↙
 beste Teiler 160.0 (16.) 192.0 (14.) 193.7 (17.)
 Trefferlage 0.74 mm links, 0.40 mm tief
 Streuwert 2.69, horizontal: 3.26, vertikal: 1.96



Serie 3:
 9.2 ↙ 10.7 * 9.7 ↘ 9.8 ↗ 9.5 ↓
 10.3 * 10.5 * 9.0 ← 10.5 * 10.4 *
 beste Teiler 71.4 (22.) 105.5 (29.) 118.7 (27.)
 Trefferlage 0.97 mm links, 0.40 mm tief
 Streuwert 2.00, horizontal: 2.03, vertikal: 1.96



Serie 4:
 8.9 ↙ 10.1 ↙ 10.6 * 10.3 * 9.5 ←
 10.4 * 9.8 ↙ 9.8 ↗ 9.9 ↗ 10.1 →
 beste Teiler 84.5 (33.) 141.0 (36.) 161.2 (34.)
 Trefferlage 1.29 mm links, 0.21 mm hoch
 Streuwert 1.84, horizontal: 2.17, vertikal: 1.42

Unterschrift des Schützen

Meyton Elektronik