





Ergebnis: **361** (381.9)
 Serien: 89 93 91 88
 Zähler: 14 15 9 2 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2509 (24), 2444 (32), 2018 (3)
 beste Teiler 292.3 (23.) 333.1 (19.) 385.0 (29.)
 Trefferlage 4.65 mm links, 3.07 mm tief
 Streuwert 8.21, horizontal: 7.50, vertikal: 8.86




Serie 1:
 9.8 ↘ 8.7 ↑ 8.4 ↖ 9.5 ↙ 9.6 ↗
 10.4 ↖ 10.1 ↘ 9.1 ↙ 9.9 ↖ 8.4 ↙
 beste Teiler 479.1 (6.) 718.4 (7.) 839.8 (9.)
 Trefferlage 7.33 mm links, 1.00 mm tief
 Streuwert 8.54, horizontal: 6.07, vertikal: 10.45



Serie 2:
 9.7 ↗ 8.5 ↙ 9.5 ↖ 10.3 → 9.7 ↓
 9.9 ↖ 9.9 ↖ 10.4 * 10.5 * 10.0 ↖
 beste Teiler 333.1 (19.) 457.4 (18.) 512.9 (14.)
 Trefferlage 4.06 mm links, 2.39 mm tief
 Streuwert 6.49, horizontal: 7.46, vertikal: 5.33



Serie 3:
 9.9 ↑ 9.1 ↖ 10.6 * 7.8 ↓ 9.9 →
 8.8 ↘ 10.0 ↖ 9.6 ↓ 10.5 * 10.4 *
 beste Teiler 292.3 (23.) 385.0 (29.) 401.0 (30.)
 Trefferlage 1.51 mm links, 3.87 mm tief
 Streuwert 8.57, horizontal: 6.89, vertikal: 9.97





Serie 4:
 9.0 ↗ 7.9 ↖ 8.8 ↓ 10.3 ↙ 10.2 ↖
 8.8 ↓ 10.2 ↖ 8.8 ↖ 10.1 ↓ 8.9 ↘
 beste Teiler 531.1 (34.) 612.0 (35.) 632.7 (37.)
 Trefferlage 5.69 mm links, 5.00 mm tief
 Streuwert 9.40, horizontal: 9.13, vertikal: 9.66


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (376.6)
 Serien: 92 90 89 83
 Zähler: 11 17 7 5 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2656 (37), 2584 (34), 2524 (27)
 beste Teiler 169.7 (26.) 367.8 (13.) 470.1 (18.)
 Trefferlage 1.43 mm links, 4.58 mm tief
 Streuwert 9.45, horizontal: 9.56, vertikal: 9.34




Serie 1:
 9.7 → 10.3 ↘ 9.6 ↙ 10.1 ↙ 9.5 ↓
 9.0 ← 9.8 ↓ 9.2 → 10.2 ↘ 8.9 ↘
 beste Teiler 548.1 (2.) 625.3 (9.) 658.8 (4.)
 Trefferlage 2.95 mm links, 1.87 mm tief
 Streuwert 7.98, horizontal: 8.85, vertikal: 7.00



Serie 2:
 9.6 ← 9.9 ↑ 10.5 * 9.9 ↘ 9.9 ↓
 8.5 → 10.1 ↓ 10.4 * 9.6 ↓ 7.9 ↓
 beste Teiler 367.8 (13.) 470.1 (18.) 681.1 (17.)
 Trefferlage 0.12 mm links, 3.51 mm tief
 Streuwert 8.86, horizontal: 8.62, vertikal: 9.09



Serie 3:
 9.9 ↘ 8.9 ↘ 9.9 → 9.1 ↙ 9.9 ↓
 10.7 * 7.8 ← 10.1 → 10.3 ← 8.8 ↓
 beste Teiler 169.7 (26.) 491.0 (29.) 661.9 (28.)
 Trefferlage 0.93 mm links, 6.24 mm tief
 Streuwert 8.49, horizontal: 10.75, vertikal: 5.34





Serie 4:
 9.3 ← 7.9 ↓ 9.8 ↓ 7.7 ↙ 10.3 ↗
 8.5 ↓ 7.6 ↙ 8.3 ↗ 8.9 → 10.3 ↑
 beste Teiler 485.3 (35.) 537.7 (40.) 912.5 (33.)
 Trefferlage 1.71 mm links, 6.70 mm tief
 Streuwert 12.72, horizontal: 11.09, vertikal: 14.16


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (384.5)
 Serien: 93 89 96 89
 Zähler: 16 15 9 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2400 (36), 2172 (5), 1890 (25)
 beste Teiler 94.8 (3.) 374.6 (23.) 380.8 (37.)
 Trefferlage 0.31 mm links, 0.33 mm tief
 Streuwert 8.67, horizontal: 8.58, vertikal: 8.76




Serie 1:
 10.3 ↘ 9.7 ↙ 10.8 * 10.1 → 8.2 ↙
 10.3 ↓ 9.9 ↖ 9.6 ← 10.4 * 8.7 ↓
 beste Teiler 94.8 (3.) 424.1 (9.) 538.1 (6.)
 Trefferlage 1.63 mm links, 3.90 mm tief
 Streuwert 7.50, horizontal: 7.27, vertikal: 7.71



Serie 2:
 8.8 ↘ 9.1 ← 9.0 ↓ 9.1 ← 9.5 ↓
 8.7 ↙ 9.8 ↗ 9.8 ↑ 10.3 ↓ 9.7 ←
 beste Teiler 545.9 (19.) 896.5 (17.) 938.8 (18.)
 Trefferlage 2.89 mm links, 4.91 mm tief
 Streuwert 8.81, horizontal: 8.75, vertikal: 8.87



Serie 3:
 10.4 * 10.0 ↑ 10.5 * 10.3 ↙ 8.6 →
 9.1 ← 9.0 ↙ 10.1 ← 10.4 * 10.0 ↓
 beste Teiler 374.6 (23.) 407.3 (29.) 446.1 (21.)
 Trefferlage 2.07 mm links, 0.11 mm hoch
 Streuwert 7.46, horizontal: 8.67, vertikal: 6.01





Serie 4:
 9.7 → 10.3 ↘ 10.2 ↘ 9.9 ↑ 8.7 ↖
 8.0 ↗ 10.5 * 8.8 ↑ 9.6 ↗ 8.6 ↗
 beste Teiler 380.8 (37.) 544.2 (32.) 572.1 (33.)
 Trefferlage 5.33 mm rechts, 7.36 mm hoch
 Streuwert 7.75, horizontal: 8.12, vertikal: 7.36


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (383.5)
 Serien: 93 89 90 95
 Zähler: 20 9 9 2 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2789 (9), 2453 (14), 2382 (10)
 beste Teiler 44.1 (5.) 233.0 (15.) 247.5 (35.)
 Trefferlage 1.01 mm rechts, 0.00 mm
 Streuwert 9.26, horizontal: 9.83, vertikal: 8.64




Serie 1:
 9.4 ← 10.1 ↘ 10.4 * 9.7 ↑ 10.9 *
 10.0 ← 10.5 * 10.3 ↓ 7.5 ↖ 8.0 →
 beste Teiler 44.1 (5.) 344.3 (7.) 467.5 (3.)
 Trefferlage 1.62 mm links, 2.89 mm hoch
 Streuwert 9.56, horizontal: 10.23, vertikal: 8.85



Serie 2:
 9.2 ↗ 8.8 ↘ 10.2 ↙ 7.9 ↓ 10.7 *
 9.5 ↘ 10.0 → 8.5 ↗ 8.6 ↓ 10.2 ↙
 beste Teiler 233.0 (15.) 587.8 (20.) 635.8 (13.)
 Trefferlage 5.40 mm rechts, 4.65 mm tief
 Streuwert 9.45, horizontal: 6.57, vertikal: 11.64



Serie 3:
 9.6 ← 10.1 ↘ 8.1 → 9.2 ← 10.5 *
 8.9 ↑ 10.5 * 8.7 ← 8.9 → 10.0 ↗
 beste Teiler 331.6 (25.) 387.7 (27.) 718.0 (22.)
 Trefferlage 0.73 mm rechts, 3.45 mm hoch
 Streuwert 9.80, horizontal: 12.76, vertikal: 5.39





Serie 4:
 9.6 → 10.0 ↗ 10.2 ← 10.2 ↓ 10.6 *
 9.7 ↘ 10.3 ↓ 9.2 ↘ 10.3 ↓ 8.5 ←
 beste Teiler 247.5 (35.) 482.0 (39.) 486.3 (37.)
 Trefferlage 0.47 mm links, 1.71 mm tief
 Streuwert 7.33, horizontal: 8.76, vertikal: 5.55


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	364	(380.9)
Serien:	90 90 93 91	
Zähler:	12 20 8 0 0 0 0 0 0 0	
Innenzehner:	2	
weiteste:	2333 (17), 2187 (33), 1907 (14)	
beste Teiler	372.1 (19.) 378.0 (22.) 579.6 (13.)	
Trefferlage	0.65 mm rechts, 2.20 mm hoch	
Streuwert	8.79, horizontal: 9.47, vertikal: 8.04	




Serie 1:	9.5 ↘	8.9 ↙	8.9 ↘	9.3 ↘	9.2 ↑
	9.9 ↓	10.0 →	10.1 ↗	9.9 ↘	9.9 ↙
beste Teiler	674.0 (8.) 789.3 (7.) 837.1 (6.)				
Trefferlage	4.00 mm links, 3.62 mm hoch				
Streuwert	7.77, horizontal: 7.38, vertikal: 8.15				



Serie 2:	9.7 ↗	9.5 ↘	10.2 ↘	8.6 ↘	8.9 ↑
	10.1 ↓	8.0 ↗	10.1 ↗	10.5 *	8.6 ↙
beste Teiler	372.1 (19.) 579.6 (13.) 708.3 (18.)				
Trefferlage	0.14 mm links, 1.50 mm hoch				
Streuwert	10.33, horizontal: 9.50, vertikal: 11.10				





Serie 3:	9.6 ↗	10.5 *	10.0 ↘	10.1 ↑	9.6 ↘
	9.2 ↗	10.2 ↘	9.2 ↗	9.2 →	8.6 →
beste Teiler	378.0 (22.) 593.3 (27.) 668.3 (24.)				
Trefferlage	5.32 mm rechts, 4.07 mm hoch				
Streuwert	7.10, horizontal: 8.56, vertikal: 5.26				




Serie 4:	10.0 ↗	10.1 ↘	8.2 →	9.9 ↙	9.6 ↘
	9.1 ←	9.8 ↗	9.1 ↓	9.3 →	9.8 →
beste Teiler	654.0 (32.) 767.1 (31.) 801.4 (34.)				
Trefferlage	1.43 mm rechts, 0.40 mm tief				
Streuwert	9.21, horizontal: 11.01, vertikal: 6.97				

Unterschrift des Schützen


Ergebnis: **366** (383.1)
 Serien: 92 89 94 91
 Zähler: 14 19 6 1 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2441 (35), 2304 (11), 2185 (15)
 beste Teiler 117.3 (23.) 192.9 (28.) 286.7 (38.)
 Trefferlage 0.22 mm links, 2.62 mm tief
 Streuwert 8.83, horizontal: 6.82, vertikal: 10.45




Serie 1:
 9.1 ↓ 10.3 ↙ 10.6 * 9.6 ↗ 10.5 *
 9.9 ↘ 8.9 ↓ 9.5 → 10.5 * 8.3 ↓
 beste Teiler 306.0 (3.) 370.1 (5.) 384.7 (9.)
 Trefferlage 0.44 mm rechts, 3.97 mm tief
 Streuwert 8.11, horizontal: 5.24, vertikal: 10.19



Serie 2:
 8.1 ↓ 10.2 ↘ 9.0 ↓ 8.3 ↖ 8.2 ↗
 10.2 → 9.0 ↙ 9.2 ↑ 9.9 → 9.5 ↖
 beste Teiler 583.9 (12.) 607.0 (16.) 850.3 (19.)
 Trefferlage 1.07 mm links, 2.18 mm tief
 Streuwert 11.42, horizontal: 9.14, vertikal: 13.31



Serie 3:
 10.3 ↖ 8.8 ↙ 10.8 * 9.4 → 10.3 ↗
 9.8 ↖ 9.3 ↑ 10.7 * 9.4 ↓ 10.5 *
 beste Teiler 117.3 (23.) 192.9 (28.) 340.8 (30.)
 Trefferlage 0.41 mm links, 1.84 mm tief
 Streuwert 7.11, horizontal: 6.08, vertikal: 8.01





Serie 4:
 9.1 ↖ 9.2 → 9.7 ↘ 10.1 ↘ 7.9 ↓
 10.1 ↓ 9.6 ↓ 10.6 * 9.1 ↓ 9.6 ↘
 beste Teiler 286.7 (38.) 650.8 (36.) 692.2 (34.)
 Trefferlage 0.15 mm rechts, 2.50 mm tief
 Streuwert 9.43, horizontal: 7.23, vertikal: 11.20


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368** (386.7)
 Serien: 93 92 93 90
 Zähler: 13 22 5 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 1904 (39), 1814 (18), 1705 (9)
 beste Teiler 245.2 (38.) 290.6 (19.) 340.3 (10.)
 Trefferlage 0.41 mm links, 3.17 mm tief
 Streuwert 7.67, horizontal: 8.21, vertikal: 7.10




Serie 1:
 9.9 ← 10.4 * 10.2 → 10.4 → 9.8 →
 9.9 ↘ 9.5 ↙ 9.9 ↓ 8.8 → 10.5 *
 beste Teiler 340.3 (10.) 450.3 (2.) 480.6 (4.)
 Trefferlage 1.52 mm rechts, 0.49 mm tief
 Streuwert 6.64, horizontal: 7.93, vertikal: 5.03



Serie 2:
 9.4 ↗ 10.0 ↖ 9.7 ← 9.2 → 9.3 ↘
 9.2 ↘ 10.2 ← 8.7 ↓ 10.6 * 9.7 ↙
 beste Teiler 290.6 (19.) 578.8 (17.) 729.8 (12.)
 Trefferlage 1.22 mm rechts, 2.75 mm tief
 Streuwert 8.32, horizontal: 8.36, vertikal: 8.28



Serie 3:
 10.2 ↗ 10.1 ↗ 9.5 ↖ 9.6 ↙ 10.4 *
 10.2 ↗ 9.0 ↙ 8.8 ↙ 9.7 ↘ 9.9 →
 beste Teiler 475.9 (25.) 561.3 (26.) 589.6 (21.)
 Trefferlage 1.73 mm links, 1.14 mm tief
 Streuwert 7.61, horizontal: 8.40, vertikal: 6.74





Serie 4:
 10.3 ↖ 8.9 ↙ 9.1 → 9.2 ↓ 9.6 ↘
 9.4 ↙ 9.2 ↓ 10.6 * 8.6 ↙ 9.1 ↙
 beste Teiler 245.2 (38.) 547.3 (31.) 1071.9 (35.)
 Trefferlage 2.66 mm links, 8.30 mm tief
 Streuwert 7.45, horizontal: 8.60, vertikal: 6.09


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362** (379.4)
 Serien: 91 91 93 87
 Zähler: 13 18 7 2 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2824 (5), 2466 (38), 2318 (16)
 beste Teiler 119.4 (3.) 263.4 (12.) 408.2 (7.)
 Trefferlage 2.46 mm links, 0.03 mm hoch
 Streuwert 9.37, horizontal: 9.45, vertikal: 9.30




Serie 1:
 9.1 ↙ 9.0 ↗ 10.8 * 9.2 ↖ 7.4 ↗
 9.2 ↘ 10.4 * 9.9 ↓ 9.5 ↗ 10.2 ↗
 beste Teiler 119.4 (3.) 408.2 (7.) 613.0 (10.)
 Trefferlage 3.80 mm links, 0.71 mm hoch
 Streuwert 9.92, horizontal: 8.02, vertikal: 11.51



Serie 2:
 10.3 ↘ 10.6 * 9.6 ↖ 10.0 ↓ 9.3 →
 8.1 ↗ 9.6 ↗ 9.2 ↓ 8.5 ← 9.4 ↑
 beste Teiler 263.4 (12.) 525.0 (11.) 732.4 (14.)
 Trefferlage 2.63 mm links, 1.97 mm tief
 Streuwert 9.68, horizontal: 9.64, vertikal: 9.72



Serie 3:
 9.7 ↘ 8.8 → 10.4 * 9.8 ↘ 9.1 ↗
 10.0 ↗ 9.8 ↑ 10.0 ↘ 10.3 ↖ 9.6 ↗
 beste Teiler 420.8 (23.) 505.4 (29.) 731.8 (28.)
 Trefferlage 0.20 mm rechts, 4.36 mm hoch
 Streuwert 7.05, horizontal: 7.80, vertikal: 6.22



Serie 4:
 8.8 → 9.1 ← 8.3 ↖ 10.4 * 8.9 ↖
 8.9 ↘ 10.3 ↘ 7.9 ↖ 10.4 * 9.6 ↖
 beste Teiler 429.6 (34.) 438.0 (39.) 506.8 (37.)
 Trefferlage 3.62 mm links, 2.98 mm tief
 Streuwert 10.73, horizontal: 12.54, vertikal: 8.55

Unterschrift des Schützen

Meyton Elektronik