





Ergebnis: **373** (392.0)
 Serien: 91 93 93 96
 Zähler: 19 15 6 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 2262 (23), 1792 (20), 1758 (11)
 beste Teiler 214.2 (21.) 228.0 (12.) 274.6 (37.)
 Trefferlage 0.07 mm rechts, 1.49 mm hoch
 Streuwert 7.54, horizontal: 6.74, vertikal: 8.26




Serie 1:
 9.1 ↙ 9.7 ↙ 10.2 ↘ 8.8 ↗ 9.6 ↑
 8.9 ↘ 10.1 → 9.2 ← 10.5 * 9.9 ↑
 beste Teiler 400.7 (9.) 619.5 (3.) 657.9 (7.)
 Trefferlage 0.78 mm links, 0.50 mm hoch
 Streuwert 8.66, horizontal: 8.60, vertikal: 8.73



Serie 2:
 8.8 ↗ 10.7 * 9.2 ↑ 9.0 ↑ 10.0 ↘
 9.9 ↘ 10.3 ↗ 10.5 * 10.4 * 8.7 ↑
 beste Teiler 228.0 (12.) 375.4 (18.) 434.0 (19.)
 Trefferlage 0.61 mm rechts, 6.55 mm hoch
 Streuwert 6.85, horizontal: 4.93, vertikal: 8.34



Serie 3:
 10.7 * 8.9 ↙ 8.1 ↗ 9.2 ↑ 10.5 *
 9.6 ↙ 10.4 * 9.5 ↙ 10.1 → 10.3 ↘
 beste Teiler 214.2 (21.) 392.3 (25.) 406.6 (27.)
 Trefferlage 1.16 mm links, 0.95 mm hoch
 Streuwert 8.52, horizontal: 7.84, vertikal: 9.16





Serie 4:
 9.6 → 10.5 * 10.0 ← 9.9 ↙ 9.9 ↗
 9.4 ↓ 10.6 * 10.4 * 10.6 * 10.3 ↘
 beste Teiler 274.6 (37.) 274.6 (39.) 335.0 (32.)
 Trefferlage 1.63 mm rechts, 2.02 mm tief
 Streuwert 5.20, horizontal: 5.62, vertikal: 4.76


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (385.4)
 Serien: 91 91 94 95
 Zähler: 16 19 5 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2341 (40), 2256 (15), 2093 (7)
 beste Teiler 125.1 (30.) 159.8 (20.) 199.1 (34.)
 Trefferlage 0.53 mm links, 2.33 mm hoch
 Streuwert 8.24, horizontal: 8.58, vertikal: 7.89




Serie 1:
 9.1 ← 9.4 ↘ 9.6 ↗ 10.1 ↓ 10.2 ↓
 8.7 ↘ 8.3 ← 10.0 ↗ 9.2 ↑ 9.3 ↑
 beste Teiler 638.2 (5.) 682.0 (4.) 747.2 (8.)
 Trefferlage 4.31 mm links, 4.16 mm hoch
 Streuwert 8.85, horizontal: 9.01, vertikal: 8.70



Serie 2:
 9.1 → 9.6 ↘ 9.2 ↘ 10.4 * 8.1 ←
 9.9 → 8.6 ↑ 9.6 ↑ 10.0 → 10.8 *
 beste Teiler 159.8 (20.) 433.8 (14.) 752.6 (19.)
 Trefferlage 0.00 mm , 4.95 mm hoch
 Streuwert 8.90, horizontal: 10.88, vertikal: 6.34



Serie 3:
 9.2 ↓ 10.0 → 9.9 ← 9.6 ↘ 9.6 ↑
 9.4 ↓ 10.2 ↗ 10.1 → 9.5 ↑ 10.8 *
 beste Teiler 125.1 (30.) 566.4 (27.) 665.0 (28.)
 Trefferlage 1.71 mm rechts, 0.56 mm hoch
 Streuwert 7.03, horizontal: 4.95, vertikal: 8.61





Serie 4:
 9.7 ↘ 10.2 ← 10.1 ↑ 10.7 * 10.0 ←
 9.2 ← 9.8 → 10.1 ↓ 10.1 ↓ 8.0 ↗
 beste Teiler 199.1 (34.) 585.0 (32.) 645.7 (39.)
 Trefferlage 0.45 mm rechts, 0.34 mm tief
 Streuwert 8.02, horizontal: 8.48, vertikal: 7.54


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368** (383.2)
 Serien: 90 91 95 92
 Zähler: 15 20 3 2 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2909 (38), 2595 (2), 2312 (18)
 beste Teiler 278.4 (26.) 335.0 (22.) 497.1 (37.)
 Trefferlage 0.08 mm rechts, 2.11 mm tief
 Streuwert 8.79, horizontal: 8.40, vertikal: 9.16




Serie 1:
 9.7 ↘ 7.7 ↘ 10.3 ↑ 9.4 ↓ 9.5 ↓
 10.3 ↓ 9.7 ↑ 9.9 ↘ 9.9 → 9.7 ↑
 beste Teiler 523.1 (6.) 553.5 (3.) 834.8 (8.)
 Trefferlage 4.71 mm rechts, 3.13 mm tief
 Streuwert 7.91, horizontal: 4.50, vertikal: 10.24



Serie 2:
 10.1 ↖ 9.9 ↑ 9.1 ↑ 9.0 ↘ 9.5 →
 8.8 ↙ 10.1 ↘ 8.1 ↓ 10.1 ← 9.7 ↙
 beste Teiler 658.0 (11.) 671.1 (19.) 714.5 (17.)
 Trefferlage 3.74 mm links, 0.10 mm hoch
 Streuwert 9.43, horizontal: 7.46, vertikal: 11.04





Serie 3:
 9.2 ↘ 10.5 * 10.1 ↘ 10.1 ← 8.3 ←
 10.6 * 9.1 ↘ 9.0 ↘ 10.3 → 10.2 ↑
 beste Teiler 278.4 (26.) 335.0 (22.) 524.5 (29.)
 Trefferlage 1.24 mm rechts, 3.11 mm tief
 Streuwert 7.99, horizontal: 9.77, vertikal: 5.70




Serie 4:
 10.3 ↘ 10.0 ↘ 10.0 ↘ 9.6 ↑ 9.0 ←
 9.9 ↑ 10.3 ↗ 7.3 ↙ 9.8 → 9.1 ↓
 beste Teiler 497.1 (37.) 560.3 (31.) 729.4 (33.)
 Trefferlage 1.86 mm links, 2.31 mm tief
 Streuwert 9.62, horizontal: 9.40, vertikal: 9.84

Unterschrift des Schützen


Ergebnis: **359** (378.9)
 Serien: 86 93 89 91
 Zähler: 13 14 12 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2683 (18), 2041 (1), 1931 (30)
 beste Teiler 365.4 (17.) 384.5 (15.) 396.1 (3.)
 Trefferlage 0.51 mm links, 3.77 mm tief
 Streuwert 9.03, horizontal: 8.05, vertikal: 9.92




Serie 1:
 8.4 ↘ 8.6 ↘ 10.5 * 10.4 * 9.6 ↗
 9.8 ← 8.7 ← 8.8 ↗ 8.8 → 8.6 ↗
 beste Teiler 396.1 (3.) 444.6 (4.) 949.4 (6.)
 Trefferlage 0.40 mm links, 4.44 mm tief
 Streuwert 10.85, horizontal: 11.36, vertikal: 10.32



Serie 2:
 10.1 ← 8.9 ↗ 10.2 ↗ 9.8 ↗ 10.5 *
 9.5 → 10.5 * 7.6 ↘ 10.0 ↓ 10.4 *
 beste Teiler 365.4 (17.) 384.5 (15.) 457.3 (20.)
 Trefferlage 0.77 mm rechts, 4.19 mm tief
 Streuwert 8.21, horizontal: 7.35, vertikal: 8.99



Serie 3:
 9.8 ↘ 8.7 ↖ 9.4 ↑ 10.4 * 10.2 ↑
 8.7 ↘ 10.2 ↗ 8.9 ↓ 9.5 ↗ 8.5 ↓
 beste Teiler 414.0 (24.) 590.7 (25.) 607.4 (27.)
 Trefferlage 0.22 mm links, 1.38 mm tief
 Streuwert 9.81, horizontal: 6.46, vertikal: 12.27





Serie 4:
 10.1 ↘ 9.4 ↘ 10.2 ← 9.5 ↖ 9.9 →
 9.0 ↗ 9.4 ↓ 8.8 ↗ 9.1 ↓ 9.5 ↗
 beste Teiler 620.0 (33.) 649.3 (31.) 811.3 (35.)
 Trefferlage 2.22 mm links, 5.08 mm tief
 Streuwert 8.07, horizontal: 7.14, vertikal: 8.90


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (371.4)
 Serien: 88 82 96 88
 Zähler: 13 10 15 2 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2687 (5), 2556 (15), 2345 (38)
 beste Teiler 246.9 (26.) 308.1 (23.) 378.4 (8.)
 Trefferlage 3.79 mm links, 3.99 mm hoch
 Streuwert 10.15, horizontal: 10.59, vertikal: 9.69




Serie 1:
 9.9 → 8.1 ↘ 8.5 ↑ 10.2 ↙ 7.6 ↓
 10.2 ↙ 9.0 ↗ 10.5 * 9.7 ↗ 8.0 ↗
 beste Teiler 378.4 (8.) 561.4 (4.) 621.1 (6.)
 Trefferlage 1.14 mm rechts, 4.89 mm hoch
 Streuwert 11.57, horizontal: 9.82, vertikal: 13.08



Serie 2:
 9.5 ↙ 8.6 ← 8.4 ← 8.3 ↗ 7.8 ↑
 8.4 ↘ 8.5 ↑ 9.4 ↙ 9.5 ↘ 8.4 ←
 beste Teiler 1146.2 (11.) 1197.4 (19.) 1225.8 (18.)
 Trefferlage 7.40 mm links, 6.89 mm hoch
 Streuwert 11.82, horizontal: 12.27, vertikal: 11.36



Serie 3:
 10.2 ↙ 10.2 ↙ 10.6 * 10.4 * 8.8 ←
 10.6 * 9.8 ↘ 10.4 * 9.7 ↘ 10.5 *
 beste Teiler 246.9 (26.) 308.1 (23.) 398.4 (30.)
 Trefferlage 4.27 mm links, 0.29 mm hoch
 Streuwert 5.08, horizontal: 5.65, vertikal: 4.44





Serie 4:
 10.1 ↘ 9.1 ↑ 10.0 ↑ 8.9 ↙ 10.2 ↙
 9.8 ↗ 8.6 ← 8.0 ↙ 8.6 ← 8.4 ↗
 beste Teiler 620.2 (35.) 706.4 (31.) 793.0 (33.)
 Trefferlage 4.64 mm links, 3.90 mm hoch
 Streuwert 10.63, horizontal: 12.82, vertikal: 7.85

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	361	(376.8)
Serien:	88 89 92 92	
Zähler:	14 18 4 3 1 0 0 0 0 0	
Innenzehner:	4	
weiteste:	3583 (10), 2704 (16), 2527 (3)	
beste Teiler	122.6 (12.) 172.0 (39.) 272.4 (7.)	
Trefferlage	0.99 mm rechts, 3.14 mm tief	
Streuwert	9.93, horizontal: 10.61, vertikal: 9.19	




Serie 1:

10.0 ↙	9.5 ↘	7.8 ←	9.0 ↓	9.6 ↓
10.0 ↗	10.6 *	9.0 →	9.4 ↘	6.5 →
beste Teiler	272.4 (7.)	749.0 (6.)	769.2 (1.)	
Trefferlage	1.65 mm rechts, 5.32 mm tief			
Streuwert	12.04, horizontal: 15.95, vertikal: 5.97			




Serie 2:

10.1 ↘	10.8 *	7.8 ↓	9.0 ↘	9.2 ↓
7.6 ↘	9.7 ↗	9.0 ↘	10.1 ←	9.5 ↑
beste Teiler	122.6 (12.)	653.2 (11.)	700.1 (19.)	
Trefferlage	4.97 mm links, 1.67 mm tief			
Streuwert	10.80, horizontal: 7.66, vertikal: 13.21			



Serie 3:

10.2 ←	10.2 →	10.1 ↘	10.0 ↓	8.9 ↗
8.1 ↘	9.8 ↘	9.5 ↗	9.5 ↗	9.9 ↓
beste Teiler	593.5 (21.)	603.1 (22.)	703.6 (23.)	
Trefferlage	2.85 mm rechts, 1.70 mm tief			
Streuwert	8.44, horizontal: 8.45, vertikal: 8.42			





Serie 4:

9.9 →	10.5 *	8.6 ↓	9.3 →	9.0 →
10.1 ↘	8.5 ↓	10.0 ↘	10.7 *	9.8 ↑
beste Teiler	172.0 (39.)	345.9 (32.)	700.5 (36.)	
Trefferlage	4.44 mm rechts, 3.89 mm tief			
Streuwert	7.77, horizontal: 6.80, vertikal: 8.63			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362** (381.8)
 Serien: 93 92 88 89
 Zähler: 11 21 7 1 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2653 (37), 2161 (40), 2096 (38)
 beste Teiler 140.5 (16.) 193.4 (34.) 367.4 (36.)
 Trefferlage 4.47 mm rechts, 1.07 mm hoch
 Streuwert 8.39, horizontal: 6.86, vertikal: 9.68




Serie 1:
 9.6 → 9.9 ↓ 9.3 ↘ 10.0 ↖ 10.3 →
 10.3 ↘ 9.8 ↑ 8.9 ↓ 9.5 ↘ 10.1 ↓
 beste Teiler 534.9 (6.) 537.9 (5.) 694.6 (10.)
 Trefferlage 3.47 mm rechts, 4.33 mm tief
 Streuwert 6.27, horizontal: 5.15, vertikal: 7.22



Serie 2:
 8.7 ↗ 9.4 ↗ 9.2 ↑ 10.2 ↓ 10.2 ←
 10.8 * 9.7 ↗ 9.8 ↓ 9.2 ↓ 9.3 ↘
 beste Teiler 140.5 (16.) 582.0 (15.) 628.3 (14.)
 Trefferlage 2.12 mm rechts, 2.16 mm hoch
 Streuwert 8.25, horizontal: 7.24, vertikal: 9.14





Serie 3:
 9.9 ↓ 8.7 ↓ 10.4 * 9.8 ↗ 9.4 ↑
 9.8 → 8.4 ↗ 9.2 ↑ 9.4 ↘ 8.8 ↗
 beste Teiler 413.7 (23.) 880.0 (21.) 945.2 (26.)
 Trefferlage 5.09 mm rechts, 2.78 mm hoch
 Streuwert 9.06, horizontal: 5.70, vertikal: 11.47



Serie 4:
 9.7 → 10.0 ↘ 9.8 ↑ 10.7 * 9.9 ↖
 10.5 * 7.6 ↑ 8.3 → 9.1 ↓ 8.2 →
 beste Teiler 193.4 (34.) 367.4 (36.) 797.6 (32.)
 Trefferlage 7.20 mm rechts, 3.66 mm hoch
 Streuwert 9.23, horizontal: 8.73, vertikal: 9.70


Unterschrift des Schützen

Ergebnis: **349** (366.9)
 Serien: 88 86 86 89
 Zähler: 9 14 14 3 0 0 0 0 0 0
 Innenzehner: 0
 weiteste: 2835 (35), 2803 (1), 2761 (2)
 beste Teiler 481.6 (6.) 494.8 (3.) 573.5 (11.)
 Trefferlage 2.36 mm rechts, 3.68 mm hoch
 Streuwert 10.85, horizontal: 11.08, vertikal: 10.61




Serie 1:
 7.4 → 7.5 ↗ 10.3 ↗ 9.3 ↘ 10.2 ↘
 10.3 ← 8.4 ← 9.0 ← 9.5 → 9.6 ↗

beste Teiler 481.6 (6.) 494.8 (3.) 633.0 (5.)
 Trefferlage 1.06 mm rechts, 3.54 mm hoch
 Streuwert 11.96, horizontal: 15.48, vertikal: 6.83




Serie 2:
 10.2 ↘ 9.4 ↘ 8.1 ↑ 8.5 ↗ 8.9 ↑
 8.8 ↘ 10.1 ↓ 8.1 ↓ 9.5 ↘ 8.2 →

beste Teiler 573.5 (11.) 666.9 (17.) 1169.2 (19.)
 Trefferlage 1.31 mm rechts, 5.97 mm hoch
 Streuwert 11.78, horizontal: 10.84, vertikal: 12.65



Serie 3:
 8.7 → 8.1 ↓ 9.9 → 8.6 ↘ 9.9 ↘
 9.1 → 8.4 ↑ 10.2 ↗ 9.5 ↖ 8.8 ↓

beste Teiler 594.9 (28.) 849.1 (23.) 857.0 (25.)
 Trefferlage 5.88 mm rechts, 1.74 mm tief
 Streuwert 10.75, horizontal: 9.30, vertikal: 12.03



Serie 4:
 9.8 ↗ 10.2 ← 8.9 ↘ 9.7 ↑ 7.4 ↗
 10.1 ↘ 9.7 → 9.9 → 8.6 ↘ 10.1 ↘

beste Teiler 619.5 (32.) 642.7 (40.) 651.0 (36.)
 Trefferlage 1.20 mm rechts, 6.95 mm hoch
 Streuwert 8.83, horizontal: 8.36, vertikal: 9.26

Unterschrift des Schützen

Meyton Elektronik