





Ergebnis: **390** (411.5)  
 Serien: 100 95 99 96  
 Zähler: 31 8 1 0 0 0 0 0 0 0  
 Innenzehner: 25  
 weiteste: 616 (17), 324 (34), 307 (36)  
 beste Teiler 39.5 (22.) 44.5 (26.) 46.0 (28.)  
 Trefferlage 0.15 mm rechts, 0.35 mm hoch  
 Streuwert 1.41, horizontal: 1.61, vertikal: 1.18




Serie 1:  
 10.7 \*                      10.1 ↗                      10.5 \*                      10.7 \*                      10.6 \*  
 10.0 ↑                      10.4 \*                      10.7 \*                      10.3 \*                      10.5 \*  
 beste Teiler 59.0 (1.) 64.4 (4.) 67.0 (8.)  
 Trefferlage 0.05 mm links, 0.37 mm hoch  
 Streuwert 0.97, horizontal: 0.86, vertikal: 1.06



Serie 2:  
 9.8 ↑                      10.5 \*                      10.0 ↗                      10.1 →                      9.9 ↗  
 9.9 ↘                      8.5 →                      10.7 \*                      10.6 \*                      10.2 \*  
 beste Teiler 69.0 (18.) 96.5 (19.) 106.0 (12.)  
 Trefferlage 0.95 mm rechts, 1.01 mm hoch  
 Streuwert 1.80, horizontal: 2.25, vertikal: 1.19



Serie 3:  
 10.2 \*                      10.8 \*                      10.3 \*                      10.3 \*                      10.8 \*  
 10.8 \*                      9.9 ↘                      10.8 \*                      10.1 ↘                      10.7 \*  
 beste Teiler 39.5 (22.) 44.5 (26.) 46.0 (28.)  
 Trefferlage 0.20 mm links, 0.36 mm hoch  
 Streuwert 1.04, horizontal: 1.03, vertikal: 1.06





Serie 4:  
 10.7 \*                      9.9 ↙                      10.5 \*                      9.7 ↘                      9.9 →  
 9.7 ←                      10.4 \*                      10.1 ↓                      10.6 \*                      10.6 \*  
 beste Teiler 55.9 (31.) 81.0 (39.) 89.4 (40.)  
 Trefferlage 0.08 mm links, 0.33 mm tief  
 Streuwert 1.53, horizontal: 1.83, vertikal: 1.17


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **383** (401.9)  
 Serien: 96 96 93 98  
 Zähler: 24 15 1 0 0 0 0 0 0 0  
 Innenzehner: 19  
 weiteste: 540 (10), 449 (17), 394 (19)  
 beste Teiler 16.5 (14.) 42.1 (32.) 43.1 (34.)  
 Trefferlage 0.35 mm links, 0.16 mm tief  
 Streuwert 1.82, horizontal: 2.05, vertikal: 1.56




Serie 1:  
 10.6 \*                      10.0 ↑                      9.6 →                      10.5 \*                      10.2 \*  
 10.1 ←                      10.1 ↑                      9.4 ←                      10.6 \*                      8.8 ←  
 beste Teiler 88.9 (1.) 91.2 (9.) 112.5 (4.)  
 Trefferlage 1.05 mm links, 0.55 mm hoch  
 Streuwert 1.86, horizontal: 2.38, vertikal: 1.14



Serie 2:  
 10.4 \*                      9.5 ↘                      10.3 \*                      10.9 \*                      10.4 \*  
 9.4 ↘                      9.2 ↘                      10.2 \*                      9.4 ↘                      10.7 \*  
 beste Teiler 16.5 (14.) 56.1 (20.) 143.3 (11.)  
 Trefferlage 0.03 mm rechts, 0.21 mm hoch  
 Streuwert 2.02, horizontal: 1.91, vertikal: 2.13



Serie 3:  
 10.1 ↓                      9.9 ↘                      10.4 \*                      9.7 ↘                      9.5 ←  
 10.5 \*                      9.6 ←                      9.9 →                      9.5 ↙                      9.6 ↘  
 beste Teiler 105.1 (26.) 141.7 (23.) 213.6 (21.)  
 Trefferlage 0.51 mm links, 0.69 mm tief  
 Streuwert 2.01, horizontal: 2.41, vertikal: 1.51





Serie 4:  
 10.6 \*                      10.8 \*                      9.9 →                      10.8 \*                      10.2 \*  
 9.8 ↓                      10.2 \*                      10.3 \*                      10.3 \*                      10.0 ↙  
 beste Teiler 42.1 (32.) 43.1 (34.) 82.8 (31.)  
 Trefferlage 0.12 mm rechts, 0.74 mm tief  
 Streuwert 1.24, horizontal: 1.45, vertikal: 1.00


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **384** (406.5)  
 Serien: 95 96 98 95  
 Zähler: 25 14 1 0 0 0 0 0 0 0  
 Innenzehner: 22  
 weiteste: 506 (3), 413 (13), 393 (7)  
 beste Teiler 28.3 (31.) 43.1 (33.) 49.5 (28.)  
 Trefferlage 0.12 mm rechts, 0.10 mm hoch  
 Streuwert 1.66, horizontal: 2.05, vertikal: 1.16




Serie 1:  
 10.1 ↖                      10.5 \*                      8.9 ←                      10.7 \*                      9.7 ←  
 10.6 \*                      9.4 →                      10.0 ↘                      9.9 ↗                      10.4 \*  
 beste Teiler 68.8 (4.) 81.4 (6.) 110.2 (2.)  
 Trefferlage 0.34 mm links, 0.42 mm hoch  
 Streuwert 1.97, horizontal: 2.39, vertikal: 1.44



Serie 2:  
 10.2 \*                      9.5 →                      9.3 ←                      10.4 \*                      10.6 \*  
 10.4 \*                      9.9 →                      10.5 \*                      10.5 \*                      9.4 →  
 beste Teiler 93.1 (15.) 107.4 (18.) 123.3 (19.)  
 Trefferlage 0.57 mm rechts, 0.26 mm hoch  
 Streuwert 1.84, horizontal: 2.34, vertikal: 1.12



Serie 3:  
 9.9 ↗                      10.7 \*                      9.8 →                      10.7 \*                      10.4 \*  
 10.6 \*                      10.0 ↗                      10.8 \*                      10.7 \*                      10.4 \*  
 beste Teiler 49.5 (28.) 61.0 (22.) 62.8 (29.)  
 Trefferlage 0.62 mm rechts, 0.52 mm hoch  
 Streuwert 1.04, horizontal: 1.24, vertikal: 0.79





Serie 4:  
 10.8 \*                      10.5 \*                      10.8 \*                      10.4 \*                      9.8 ↘  
 9.7 ←                      9.9 ↘                      9.4 ←                      9.8 ←                      10.5 \*  
 beste Teiler 28.3 (31.) 43.1 (33.) 108.9 (32.)  
 Trefferlage 0.36 mm links, 0.78 mm tief  
 Streuwert 1.60, horizontal: 2.11, vertikal: 0.81


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **389** (409.1)  
 Serien: 98 97 96 98  
 Zähler: 29 11 0 0 0 0 0 0 0 0  
 Innenzehner: 25  
 weiteste: 481 (20), 445 (36), 435 (22)  
 beste Teiler 11.7 (11.) 27.2 (27.) 29.6 (9.)  
 Trefferlage 0.19 mm links, 0.04 mm tief  
 Streuwert 1.56, horizontal: 1.67, vertikal: 1.43




Serie 1:  
 10.7 \*                      10.2 \*                      9.6 ↗                      10.6 \*                      9.6 →  
 10.0 ↓                      10.2 \*                      10.7 \*                      10.8 \*                      10.6 \*  
 beste Teiler 29.6 (9.) 70.5 (8.) 74.2 (1.)  
 Trefferlage 0.54 mm rechts, 0.19 mm hoch  
 Streuwert 1.38, horizontal: 1.29, vertikal: 1.46



Serie 2:  
 10.9 \*                      10.2 \*                      9.5 ↓                      9.8 ↓                      10.8 \*  
 10.5 \*                      10.8 \*                      10.5 \*                      10.6 \*                      9.0 ↘  
 beste Teiler 11.7 (11.) 38.8 (17.) 46.3 (15.)  
 Trefferlage 0.12 mm links, 0.16 mm tief  
 Streuwert 1.67, horizontal: 1.38, vertikal: 1.92



Serie 3:  
 9.8 ←                      9.2 ←                      9.5 ↖                      10.0 ↙                      9.9 ←  
 10.3 \*                      10.8 \*                      10.7 \*                      10.4 \*                      10.1 ←  
 beste Teiler 27.2 (27.) 61.2 (28.) 135.0 (29.)  
 Trefferlage 1.35 mm links, 0.16 mm hoch  
 Streuwert 1.54, horizontal: 1.83, vertikal: 1.16





Serie 4:  
 10.8 \*                      10.5 \*                      10.6 \*                      10.5 \*                      9.9 ←  
 9.2 ↗                      10.1 →                      10.2 \*                      10.5 \*                      10.5 \*  
 beste Teiler 48.0 (31.) 80.6 (33.) 109.0 (32.)  
 Trefferlage 0.13 mm rechts, 0.39 mm tief  
 Streuwert 1.48, horizontal: 1.71, vertikal: 1.19


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **393** (413.6)  
 Serien: 98 97 99 99  
 Zähler: 33 7 0 0 0 0 0 0 0 0  
 Innenzehner: 26  
 weiteste: 348 (21), 331 (12), 315 (14)  
 beste Teiler 5.8 (26.) 19.8 (40.) 28.8 (1.)  
 Trefferlage 0.10 mm links, 0.17 mm tief  
 Streuwert 1.29, horizontal: 1.49, vertikal: 1.07




Serie 1:  
 10.8 \* 10.0 ↘ 10.1 ↙ 10.2 \* 9.7 ←  
 10.3 \* 10.1 ← 10.8 \* 10.1 ↗ 9.9 ↓  
 beste Teiler 28.8 (1.) 47.3 (8.) 155.3 (6.)  
 Trefferlage 0.43 mm links, 0.60 mm tief  
 Streuwert 1.42, horizontal: 1.47, vertikal: 1.38



Serie 2:  
 10.5 \* 9.6 ↖ 10.8 \* 9.7 ← 10.6 \*  
 10.4 \* 10.0 → 10.6 \* 9.8 ↖ 10.3 \*  
 beste Teiler 49.3 (13.) 83.5 (15.) 96.0 (18.)  
 Trefferlage 0.24 mm links, 0.36 mm hoch  
 Streuwert 1.53, horizontal: 1.91, vertikal: 1.01



Serie 3:  
 9.6 ← 10.2 \* 10.7 \* 10.4 \* 10.8 \*  
 10.9 \* 10.2 \* 10.4 \* 10.1 → 10.3 \*  
 beste Teiler 5.8 (26.) 33.0 (25.) 60.6 (23.)  
 Trefferlage 0.15 mm rechts, 0.00 mm  
 Streuwert 1.30, horizontal: 1.64, vertikal: 0.82





Serie 4:  
 9.9 ↓ 10.7 \* 10.1 ↙ 10.8 \* 10.6 \*  
 10.8 \* 10.7 \* 10.8 \* 10.4 \* 10.9 \*  
 beste Teiler 19.8 (40.) 37.4 (34.) 40.3 (38.)  
 Trefferlage 0.08 mm rechts, 0.42 mm tief  
 Streuwert 0.88, horizontal: 0.90, vertikal: 0.86


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **388** (404.1)  
 Serien: 95 97 99 97  
 Zähler: 29 10 1 0 0 0 0 0 0 0  
 Innenzehner: 19  
 weiteste: 530 (38), 438 (19), 435 (10)  
 beste Teiler 14.3 (16.) 17.0 (24.) 63.1 (14.)  
 Trefferlage 0.60 mm links, 0.05 mm tief  
 Streuwert 1.69, horizontal: 1.90, vertikal: 1.44




Serie 1:  
 10.1 ←                      10.5 \*                      9.8 ↓                      9.4 ↑                      9.9 ←  
 10.6 \*                      10.2 \*                      10.3 \*                      9.3 ↘                      9.2 ←  
 beste Teiler 84.1 (6.) 119.6 (2.) 167.3 (8.)  
 Trefferlage 1.04 mm links, 0.27 mm hoch  
 Streuwert 1.97, horizontal: 1.99, vertikal: 1.95



Serie 2:  
 9.6 ↘                      10.5 \*                      10.2 \*                      10.7 \*                      10.1 ←  
 10.9 \*                      9.5 ↙                      10.4 \*                      9.2 ↙                      10.6 \*  
 beste Teiler 14.3 (16.) 63.1 (14.) 92.9 (20.)  
 Trefferlage 0.91 mm links, 0.10 mm tief  
 Streuwert 1.62, horizontal: 1.72, vertikal: 1.51



Serie 3:  
 10.4 \*                      10.2 \*                      9.7 ↙                      10.9 \*                      10.5 \*  
 10.0 →                      10.0 ↘                      10.1 ↘                      10.1 ←                      10.0 ↘  
 beste Teiler 17.0 (24.) 106.2 (25.) 138.6 (21.)  
 Trefferlage 0.41 mm links, 0.03 mm tief  
 Streuwert 1.47, horizontal: 1.86, vertikal: 0.94





Serie 4:  
 10.6 \*                      9.8 ←                      10.5 \*                      10.2 \*                      10.5 \*  
 10.1 ←                      10.6 \*                      8.8 ↘                      10.1 ↘                      10.0 ↘  
 beste Teiler 85.9 (37.) 96.2 (31.) 108.9 (35.)  
 Trefferlage 0.02 mm links, 0.37 mm tief  
 Streuwert 1.79, horizontal: 2.15, vertikal: 1.33


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **394** (411.9)  
 Serien: 97 99 99 99  
 Zähler: 34 6 0 0 0 0 0 0 0 0  
 Innenzehner: 24  
 weiteste: 333 (10), 324 (8), 321 (3)  
 beste Teiler 18.1 (15.) 31.1 (39.) 33.9 (2.)  
 Trefferlage 0.07 mm links, 0.02 mm tief  
 Streuwert 1.31, horizontal: 1.43, vertikal: 1.18




Serie 1:  
 10.3 \*                      10.8 \*                      9.7 ↖                      10.3 \*                      10.6 \*  
 10.6 \*                      10.7 \*                      9.7 ↖                      10.6 \*                      9.6 ↖  
 beste Teiler 33.9 (2.) 65.6 (7.) 79.1 (6.)  
 Trefferlage 0.53 mm links, 0.84 mm hoch  
 Streuwert 1.28, horizontal: 1.14, vertikal: 1.41



Serie 2:  
 10.3 \*                      10.4 \*                      10.1 ↖                      10.1 →                      10.9 \*  
 10.1 ↗                      10.1 ↑                      9.9 ↖                      10.6 \*                      10.0 ←  
 beste Teiler 18.1 (15.) 82.1 (19.) 148.1 (12.)  
 Trefferlage 0.05 mm links, 0.51 mm hoch  
 Streuwert 1.38, horizontal: 1.65, vertikal: 1.05



Serie 3:  
 10.3 \*                      10.5 \*                      10.4 \*                      10.6 \*                      10.1 →  
 9.9 ←                      10.3 \*                      10.1 ↘                      10.7 \*                      10.4 \*  
 beste Teiler 63.7 (29.) 94.5 (24.) 122.3 (22.)  
 Trefferlage 0.34 mm rechts, 0.83 mm tief  
 Streuwert 1.01, horizontal: 1.38, vertikal: 0.38





Serie 4:  
 10.5 \*                      10.0 →                      10.5 \*                      10.0 ↙                      10.3 \*  
 10.1 ↘                      10.7 \*                      9.9 ←                      10.8 \*                      10.4 \*  
 beste Teiler 31.1 (39.) 72.5 (37.) 104.9 (33.)  
 Trefferlage 0.03 mm links, 0.64 mm tief  
 Streuwert 1.23, horizontal: 1.59, vertikal: 0.70


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>378</b>	(397.5)
Serien:	95 95 96 92	
Zähler:	20 18 2 0 0 0 0 0 0 0	
Innenzehner:	17	
weiteste:	615 (36), 562 (38), 432 (26)	
beste Teiler	69.2 (21.) 70.8 (17.) 81.1 (34.)	
Trefferlage	0.35 mm rechts, 0.12 mm tief	
Streuwert	2.03, horizontal: 2.28, vertikal: 1.73	




Serie 1:	10.1 ↑	9.8 ←	9.6 ←	10.3 *	10.3 *
	9.4 ↗	9.8 ←	10.3 *	9.7 ↗	10.2 *
beste Teiler	157.8 (8.) 159.0 (5.) 170.9 (4.)				
Trefferlage	0.19 mm links, 0.56 mm hoch				
Streuwert	1.93, horizontal: 2.46, vertikal: 1.18				



Serie 2:	10.2 *	10.4 *	9.2 →	9.4 ↘	9.7 ↘
	10.2 *	10.7 *	9.5 ↓	10.3 *	9.4 ←
beste Teiler	70.8 (17.) 133.7 (12.) 160.7 (19.)				
Trefferlage	0.23 mm rechts, 1.01 mm tief				
Streuwert	2.02, horizontal: 2.36, vertikal: 1.60				



Serie 3:	10.7 *	9.8 ↓	10.5 *	10.0 ↘	10.6 *
	9.2 →	9.9 ↗	9.8 ↗	10.4 *	10.1 ↓
beste Teiler	69.2 (21.) 85.4 (25.) 113.1 (23.)				
Trefferlage	0.71 mm rechts, 0.80 mm tief				
Streuwert	1.58, horizontal: 1.76, vertikal: 1.37				



Serie 4:	10.5 *	9.8 ←	9.5 ↓	10.6 *	10.2 *
	8.5 ↗	9.7 ↑	8.7 ↗	9.9 ↑	10.6 *
beste Teiler	81.1 (34.) 90.6 (40.) 121.0 (31.)				
Trefferlage	0.66 mm rechts, 0.76 mm hoch				
Streuwert	2.41, horizontal: 2.68, vertikal: 2.10				

Unterschrift des Schützen

Meyton Elektronik