





Ergebnis: **377** (395.1)
 Serien: 94 94 92 97
 Zähler: 20 17 3 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 645 (24), 621 (10), 520 (33)
 beste Teiler 8.0 (37.) 19.0 (4.) 21.0 (34.)
 Trefferlage 0.42 mm rechts, 0.43 mm hoch
 Streuwert 2.22, horizontal: 2.59, vertikal: 1.78




Serie 1:
 10.0 ← 9.2 → 10.6 * 10.9 * 10.2 *
 9.7 ← 9.1 ↘ 9.6 ↗ 10.7 * 8.5 ↗
 beste Teiler 19.0 (4.) 75.9 (9.) 89.0 (3.)
 Trefferlage 0.82 mm rechts, 0.02 mm tief
 Streuwert 2.43, horizontal: 2.52, vertikal: 2.34



Serie 2:
 9.6 ↗ 9.0 ↗ 10.4 * 9.7 ↘ 10.3 *
 10.5 * 9.7 ↓ 9.6 → 9.3 ← 10.0 ←
 beste Teiler 103.9 (16.) 146.7 (13.) 157.0 (15.)
 Trefferlage 0.14 mm rechts, 0.56 mm hoch
 Streuwert 2.27, horizontal: 2.76, vertikal: 1.64



Serie 3:
 9.5 ↑ 9.5 ↑ 9.3 ↘ 8.4 ← 9.8 ←
 10.0 ↑ 10.8 * 9.3 ↘ 10.3 * 9.6 →
 beste Teiler 42.0 (27.) 171.9 (29.) 240.7 (26.)
 Trefferlage 0.24 mm links, 0.79 mm hoch
 Streuwert 2.62, horizontal: 3.07, vertikal: 2.08





Serie 4:
 10.4 * 10.5 * 8.9 → 10.9 * 10.2 *
 10.6 * 10.9 * 10.1 ↗ 10.2 * 9.3 →
 beste Teiler 8.0 (37.) 21.0 (34.) 93.2 (36.)
 Trefferlage 0.99 mm rechts, 0.42 mm hoch
 Streuwert 1.65, horizontal: 2.15, vertikal: 0.90


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **383** (400.0)
 Serien: 97 99 93 94
 Zähler: 25 13 2 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 584 (28), 557 (24), 445 (32)
 beste Teiler 21.2 (12.) 68.0 (38.) 97.2 (6.)
 Trefferlage 0.63 mm rechts, 0.47 mm hoch
 Streuwert 1.85, horizontal: 2.07, vertikal: 1.59




Serie 1:
 9.6 ↖ 9.9 ↗ 10.0 ↘ 10.2 * 9.7 ↗
 10.6 * 10.2 * 10.3 * 10.5 * 10.0 ↓
 beste Teiler 97.2 (6.) 106.3 (9.) 175.4 (8.)
 Trefferlage 0.38 mm rechts, 0.65 mm hoch
 Streuwert 1.59, horizontal: 1.48, vertikal: 1.70



Serie 2:
 10.0 ↗ 10.9 * 10.4 * 10.3 * 10.2 *
 9.4 → 10.3 * 10.3 * 10.4 * 10.5 *
 beste Teiler 21.2 (12.) 118.7 (20.) 140.8 (19.)
 Trefferlage 0.37 mm rechts, 0.13 mm tief
 Streuwert 1.40, horizontal: 1.69, vertikal: 1.05



Serie 3:
 9.3 ↗ 9.6 ← 10.5 * 8.7 ↗ 10.2 *
 10.3 * 10.2 * 8.6 ↗ 9.9 ↗ 10.5 *
 beste Teiler 102.0 (30.) 112.2 (23.) 154.4 (26.)
 Trefferlage 1.17 mm rechts, 1.39 mm hoch
 Streuwert 2.11, horizontal: 2.48, vertikal: 1.66





Serie 4:
 10.1 ↗ 9.2 ↘ 9.4 → 10.3 * 9.2 →
 10.0 ↗ 9.9 ← 10.7 * 9.8 ↘ 9.9 ↓
 beste Teiler 68.0 (38.) 153.0 (34.) 217.8 (31.)
 Trefferlage 0.60 mm rechts, 0.01 mm tief
 Streuwert 2.18, horizontal: 2.64, vertikal: 1.60


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **388** (402.7)
 Serien: 94 96 99 99
 Zähler: 31 6 3 0 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 731 (19), 626 (1), 553 (3)
 beste Teiler 25.2 (24.) 33.2 (7.) 62.6 (21.)
 Trefferlage 0.37 mm rechts, 0.10 mm hoch
 Streuwert 1.91, horizontal: 2.38, vertikal: 1.28




Serie 1:
 8.4 ↘ 10.1 ← 8.7 → 10.4 * 9.2 ↘
 10.7 * 10.8 * 9.6 ← 10.6 * 10.5 *
 beste Teiler 33.2 (7.) 66.0 (6.) 91.0 (9.)
 Trefferlage 0.13 mm links, 0.09 mm hoch
 Streuwert 2.47, horizontal: 3.24, vertikal: 1.32



Serie 2:
 10.6 * 10.1 → 9.2 → 10.0 → 10.2 *
 10.1 ← 9.7 → 10.3 * 8.0 → 10.3 *
 beste Teiler 97.8 (11.) 152.1 (20.) 171.2 (18.)
 Trefferlage 1.59 mm rechts, 0.06 mm tief
 Streuwert 2.12, horizontal: 2.82, vertikal: 1.04



Serie 3:
 10.7 * 10.6 * 10.1 ↑ 10.9 * 9.2 ↘
 10.6 * 10.3 * 10.4 * 10.2 * 10.1 ↓
 beste Teiler 25.2 (24.) 62.6 (21.) 83.4 (26.)
 Trefferlage 0.06 mm links, 0.31 mm hoch
 Streuwert 1.43, horizontal: 1.31, vertikal: 1.54





Serie 4:
 10.6 * 9.9 → 10.1 ← 10.3 * 10.0 ↘
 10.3 * 10.1 ↘ 10.1 ↑ 10.4 * 10.3 *
 beste Teiler 94.8 (31.) 150.3 (39.) 153.0 (36.)
 Trefferlage 0.10 mm rechts, 0.06 mm hoch
 Streuwert 1.40, horizontal: 1.47, vertikal: 1.33


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **376** (396.1)
 Serien: 93 93 95 95
 Zähler: 17 22 1 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 504 (18), 497 (17), 423 (9)
 beste Teiler 5.3 (37.) 81.1 (4.) 84.2 (23.)
 Trefferlage 0.37 mm rechts, 1.09 mm hoch
 Streuwert 1.86, horizontal: 1.99, vertikal: 1.71




Serie 1:
 10.3 * 9.4 ↘ 9.9 ← 10.6 * 9.6 ↘
 9.5 ↘ 9.5 ↑ 9.9 → 9.3 ↘ 10.3 *
 beste Teiler 81.1 (4.) 163.9 (1.) 166.0 (10.)
 Trefferlage 0.30 mm links, 1.25 mm hoch
 Streuwert 2.02, horizontal: 2.20, vertikal: 1.83



Serie 2:
 10.5 * 10.1 ↑ 9.8 ↘ 10.0 → 9.9 ↑
 9.3 → 9.0 ← 8.9 ↑ 10.0 ↓ 9.7 ↗
 beste Teiler 118.6 (11.) 204.4 (12.) 246.7 (14.)
 Trefferlage 0.34 mm rechts, 1.40 mm hoch
 Streuwert 2.21, horizontal: 2.50, vertikal: 1.88





Serie 3:
 10.4 * 10.4 * 10.6 * 9.6 ↗ 9.9 ↑
 9.7 ↑ 9.8 ↗ 9.9 ↑ 10.2 * 10.0 ↙
 beste Teiler 84.2 (23.) 132.5 (22.) 135.4 (21.)
 Trefferlage 0.57 mm rechts, 1.03 mm hoch
 Streuwert 1.54, horizontal: 1.18, vertikal: 1.83




Serie 4:
 9.6 → 10.1 ↑ 10.1 → 9.9 ↗ 9.3 →
 9.9 ↑ 10.9 * 9.7 ↘ 10.3 * 10.3 *
 beste Teiler 5.3 (37.) 156.9 (39.) 170.3 (40.)
 Trefferlage 0.90 mm rechts, 0.68 mm hoch
 Streuwert 1.73, horizontal: 1.95, vertikal: 1.47

Unterschrift des Schützen


Ergebnis: **376** (395.8)
 Serien: 95 92 96 93
 Zähler: 20 16 4 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 603 (1), 555 (19), 536 (17)
 beste Teiler 14.4 (11.) 53.7 (24.) 68.8 (22.)
 Trefferlage 0.15 mm links, 0.10 mm hoch
 Streuwert 2.13, horizontal: 2.38, vertikal: 1.85




Serie 1:
 8.5 ← 10.3 * 9.5 ↘ 10.3 * 10.3 *
 10.7 * 9.1 ↘ 10.4 * 10.2 * 9.8 ↑
 beste Teiler 75.1 (6.) 148.2 (8.) 154.0 (2.)
 Trefferlage 0.45 mm rechts, 0.16 mm tief
 Streuwert 2.25, horizontal: 2.75, vertikal: 1.61



Serie 2:
 10.9 * 9.4 ↖ 10.1 ↑ 9.5 → 10.2 *
 10.0 ↓ 8.8 ↘ 9.8 ↑ 8.7 ↓ 9.2 ←
 beste Teiler 14.4 (11.) 181.0 (15.) 223.8 (13.)
 Trefferlage 0.07 mm rechts, 0.11 mm tief
 Streuwert 2.70, horizontal: 2.82, vertikal: 2.56



Serie 3:
 10.2 * 10.7 * 10.5 * 10.7 * 10.1 ↑
 9.5 ↓ 9.8 ← 10.3 * 10.5 * 8.9 ←
 beste Teiler 53.7 (24.) 68.8 (22.) 117.2 (29.)
 Trefferlage 0.81 mm links, 0.02 mm hoch
 Streuwert 1.72, horizontal: 1.79, vertikal: 1.64





Serie 4:
 9.7 ↑ 9.4 ↗ 9.8 ↖ 9.9 ← 10.0 ←
 10.4 * 9.9 → 9.9 ↘ 9.7 ← 10.2 *
 beste Teiler 126.5 (36.) 178.9 (40.) 232.1 (35.)
 Trefferlage 0.34 mm links, 0.67 mm hoch
 Streuwert 1.92, horizontal: 2.22, vertikal: 1.57

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	363	(380.0)
Serien:	93	89 89 92
Zähler:	12	21 5 2 0 0 0 0 0 0
Innenzehner:	7	
weiteste:	789	(20), 786 (25), 681 (21)
beste Teiler	94.7	(24.) 136.3 (40.) 148.1 (16.)
Trefferlage	0.70 mm	rechts, 1.73 mm hoch
Streuwert	2.54,	horizontal: 3.05, vertikal: 1.90




Serie 1:

9.6 ↑	9.6 ↑	10.3 *	10.1 ↑	9.9 ↗
9.8 ←	10.1 ↓	9.8 ↖	9.6 ←	9.0 ↖
beste Teiler	164.6 (3.)	209.3 (4.)	212.6 (7.)	
Trefferlage	1.43 mm links, 0.87 mm hoch			
Streuwert	1.90, horizontal: 1.72, vertikal: 2.07			




Serie 2:

8.5 ↖	9.5 ↖	10.1 ←	10.3 *	8.8 ↗
10.4 *	9.6 →	9.4 ↘	9.2 ↑	7.8 ↗
beste Teiler	148.1 (16.)	174.0 (14.)	216.0 (13.)	
Trefferlage	0.32 mm rechts, 2.27 mm hoch			
Streuwert	2.82, horizontal: 3.70, vertikal: 1.50			



Serie 3:

8.2 →	9.1 ↗	10.2 *	10.6 *	7.8 ↗
10.2 *	9.1 ↑	8.7 →	9.7 →	9.0 ↗
beste Teiler	94.7 (24.)	184.5 (26.)	196.0 (23.)	
Trefferlage	2.94 mm rechts, 2.41 mm hoch			
Streuwert	2.12, horizontal: 2.37, vertikal: 1.84			





Serie 4:

9.3 ↑	9.4 →	9.3 ↑	9.6 ↗	10.1 ←
9.5 ↖	10.0 ↓	9.5 →	8.9 →	10.4 *
beste Teiler	136.3 (40.)	204.6 (35.)	242.1 (37.)	
Trefferlage	0.98 mm rechts, 1.38 mm hoch			
Streuwert	2.34, horizontal: 2.65, vertikal: 1.97			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **355** (373.2)
 Serien: 90 90 88 87
 Zähler: 12 14 11 3 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 840 (13), 807 (26), 768 (14)
 beste Teiler 72.3 (11.) 87.4 (16.) 106.6 (30.)
 Trefferlage 0.84 mm rechts, 0.88 mm hoch
 Streuwert 3.15, horizontal: 3.56, vertikal: 2.66




Serie 1:
 10.0 ↘ 10.4 * 10.2 * 8.8 → 8.8 ↘
 10.0 ← 9.1 ↙ 8.8 → 8.3 → 9.9 →
 beste Teiler 135.5 (2.) 195.5 (3.) 238.5 (1.)
 Trefferlage 1.66 mm rechts, 0.50 mm tief
 Streuwert 2.88, horizontal: 3.56, vertikal: 1.97



Serie 2:
 10.7 * 9.4 ↘ 7.6 ↘ 7.9 ↖ 10.0 ↘
 10.6 * 10.0 ↗ 9.3 ↘ 9.9 ↘ 9.1 ↑
 beste Teiler 72.3 (11.) 87.4 (16.) 236.9 (17.)
 Trefferlage 0.54 mm links, 1.18 mm hoch
 Streuwert 3.21, horizontal: 3.10, vertikal: 3.31



Serie 3:
 8.0 ↘ 10.1 ↗ 9.7 ↗ 9.1 ↖ 10.0 →
 7.7 ↖ 8.6 ↗ 9.8 ↗ 8.6 ↑ 10.5 *
 beste Teiler 106.6 (30.) 201.4 (22.) 237.0 (25.)
 Trefferlage 0.88 mm rechts, 1.86 mm hoch
 Streuwert 3.29, horizontal: 3.85, vertikal: 2.61





Serie 4:
 10.3 * 9.6 ← 9.7 ↑ 9.4 ← 8.8 ↘
 8.6 ↗ 8.2 → 9.1 ↘ 8.8 → 9.8 ↑
 beste Teiler 173.0 (31.) 290.3 (40.) 323.4 (33.)
 Trefferlage 1.37 mm rechts, 1.01 mm hoch
 Streuwert 3.20, horizontal: 3.84, vertikal: 2.40


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **369** (387.3)
 Serien: 94 90 93 92
 Zähler: 15 19 6 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 707 (20), 611 (15), 594 (28)
 beste Teiler 50.2 (8.) 70.0 (11.) 73.7 (19.)
 Trefferlage 0.68 mm links, 0.49 mm tief
 Streuwert 2.48, horizontal: 2.70, vertikal: 2.24




Serie 1:
 10.0 ↑ 10.6 * 9.9 ↙ 10.3 * 9.0 ←
 8.6 ← 10.1 ↓ 10.8 * 9.9 ↘ 9.2 ↗
 beste Teiler 50.2 (8.) 82.6 (2.) 173.0 (4.)
 Trefferlage 1.09 mm links, 0.01 mm tief
 Streuwert 2.26, horizontal: 2.66, vertikal: 1.78



Serie 2:
 10.7 * 10.0 ↗ 9.7 ← 9.7 ↘ 8.5 ↘
 9.2 → 9.8 ↓ 8.9 ↓ 10.7 * 8.1 ↖
 beste Teiler 70.0 (11.) 73.7 (19.) 234.4 (12.)
 Trefferlage 0.33 mm links, 1.03 mm tief
 Streuwert 2.94, horizontal: 3.28, vertikal: 2.57



Serie 3:
 9.5 ← 10.0 ↗ 9.5 ← 10.0 ↗ 9.7 ↘
 9.5 → 10.5 * 8.6 ↖ 10.3 * 9.4 ↓
 beste Teiler 121.0 (27.) 154.4 (29.) 243.5 (22.)
 Trefferlage 0.25 mm links, 0.34 mm hoch
 Streuwert 2.51, horizontal: 2.79, vertikal: 2.19



Serie 4:
 10.5 * 9.4 ↘ 8.7 ↙ 10.1 ↘ 9.8 →
 9.4 ↘ 9.3 ↘ 9.4 ↖ 10.4 * 9.6 ←
 beste Teiler 110.0 (31.) 146.5 (39.) 220.0 (34.)
 Trefferlage 1.03 mm links, 1.25 mm tief
 Streuwert 2.31, horizontal: 2.32, vertikal: 2.29

Unterschrift des Schützen

Meyton Elektronik