





Ergebnis: **389** (408.0)
 Serien: 97 95 98 99
 Zähler: 30 9 1 0 0 0 0 0 0 0
 Innenzehner: 22
 weiteste: 523 (22), 450 (7), 343 (16)
 beste Teiler 24.5 (5.) 25.9 (2.) 33.9 (30.)
 Trefferlage 0.13 mm links, 0.38 mm hoch
 Streuwert 1.55, horizontal: 1.61, vertikal: 1.49




Serie 1:
 9.6 ↗ 10.9 * 9.8 ← 10.2 * 10.9 *
 10.7 * 9.2 ↘ 10.0 ↑ 10.0 ↓ 10.3 *
 beste Teiler 24.5 (5.) 25.9 (2.) 60.1 (6.)
 Trefferlage 0.24 mm rechts, 0.37 mm tief
 Streuwert 1.75, horizontal: 1.65, vertikal: 1.84



Serie 2:
 9.8 ↓ 9.8 ↗ 10.5 * 10.1 ← 9.6 ←
 9.6 ↗ 10.7 * 9.8 ↑ 10.6 * 10.7 *
 beste Teiler 54.2 (20.) 55.8 (17.) 92.7 (19.)
 Trefferlage 0.14 mm links, 0.49 mm hoch
 Streuwert 1.72, horizontal: 1.70, vertikal: 1.74



Serie 3:
 10.3 * 8.9 ← 10.3 * 10.1 → 10.7 *
 10.4 * 10.1 ↑ 10.6 * 10.5 * 10.8 *
 beste Teiler 33.9 (30.) 58.2 (25.) 97.0 (28.)
 Trefferlage 0.09 mm links, 0.60 mm hoch
 Streuwert 1.53, horizontal: 2.02, vertikal: 0.78





Serie 4:
 10.5 * 10.4 * 10.1 ← 10.7 * 10.1 ↑
 10.4 * 10.2 * 9.8 ↑ 10.2 * 10.1 ←
 beste Teiler 63.5 (34.) 115.1 (31.) 131.6 (32.)
 Trefferlage 0.55 mm links, 0.80 mm hoch
 Streuwert 1.19, horizontal: 1.07, vertikal: 1.29


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (393.5)
 Serien: 94 95 92 94
 Zähler: 19 18 2 1 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 775 (23), 696 (40), 544 (7)
 beste Teiler 23.7 (35.) 92.0 (27.) 94.4 (16.)
 Trefferlage 0.08 mm rechts, 0.27 mm hoch
 Streuwert 2.28, horizontal: 2.51, vertikal: 2.03




Serie 1:
 9.6 ↗ 10.1 ↘ 10.2 * 10.6 * 10.2 *
 9.9 ↖ 8.8 ↘ 9.1 ↖ 9.9 ↓ 10.2 *
 beste Teiler 95.8 (4.) 188.2 (10.) 197.4 (5.)
 Trefferlage 0.18 mm links, 0.08 mm tief
 Streuwert 2.25, horizontal: 2.50, vertikal: 1.98



Serie 2:
 10.5 * 9.9 ↖ 10.1 → 10.0 → 9.4 ↓
 10.6 * 9.5 ↖ 10.4 * 9.6 → 9.9 ↑
 beste Teiler 94.4 (16.) 125.2 (11.) 140.7 (18.)
 Trefferlage 0.44 mm rechts, 0.45 mm hoch
 Streuwert 1.89, horizontal: 1.98, vertikal: 1.79



Serie 3:
 9.1 ↑ 9.8 ↘ 7.9 ↖ 10.0 ↓ 10.4 *
 9.3 ↖ 10.6 * 9.8 ↖ 10.3 * 9.7 ↙
 beste Teiler 92.0 (27.) 130.6 (25.) 162.0 (29.)
 Trefferlage 1.31 mm links, 0.32 mm hoch
 Streuwert 2.55, horizontal: 2.50, vertikal: 2.60





Serie 4:
 10.3 * 9.2 → 9.4 ↑ 9.4 ↓ 10.9 *
 10.2 * 9.9 ↗ 10.3 * 10.3 * 8.2 →
 beste Teiler 23.7 (35.) 153.2 (38.) 163.5 (39.)
 Trefferlage 1.41 mm rechts, 0.40 mm hoch
 Streuwert 2.27, horizontal: 2.55, vertikal: 1.94


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377** (391.2)
 Serien: 92 95 95 95
 Zähler: 20 17 3 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 679 (23), 597 (22), 552 (3)
 beste Teiler 28.0 (15.) 72.1 (13.) 72.4 (27.)
 Trefferlage 1.17 mm links, 0.54 mm tief
 Streuwert 2.19, horizontal: 2.18, vertikal: 2.21




Serie 1:
 10.1 ↘ 9.7 ↘ 8.7 ↓ 10.4 * 9.3 ←
 9.0 ↓ 9.4 ↙ 10.4 * 9.1 ↓ 9.6 ←
 beste Teiler 135.6 (4.) 137.2 (8.) 217.1 (1.)
 Trefferlage 1.69 mm links, 1.58 mm tief
 Streuwert 2.16, horizontal: 1.38, vertikal: 2.72



Serie 2:
 10.0 ↗ 9.1 ← 10.7 * 9.2 ↗ 10.8 *
 9.6 ↑ 10.2 * 9.0 ↓ 10.1 ↑ 9.8 ↙
 beste Teiler 28.0 (15.) 72.1 (13.) 178.4 (17.)
 Trefferlage 1.34 mm links, 0.70 mm tief
 Streuwert 2.05, horizontal: 1.51, vertikal: 2.48



Serie 3:
 10.7 * 8.6 ↖ 8.2 ← 9.2 ↖ 10.0 ↖
 10.1 ↗ 10.7 * 10.2 * 10.3 * 10.0 ↙
 beste Teiler 72.4 (27.) 73.7 (21.) 154.9 (29.)
 Trefferlage 2.39 mm links, 0.22 mm hoch
 Streuwert 1.93, horizontal: 2.34, vertikal: 1.41





Serie 4:
 9.8 ↘ 10.1 ↓ 9.8 ← 9.7 ↗ 10.1 ↖
 9.8 ↑ 9.0 → 10.0 ↓ 10.4 * 10.3 *
 beste Teiler 148.8 (39.) 171.7 (40.) 212.7 (32.)
 Trefferlage 0.73 mm rechts, 0.09 mm tief
 Streuwert 2.04, horizontal: 2.19, vertikal: 1.89


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	374	(391.6)
Serien:	92	94 94 94
Zähler:	17	20 3 0 0 0 0 0 0 0
Innenzehner:	12	
weiteste:	638	(17), 635 (1), 525 (14)
beste Teiler	37.3	(38.) 38.1 (9.) 66.0 (35.)
Trefferlage	0.18 mm	rechts, 0.25 mm hoch
Streuwert	2.33,	horizontal: 2.17, vertikal: 2.49




Serie 1:	8.4 ↓	9.1 ↗	9.4 ↘	9.3 →	10.4 *
	9.6 ↗	9.3 ↓	10.5 *	10.8 *	9.1 ↘
beste Teiler	38.1	(9.) 113.2	(8.) 148.6	(5.)	
Trefferlage	1.24 mm	rechts, 0.57 mm	tief		
Streuwert	2.68,	horizontal: 2.17,	vertikal: 3.10		



Serie 2:	10.1 ↓	10.4 *	10.0 ↑	8.9 ↘	10.1 ↓
	10.3 *	8.4 ↑	9.0 ↓	9.8 ↘	10.4 *
beste Teiler	131.4	(20.) 145.5	(12.) 168.0	(16.)	
Trefferlage	0.62 mm	links, 0.29 mm	hoch		
Streuwert	2.54,	horizontal: 2.01,	vertikal: 2.97		



Serie 3:	9.7 ←	9.9 ←	10.2 *	10.1 ↘	9.6 ↑
	10.6 *	9.9 ←	9.8 ↓	9.9 →	10.1 ↑
beste Teiler	87.6	(26.) 195.9	(23.) 220.5	(30.)	
Trefferlage	0.64 mm	links, 0.50 mm	hoch		
Streuwert	1.80,	horizontal: 1.94,	vertikal: 1.64		





Serie 4:	9.4 ↗	10.2 *	9.2 ↗	9.5 →	10.7 *
	9.5 ↘	9.2 ↑	10.8 *	9.7 ↓	10.3 *
beste Teiler	37.3	(38.) 66.0	(35.) 170.4	(40.)	
Trefferlage	0.78 mm	rechts, 0.78 mm	hoch		
Streuwert	2.15,	horizontal: 2.18,	vertikal: 2.11		


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (389.9)
 Serien: 93 92 94 92
 Zähler: 17 17 6 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 697 (18), 554 (38), 530 (35)
 beste Teiler 68.0 (40.) 71.5 (30.) 82.4 (37.)
 Trefferlage 0.66 mm links, 0.86 mm hoch
 Streuwert 2.30, horizontal: 2.89, vertikal: 1.48




Serie 1:
 9.1 ↗ 9.5 ↘ 10.1 ← 9.9 ↙ 10.1 ↘
 10.0 ↘ 10.6 * 8.9 ↘ 8.9 ↘ 10.1 ↘
 beste Teiler 94.0 (7.) 207.1 (3.) 214.8 (10.)
 Trefferlage 1.49 mm links, 0.85 mm hoch
 Streuwert 2.15, horizontal: 2.54, vertikal: 1.68



Serie 2:
 9.7 ↑ 9.9 ↑ 10.3 * 10.0 ↘ 10.5 *
 9.1 ← 8.9 ↗ 8.2 → 10.3 * 9.0 ←
 beste Teiler 117.5 (15.) 171.4 (19.) 173.4 (13.)
 Trefferlage 0.07 mm rechts, 1.19 mm hoch
 Streuwert 2.74, horizontal: 3.62, vertikal: 1.40





Serie 3:
 9.7 ↘ 9.5 ↗ 9.6 ↘ 9.4 → 9.5 →
 10.1 ← 9.2 ← 10.4 * 10.0 ↘ 10.7 *
 beste Teiler 71.5 (30.) 137.5 (28.) 212.3 (26.)
 Trefferlage 0.41 mm rechts, 0.47 mm hoch
 Streuwert 2.24, horizontal: 2.82, vertikal: 1.43




Serie 4:
 9.9 ↗ 9.4 ↑ 10.4 * 9.8 ↘ 8.8 ←
 9.9 ↘ 10.6 * 8.7 ← 10.5 * 10.7 *
 beste Teiler 68.0 (40.) 82.4 (37.) 105.8 (39.)
 Trefferlage 1.65 mm links, 0.92 mm hoch
 Streuwert 1.92, horizontal: 2.24, vertikal: 1.53

Unterschrift des Schützen


Ergebnis: **339** (358.4)
 Serien: 69 82 92 96
 Zähler: 14 9 9 1 4 3 0 0 0 0
 Innenzehner: 13
 weiteste: 1387 (11), 1271 (10), 1251 (12)
 beste Teiler 78.2 (16.) 85.3 (27.) 99.1 (20.)
 Trefferlage 1.11 mm links, 0.15 mm hoch
 Streuwert 4.38, horizontal: 5.75, vertikal: 2.31




Serie 1:
 6.4 ↖ 6.8 ← 7.1 ← 8.2 ← 9.5 ↘
 6.9 ↙ 8.6 ← 6.9 ← 8.6 ← 5.9 ↖
 beste Teiler 352.4 (5.) 580.7 (9.) 593.9 (7.)
 Trefferlage 8.33 mm links, 0.20 mm hoch
 Streuwert 2.70, horizontal: 2.91, vertikal: 2.47



Serie 2:
 5.4 → 5.9 → 8.8 ↗ 9.0 → 8.3 →
 10.6 * 9.8 ↙ 9.6 ↑ 9.6 ↘ 10.6 *
 beste Teiler 78.2 (16.) 99.1 (20.) 281.9 (17.)
 Trefferlage 3.61 mm rechts, 1.64 mm hoch
 Streuwert 4.21, horizontal: 5.58, vertikal: 2.06



Serie 3:
 8.6 ↗ 10.4 * 8.6 ↘ 8.1 → 10.5 *
 10.3 * 10.6 * 9.7 → 9.3 ↓ 10.1 →
 beste Teiler 85.3 (27.) 123.4 (25.) 128.8 (22.)
 Trefferlage 1.56 mm rechts, 0.95 mm tief
 Streuwert 2.65, horizontal: 2.89, vertikal: 2.38





Serie 4:
 8.6 ↘ 10.2 * 9.2 ↙ 10.5 * 10.2 *
 10.3 * 10.5 * 10.4 * 10.4 * 9.4 ↙
 beste Teiler 108.5 (34.) 117.0 (37.) 128.8 (38.)
 Trefferlage 1.31 mm links, 0.27 mm tief
 Streuwert 1.95, horizontal: 2.11, vertikal: 1.78


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **383** (399.1)
 Serien: 96 93 97 97
 Zähler: 26 11 3 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 594 (16), 580 (21), 513 (14)
 beste Teiler 29.5 (38.) 35.3 (7.) 77.8 (27.)
 Trefferlage 0.32 mm links, 0.17 mm hoch
 Streuwert 1.98, horizontal: 2.09, vertikal: 1.86




Serie 1:
 10.3 * 9.5 ↖ 10.6 * 9.3 ↙ 10.1 ↘
 10.3 * 10.8 * 9.5 ↗ 9.0 ↗ 10.6 *
 beste Teiler 35.3 (7.) 87.3 (10.) 99.1 (3.)
 Trefferlage 0.65 mm links, 0.70 mm hoch
 Streuwert 1.96, horizontal: 1.82, vertikal: 2.08



Serie 2:
 10.3 * 9.6 ← 10.2 * 8.9 ← 10.4 *
 8.6 ↗ 10.0 ↖ 9.5 → 9.8 → 10.0 ↓
 beste Teiler 147.6 (15.) 156.1 (11.) 185.3 (13.)
 Trefferlage 0.73 mm links, 0.50 mm hoch
 Streuwert 2.41, horizontal: 3.06, vertikal: 1.51



Serie 3:
 8.6 ↓ 10.2 * 10.5 * 10.1 → 9.8 ↘
 10.2 * 10.6 * 10.3 * 10.2 * 10.6 *
 beste Teiler 77.8 (27.) 91.7 (30.) 123.5 (23.)
 Trefferlage 0.39 mm rechts, 0.70 mm tief
 Streuwert 1.77, horizontal: 1.41, vertikal: 2.07





Serie 4:
 10.0 ↙ 9.8 ↙ 10.0 → 9.6 ↗ 10.0 ↖
 10.3 * 9.7 ↗ 10.8 * 10.2 * 10.3 *
 beste Teiler 29.5 (38.) 157.0 (36.) 173.8 (40.)
 Trefferlage 0.31 mm links, 0.17 mm hoch
 Streuwert 1.76, horizontal: 1.85, vertikal: 1.66


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (374.1)
 Serien: 89 91 87 92
 Zähler: 12 19 6 2 1 0 0 0 0 0
 Innenzehner: 7
 weiteste: 1174 (2), 870 (40), 851 (26)
 beste Teiler 12.3 (33.) 50.2 (4.) 119.2 (28.)
 Trefferlage 0.20 mm links, 0.07 mm tief
 Streuwert 3.32, horizontal: 4.22, vertikal: 2.07




Serie 1:
 10.2 * 6.3 ← 9.3 ↘ 10.8 * 9.1 ↓
 8.6 ← 9.2 → 9.6 ↓ 9.6 ↗ 10.2 *
 beste Teiler 50.2 (4.) 182.1 (10.) 185.7 (1.)
 Trefferlage 1.31 mm links, 0.73 mm tief
 Streuwert 3.62, horizontal: 4.72, vertikal: 1.99



Serie 2:
 9.1 ↘ 10.1 → 10.4 * 9.5 ↗ 9.7 →
 9.8 ↑ 9.3 ↖ 8.2 → 9.3 ↓ 9.1 ↗
 beste Teiler 140.5 (13.) 205.7 (12.) 288.3 (16.)
 Trefferlage 2.32 mm rechts, 0.61 mm hoch
 Streuwert 2.44, horizontal: 2.27, vertikal: 2.60



Serie 3:
 8.8 → 8.3 ↘ 9.9 ↖ 10.1 ← 9.5 ↑
 7.5 → 9.7 ← 10.5 * 9.5 ← 8.2 ←
 beste Teiler 119.2 (28.) 224.6 (24.) 270.0 (23.)
 Trefferlage 0.00 mm , 0.11 mm tief
 Streuwert 3.67, horizontal: 4.68, vertikal: 2.24



Serie 4:
 10.0 ↘ 10.1 ↘ 10.9 * 9.3 → 10.3 *
 8.1 ← 9.3 ← 10.0 ← 9.2 ← 7.5 ←
 beste Teiler 12.3 (33.) 162.3 (35.) 206.1 (32.)
 Trefferlage 1.82 mm links, 0.08 mm tief
 Streuwert 3.00, horizontal: 4.04, vertikal: 1.33

Unterschrift des Schützen

Meyton Elektronik