





Ergebnis: **399** (417.7)
 Serien: 100 100 99 100
 Zähler: 39 1 0 0 0 0 0 0 0 0
 Innenzehner: 33
 weiteste: 255 (21), 244 (10), 227 (2)
 beste Teiler 23.0 (34.) 24.1 (23.) 25.3 (36.)
 Trefferlage 0.03 mm rechts, 0.29 mm hoch
 Streuwert 1.02, horizontal: 1.14, vertikal: 0.88




Serie 1:
 10.6 * 10.0 ↙ 10.3 * 10.8 * 10.4 *
 10.2 * 10.1 → 10.8 * 10.8 * 10.0 ↗
 beste Teiler 26.1 (9.) 44.6 (4.) 50.5 (8.)
 Trefferlage 0.04 mm rechts, 0.03 mm tief
 Streuwert 1.19, horizontal: 1.19, vertikal: 1.19



Serie 2:
 10.1 → 10.6 * 10.2 * 10.6 * 10.4 *
 10.4 * 10.4 * 10.2 * 10.7 * 10.4 *
 beste Teiler 52.6 (19.) 86.5 (14.) 95.8 (12.)
 Trefferlage 0.51 mm rechts, 0.18 mm hoch
 Streuwert 1.00, horizontal: 1.29, vertikal: 0.56



Serie 3:
 9.9 ↘ 10.2 * 10.9 * 10.8 * 10.7 *
 10.6 * 10.3 * 10.3 * 10.1 ↖ 10.8 *
 beste Teiler 24.1 (23.) 30.4 (30.) 48.1 (24.)
 Trefferlage 0.06 mm links, 0.84 mm hoch
 Streuwert 0.92, horizontal: 1.00, vertikal: 0.84





Serie 4:
 10.5 * 10.1 ↖ 10.6 * 10.9 * 10.5 *
 10.9 * 10.5 * 10.2 * 10.5 * 10.4 *
 beste Teiler 23.0 (34.) 25.3 (36.) 93.4 (33.)
 Trefferlage 0.35 mm links, 0.16 mm hoch
 Streuwert 0.87, horizontal: 1.03, vertikal: 0.68


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **379** (396.8)
 Serien: 94 92 96 97
 Zähler: 22 15 3 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 738 (8), 575 (5), 509 (39)
 beste Teiler 11.0 (35.) 30.3 (14.) 69.8 (37.)
 Trefferlage 0.71 mm links, 1.32 mm hoch
 Streuwert 1.86, horizontal: 2.09, vertikal: 1.60




Serie 1:
 10.6 * 9.5 ↗ 10.0 ↑ 10.1 ↘ 8.7 ↖
 10.6 * 9.7 ↗ 8.0 ↖ 10.1 ↑ 10.0 ↖
 beste Teiler 77.6 (1.) 82.0 (6.) 219.6 (9.)
 Trefferlage 1.00 mm links, 1.79 mm hoch
 Streuwert 2.24, horizontal: 2.89, vertikal: 1.30



Serie 2:
 9.5 ← 9.5 ↑ 9.0 ↘ 10.8 * 10.6 *
 9.4 ↗ 9.9 ↗ 9.6 ↖ 9.1 ↖ 9.4 ↑
 beste Teiler 30.3 (14.) 91.4 (15.) 262.9 (17.)
 Trefferlage 1.01 mm links, 2.01 mm hoch
 Streuwert 1.97, horizontal: 2.13, vertikal: 1.80



Serie 3:
 9.8 ↗ 9.6 ↘ 10.2 * 9.7 ↗ 10.2 *
 9.9 ↗ 10.4 * 10.1 ↖ 10.5 * 10.6 *
 beste Teiler 91.0 (30.) 103.1 (29.) 134.4 (27.)
 Trefferlage 0.06 mm rechts, 1.05 mm hoch
 Streuwert 1.52, horizontal: 1.81, vertikal: 1.17





Serie 4:
 9.9 ↗ 10.2 * 10.4 * 10.1 ↖ 10.9 *
 10.0 ↗ 10.7 * 10.4 * 8.9 ↖ 10.2 *
 beste Teiler 11.0 (35.) 69.8 (37.) 134.3 (38.)
 Trefferlage 0.92 mm links, 0.44 mm hoch
 Streuwert 1.58, horizontal: 1.38, vertikal: 1.75

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	392					(409.9)
Serien:	98	97	98	99		
Zähler:	32	8	0	0	0	0
Innenzehner:	26					
weiteste:	420 (6), 340 (17), 335 (22)					
beste Teiler	20.5 (35.) 50.0 (37.) 54.7 (13.)					
Trefferlage	0.20 mm links, 0.17 mm hoch					
Streuwert	1.42, horizontal: 1.32, vertikal: 1.51					




Serie 1:

9.8 ↘	10.2 *	10.0 ↑	10.3 *	10.3 *
9.3 ↗	10.5 *	10.1 ↑	10.6 *	10.2 *
beste Teiler	99.0 (9.) 101.0 (7.) 168.2 (5.)			
Trefferlage	0.14 mm rechts, 1.01 mm hoch			
Streuwert	1.49, horizontal: 1.21, vertikal: 1.72			




Serie 2:

10.7 *	10.0 ↑	10.7 *	9.8 ↓	10.1 →
10.0 ←	9.6 ←	10.3 *	9.6 ↗	10.3 *
beste Teiler	54.7 (13.) 70.0 (11.) 174.6 (20.)			
Trefferlage	0.00 mm , 0.31 mm hoch			
Streuwert	1.70, horizontal: 1.93, vertikal: 1.44			



Serie 3:

9.9 ↖	9.6 ↑	10.6 *	10.7 *	10.2 *
10.2 *	10.6 *	10.4 *	10.4 *	10.1 ↓
beste Teiler	75.0 (24.) 96.3 (27.) 100.8 (23.)			
Trefferlage	0.57 mm links, 0.17 mm tief			
Streuwert	1.34, horizontal: 0.92, vertikal: 1.66			





Serie 4:


10.2 *	10.6 *	10.5 *	10.4 *	10.9 *
10.5 *	10.8 *	10.5 *	10.6 *	9.8 ←
beste Teiler	20.5 (35.) 50.0 (37.) 93.7 (39.)			
Trefferlage	0.40 mm links, 0.47 mm tief			
Streuwert	0.94, horizontal: 1.05, vertikal: 0.81			

Unterschrift des Schützen


Ergebnis: **380** (394.9)
 Serien: 95 95 95 95
 Zähler: 22 16 2 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 653 (10), 594 (24), 486 (34)
 beste Teiler 31.5 (14.) 87.6 (40.) 88.8 (35.)
 Trefferlage 0.19 mm rechts, 0.11 mm hoch
 Streuwert 2.16, horizontal: 2.52, vertikal: 1.72




Serie 1:
 9.8 ↓ 9.3 ↗ 10.2 * 10.4 * 10.0 ↑
 10.4 * 10.3 * 9.8 ↗ 10.1 → 8.3 →
 beste Teiler 129.2 (4.) 139.6 (6.) 173.2 (7.)
 Trefferlage 1.48 mm rechts, 0.41 mm hoch
 Streuwert 2.02, horizontal: 2.28, vertikal: 1.72



Serie 2:
 10.0 ↓ 9.8 ↗ 10.1 → 10.8 * 9.9 ↖
 9.4 → 10.3 * 9.7 ↖ 10.2 * 9.1 →
 beste Teiler 31.5 (14.) 167.5 (17.) 194.1 (19.)
 Trefferlage 0.41 mm rechts, 0.47 mm hoch
 Streuwert 2.02, horizontal: 2.56, vertikal: 1.25



Serie 3:
 10.0 ↖ 9.8 ↗ 10.1 ↑ 8.6 ← 10.3 *
 9.4 ← 10.5 * 9.1 ↘ 10.5 * 10.2 *
 beste Teiler 110.3 (27.) 119.2 (29.) 165.5 (25.)
 Trefferlage 0.52 mm links, 0.40 mm hoch
 Streuwert 2.27, horizontal: 2.65, vertikal: 1.81





Serie 4:
 10.1 ↙ 9.8 ↖ 10.2 * 9.0 ↓ 10.6 *
 9.4 ↓ 10.0 → 9.7 ↙ 9.1 → 10.6 *
 beste Teiler 87.6 (40.) 88.8 (35.) 185.1 (33.)
 Trefferlage 0.59 mm links, 0.84 mm tief
 Streuwert 2.17, horizontal: 2.39, vertikal: 1.93


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **386** (408.8)
 Serien: 96 97 95 98
 Zähler: 26 14 0 0 0 0 0 0 0 0
 Innenzehner: 22
 weiteste: 385 (34), 353 (17), 340 (20)
 beste Teiler 10.0 (25.) 29.0 (8.) 36.0 (30.)
 Trefferlage 0.39 mm rechts, 0.29 mm tief
 Streuwert 1.49, horizontal: 1.74, vertikal: 1.19




Serie 1:
 9.8 ↘ 10.2 * 10.4 * 10.6 * 9.8 ↙
 9.9 → 9.8 → 10.8 * 10.8 * 10.0 →
 beste Teiler 29.0 (8.) 47.4 (9.) 94.0 (4.)
 Trefferlage 0.30 mm rechts, 0.14 mm tief
 Streuwert 1.55, horizontal: 1.92, vertikal: 1.07



Serie 2:
 10.2 * 10.8 * 10.7 * 10.7 * 9.6 ↓
 10.2 * 9.5 ↗ 10.7 * 10.6 * 9.6 ↘
 beste Teiler 50.5 (12.) 51.6 (14.) 59.8 (13.)
 Trefferlage 0.47 mm rechts, 0.32 mm tief
 Streuwert 1.51, horizontal: 1.41, vertikal: 1.60





Serie 3:
 10.5 * 9.9 ↘ 9.9 ↙ 10.7 * 10.9 *
 9.8 → 9.7 ↙ 9.8 ↘ 10.0 ↓ 10.8 *
 beste Teiler 10.0 (25.) 36.0 (30.) 53.6 (24.)
 Trefferlage 0.08 mm links, 0.44 mm tief
 Streuwert 1.62, horizontal: 1.87, vertikal: 1.31




Serie 4:
 10.3 * 10.1 ↘ 10.4 * 9.4 → 10.8 *
 9.7 → 10.3 * 10.6 * 10.4 * 10.1 →
 beste Teiler 48.0 (35.) 77.8 (38.) 126.0 (39.)
 Trefferlage 0.88 mm rechts, 0.25 mm tief
 Streuwert 1.41, horizontal: 1.82, vertikal: 0.80

Unterschrift des Schützen


Ergebnis: **378** (397.1)
 Serien: 95 94 95 94
 Zähler: 20 18 2 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 551 (22), 543 (11), 493 (6)
 beste Teiler 15.6 (33.) 20.0 (29.) 48.0 (26.)
 Trefferlage 0.01 mm links, 0.42 mm tief
 Streuwert 2.06, horizontal: 2.23, vertikal: 1.87




Serie 1:
 10.4 * 9.6 → 9.9 ↘ 9.6 → 10.6 *
 9.0 ↘ 10.0 ↘ 10.5 * 10.6 * 9.1 ↗
 beste Teiler 90.0 (5.) 98.4 (9.) 114.5 (8.)
 Trefferlage 1.09 mm rechts, 0.13 mm hoch
 Streuwert 2.03, horizontal: 1.92, vertikal: 2.13



Serie 2:
 8.8 ← 10.1 ← 9.5 → 9.6 ↓ 9.5 →
 10.0 ↘ 9.5 ↑ 10.4 * 10.1 ↑ 10.2 *
 beste Teiler 129.6 (18.) 184.6 (20.) 202.3 (19.)
 Trefferlage 0.18 mm links, 0.26 mm hoch
 Streuwert 2.34, horizontal: 2.63, vertikal: 2.01



Serie 3:
 9.6 ↖ 8.7 → 9.5 ↙ 9.4 ↙ 10.2 *
 10.8 * 10.0 ↙ 10.1 ↓ 10.9 * 10.2 *
 beste Teiler 20.0 (29.) 48.0 (26.) 181.8 (25.)
 Trefferlage 0.82 mm links, 0.96 mm tief
 Streuwert 1.98, horizontal: 2.54, vertikal: 1.16





Serie 4:
 9.9 ↓ 9.7 ↓ 10.9 * 10.7 * 9.6 ↙
 9.6 → 10.6 * 10.4 * 9.8 ↓ 9.5 ↓
 beste Teiler 15.6 (33.) 64.6 (34.) 88.1 (37.)
 Trefferlage 0.14 mm links, 1.14 mm tief
 Streuwert 1.71, horizontal: 1.53, vertikal: 1.86


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **388** (403.9)
 Serien: 97 97 97 97
 Zähler: 28 12 0 0 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 448 (23), 433 (34), 427 (3)
 beste Teiler 22.3 (37.) 35.7 (13.) 47.6 (16.)
 Trefferlage 0.34 mm rechts, 0.18 mm hoch
 Streuwert 1.70, horizontal: 1.98, vertikal: 1.35




Serie 1:
 10.5 * 9.8 → 9.2 ← 10.1 ↖ 10.3 *
 10.3 * 10.1 ← 10.5 * 10.6 * 9.8 ↗
 beste Teiler 83.4 (9.) 102.5 (1.) 103.4 (8.)
 Trefferlage 0.36 mm links, 0.04 mm tief
 Streuwert 1.69, horizontal: 2.18, vertikal: 0.98



Serie 2:
 10.1 ← 10.4 * 10.8 * 10.5 * 9.4 →
 10.8 * 10.5 * 10.2 * 9.9 → 9.7 ↘
 beste Teiler 35.7 (13.) 47.6 (16.) 103.1 (14.)
 Trefferlage 0.88 mm rechts, 0.10 mm hoch
 Streuwert 1.44, horizontal: 1.84, vertikal: 0.89



Serie 3:
 9.4 ↖ 10.2 * 9.2 → 10.1 ↖ 10.0 ↗
 10.7 * 10.1 ↓ 9.8 → 10.1 ↓ 10.2 *
 beste Teiler 65.0 (26.) 176.9 (30.) 192.3 (22.)
 Trefferlage 0.76 mm rechts, 0.02 mm tief
 Streuwert 1.89, horizontal: 2.32, vertikal: 1.32





Serie 4:
 9.6 ↖ 10.1 ↓ 9.7 ↘ 9.2 ↗ 10.2 *
 10.1 ↘ 10.9 * 10.6 * 10.1 ↘ 10.1 ↑
 beste Teiler 22.3 (37.) 76.5 (38.) 176.6 (35.)
 Trefferlage 0.07 mm rechts, 0.72 mm hoch
 Streuwert 1.79, horizontal: 1.53, vertikal: 2.01


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	360	(373.1)
Serien:	91 91 91 87	
Zähler:	11 21 5 3 0 0 0 0 0 0	
Innenzehner:	7	
weiteste:	985 (39), 978 (37), 764 (7)	
beste Teiler	161.9 (15.) 173.6 (8.) 187.2 (22.)	
Trefferlage	0.46 mm rechts, 0.38 mm hoch	
Streuwert	3.23, horizontal: 3.58, vertikal: 2.84	




Serie 1:	9.0 ↘	8.4 ↘	9.9 →	10.2 *	10.1 ←
	10.2 *	7.9 ↓	10.3 *	9.3 ←	9.5 ↘
beste Teiler	173.6 (8.)	198.3 (6.)	200.8 (4.)		
Trefferlage	0.01 mm links, 0.92 mm tief				
Streuwert	3.04, horizontal: 2.77, vertikal: 3.28				



Serie 2:	8.5 ↙	10.1 ↖	9.4 ↘	9.1 ↗	10.3 *
	9.3 ↖	8.2 ↑	9.4 ↖	10.0 ↖	9.0 ←
beste Teiler	161.9 (15.)	203.9 (12.)	250.8 (19.)		
Trefferlage	1.05 mm links, 1.15 mm hoch				
Streuwert	3.03, horizontal: 3.08, vertikal: 2.98				



Serie 3:	8.8 ←	10.2 *	9.8 →	9.7 ↑	9.5 ↑
	9.1 ↗	9.0 ↖	9.2 →	10.1 ↘	9.6 →
beste Teiler	187.2 (22.)	211.4 (29.)	292.9 (23.)		
Trefferlage	0.86 mm rechts, 0.93 mm hoch				
Streuwert	2.66, horizontal: 3.12, vertikal: 2.10				



Serie 4:	9.3 ↖	9.4 ↖	9.8 ↑	9.7 ↗	8.1 →
	10.2 *	7.0 →	10.2 *	7.0 →	9.3 ↖
beste Teiler	198.5 (36.)	198.5 (38.)	294.1 (33.)		
Trefferlage	2.05 mm rechts, 0.39 mm hoch				
Streuwert	3.92, horizontal: 4.78, vertikal: 2.82				

Unterschrift des Schützen