





Ergebnis: **394** (412.8)
 Serien: 97 99 99 99
 Zähler: 34 6 0 0 0 0 0 0 0 0
 Innenzehner: 28
 weiteste: 387 (5), 381 (1), 379 (6)
 beste Teiler 25.0 (39.) 29.6 (27.) 31.3 (12.)
 Trefferlage 0.09 mm rechts, 0.37 mm hoch
 Streuwert 1.32, horizontal: 1.43, vertikal: 1.20




Serie 1:
 9.4 ↘ 10.3 * 10.7 * 10.7 * 9.4 ↗
 9.4 → 10.4 * 10.7 * 10.6 * 10.8 *
 beste Teiler 35.0 (10.) 53.1 (4.) 72.7 (8.)
 Trefferlage 0.00 mm , 0.51 mm hoch
 Streuwert 1.63, horizontal: 1.82, vertikal: 1.42



Serie 2:
 10.2 * 10.8 * 10.2 * 10.8 * 10.8 *
 10.6 * 9.8 ↘ 10.4 * 10.0 → 10.1 ↗
 beste Teiler 31.3 (12.) 33.6 (15.) 38.6 (14.)
 Trefferlage 0.25 mm rechts, 0.89 mm hoch
 Streuwert 1.08, horizontal: 1.27, vertikal: 0.84



Serie 3:
 10.0 ↗ 10.3 * 10.1 ← 9.8 ↑ 10.3 *
 10.2 * 10.8 * 10.4 * 10.6 * 10.5 *
 beste Teiler 29.6 (27.) 91.4 (29.) 120.6 (30.)
 Trefferlage 0.04 mm rechts, 0.45 mm hoch
 Streuwert 1.28, horizontal: 1.36, vertikal: 1.19





Serie 4:
 10.6 * 10.6 * 10.2 * 9.6 ↓ 10.7 *
 10.1 → 10.0 → 10.6 * 10.9 * 10.4 *
 beste Teiler 25.0 (39.) 57.0 (35.) 89.2 (31.)
 Trefferlage 0.10 mm rechts, 0.34 mm tief
 Streuwert 1.26, horizontal: 1.41, vertikal: 1.10


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **380** (396.4)
 Serien: 94 97 92 97
 Zähler: 23 15 1 1 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 883 (7), 529 (29), 496 (32)
 beste Teiler 24.1 (2.) 41.4 (3.) 53.4 (28.)
 Trefferlage 0.15 mm rechts, 0.03 mm hoch
 Streuwert 2.21, horizontal: 2.75, vertikal: 1.48




Serie 1:
 9.6 → 10.9 * 10.8 * 10.6 * 10.1 →
 10.1 ↖ 7.4 → 9.7 ↖ 10.3 * 9.3 →
 beste Teiler 24.1 (2.) 41.4 (3.) 97.9 (4.)
 Trefferlage 1.24 mm rechts, 0.18 mm hoch
 Streuwert 2.53, horizontal: 3.40, vertikal: 1.13



Serie 2:
 10.1 ↑ 10.1 ↑ 10.1 ↙ 9.7 ↗ 10.3 *
 10.6 * 9.5 ↘ 9.7 ↘ 10.2 * 10.2 *
 beste Teiler 81.0 (16.) 162.1 (15.) 183.6 (19.)
 Trefferlage 0.79 mm rechts, 0.72 mm hoch
 Streuwert 1.57, horizontal: 1.50, vertikal: 1.64



Serie 3:
 9.0 ← 9.3 ↗ 9.8 → 9.7 ↘ 9.2 →
 10.0 ↗ 10.3 * 10.7 * 8.8 ↙ 9.2 ↖
 beste Teiler 53.4 (28.) 160.5 (27.) 248.8 (26.)
 Trefferlage 0.29 mm rechts, 0.39 mm tief
 Streuwert 2.72, horizontal: 3.31, vertikal: 1.96





Serie 4:
 10.6 * 9.0 ← 10.0 ← 10.6 * 10.2 *
 10.5 * 9.8 ← 10.3 * 9.6 ← 10.5 *
 beste Teiler 88.2 (31.) 89.6 (34.) 112.1 (40.)
 Trefferlage 1.73 mm links, 0.38 mm tief
 Streuwert 1.26, horizontal: 1.54, vertikal: 0.89


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **388** (406.4)
 Serien: 95 97 99 97
 Zähler: 28 12 0 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 449 (34), 416 (10), 346 (36)
 beste Teiler 27.5 (1.) 51.6 (31.) 57.6 (19.)
 Trefferlage 0.26 mm links, 0.25 mm hoch
 Streuwert 1.56, horizontal: 1.73, vertikal: 1.38




Serie 1:
 10.8 * 10.2 * 9.8 → 9.8 ↖ 9.7 ←
 10.4 * 10.5 * 9.8 ↑ 10.6 * 9.3 ↘
 beste Teiler 27.5 (1.) 81.0 (9.) 113.2 (7.)
 Trefferlage 0.73 mm links, 0.64 mm hoch
 Streuwert 1.69, horizontal: 1.88, vertikal: 1.47



Serie 2:
 10.6 * 9.8 ↖ 9.8 ↖ 10.2 * 9.7 ↙
 10.6 * 10.1 ↑ 10.3 * 10.7 * 10.5 *
 beste Teiler 57.6 (19.) 83.9 (16.) 91.5 (11.)
 Trefferlage 1.02 mm links, 0.26 mm hoch
 Streuwert 1.27, horizontal: 1.52, vertikal: 0.96



Serie 3:
 10.6 * 10.2 * 9.9 → 10.7 * 10.1 ↗
 10.0 ↗ 10.5 * 10.4 * 10.1 ↘ 10.4 *
 beste Teiler 58.2 (24.) 92.6 (21.) 121.3 (27.)
 Trefferlage 0.55 mm rechts, 0.51 mm hoch
 Streuwert 1.17, horizontal: 1.08, vertikal: 1.25





Serie 4:
 10.7 * 10.0 ↖ 10.1 ↗ 9.2 → 10.0 ↓
 9.6 ↖ 9.9 ↓ 10.1 ↘ 10.6 * 10.1 ↓
 beste Teiler 51.6 (31.) 99.6 (39.) 201.6 (33.)
 Trefferlage 0.14 mm rechts, 0.39 mm tief
 Streuwert 1.87, horizontal: 2.03, vertikal: 1.69


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **383** (401.3)
 Serien: 96 94 96 97
 Zähler: 23 17 0 0 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 461 (17), 432 (19), 375 (4)
 beste Teiler 4.4 (29.) 52.6 (9.) 54.5 (11.)
 Trefferlage 0.11 mm rechts, 0.76 mm tief
 Streuwert 1.72, horizontal: 1.85, vertikal: 1.58




Serie 1:
 10.1 → 9.5 ↙ 10.0 ← 9.5 ↙ 10.5 *
 9.6 → 9.6 ↙ 10.0 ↙ 10.7 * 10.0 ←
 beste Teiler 52.6 (9.) 123.4 (5.) 213.0 (1.)
 Trefferlage 0.88 mm links, 1.34 mm tief
 Streuwert 1.59, horizontal: 2.03, vertikal: 0.98



Serie 2:
 10.7 * 10.2 * 9.8 ↓ 10.7 * 9.9 ↙
 10.2 * 9.1 ↓ 9.6 → 9.2 ↓ 9.5 →
 beste Teiler 54.5 (11.) 74.2 (14.) 186.6 (16.)
 Trefferlage 0.80 mm rechts, 1.56 mm tief
 Streuwert 1.76, horizontal: 1.72, vertikal: 1.81



Serie 3:
 10.2 * 9.9 → 9.7 ↙ 10.7 * 9.8 →
 10.4 * 10.0 → 9.9 ↗ 10.9 * 10.2 *
 beste Teiler 4.4 (29.) 66.4 (24.) 150.8 (26.)
 Trefferlage 0.64 mm rechts, 0.27 mm tief
 Streuwert 1.54, horizontal: 1.82, vertikal: 1.21





Serie 4:
 10.3 * 10.2 * 10.2 * 9.8 ↙ 9.9 ↓
 10.5 * 10.0 → 9.6 ↗ 10.2 * 10.5 *
 beste Teiler 120.0 (36.) 123.0 (40.) 162.1 (31.)
 Trefferlage 0.10 mm links, 0.11 mm hoch
 Streuwert 1.63, horizontal: 1.56, vertikal: 1.71


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **389** (408.1)
 Serien: 98 97 95 99
 Zähler: 29 11 0 0 0 0 0 0 0 0
 Innenzehner: 25
 weiteste: 411 (24), 409 (19), 383 (13)
 beste Teiler 36.8 (32.) 45.0 (18.) 53.4 (31.)
 Trefferlage 0.06 mm rechts, 0.16 mm tief
 Streuwert 1.52, horizontal: 1.65, vertikal: 1.37




Serie 1:
 10.4 * 10.1 ↘ 10.0 ✓ 10.3 * 10.1 ↖
 9.9 ↙ 10.5 * 9.9 ↗ 10.3 * 10.0 ↘
 beste Teiler 112.0 (7.) 149.0 (1.) 167.8 (9.)
 Trefferlage 0.46 mm links, 0.12 mm tief
 Streuwert 1.50, horizontal: 1.28, vertikal: 1.69



Serie 2:
 9.8 ↖ 10.2 * 9.4 → 10.2 * 10.5 *
 10.3 * 10.3 * 10.8 * 9.3 ✓ 10.5 *
 beste Teiler 45.0 (18.) 124.0 (20.) 125.2 (15.)
 Trefferlage 0.08 mm links, 0.12 mm tief
 Streuwert 1.74, horizontal: 2.08, vertikal: 1.32



Serie 3:
 10.6 * 10.2 * 10.2 * 9.3 → 10.7 *
 9.9 ↙ 9.5 → 9.8 ↗ 10.4 * 9.7 ↘
 beste Teiler 62.8 (25.) 87.1 (21.) 130.6 (29.)
 Trefferlage 0.90 mm rechts, 0.15 mm tief
 Streuwert 1.78, horizontal: 1.94, vertikal: 1.61





Serie 4:
 10.7 * 10.8 * 10.5 * 10.2 * 9.8 ✓
 10.3 * 10.7 * 10.7 * 10.7 * 10.6 *
 beste Teiler 36.8 (32.) 53.4 (31.) 56.3 (37.)
 Trefferlage 0.09 mm links, 0.24 mm tief
 Streuwert 0.97, horizontal: 0.97, vertikal: 0.96


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **381** (401.9)
 Serien: 94 97 94 96
 Zähler: 22 17 1 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 504 (22), 463 (38), 458 (20)
 beste Teiler 13.0 (9.) 29.1 (13.) 31.3 (31.)
 Trefferlage 0.24 mm links, 0.14 mm tief
 Streuwert 1.85, horizontal: 1.81, vertikal: 1.89




Serie 1:
 10.3 * 9.9 ← 9.9 ↘ 9.1 ↓ 9.3 ←
 9.6 ↗ 9.4 ↘ 10.5 * 10.9 * 10.1 ↓
 beste Teiler 13.0 (9.) 125.3 (8.) 159.6 (1.)
 Trefferlage 0.49 mm links, 0.14 mm tief
 Streuwert 2.16, horizontal: 2.11, vertikal: 2.21



Serie 2:
 9.9 → 10.6 * 10.8 * 10.6 * 9.4 ↓
 10.3 * 10.8 * 10.2 * 10.3 * 9.1 ←
 beste Teiler 29.1 (13.) 47.2 (17.) 81.3 (14.)
 Trefferlage 0.08 mm links, 0.25 mm tief
 Streuwert 1.69, horizontal: 1.97, vertikal: 1.37



Serie 3:
 9.9 ↗ 8.9 ↑ 9.8 ↘ 9.8 ← 10.5 *
 10.3 * 9.9 ↘ 10.1 ↗ 10.3 * 10.5 *
 beste Teiler 104.2 (30.) 122.4 (25.) 155.6 (29.)
 Trefferlage 0.00 mm , 0.13 mm tief
 Streuwert 1.95, horizontal: 1.64, vertikal: 2.22





Serie 4:
 10.8 * 10.8 * 9.5 ← 10.4 * 10.4 *
 10.1 ↓ 9.7 → 9.1 ↑ 10.4 * 9.7 ↘
 beste Teiler 31.3 (31.) 32.5 (32.) 131.2 (34.)
 Trefferlage 0.40 mm links, 0.05 mm tief
 Streuwert 1.85, horizontal: 1.74, vertikal: 1.95


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **386** (405.2)
 Serien: 97 96 96 97
 Zähler: 27 12 1 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 509 (23), 382 (31), 341 (32)
 beste Teiler 26.9 (29.) 34.0 (1.) 51.0 (15.)
 Trefferlage 0.20 mm links, 0.50 mm hoch
 Streuwert 1.59, horizontal: 1.89, vertikal: 1.23




Serie 1:
 10.8 * 9.8 ↗ 9.7 ↘ 10.7 * 10.3 *
 10.6 * 10.6 * 10.0 ← 9.9 ← 10.1 →
 beste Teiler 34.0 (1.) 70.6 (4.) 87.6 (6.)
 Trefferlage 0.37 mm links, 0.36 mm hoch
 Streuwert 1.46, horizontal: 1.84, vertikal: 0.93



Serie 2:
 10.5 * 9.9 ← 10.1 ↗ 10.0 ↘ 10.7 *
 10.4 * 9.9 ↘ 10.1 ← 9.6 ↑ 9.6 ↘
 beste Teiler 51.0 (15.) 121.1 (11.) 148.0 (16.)
 Trefferlage 1.04 mm links, 1.01 mm hoch
 Streuwert 1.36, horizontal: 1.56, vertikal: 1.13



Serie 3:
 10.4 * 9.9 ↘ 8.9 → 10.4 * 10.3 *
 9.9 ← 10.0 ↘ 10.1 ← 10.8 * 10.2 *
 beste Teiler 26.9 (29.) 136.4 (24.) 138.0 (21.)
 Trefferlage 0.10 mm rechts, 0.03 mm hoch
 Streuwert 1.85, horizontal: 2.30, vertikal: 1.25





Serie 4:
 9.4 → 9.6 ↑ 10.3 * 10.5 * 9.8 ↗
 10.1 ↗ 10.5 * 10.2 * 10.3 * 10.3 *
 beste Teiler 109.3 (34.) 111.9 (37.) 155.0 (40.)
 Trefferlage 0.49 mm rechts, 0.62 mm hoch
 Streuwert 1.61, horizontal: 1.71, vertikal: 1.50


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **361** (379.7)
 Serien: 88 92 90 91
 Zähler: 13 18 7 1 1 0 0 0 0 0
 Innenzehner: 11
 weiteste: 1094 (4), 877 (2), 621 (6)
 beste Teiler 43.0 (18.) 74.0 (27.) 83.1 (1.)
 Trefferlage 0.36 mm links, 1.09 mm hoch
 Streuwert 2.90, horizontal: 3.57, vertikal: 2.01




Serie 1:
 10.6 * 7.4 ← 9.7 ↘ 6.6 → 9.2 →
 8.5 ↘ 10.4 * 10.2 * 10.2 * 9.1 ↖
 beste Teiler 83.1 (1.) 128.7 (7.) 177.5 (9.)
 Trefferlage 0.95 mm rechts, 0.42 mm tief
 Streuwert 3.97, horizontal: 5.03, vertikal: 2.50



Serie 2:
 9.3 ← 8.8 ← 9.8 ↗ 9.6 ↖ 10.2 *
 10.3 * 9.6 ← 10.8 * 8.8 ↑ 10.2 *
 beste Teiler 43.0 (18.) 170.9 (16.) 182.8 (20.)
 Trefferlage 1.14 mm links, 1.45 mm hoch
 Streuwert 2.13, horizontal: 2.40, vertikal: 1.81



Serie 3:
 9.1 ↖ 10.0 ↗ 10.4 * 8.9 → 8.8 ←
 9.3 ↑ 10.7 * 8.7 ↖ 9.4 ↖ 9.4 ↑
 beste Teiler 74.0 (27.) 147.0 (23.) 249.8 (22.)
 Trefferlage 0.96 mm links, 1.99 mm hoch
 Streuwert 2.51, horizontal: 3.31, vertikal: 1.30



Serie 4:
 8.9 ↖ 10.1 ↖ 9.0 ↖ 9.5 ↖ 10.6 *
 9.8 → 9.4 → 9.3 → 9.4 ↗ 9.7 ←
 beste Teiler 95.7 (35.) 203.1 (32.) 287.3 (36.)
 Trefferlage 0.30 mm links, 1.36 mm hoch
 Streuwert 2.54, horizontal: 3.21, vertikal: 1.62

Unterschrift des Schützen

Meyton Elektronik