





Ergebnis:	562						(587.0)
Serien:	93	91	96	95	93	94	
Zähler:	26	30	4	0	0	0	0
Innenzehner:	9						
weiteste:	2292 (11), 2035 (3), 1757 (13)						
beste Teiler	243.9 (15.) 268.3 (47.) 281.1 (58.)						
Trefferlage	2.14 mm links, 4.59 mm tief						
Streuwert	6.45, horizontal: 5.76, vertikal: 7.07						




Serie 1:	9.4 ↙	9.5 ↙	8.4 ↓	9.5 ↓	9.0 ↙
	10.0 ↖	10.2 ↖	10.0 ↘	9.8 ↓	10.4 *
beste Teiler	405.1 (10.) 626.3 (7.) 727.3 (6.)				
Trefferlage	4.17 mm links, 7.50 mm tief				
Streuwert	5.83, horizontal: 5.54, vertikal: 6.10				




Serie 2:	8.1 ↓	9.3 ↓	8.8 ↓	9.1 ↓	10.6 *
	10.4 *	9.3 ↗	9.9 ↘	10.3 ↓	9.5 ↘
beste Teiler	243.9 (15.) 414.8 (16.) 505.7 (19.)				
Trefferlage	0.07 mm rechts, 7.88 mm tief				
Streuwert	7.54, horizontal: 4.84, vertikal: 9.51				




Serie 3:	10.4 *	10.3 ↖	9.5 ↓	10.3 ↘	10.4 *
	9.6 ↗	9.4 ↓	9.3 ↓	10.3 ↙	10.1 ↓
beste Teiler	406.1 (21.) 473.8 (25.) 517.6 (29.)				
Trefferlage	0.16 mm links, 4.11 mm tief				
Streuwert	5.75, horizontal: 4.64, vertikal: 6.67				



Serie 4:	10.2 →	10.0 ↘	10.3 ↖	9.6 ←	10.2 →
	9.4 ↓	9.3 ↓	9.7 ↘	10.3 ←	9.5 ↙
beste Teiler	549.6 (33.) 555.6 (39.) 606.4 (35.)				
Trefferlage	0.45 mm links, 3.84 mm tief				
Streuwert	6.38, horizontal: 6.71, vertikal: 6.03				



Serie 5:	9.7 ↙	9.7 ↓	10.5 *	8.9 ↗	10.0 ↓
	9.6 ↙	10.6 *	9.1 ←	10.1 ↓	9.6 ←
beste Teiler	268.3 (47.) 373.5 (43.) 670.5 (49.)				
Trefferlage	5.13 mm links, 3.33 mm tief				
Streuwert	6.18, horizontal: 4.92, vertikal: 7.22				



Serie 6:	9.8 ←	10.4 *	9.9 ↘	9.8 ↖	10.2 →
	9.9 ↓	10.2 ↓	10.6 *	9.8 ↖	9.0 ↖
beste Teiler	281.1 (58.) 445.6 (52.) 567.4 (57.)				
Trefferlage	3.01 mm links, 0.88 mm tief				
Streuwert	5.99, horizontal: 6.63, vertikal: 5.27				

Meyton Elektronik

ISSF AP Men – Wertung – Junioren

StandNr: 102

Fröhlich, Paul #70817296

StartNr: 292

22. Juli 2017 11:53

Bayern / Bayern

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **511** (537.0)

Serien: 92 84 84 82 89 80

Zähler: 15 23 10 6 3 2 1 0 0 0



Innenzehner: 6

weiteste: 4928 (53), 4584 (47), 4069 (28)

beste Teiler 316.7 (9.) 339.5 (24.) 354.3 (55.)

Trefferlage 0.66 mm rechts, 3.21 mm hoch

Streuwert 13.50, horizontal: 10.89, vertikal: 15.68




Serie 1:

10.3 →	10.1 ↗	6.5 ↓	9.8 ↘	10.3 ↖
10.1 ←	9.8 ↖	10.4 *	10.6 *	8.6 ↑

beste Teiler 316.7 (9.) 447.7 (8.) 515.4 (5.)

Trefferlage 0.46 mm rechts, 0.94 mm tief

Streuwert 10.42, horizontal: 4.49, vertikal: 14.03




Serie 2:

9.2 →	8.3 ↘	8.7 →	7.6 ↘	9.6 ←
7.8 ↗	7.7 ↖	9.2 ↑	10.4 *	10.1 ↖

beste Teiler 401.8 (19.) 720.6 (20.) 1091.7 (15.)

Trefferlage 2.03 mm rechts, 3.14 mm hoch

Streuwert 13.44, horizontal: 12.82, vertikal: 14.02




Serie 3:

10.5 *	9.7 ↑	8.3 ↑	10.5 *	8.4 ↘
9.1 ↑	9.5 ←	5.9 ↘	7.9 ↗	9.7 ↘

beste Teiler 339.5 (24.) 384.8 (21.) 967.6 (30.)

Trefferlage 3.13 mm links, 1.21 mm hoch

Streuwert 14.09, horizontal: 11.64, vertikal: 16.17




Serie 4:

7.7 ↘	7.8 ↖	8.5 ↘	9.9 ↑	8.6 ↑
8.2 ↑	9.7 ↘	8.9 ↗	8.2 ↑	10.0 ↗

beste Teiler 750.5 (40.) 807.4 (34.) 988.7 (37.)

Trefferlage 0.10 mm rechts, 11.52 mm hoch

Streuwert 11.08, horizontal: 9.51, vertikal: 12.45




Serie 5:

9.8 ↖	9.4 ↘	9.0 ↗	10.0 ↘	9.7 →
9.1 →	5.2 ↑	10.2 →	9.0 ↖	10.2 ↑

beste Teiler 606.9 (50.) 632.8 (48.) 751.1 (44.)

Trefferlage 5.02 mm rechts, 6.96 mm hoch

Streuwert 11.90, horizontal: 7.81, vertikal: 14.91



Serie 6:

6.3 ↘	9.4 ↑	4.8 ↗	9.6 ↘	10.5 *
9.0 ↑	9.0 ↖	9.2 ←	9.0 ↘	6.5 ↓

beste Teiler 354.3 (55.) 1050.7 (54.) 1243.0 (52.)

Trefferlage 0.47 mm links, 2.60 mm tief

Streuwert 18.59, horizontal: 16.27, vertikal: 20.65

Meyton Elektronik

ISSF AP Men – Wertung – Junioren

StandNr: 103

Markl, Marco #70804844

StartNr: 293



22. Juli 2017 11:59

Tirol / Tirol


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	576						(598.8)
Serien:	96	98	98	96	94	94	
Zähler:	39	18	3	0	0	0	0
Innenzehner:	15						
weiteste:	2173 (50), 1834 (49), 1766 (40)						
beste Teiler	147.7 (25.) 217.9 (41.) 223.5 (38.)						
Trefferlage	0.51 mm rechts, 0.17 mm hoch						
Streuwert	6.37, horizontal: 5.51, vertikal: 7.12						




Serie 1:					
	10.3 ↗	9.2 ↓	10.3 ✓	10.4 *	9.7 ↑
	10.0 ↙	9.7 ↖	10.6 *	10.3 →	9.8 ↓
beste Teiler	251.3 (8.) 450.8 (4.) 498.1 (9.)				
Trefferlage	1.60 mm links, 2.77 mm tief				
Streuwert	5.53, horizontal: 4.03, vertikal: 6.70				




Serie 2:					
	10.3 →	10.0 ↓	10.4 *	10.1 ↗	10.4 *
	9.1 ↖	9.7 →	10.5 *	10.2 ↘	10.5 *
beste Teiler	332.1 (20.) 354.3 (18.) 419.4 (13.)				
Trefferlage	1.11 mm links, 0.64 mm tief				
Streuwert	5.52, horizontal: 6.57, vertikal: 4.21				




Serie 3:					
	10.5 *	9.4 ↓	10.3 ↑	9.2 ↗	10.8 *
	10.1 ↖	10.1 →	10.0 ↓	10.6 *	10.1 ↓
beste Teiler	147.7 (25.) 312.9 (29.) 398.1 (21.)				
Trefferlage	0.80 mm rechts, 1.80 mm tief				
Streuwert	5.61, horizontal: 4.50, vertikal: 6.53				



Serie 4:					
	10.4 *	9.7 ↘	10.1 ↓	10.3 →	9.2 ↗
	10.1 ↙	10.5 *	10.7 *	10.0 ↑	8.7 ↑
beste Teiler	223.5 (38.) 333.5 (37.) 408.5 (31.)				
Trefferlage	1.22 mm rechts, 3.53 mm hoch				
Streuwert	6.18, horizontal: 5.22, vertikal: 7.01				



Serie 5:					
	10.7 *	10.3 ↖	9.5 ↑	10.1 ↖	10.2 ↙
	10.3 ↖	10.6 *	9.9 ↓	8.7 ↑	8.2 ↓
beste Teiler	217.9 (41.) 319.2 (47.) 482.7 (46.)				
Trefferlage	0.86 mm links, 0.02 mm tief				
Streuwert	8.01, horizontal: 5.71, vertikal: 9.79				



Serie 6:					
	9.9 ↓	10.1 ↑	10.2 ↑	9.8 ↓	9.4 →
	10.5 *	9.0 ↗	10.3 →	9.5 ↑	9.3 ↗
beste Teiler	349.5 (56.) 486.5 (58.) 564.4 (53.)				
Trefferlage	4.63 mm rechts, 2.78 mm hoch				
Streuwert	6.22, horizontal: 5.50, vertikal: 6.87				

Meyton Elektronik

ISSF AP Men – Wertung – Junioren

StandNr: 104

Zurschmiede, Frederik #70817297

StartNr: 294



22. Juli 2017 11:55

St. Gallen / St. Gallen

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	544	(574.7)					
Serien:	93	92	90	91	91	87	
Zähler:	18	30	10	2	0	0	0
Innenzehner:	8						
weiteste:	3190 (51), 2745 (29), 2287 (50)						
beste Teiler	96.7 (4.) 141.7 (46.) 176.7 (17.)						
Trefferlage	2.66 mm links, 0.69 mm hoch						
Streuwert	8.69, horizontal: 7.91, vertikal: 9.41						




Serie 1:

9.7 ↘	10.0 ↑	9.2 ↓	10.8 *	10.3 →
9.3 ↘	9.7 ↙	9.3 ↘	9.6 ↑	9.6 ↙
beste Teiler	96.7 (4.) 518.6 (5.) 771.5 (2.)			
Trefferlage	0.15 mm rechts, 1.76 mm tief			
Streuwert	7.52, horizontal: 5.82, vertikal: 8.89			




Serie 2:

10.3 ↙	9.8 ↙	8.9 ↖	8.9 ↙	9.1 ←
10.1 ↓	10.7 *	10.2 ↓	10.5 *	8.9 ←
beste Teiler	176.7 (17.) 374.3 (19.) 549.1 (11.)			
Trefferlage	6.54 mm links, 2.39 mm tief			
Streuwert	6.53, horizontal: 7.39, vertikal: 5.54			




Serie 3:

10.0 ↙	8.5 ↓	9.0 ↑	9.9 ↘	9.9 ↘
10.3 ↗	10.2 ←	9.9 →	7.5 ↖	9.8 ↑
beste Teiler	485.7 (26.) 583.6 (27.) 783.6 (21.)			
Trefferlage	3.82 mm links, 1.17 mm hoch			
Streuwert	9.50, horizontal: 9.37, vertikal: 9.63			




Serie 4:

10.4 *	9.8 ↑	9.7 ↘	10.5 *	9.6 ↙
8.7 ↑	9.7 ↑	9.2 ←	9.3 ↙	9.1 ←
beste Teiler	336.0 (34.) 465.7 (31.) 902.3 (32.)			
Trefferlage	5.39 mm links, 2.93 mm hoch			
Streuwert	7.32, horizontal: 5.06, vertikal: 9.03			



Serie 5:

10.6 *	9.5 ↖	10.0 ↓	9.9 ↘	9.3 ↙
10.8 *	9.7 ↓	8.9 ↘	9.7 ↖	8.1 →
beste Teiler	141.7 (46.) 315.8 (41.) 736.1 (43.)			
Trefferlage	0.89 mm rechts, 1.85 mm tief			
Streuwert	8.80, horizontal: 10.49, vertikal: 6.68			



Serie 6:

7.0 ↑	9.7 ↖	9.7 ↖	10.4 *	9.4 ↗
8.8 ↑	9.7 ↑	8.4 ↓	8.9 ↑	10.3 ↘
beste Teiler	412.8 (54.) 491.4 (60.) 967.9 (52.)			
Trefferlage	1.26 mm links, 6.09 mm hoch			
Streuwert	10.84, horizontal: 6.80, vertikal: 13.75			

Meyton Elektronik

ISSF AP Men – Wertung – Junioren

StandNr: 105

Flütsch, Nando #70817298

StartNr: 295



22. Juli 2017 11:50

Graubünden

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	537	(563.9)				
Serien:	84	90	88	96	92	87
Zähler:	16	27	15	2	0	0
Innenzehner:	9					
weiteste:	3150 (56), 2984 (2), 2387 (5)					
beste Teiler	75.6 (57.) 122.2 (42.) 236.0 (20.)					
Trefferlage	5.91 mm rechts, 2.11 mm hoch					
Streuwert	9.06, horizontal: 6.60, vertikal: 10.99					



Serie 1:

8.6 ↗	7.2 ↓	8.8 ↑	9.8 ↗	8.0 ↗
8.1 ↑	9.5 ↑	10.3 ↖	8.3 ↑	9.8 →


beste Teiler 539.3 (8.) 896.4 (10.) 958.1 (4.)
 Trefferlage 5.21 mm rechts, 7.59 mm hoch
 Streuwert 11.89, horizontal: 8.05, vertikal: 14.76



Serie 2:

9.0 ↑	8.6 →	9.4 ↑	8.5 ↓	10.4 *
9.2 →	9.0 ↓	9.6 ↓	9.9 ↓	10.7 *


beste Teiler 236.0 (20.) 422.4 (15.) 836.1 (19.)
 Trefferlage 6.47 mm rechts, 1.71 mm tief
 Streuwert 8.59, horizontal: 5.70, vertikal: 10.73



Serie 3:

8.3 ↗	8.1 ↑	9.1 ↗	10.0 →	9.9 ↓
8.6 ↓	8.6 →	9.8 ↓	10.3 →	9.3 ↘


beste Teiler 512.8 (29.) 793.5 (24.) 846.0 (25.)
 Trefferlage 8.74 mm rechts, 0.67 mm hoch
 Streuwert 9.31, horizontal: 5.73, vertikal: 11.85



Serie 4:

9.9 ↗	9.3 →	10.3 ↗	10.1 ↗	10.4 *
9.4 ↗	9.7 ↑	10.5 *	10.5 *	10.3 ↗


beste Teiler 372.4 (38.) 375.2 (39.) 456.6 (35.)
 Trefferlage 4.18 mm rechts, 2.89 mm hoch
 Streuwert 4.63, horizontal: 4.58, vertikal: 4.69



Serie 5:

10.2 →	10.8 *	8.8 ↑	10.4 *	9.2 ↗
9.2 ↓	9.4 →	9.8 ↖	9.1 ↑	9.8 ↓

beste Teiler 122.2 (42.) 427.7 (44.) 637.2 (41.)
 Trefferlage 3.84 mm rechts, 1.51 mm hoch
 Streuwert 7.93, horizontal: 5.31, vertikal: 9.88



Serie 6:

9.2 →	10.6 *	8.8 ↓	9.6 ↘	9.4 ↖
7.0 ↗	10.9 *	9.5 ↗	8.7 ↑	8.4 ↗

beste Teiler 75.6 (57.) 270.9 (52.) 1058.5 (54.)
 Trefferlage 7.01 mm rechts, 1.70 mm hoch
 Streuwert 10.78, horizontal: 9.34, vertikal: 12.05

ISSF AP Men – Wertung – Junioren

StandNr: 106

Brunner, Daniel #70817299

StartNr: 296



22. Juli 2017 11:46

St. Gallen / St. Gallen


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	550						(578.9)
Serien:	90	92	90	93	92	93	
Zähler:	20	30	10	0	0	0	0
Innenzehner:	9						
weiteste:	2228 (19), 2225 (56), 1995 (42)						
beste Teiler	33.1 (12.) 219.1 (55.) 244.9 (25.)						
Trefferlage	0.92 mm links, 2.66 mm tief						
Streuwert	8.09, horizontal: 6.21, vertikal: 9.61						




Serie 1:	8.5 ↙	9.7 ↙	10.2 ↘	9.5 ↓	10.0 ↓
	8.7 ↓	10.2 ↘	9.4 ↑	8.7 ↓	9.9 ↓
beste Teiler	581.1 (7.) 612.7 (3.) 769.4 (5.)				
Trefferlage	0.74 mm links, 8.17 mm tief				
Streuwert	7.28, horizontal: 5.56, vertikal: 8.66				




Serie 2:	10.6 *	10.9 *	9.2 ↙	9.7 →	10.4 *
	9.5 ↓	9.7 ↙	9.7 →	8.2 ↑	9.7 ↓
beste Teiler	33.1 (12.) 279.2 (11.) 447.3 (15.)				
Trefferlage	0.61 mm links, 1.38 mm tief				
Streuwert	8.29, horizontal: 6.69, vertikal: 9.63				




Serie 3:	8.7 ↙	8.6 ↑	10.3 ↘	9.9 ↖	10.6 *
	9.9 →	9.8 ↑	9.9 ↓	9.3 ←	9.3 ↙
beste Teiler	244.9 (25.) 518.3 (23.) 802.3 (28.)				
Trefferlage	3.05 mm links, 0.00 mm				
Streuwert	8.35, horizontal: 7.07, vertikal: 9.46				



Serie 4:	9.8 ↖	9.4 →	10.1 →	10.4 *	10.1 ↖
	9.2 ↖	9.9 ↑	10.0 ↑	9.3 ↓	8.5 ↓
beste Teiler	431.5 (34.) 712.4 (35.) 718.1 (33.)				
Trefferlage	0.74 mm rechts, 1.14 mm hoch				
Streuwert	8.35, horizontal: 5.94, vertikal: 10.21				



Serie 5:	10.2 ↓	8.5 ↓	10.5 *	8.8 ↓	9.3 ↓
	9.4 ↘	10.0 ←	9.5 ↖	9.0 ↖	10.2 ↑
beste Teiler	400.8 (43.) 616.8 (41.) 630.6 (50.)				
Trefferlage	1.77 mm links, 4.50 mm tief				
Streuwert	8.52, horizontal: 5.53, vertikal: 10.70				



Serie 6:	10.5 *	9.8 →	10.3 ↑	10.4 *	10.7 *
	8.2 ↙	9.3 ↘	9.3 ↖	9.7 ↓	9.9 ↓
beste Teiler	219.1 (55.) 327.0 (51.) 428.2 (54.)				
Trefferlage	0.11 mm links, 3.10 mm tief				
Streuwert	7.67, horizontal: 7.16, vertikal: 8.15				

Meyton Elektronik



ISSF AP Men – Wertung – Junioren
StandNr: 107
Holderried,, Michael #70817300

StartNr: 297
22. Juli 2017 11:40
Bayern / Bayern

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	542	(570.1)				
Serien:	91	93	90	91	89	88
Zähler:	21	22	15	2	0	0
Innenzehner:	8					
weiteste:	2944 (44), 2690 (54), 2284 (39)					
beste Teiler	103.0 (10.) 170.4 (41.) 284.1 (48.)					
Trefferlage	3.84 mm links, 0.26 mm tief					
Streuwert	9.13, horizontal: 9.78, vertikal: 8.42					




Serie 1:

10.5 *	8.6 ↘	9.2 ↑	9.3 ←	8.6 ↗
9.7 ↓	8.6 ←	10.5 *	10.2 ↖	10.8 *
beste Teiler	103.0 (10.) 339.6 (1.) 360.1 (8.)			
Trefferlage	3.26 mm links, 1.04 mm tief			
Streuwert	9.01, horizontal: 8.51, vertikal: 9.49			




Serie 2:

8.2 ↖	9.7 ↖	9.3 ↖	10.0 →	10.6 *
9.9 ↑	9.0 ←	10.1 ↑	10.1 →	9.8 ↘
beste Teiler	288.7 (15.) 655.9 (19.) 692.8 (18.)			
Trefferlage	4.61 mm links, 2.57 mm hoch			
Streuwert	7.65, horizontal: 9.38, vertikal: 5.38			




Serie 3:

8.6 ↖	9.9 ←	9.0 ←	10.3 ←	9.5 ←
9.8 ←	10.2 ↓	8.9 ↘	9.9 ←	9.8 ↑
beste Teiler	520.1 (24.) 637.0 (27.) 803.1 (22.)			
Trefferlage	5.59 mm links, 0.43 mm hoch			
Streuwert	7.73, horizontal: 8.47, vertikal: 6.90			




Serie 4:

8.9 ↖	8.1 ↘	9.0 ↑	10.2 ↑	10.4 *
10.2 ↘	9.9 ↘	9.9 ←	8.1 ↘	10.2 ↖
beste Teiler	471.4 (35.) 563.9 (34.) 574.8 (36.)			
Trefferlage	3.05 mm links, 1.57 mm tief			
Streuwert	9.74, horizontal: 8.17, vertikal: 11.08			



Serie 5:

10.7 *	8.5 ↘	9.4 →	7.3 →	8.7 ←
9.6 ↗	8.2 ↗	10.6 *	10.1 →	10.1 ←
beste Teiler	170.4 (41.) 284.1 (48.) 650.5 (50.)			
Trefferlage	0.49 mm rechts, 0.94 mm hoch			
Streuwert	11.60, horizontal: 13.73, vertikal: 8.97			



Serie 6:

9.4 ↗	10.6 *	8.9 ←	7.6 ↘	9.5 ←
8.5 ↖	10.1 ↓	8.6 ←	9.9 ↗	10.3 →
beste Teiler	302.3 (52.) 505.3 (60.) 678.1 (57.)			
Trefferlage	7.01 mm links, 2.93 mm tief			
Streuwert	9.40, horizontal: 10.14, vertikal: 8.59			

ISSF AP Men – Wertung – **Junioren**

StandNr: 108

Zöpfel, Max #70817301

StartNr: 298



22. Juli 2017 11:45

St. Gallen / St. Gallen

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	512						(538.7)
Serien:	85	85	88	81	88	85	
Zähler:	8	27	14	11	0	0	0
Innenzehner:	4						
weiteste:	3084 (28), 3082 (31), 2986 (60)						
beste Teiler	233.8 (45.) 345.4 (23.) 402.9 (26.)						
Trefferlage	0.37 mm rechts, 1.33 mm hoch						
Streuwert	12.40, horizontal: 11.17, vertikal: 13.53						



Serie 1:

9.3 ↑	8.8 →	8.1 ↗	7.8 ↑	9.2 ↘
7.5 ←	9.6 ↓	9.0 ↓	10.0 ←	9.1 ↘


beste Teiler 774.0 (9.) 1069.4 (7.) 1349.3 (1.)
 Trefferlage 1.60 mm rechts, 0.57 mm hoch
 Streuwert 13.25, horizontal: 13.28, vertikal: 13.22



Serie 2:

9.8 ↙	8.8 ↑	8.9 ↑	9.8 ←	8.7 ↘
9.5 ↘	9.5 →	9.3 ↘	7.5 ↙	9.7 ↑


beste Teiler 886.0 (14.) 919.6 (11.) 1000.1 (20.)
 Trefferlage 1.34 mm rechts, 1.68 mm tief
 Streuwert 11.37, horizontal: 9.87, vertikal: 12.69



Serie 3:

9.6 ↙	10.1 ↘	10.5 *	9.6 ↘	9.0 ↘
10.4 *	7.8 ↙	7.1 ↑	9.9 ↘	8.3 ↙


beste Teiler 345.4 (23.) 402.9 (26.) 688.6 (22.)
 Trefferlage 1.28 mm links, 1.35 mm tief
 Streuwert 12.05, horizontal: 8.08, vertikal: 15.00



Serie 4:

7.1 ↘	9.2 ↑	7.5 ↑	10.0 ↑	7.4 ↑
9.8 ↗	7.9 ↗	9.1 ↙	8.3 ↗	8.1 ↘


beste Teiler 781.9 (34.) 950.0 (36.) 1386.5 (32.)
 Trefferlage 6.39 mm rechts, 6.94 mm hoch
 Streuwert 14.45, horizontal: 11.15, vertikal: 17.12



Serie 5:

9.8 ←	9.2 ↘	8.3 ←	9.8 ↑	10.7 *
9.7 ↙	10.1 ↙	8.6 →	7.9 ↘	9.9 ↘

beste Teiler 233.8 (45.) 710.4 (47.) 856.5 (50.)
 Trefferlage 0.64 mm links, 2.41 mm tief
 Streuwert 10.46, horizontal: 12.86, vertikal: 7.30



Serie 6:

9.7 ↑	9.3 ←	8.1 ↘	8.2 ←	9.3 →
9.1 ↑	10.4 *	8.5 ↓	8.3 ↘	7.2 ↑

beste Teiler 465.9 (57.) 1011.3 (51.) 1291.1 (52.)
 Trefferlage 5.15 mm links, 5.96 mm hoch
 Streuwert 12.39, horizontal: 10.37, vertikal: 14.12

Meyton Elektronik

ISSF AP Men – Wertung – Junioren

StandNr: 109

Heidegger, Simon #70817302

StartNr: 299



22. Juli 2017 11:47

Südtirol

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	541						(568.7)
Serien:	89	89	86	94	90	93	
Zähler:	20	22	17	1	0	0	0
Innenzehner:	9						
weiteste:	2775 (11), 2208 (1), 2154 (17)						
beste Teiler	156.8 (57.) 157.7 (19.) 223.8 (31.)						
Trefferlage	0.34 mm links, 2.65 mm hoch						
Streuwert	9.35, horizontal: 9.15, vertikal: 9.54						




Serie 1:

8.2 ↗	9.8 ←	9.2 ↗	10.6 *	8.8 ↗
10.2 ↓	9.3 ↗	8.3 ↑	9.1 ↑	9.5 ←
beste Teiler	316.0 (4.) 616.8 (6.) 895.6 (2.)			
Trefferlage	3.94 mm rechts, 7.59 mm hoch			
Streuwert	8.69, horizontal: 9.18, vertikal: 8.18			




Serie 2:

7.5 ↑	8.7 ↘	10.6 *	10.0 ←	9.1 ↗
10.4 *	8.3 ↑	9.8 ↓	10.8 *	8.9 ↘
beste Teiler	157.7 (19.) 266.6 (13.) 471.5 (16.)			
Trefferlage	0.83 mm rechts, 6.07 mm hoch			
Streuwert	10.09, horizontal: 7.33, vertikal: 12.25			




Serie 3:

8.6 ↖	8.8 ↗	9.8 ←	8.5 ↑	9.5 ↘
9.4 ↓	8.3 ↖	8.8 ↖	9.5 ←	10.3 ←
beste Teiler	543.0 (30.) 890.1 (23.) 1129.3 (25.)			
Trefferlage	5.80 mm links, 2.12 mm hoch			
Streuwert	10.37, horizontal: 8.68, vertikal: 11.82			




Serie 4:

10.7 *	10.1 ←	8.7 →	10.2 ↘	10.3 ↓
8.8 ↘	9.6 ↘	10.5 *	10.3 ↖	9.8 ↓
beste Teiler	223.8 (31.) 371.7 (38.) 506.4 (39.)			
Trefferlage	3.33 mm rechts, 1.70 mm tief			
Streuwert	6.87, horizontal: 7.78, vertikal: 5.82			



Serie 5:

9.2 ←	10.4 *	9.6 ↘	9.3 ↑	9.9 ↘
8.4 ←	9.5 →	9.6 →	8.9 ↑	10.0 →
beste Teiler	410.6 (42.) 773.2 (50.) 834.7 (45.)			
Trefferlage	0.53 mm rechts, 1.84 mm hoch			
Streuwert	9.25, horizontal: 10.37, vertikal: 7.96			



Serie 6:

10.0 →	8.5 ↓	9.2 ↖	10.3 ↗	9.2 ←
9.3 ↘	10.8 *	10.2 ↑	10.4 *	8.4 ↖
beste Teiler	156.8 (57.) 410.3 (59.) 506.6 (54.)			
Trefferlage	4.90 mm links, 0.03 mm tief			
Streuwert	8.53, horizontal: 8.53, vertikal: 8.53			

Meyton Elektronik

ISSF AP Men – Wertung – **Junioren**

StandNr: 110

Wolf, Tim #70817303

StartNr: 300



22. Juli 2017 11:21

Graubünden

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	507	(537.1)				
Serien:	80	81	89	81	89	87
Zähler:	8	24	18	7	3	0 0 0 0 0
Innenzehner:	2					
weiteste:	3665 (9), 3412 (10), 3263 (17)					
beste Teiler	355.8 (1.) 418.6 (25.) 523.6 (47.)					
Trefferlage	1.56 mm rechts, 4.21 mm tief					
Streuwert	12.31, horizontal: 11.40, vertikal: 13.15					



Serie 1:

10.5 *	7.4 ↘	9.2 ↖	10.2 →	8.8 ↗
8.6 ↙	9.6 →	7.3 ↖	6.4 ↙	6.7 →


beste Teiler 355.8 (1.) 590.0 (4.) 1055.0 (7.)
 Trefferlage 0.99 mm rechts, 4.58 mm tief
 Streuwert 16.61, horizontal: 18.74, vertikal: 14.16



Serie 2:

9.4 →	7.5 ↓	9.5 ↓	9.7 ↓	9.8 ←
9.7 ←	6.9 ↓	7.9 ↓	9.9 ↓	7.6 ↘


beste Teiler 866.6 (19.) 955.3 (15.) 964.8 (14.)
 Trefferlage 2.25 mm rechts, 13.15 mm tief
 Streuwert 10.65, horizontal: 9.77, vertikal: 11.46



Serie 3:

9.7 →	9.6 →	9.8 ↘	8.5 ↓	10.4 *
8.2 ↖	9.4 ←	9.3 ↖	8.2 ↓	10.0 ↘


beste Teiler 418.6 (25.) 798.4 (30.) 901.7 (23.)
 Trefferlage 0.57 mm links, 4.47 mm tief
 Streuwert 10.13, horizontal: 10.30, vertikal: 9.95



Serie 4:

7.9 ↓	9.4 ↖	7.7 ↓	8.0 ↗	9.6 ↖
8.0 ↘	8.4 ↘	8.7 ↙	9.8 ↖	8.1 ↖


beste Teiler 912.6 (39.) 1114.0 (35.) 1215.2 (32.)
 Trefferlage 0.54 mm links, 5.80 mm tief
 Streuwert 14.24, horizontal: 11.16, vertikal: 16.77



Serie 5:

8.7 →	8.8 ↘	9.9 ↑	9.0 ↓	8.5 ↑
8.8 →	10.3 ↑	9.7 ←	10.2 →	10.0 ↑


beste Teiler 523.6 (47.) 573.8 (49.) 770.0 (50.)
 Trefferlage 4.44 mm rechts, 3.11 mm hoch
 Streuwert 9.28, horizontal: 8.88, vertikal: 9.67



Serie 6:

8.4 ↗	8.7 ↓	10.3 →	9.8 ↓	9.2 ↗
9.2 ↓	8.5 ↘	9.3 ↖	9.6 ←	8.9 ↑

beste Teiler 557.5 (53.) 914.7 (54.) 1097.6 (59.)
 Trefferlage 2.83 mm rechts, 0.36 mm tief
 Streuwert 10.81, horizontal: 8.57, vertikal: 12.67



ISSF AP Men – Wertung – Junioren

StandNr: 111

Fürhapter, Maximilian #70804614

StartNr: 301



22. Juli 2017 11:24

Tirol / Tirol

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	559	(585.0)				
Serien:	94	94	93	94	92	92
Zähler:	27	26	6	1	0	0
Innenzehner:	12					
weiteste:	2730 (60), 2370 (55), 2305 (22)					
beste Teiler	29.0 (13.) 135.7 (1.) 192.8 (37.)					
Trefferlage	0.65 mm links, 3.35 mm tief					
Streuwert	7.63, horizontal: 7.52, vertikal: 7.75					




Serie 1:

10.8 *	9.1 ↘	8.9 ↓	10.5 *	10.3 ↓
9.7 →	10.1 →	9.8 ↘	9.0 ←	10.0 ↓
beste Teiler	135.7 (1.) 399.5 (4.) 482.6 (5.)			
Trefferlage	0.25 mm rechts, 4.57 mm tief			
Streuwert	6.97, horizontal: 7.53, vertikal: 6.37			




Serie 2:

9.4 ↓	10.7 *	10.9 *	9.7 ↑	9.6 ↓
10.6 *	9.8 ↓	10.6 *	8.6 ↓	10.3 ↘
beste Teiler	29.0 (13.) 229.4 (12.) 243.7 (16.)			
Trefferlage	0.05 mm links, 4.55 mm tief			
Streuwert	5.95, horizontal: 2.12, vertikal: 8.14			




Serie 3:

8.8 ↗	8.1 ↘	10.3 ↗	9.1 ↘	10.3 →
10.4 *	9.2 ↘	9.5 →	10.7 *	10.4 *
beste Teiler	214.8 (29.) 401.1 (26.) 404.0 (30.)			
Trefferlage	0.10 mm links, 2.48 mm tief			
Streuwert	8.88, horizontal: 9.08, vertikal: 8.68			




Serie 4:

9.2 ↙	9.6 ↘	10.2 ↓	9.9 ↘	10.6 *
10.0 ↓	10.7 *	9.8 ↑	9.7 ←	9.4 ↘
beste Teiler	192.8 (37.) 307.3 (35.) 575.3 (33.)			
Trefferlage	2.13 mm links, 3.38 mm tief			
Streuwert	6.07, horizontal: 6.39, vertikal: 5.74			



Serie 5:

10.1 ↙	9.4 ↓	10.5 *	9.6 ↖	9.2 →
9.0 ↓	10.0 ↑	9.9 ←	9.9 ↓	8.5 ↙
beste Teiler	338.2 (43.) 679.8 (41.) 778.7 (47.)			
Trefferlage	1.49 mm links, 4.20 mm tief			
Streuwert	7.98, horizontal: 8.49, vertikal: 7.43			



Serie 6:

10.3 ↑	10.3 ↓	9.2 ↘	10.3 ↙	8.0 →
10.2 ↗	10.3 ↘	9.3 ↗	9.2 ↖	7.5 ↘
beste Teiler	485.2 (51.) 512.5 (52.) 517.1 (54.)			
Trefferlage	0.38 mm links, 0.89 mm tief			
Streuwert	10.51, horizontal: 10.44, vertikal: 10.58			

ISSF AP Men – Wertung – Junioren

StandNr: 112

Rogg, Simon #70817304

StartNr: 302



22. Juli 2017 12:00

Bayern / Bayern


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	501	(529.9)				
Serien:	78	82	86	83	83	89
Zähler:	9	20	20	5	6	0 0 0 0 0
Innenzehner:	5					
weiteste:	3778 (56), 3487 (7), 3467 (40)					
beste Teiler	54.1 (53.) 262.7 (23.) 264.6 (36.)					
Trefferlage	0.02 mm rechts, 1.06 mm tief					
Streuwert	13.64, horizontal: 12.82, vertikal: 14.42					




Serie 1:	8.7 ↘	8.6 ↖	6.9 ←	9.2 ↗	8.7 ↓
	8.0 ↓	6.6 ↑	9.0 →	7.9 →	9.8 ↖
beste Teiler	887.3 (10.) 1362.5 (4.) 1593.2 (8.)				
Trefferlage	1.17 mm links, 2.10 mm hoch				
Streuwert	16.45, horizontal: 16.39, vertikal: 16.51				




Serie 2:	8.1 ↑	8.4 ↑	9.9 ↑	8.9 ↖	8.4 ↘
	10.4 *	7.7 ↘	9.4 ↓	6.9 ↑	9.4 ↑
beste Teiler	473.9 (16.) 829.4 (13.) 1263.6 (18.)				
Trefferlage	1.53 mm rechts, 6.32 mm hoch				
Streuwert	13.64, horizontal: 10.42, vertikal: 16.23				




Serie 3:	7.7 →	8.1 ↖	10.6 *	9.8 ↑	10.2 ↖
	9.7 ↓	10.1 ↖	6.6 ↖	8.0 ↓	9.1 →
beste Teiler	262.7 (23.) 572.9 (25.) 656.5 (27.)				
Trefferlage	0.25 mm links, 3.31 mm hoch				
Streuwert	13.55, horizontal: 12.32, vertikal: 14.68				



Serie 4:	9.8 ↗	7.0 ↘	9.8 ↗	8.2 ↘	8.6 ↘
	10.6 *	9.1 ←	8.8 ↓	9.1 ←	6.6 ↙
beste Teiler	264.6 (36.) 888.0 (33.) 888.1 (31.)				
Trefferlage	0.89 mm rechts, 8.13 mm tief				
Streuwert	13.37, horizontal: 14.99, vertikal: 11.53				



Serie 5:	7.6 ↙	8.2 ↓	8.3 ↙	8.6 ↓	9.9 ↓
	8.4 →	9.6 ↙	10.3 ↙	8.7 ↖	8.4 ↘
beste Teiler	520.7 (48.) 844.4 (45.) 1061.2 (47.)				
Trefferlage	1.99 mm links, 9.04 mm tief				
Streuwert	11.92, horizontal: 12.20, vertikal: 11.65				



Serie 6:	8.4 ↙	9.3 →	10.9 *	9.5 ↙	10.1 ←
	6.2 ↗	9.4 →	10.5 *	9.7 ←	9.5 ↙
beste Teiler	54.1 (53.) 343.9 (58.) 651.8 (55.)				
Trefferlage	1.11 mm rechts, 0.99 mm tief				
Streuwert	11.97, horizontal: 12.81, vertikal: 11.07				

Meyton Elektronik

ISSF AP Men – Wertung – Junioren

StandNr: 113

Lackner, Thomas #70817158

StartNr: 303



22. Juli 2017 11:43

Tirol / Tirol

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	533	(557.7)				
Serien:	87	92	82	91	92	89
Zähler:	17	28	9	4	1	1 0 0 0 0
Innenzehner:	7					
weiteste:	4293 (24), 3301 (25), 3110 (26)					
beste Teiler	157.4 (51.) 206.6 (36.) 250.8 (21.)					
Trefferlage	1.35 mm links, 2.18 mm hoch					
Streuwert	11.09, horizontal: 10.06, vertikal: 12.03					




Serie 1:

9.3 ↓	9.2 ↙	8.1 ↑	10.0 →	9.7 ↘
9.1 ↙	7.1 ↙	9.7 ↘	10.1 ↓	7.6 ↙
beste Teiler	678.9 (9.) 737.9 (4.) 990.9 (5.)			
Trefferlage	3.94 mm links, 8.68 mm tief			
Streuwert	11.00, horizontal: 8.88, vertikal: 12.78			




Serie 2:

8.5 ↑	9.2 ↑	9.6 ↘	9.8 ↙	9.7 ↙
9.7 ↑	10.2 ↗	10.2 ↑	10.0 ↗	9.5 ↘
beste Teiler	623.1 (18.) 636.5 (17.) 741.2 (19.)			
Trefferlage	1.51 mm rechts, 2.50 mm hoch			
Streuwert	8.11, horizontal: 5.91, vertikal: 9.83			




Serie 3:

10.6 *	9.5 ↙	9.8 ↓	5.6 ↗	6.8 ↑
7.1 ↘	9.6 →	9.6 ↑	9.8 ↑	9.3 →
beste Teiler	250.8 (21.) 900.0 (23.) 916.0 (29.)			
Trefferlage	0.45 mm rechts, 9.12 mm hoch			
Streuwert	14.48, horizontal: 14.40, vertikal: 14.56			




Serie 4:

9.5 ←	9.9 ↗	9.2 →	8.4 ↑	10.6 *
10.7 *	8.3 ↑	9.1 →	10.5 *	9.2 ↘
beste Teiler	206.6 (36.) 260.7 (35.) 358.0 (39.)			
Trefferlage	0.47 mm rechts, 5.81 mm hoch			
Streuwert	8.66, horizontal: 8.95, vertikal: 8.36			



Serie 5:

9.0 ↙	10.5 *	9.8 ↘	8.0 ↙	8.5 ↑
10.1 ↑	8.7 ↙	10.1 ↗	10.6 *	10.2 ↘
beste Teiler	289.9 (49.) 332.4 (42.) 589.6 (50.)			
Trefferlage	2.19 mm links, 1.43 mm tief			
Streuwert	9.68, horizontal: 8.36, vertikal: 10.83			



Serie 6:

10.8 *	10.2 ←	9.2 ↑	10.2 ←	8.5 ↑
8.3 ←	9.7 ↑	9.2 →	7.1 ←	9.6 ↗
beste Teiler	157.4 (51.) 583.1 (52.) 629.1 (54.)			
Trefferlage	4.47 mm links, 5.78 mm hoch			
Streuwert	10.45, horizontal: 12.53, vertikal: 7.84			

ISSF AP Men – Wertung – Junioren

StandNr: 114

Morganti, Tita #70817305

StartNr: 304

22. Juli 2017 11:44

Südtirol

Unterschrift des Schützen

Meyton Elektronik