





Ergebnis: **371** (386.9)  
 Serien: 93 89 95 94  
 Zähler: 16 19 5 0 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 2231 (38), 2153 (33), 2008 (10)  
 beste Teiler 211.9 (1.) 257.5 (12.) 328.1 (36.)  
 Trefferlage 0.93 mm rechts, 0.20 mm hoch  
 Streuwert 8.21, horizontal: 8.87, vertikal: 7.49




Serie 1:  
 10.7 \*                      9.5 ↑                      9.8 ←                      9.6 ↙                      9.1 ←  
 10.2 →                      10.4 \*                      10.5 \*                      9.1 →                      8.4 →  
 beste Teiler 211.9 (1.) 328.2 (8.) 463.8 (7.)  
 Trefferlage 1.18 mm rechts, 0.35 mm hoch  
 Streuwert 8.27, horizontal: 10.36, vertikal: 5.43



Serie 2:  
 9.2 ↗                      10.6 \*                      8.7 →                      9.4 →                      9.5 ←  
 8.8 ↘                      9.5 ←                      9.3 ↓                      9.5 ↑                      9.1 ↑  
 beste Teiler 257.5 (12.) 1124.5 (15.) 1163.2 (19.)  
 Trefferlage 3.66 mm rechts, 1.27 mm hoch  
 Streuwert 9.50, horizontal: 10.14, vertikal: 8.82



Serie 3:  
 10.0 ↖                      9.8 ↘                      9.5 ←                      9.8 ↓                      10.3 →  
 10.1 ↗                      10.0 ↑                      9.2 ↙                      9.8 ↖                      10.1 ↗  
 beste Teiler 536.9 (25.) 668.4 (30.) 711.1 (26.)  
 Trefferlage 1.63 mm links, 0.27 mm tief  
 Streuwert 6.66, horizontal: 5.79, vertikal: 7.44





Serie 4:  
 10.3 ↓                      10.4 \*                      8.3 ↗                      10.4 \*                      10.4 \*  
 10.5 \*                      9.3 ↘                      8.2 ↙                      9.2 ←                      10.4 ↑  
 beste Teiler 328.1 (36.) 421.3 (32.) 465.8 (34.)  
 Trefferlage 0.50 mm rechts, 0.55 mm tief  
 Streuwert 8.94, horizontal: 9.03, vertikal: 8.84


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **349** (366.8)  
 Serien: 85 86 91 87  
 Zähler: 8 17 11 4 0 0 0 0 0 0  
 Innenzehner: 1  
 weiteste: 3114 (38), 3005 (16), 2722 (2)  
 beste Teiler 75.1 (3.) 489.3 (27.) 600.0 (7.)  
 Trefferlage 2.60 mm links, 2.57 mm hoch  
 Streuwert 11.06, horizontal: 12.20, vertikal: 9.80




Serie 1:  
 8.9 ↘ 7.5 → 10.9 \* 8.1 ↙ 10.2 ↑  
 7.6 ↗ 10.2 ↓ 8.8 ↖ 9.7 ↗ 8.9 ←  
 beste Teiler 75.1 (3.) 600.0 (7.) 603.5 (5.)  
 Trefferlage 0.53 mm rechts, 0.79 mm tief  
 Streuwert 12.80, horizontal: 15.70, vertikal: 9.00



Serie 2:  
 9.7 ↙ 9.7 ↘ 9.6 → 8.7 ↑ 9.6 ↖  
 7.2 ↗ 8.9 ↑ 9.4 ← 9.1 ↑ 9.1 ↖  
 beste Teiler 973.3 (12.) 1000.5 (11.) 1054.3 (15.)  
 Trefferlage 0.83 mm links, 6.40 mm hoch  
 Streuwert 10.79, horizontal: 11.05, vertikal: 10.53





Serie 3:  
 10.0 ↓ 10.0 ↖ 10.1 → 9.7 ↘ 8.4 ↖  
 8.3 ↗ 10.3 ← 8.6 ↘ 9.8 ↖ 9.6 ↘  
 beste Teiler 489.3 (27.) 685.1 (23.) 760.8 (22.)  
 Trefferlage 2.11 mm links, 1.92 mm hoch  
 Streuwert 9.45, horizontal: 8.23, vertikal: 10.52




Serie 4:  
 10.2 ↘ 9.3 → 9.3 ← 9.1 ↙ 9.8 ↓  
 8.2 ↘ 9.4 ↘ 7.1 ← 8.2 ← 9.6 ↑  
 beste Teiler 633.3 (31.) 958.3 (35.) 1079.8 (40.)  
 Trefferlage 8.02 mm links, 2.74 mm hoch  
 Streuwert 11.06, horizontal: 12.67, vertikal: 9.17

Unterschrift des Schützen


Ergebnis: **372** (387.6)  
 Serien: 96 91 95 90  
 Zähler: 20 12 8 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 2285 (11), 2059 (33), 1955 (19)  
 beste Teiler 90.0 (8.) 186.2 (34.) 221.4 (3.)  
 Trefferlage 0.48 mm links, 1.82 mm hoch  
 Streuwert 8.31, horizontal: 6.16, vertikal: 10.01




Serie 1:  
 9.1 ↙ 9.5 ↘ 10.7 \* 10.0 ↙ 10.6 \*  
 10.4 \* 9.2 ↗ 10.8 \* 9.1 ↘ 10.0 ↑  
 beste Teiler 90.0 (8.) 221.4 (3.) 312.0 (5.)  
 Trefferlage 2.66 mm links, 1.96 mm tief  
 Streuwert 6.72, horizontal: 6.16, vertikal: 7.24



Serie 2:  
 8.1 ↑ 10.0 ↓ 9.4 → 9.4 ↘ 10.1 ↗  
 9.4 ↓ 10.5 \* 8.8 ↖ 8.5 ↓ 10.3 ↘  
 beste Teiler 363.9 (17.) 529.3 (20.) 704.4 (15.)  
 Trefferlage 1.89 mm rechts, 0.29 mm hoch  
 Streuwert 10.00, horizontal: 5.36, vertikal: 13.09





Serie 3:  
 9.2 ↑ 10.4 \* 10.3 ↘ 10.7 \* 10.0 ↘  
 10.2 ↑ 9.8 ↑ 8.8 ↑ 10.0 ← 9.1 ↑  
 beste Teiler 231.4 (24.) 444.1 (22.) 509.5 (23.)  
 Trefferlage 0.93 mm links, 5.97 mm hoch  
 Streuwert 5.86, horizontal: 4.11, vertikal: 7.20




Serie 4:  
 9.1 ↓ 9.6 ↙ 8.4 ← 10.7 \* 10.4 \*  
 10.3 ↑ 10.6 \* 8.7 ↑ 8.9 ↑ 8.5 ↑  
 beste Teiler 186.2 (34.) 311.4 (37.) 444.6 (35.)  
 Trefferlage 0.21 mm links, 3.01 mm hoch  
 Streuwert 9.71, horizontal: 8.30, vertikal: 10.93

Unterschrift des Schützen


Ergebnis: **321** (341.3)  
 Serien: 75 79 82 85  
 Zähler: 6 12 9 5 6 2 0 0 0 0  
 Innenzehner: 3  
 weiteste: 4566 (8), 4226 (6), 3784 (25)  
 beste Teiler 102.4 (32.) 278.7 (30.) 288.1 (33.)  
 Trefferlage 2.78 mm links, 7.18 mm tief  
 Streuwert 15.14, horizontal: 14.97, vertikal: 15.30




Serie 1:  
 9.6 ↘                      9.7 ↘                      8.7 ↓                      7.7 ↗                      8.3 ↙  
 5.7 ↓                      10.3 ↖                      5.2 ↓                      6.6 ←                      8.4 ↓  
 beste Teiler 497.8 (7.) 995.0 (2.) 1099.0 (1.)  
 Trefferlage 9.26 mm links, 11.57 mm tief  
 Streuwert 16.57, horizontal: 14.25, vertikal: 18.61



Serie 2:  
 8.8 ←                      6.4 ↖                      9.3 ↖                      9.9 ↘                      9.5 ↖  
 9.2 ↓                      6.8 ↗                      7.9 ↖                      9.3 ↓                      7.3 ↓  
 beste Teiler 866.5 (14.) 1143.6 (15.) 1286.2 (19.)  
 Trefferlage 4.82 mm links, 8.18 mm tief  
 Streuwert 15.04, horizontal: 16.54, vertikal: 13.36



Serie 3:  
 8.9 ↘                      7.6 ↖                      9.6 ↘                      9.3 ↗                      6.2 ↖  
 10.3 ↖                      6.6 ↓                      9.5 ↗                      8.3 ↘                      10.6 \*  
 beste Teiler 278.7 (30.) 536.8 (26.) 1102.1 (23.)  
 Trefferlage 1.33 mm links, 5.35 mm tief  
 Streuwert 15.36, horizontal: 16.95, vertikal: 13.59





Serie 4:  
 10.0 ↘                      10.8 \*                      10.6 \*                      8.3 ↖                      7.5 ↓  
 8.6 ↘                      6.4 ↑                      9.5 ↘                      8.7 ↘                      9.4 ↓  
 beste Teiler 102.4 (32.) 288.1 (33.) 796.0 (31.)  
 Trefferlage 4.28 mm rechts, 3.62 mm tief  
 Streuwert 13.48, horizontal: 9.94, vertikal: 16.26


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368** (383.7)  
 Serien: 94 91 89 94  
 Zähler: 14 22 2 2 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 2592 (3), 2477 (24), 1978 (23)  
 beste Teiler 145.3 (28.) 314.3 (14.) 420.0 (35.)  
 Trefferlage 0.28 mm links, 2.74 mm tief  
 Streuwert 8.45, horizontal: 8.64, vertikal: 8.26




Serie 1:  
 10.3 ↘                      10.3 ↑                      7.7 ↙                      10.3 ↘                      10.2 ↙  
 9.1 ←                      10.0 →                      9.6 ↘                      9.1 ←                      10.3 ↘  
 beste Teiler 506.7 (4.) 532.9 (10.) 533.5 (1.)  
 Trefferlage 2.42 mm links, 3.62 mm tief  
 Streuwert 8.31, horizontal: 10.16, vertikal: 5.93



Serie 2:  
 9.3 ↙                      9.7 ↓                      9.7 ↘                      10.6 \*                      9.0 ↓  
 9.4 ↓                      8.7 ↘                      9.1 ↘                      9.1 ↑                      10.2 →  
 beste Teiler 314.3 (14.) 607.4 (20.) 995.7 (13.)  
 Trefferlage 1.73 mm rechts, 5.11 mm tief  
 Streuwert 8.37, horizontal: 7.11, vertikal: 9.46



Serie 3:  
 9.6 ↓                      9.1 ↘                      8.5 ↙                      7.9 ↘                      9.3 ←  
 9.3 ↓                      9.2 ↙                      10.8 \*                      10.0 ↙                      9.3 ↑  
 beste Teiler 145.3 (28.) 732.8 (29.) 1110.3 (21.)  
 Trefferlage 0.05 mm links, 6.29 mm tief  
 Streuwert 9.77, horizontal: 10.46, vertikal: 9.04





Serie 4:  
 10.1 ←                      10.2 ↘                      9.9 ↘                      9.7 ↘                      10.4 \*  
 9.9 ↑                      9.0 →                      10.3 ↑                      9.8 ↘                      9.7 ↑  
 beste Teiler 420.0 (35.) 542.1 (38.) 587.6 (32.)  
 Trefferlage 0.38 mm links, 4.07 mm hoch  
 Streuwert 5.82, horizontal: 7.14, vertikal: 4.10

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>365</b>	(382.7)
Serien:	94 92 90 89	
Zähler:	16 16 6 1 1 0 0 0 0 0	
Innenzehner:	5	
weiteste:	3471 (16), 2765 (40), 2060 (35)	
beste Teiler	290.2 (9.) 417.0 (4.) 451.6 (12.)	
Trefferlage	3.18 mm rechts, 2.31 mm hoch	
Streuwert	8.79, horizontal: 8.17, vertikal: 9.37	




Serie 1:

8.9 →	8.5 →	10.2 ↓	10.4 *	10.1 ↓
9.0 ↗	10.3 ↙	9.1 ↖	10.6 *	10.4 *
beste Teiler	290.2 (9.) 417.0 (4.) 453.7 (10.)			
Trefferlage	3.54 mm rechts, 0.47 mm hoch			
Streuwert	8.04, horizontal: 9.40, vertikal: 6.39			




Serie 2:

10.2 ↓	10.4 *	10.1 ↘	9.9 ↑	10.2 →
6.6 ↗	9.5 ↓	9.8 →	10.4 *	9.4 ↘
beste Teiler	451.6 (12.) 453.4 (19.) 626.5 (11.)			
Trefferlage	6.18 mm rechts, 0.28 mm hoch			
Streuwert	8.94, horizontal: 7.13, vertikal: 10.44			



Serie 3:

10.1 →	9.7 ↘	8.9 ↑	8.9 →	9.3 ←
10.0 ↑	9.6 ↖	9.3 ↙	9.6 ↓	9.1 ↑
beste Teiler	656.9 (21.) 731.7 (26.) 1014.0 (22.)			
Trefferlage	0.65 mm rechts, 1.70 mm hoch			
Streuwert	9.14, horizontal: 9.25, vertikal: 9.02			





Serie 4:


10.3 ↑	9.4 →	9.9 ↙	9.7 ↓	8.4 ↗
9.9 ↑	8.8 ↑	10.3 ↑	10.0 ↘	7.5 ↑
beste Teiler	515.9 (31.) 551.7 (38.) 760.9 (39.)			
Trefferlage	2.36 mm rechts, 6.81 mm hoch			
Streuwert	9.07, horizontal: 6.82, vertikal: 10.86			

Unterschrift des Schützen


Ergebnis: **346** (362.5)  
 Serien: 87 92 79 88  
 Zähler: 8 16 12 2 2 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 3756 (26), 3360 (30), 3189 (24)  
 beste Teiler 236.5 (8.) 272.0 (12.) 405.4 (16.)  
 Trefferlage 5.33 mm rechts, 2.12 mm hoch  
 Streuwert 11.59, horizontal: 12.60, vertikal: 10.48




Serie 1:  
 9.5 →                      8.6 ↖                      10.1 ↗                      8.7 ↙                      8.4 ↘  
 8.4 ↗                      8.8 →                      10.7 \*                      9.3 ↘                      9.0 ↗  
 beste Teiler 236.5 (8.) 661.2 (3.) 1130.8 (1.)  
 Trefferlage 7.00 mm rechts, 1.90 mm hoch  
 Streuwert 10.30, horizontal: 11.62, vertikal: 8.79



Serie 2:  
 9.1 →                      10.6 \*                      9.5 →                      10.0 ↗                      7.5 ↖  
 10.4 \*                      8.5 ↓                      10.3 ↗                      9.9 ↑                      10.4 →  
 beste Teiler 272.0 (12.) 405.4 (16.) 476.4 (20.)  
 Trefferlage 0.39 mm rechts, 0.85 mm tief  
 Streuwert 9.73, horizontal: 10.91, vertikal: 8.38



Serie 3:  
 9.7 ↑                      8.4 ↖                      8.0 ↗                      7.0 →                      9.1 ↖  
 6.3 ↗                      8.6 ↓                      10.3 ↖                      8.4 ↓                      6.8 →  
 beste Teiler 547.7 (28.) 979.3 (21.) 1476.1 (25.)  
 Trefferlage 7.78 mm rechts, 2.53 mm hoch  
 Streuwert 16.62, horizontal: 18.36, vertikal: 14.68





Serie 4:  
 8.4 ↑                      9.1 ↗                      9.1 ↗                      9.3 ↘                      8.9 →  
 9.5 ↗                      9.3 ↗                      9.9 ↗                      9.4 ←                      9.3 ↓  
 beste Teiler 819.7 (38.) 1152.5 (36.) 1211.8 (39.)  
 Trefferlage 6.15 mm rechts, 4.90 mm hoch  
 Streuwert 8.76, horizontal: 7.70, vertikal: 9.71

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>360</b>	(377.7)
Serien:	91 90 91 88	
Zähler:	11 20 7 2 0 0 0 0 0 0	
Innenzehner:	5	
weiteste:	2676 (40), 2443 (18), 2271 (37)	
beste Teiler	251.0 (16.) 387.1 (28.) 404.3 (1.)	
Trefferlage	2.84 mm links, 1.70 mm hoch	
Streuwert	9.26, horizontal: 8.81, vertikal: 9.68	




Serie 1:

10.4 *	9.3 ↗	9.1 ↓	9.7 ↖	9.9 ↗
9.1 ↙	8.5 ↖	10.3 ↘	9.0 ↙	9.3 ↗
beste Teiler	404.3 (1.)	555.3 (8.)	846.8 (5.)	
Trefferlage	4.85 mm links, 0.73 mm tief			
Streuwert	8.74, horizontal: 6.57, vertikal: 10.47			




Serie 2:

9.8 ↖	10.3 ↙	9.2 ↖	9.5 ↖	9.3 ↙
10.6 *	8.9 ↓	7.9 ↖	9.2 ↑	10.2 ↗
beste Teiler	251.0 (16.)	509.6 (12.)	610.3 (20.)	
Trefferlage	6.59 mm links, 0.27 mm tief			
Streuwert	8.47, horizontal: 8.82, vertikal: 8.10			



Serie 3:

9.8 ↗	9.7 ↗	10.0 ↘	8.9 ↑	9.3 ↖
8.5 ↑	9.1 ↖	10.5 *	10.0 ↘	9.2 ↘
beste Teiler	387.1 (28.)	727.0 (29.)	770.1 (23.)	
Trefferlage	1.48 mm links, 5.27 mm hoch			
Streuwert	8.39, horizontal: 9.20, vertikal: 7.50			



Serie 4:



10.1 →	9.5 ↘	8.9 ↗	10.4 *	8.8 →
9.6 ↖	8.1 ↓	9.8 ↑	10.4 *	7.6 ↑
beste Teiler	422.4 (34.)	466.1 (39.)	646.1 (31.)	
Trefferlage	1.55 mm rechts, 2.57 mm hoch			
Streuwert	10.86, horizontal: 9.35, vertikal: 12.19			

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **365** (382.5)  
 Serien: 94 92 89 90  
 Zähler: 17 12 10 1 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 2409 (25), 2360 (21), 2256 (22)  
 beste Teiler 87.0 (33.) 113.3 (6.) 229.1 (23.)  
 Trefferlage 4.78 mm links, 2.32 mm hoch  
 Streuwert 8.42, horizontal: 7.11, vertikal: 9.54




Serie 1:  
 9.7 ↖ 10.2 ↘ 9.4 ↙ 10.4 \* 10.5 \*  
 10.8 \* 9.5 ↖ 9.8 ↙ 8.5 ← 10.4 \*  
 beste Teiler 113.3 (6.) 328.6 (5.) 450.5 (4.)  
 Trefferlage 4.45 mm links, 1.88 mm hoch  
 Streuwert 6.19, horizontal: 6.33, vertikal: 6.04



Serie 2:  
 8.8 ↖ 10.2 ↘ 10.1 ↙ 10.0 → 8.4 ↗  
 9.4 ↙ 10.5 \* 9.5 ← 8.4 ↘ 10.0 ↓  
 beste Teiler 347.7 (17.) 595.6 (12.) 654.6 (13.)  
 Trefferlage 3.27 mm links, 3.20 mm hoch  
 Streuwert 8.84, horizontal: 8.58, vertikal: 9.09



Serie 3:  
 8.0 ↘ 8.1 ← 10.7 \* 10.3 ↙ 7.9 ↑  
 9.7 ↘ 10.2 ↑ 10.4 \* 8.5 ↙ 9.6 ←  
 beste Teiler 229.1 (23.) 409.0 (28.) 520.8 (24.)  
 Trefferlage 7.91 mm links, 1.75 mm hoch  
 Streuwert 9.67, horizontal: 8.07, vertikal: 11.04





Serie 4:  
 9.4 ↗ 9.0 ↑ 10.8 \* 10.0 ↓ 10.6 \*  
 8.9 ↙ 9.5 ↘ 8.6 ↘ 9.1 ↓ 8.7 ↖  
 beste Teiler 87.0 (33.) 309.8 (35.) 726.0 (34.)  
 Trefferlage 3.49 mm links, 2.46 mm hoch  
 Streuwert 9.41, horizontal: 4.98, vertikal: 12.33

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>320</b>						(341.5)			
Serien:	77	85	83	75						
Zähler:	8	12	6	5	5	3	1	0	0	0
Innenzehner:	4									
weiteste:	4895 (3), 4661 (32), 4390 (39)									
beste Teiler	84.0 (5.) 190.1 (20.) 276.6 (1.)									
Trefferlage	0.31 mm links, 2.19 mm hoch									
Streuwert	16.65, horizontal: 12.09, vertikal: 20.20									



Serie 1:

10.6 *	7.9 ↓	4.8 ↓	10.1 ↘	10.8 *
5.9 ↓	6.5 ↓	9.8 ↘	7.5 ↓	9.4 ←


beste Teiler 84.0 (5.) 276.6 (1.) 685.1 (4.)  
 Trefferlage 2.96 mm links, 17.19 mm tief  
 Streuwert 14.74, horizontal: 10.91, vertikal: 17.77



Serie 2:

7.4 ↓	10.2 ↖	9.7 ↘	9.7 ↖	8.8 ↑
8.9 ↗	6.9 ↑	9.8 ↖	9.4 ←	10.7 *


beste Teiler 190.1 (20.) 596.4 (12.) 915.3 (18.)  
 Trefferlage 0.27 mm links, 4.46 mm hoch  
 Streuwert 12.36, horizontal: 7.86, vertikal: 15.62



Serie 3:

10.4 *	7.5 ↑	8.3 ↗	6.7 ↑	9.7 ↑
9.3 →	7.7 ↘	8.4 ↖	9.7 ↓	10.0 ↖

beste Teiler 466.0 (21.) 783.8 (30.) 964.0 (25.)  
 Trefferlage 4.01 mm rechts, 9.17 mm hoch  
 Streuwert 12.73, horizontal: 9.45, vertikal: 15.32



Serie 4:

6.5 ↖	5.1 ↑	9.3 ↖	8.8 ↓	10.0 →
9.6 ←	8.9 ←	9.2 ↗	5.5 ↖	6.1 →

beste Teiler 761.0 (35.) 1119.8 (36.) 1351.6 (33.)  
 Trefferlage 2.02 mm links, 12.34 mm hoch  
 Streuwert 18.88, horizontal: 18.19, vertikal: 19.55

Unterschrift des Schützen