





Ergebnis: **342** (357.3)
 Serien: 90 84 84 84
 Zähler: 10 15 8 2 4 1 0 0 0 0
 Innenzehner: 2
 weiteste: 4304 (33), 3681 (30), 3552 (24)
 beste Teiler 92.7 (22.) 371.9 (14.) 555.7 (15.)
 Trefferlage 0.34 mm links, 8.11 mm hoch
 Streuwert 12.31, horizontal: 9.96, vertikal: 14.27




Serie 1:
 9.0 ↘ 9.4 ↓ 8.5 ↗ 9.8 → 9.4 ←
 10.0 ↓ 9.2 → 9.1 ↘ 8.6 ↑ 10.1 ↗
 beste Teiler 675.3 (10.) 787.2 (6.) 917.2 (4.)
 Trefferlage 4.82 mm rechts, 0.59 mm tief
 Streuwert 9.54, horizontal: 8.61, vertikal: 10.39



Serie 2:
 6.6 ↑ 7.4 ↑ 9.4 ↑ 10.5 * 10.3 ↗
 10.0 ↘ 9.3 ← 7.1 ↑ 10.3 → 6.8 ↘
 beste Teiler 371.9 (14.) 555.7 (15.) 559.0 (19.)
 Trefferlage 1.74 mm links, 13.61 mm hoch
 Streuwert 12.06, horizontal: 10.11, vertikal: 13.74



Serie 3:
 9.5 ↘ 10.8 * 9.8 → 6.5 ↑ 9.1 ←
 9.5 ↘ 8.8 ← 8.2 ↑ 10.0 ↑ 6.3 ↑
 beste Teiler 92.7 (22.) 751.5 (29.) 957.2 (23.)
 Trefferlage 2.75 mm links, 10.16 mm hoch
 Streuwert 12.75, horizontal: 10.20, vertikal: 14.87





Serie 4:
 9.8 → 9.1 ↑ 5.6 ↑ 10.0 ↑ 9.7 ↗
 8.4 ↙ 10.2 ↙ 8.1 ↗ 8.3 ↘ 8.8 ↑
 beste Teiler 614.7 (37.) 770.2 (34.) 927.5 (31.)
 Trefferlage 1.71 mm links, 9.26 mm hoch
 Streuwert 13.23, horizontal: 10.46, vertikal: 15.51


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **329** (348.2)
 Serien: 82 86 82 79
 Zähler: 7 13 7 9 3 1 0 0 0 0
 Innenzehner: 2
 weiteste: 4014 (37), 3391 (3), 3318 (32)
 beste Teiler 87.1 (5.) 392.3 (12.) 548.2 (10.)
 Trefferlage 2.53 mm rechts, 7.07 mm tief
 Streuwert 13.63, horizontal: 14.91, vertikal: 12.23




Serie 1:
 9.0 ↙ 9.6 ← 6.7 ↓ 9.4 → 10.8 *
 8.1 → 7.1 ↘ 7.4 ↘ 7.9 ↗ 10.3 ←
 beste Teiler 87.1 (5.) 548.2 (10.) 1052.5 (2.)
 Trefferlage 4.80 mm rechts, 7.67 mm tief
 Streuwert 14.39, horizontal: 13.00, vertikal: 15.65



Serie 2:
 8.1 ↓ 10.5 * 10.0 ↓ 9.3 ↘ 7.1 →
 9.0 ↙ 9.1 ↙ 7.2 → 9.4 ↓ 8.9 ↓
 beste Teiler 392.3 (12.) 780.4 (13.) 1262.1 (19.)
 Trefferlage 3.98 mm rechts, 6.62 mm tief
 Streuwert 12.80, horizontal: 15.22, vertikal: 9.80



Serie 3:
 9.2 ↘ 8.9 ↘ 9.3 ↓ 7.5 → 6.9 ↘
 8.9 ↖ 8.3 ↙ 7.7 ↖ 10.2 ↘ 10.1 ←
 beste Teiler 601.2 (29.) 670.4 (30.) 1336.2 (23.)
 Trefferlage 2.77 mm rechts, 6.10 mm tief
 Streuwert 13.89, horizontal: 14.47, vertikal: 13.30





Serie 4:
 10.2 ↓ 6.8 ← 9.9 ↖ 7.9 ↓ 9.7 ↑
 9.8 ↙ 5.9 ↘ 8.5 ↓ 9.8 → 7.8 ←
 beste Teiler 618.9 (31.) 878.5 (33.) 942.9 (36.)
 Trefferlage 1.40 mm links, 7.90 mm tief
 Streuwert 15.09, horizontal: 18.10, vertikal: 11.30


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **312** (326.4)
 Serien: 68 79 83 82
 Zähler: 3 9 11 11 6 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3905 (9), 3756 (7), 3642 (1)
 beste Teiler 283.0 (37.) 476.6 (28.) 555.2 (21.)
 Trefferlage 11.92 mm links, 5.99 mm tief
 Streuwert 14.49, horizontal: 15.25, vertikal: 13.68




Serie 1:
 6.4 ↖ 7.6 ↖ 8.7 ↗ 8.3 ↖ 6.5 ↘
 6.6 ↓ 6.3 ↖ 8.6 ↓ 6.1 ← 7.8 ↓
 beste Teiler 1816.2 (3.) 1883.4 (8.) 2134.6 (4.)
 Trefferlage 16.04 mm links, 10.51 mm tief
 Streuwert 17.59, horizontal: 15.88, vertikal: 19.14



Serie 2:
 9.2 ↗ 9.3 ↘ 7.2 ← 7.0 ↖ 8.1 ↖
 7.1 ← 9.3 ← 9.1 ↓ 6.6 ↓ 8.0 ↘
 beste Teiler 1319.4 (17.) 1337.0 (12.) 1433.4 (11.)
 Trefferlage 13.33 mm links, 7.06 mm tief
 Streuwert 14.27, horizontal: 15.43, vertikal: 13.01



Serie 3:
 10.3 ↑ 8.8 ← 7.9 ↖ 8.0 ↖ 7.7 ←
 7.8 ↓ 8.3 ↖ 10.4 ↓ 9.2 ← 9.0 ↓
 beste Teiler 476.6 (28.) 555.2 (21.) 1383.3 (29.)
 Trefferlage 13.54 mm links, 2.88 mm tief
 Streuwert 9.82, horizontal: 8.40, vertikal: 11.07





Serie 4:
 8.1 ↗ 7.3 ↓ 7.1 ↗ 9.9 ← 9.3 ↖
 9.2 ← 10.6 * 8.6 ↖ 7.0 ← 8.1 ←
 beste Teiler 283.0 (37.) 823.0 (34.) 1321.1 (35.)
 Trefferlage 4.78 mm links, 3.51 mm tief
 Streuwert 15.46, horizontal: 19.14, vertikal: 10.56


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **347** (367.7)
 Serien: 85 89 87 86
 Zähler: 5 20 12 3 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2788 (33), 2459 (37), 2410 (1)
 beste Teiler 318.5 (35.) 464.2 (34.) 534.1 (21.)
 Trefferlage 1.91 mm links, 2.30 mm hoch
 Streuwert 10.76, horizontal: 10.46, vertikal: 11.06




Serie 1:
 7.9 ↑ 8.7 ↗ 9.2 ↗ 9.2 ↗ 9.6 ↖
 8.8 ↗ 9.7 ↗ 8.9 ↑ 9.3 ↓ 9.3 ↖
 beste Teiler 1018.2 (7.) 1102.2 (5.) 1293.7 (10.)
 Trefferlage 3.40 mm rechts, 5.92 mm hoch
 Streuwert 10.41, horizontal: 9.06, vertikal: 11.60



Serie 2:
 9.3 ↓ 9.4 ← 8.4 ← 8.7 ↗ 9.6 ↖
 9.5 ↗ 10.2 ↘ 9.4 ↘ 9.9 ↖ 9.7 →
 beste Teiler 574.8 (17.) 876.0 (19.) 984.9 (20.)
 Trefferlage 1.35 mm links, 3.24 mm hoch
 Streuwert 9.24, horizontal: 9.68, vertikal: 8.78



Serie 3:
 10.3 ↘ 8.6 ↑ 8.1 ↖ 8.5 ↖ 8.0 →
 9.8 ← 8.9 ↖ 9.9 ↑ 10.0 ↘ 9.4 ←
 beste Teiler 534.1 (21.) 790.0 (29.) 830.0 (28.)
 Trefferlage 5.31 mm links, 2.70 mm hoch
 Streuwert 10.95, horizontal: 12.52, vertikal: 9.12





Serie 4:
 8.1 ↘ 9.9 ↗ 7.5 ↘ 10.4 * 10.6 *
 9.7 ↖ 7.9 ↑ 9.3 ↘ 9.6 ↖ 8.5 ←
 beste Teiler 318.5 (35.) 464.2 (34.) 880.5 (32.)
 Trefferlage 4.37 mm links, 2.66 mm tief
 Streuwert 11.87, horizontal: 9.48, vertikal: 13.86


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362** (381.6)
 Serien: 92 88 91 91
 Zähler: 14 14 12 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2380 (36), 2173 (14), 2149 (33)
 beste Teiler 110.3 (12.) 170.2 (38.) 261.7 (11.)
 Trefferlage 1.72 mm links, 1.92 mm tief
 Streuwert 8.90, horizontal: 9.93, vertikal: 7.72




Serie 1:
 8.8 ← 10.3 ↘ 9.6 → 9.5 ← 8.8 ↘
 9.7 ↗ 9.4 ← 10.2 ↖ 10.1 ← 10.0 ↘
 beste Teiler 543.8 (2.) 587.4 (8.) 684.4 (9.)
 Trefferlage 4.39 mm links, 0.58 mm tief
 Streuwert 7.76, horizontal: 9.00, vertikal: 6.29



Serie 2:
 10.6 * 10.8 * 8.6 ↘ 8.2 ← 8.7 ↘
 8.7 ↘ 10.3 ↘ 9.3 ↘ 9.5 ↘ 8.8 →
 beste Teiler 110.3 (12.) 261.7 (11.) 481.7 (17.)
 Trefferlage 0.26 mm rechts, 6.36 mm tief
 Streuwert 9.68, horizontal: 11.85, vertikal: 6.86



Serie 3:
 9.5 ↘ 8.9 → 9.9 → 10.1 ↖ 10.4 *
 9.6 ← 8.9 ↖ 9.3 ↘ 10.2 → 9.8 ↑
 beste Teiler 408.2 (25.) 564.0 (29.) 646.3 (24.)
 Trefferlage 2.17 mm links, 1.24 mm hoch
 Streuwert 7.99, horizontal: 9.46, vertikal: 6.19





Serie 4:
 10.5 * 9.2 ↘ 8.3 ↑ 10.0 ← 8.9 ↘
 8.0 → 9.9 ← 10.7 * 9.3 ↘ 10.3 ↘
 beste Teiler 170.2 (38.) 389.6 (31.) 510.9 (40.)
 Trefferlage 0.60 mm links, 2.00 mm tief
 Streuwert 10.03, horizontal: 10.13, vertikal: 9.92


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **379** (396.0)
 Serien: 95 95 96 93
 Zähler: 21 17 2 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 2264 (29), 1732 (6), 1600 (27)
 beste Teiler 19.6 (11.) 102.7 (23.) 139.9 (22.)
 Trefferlage 2.58 mm rechts, 3.71 mm tief
 Streuwert 6.30, horizontal: 5.98, vertikal: 6.59




Serie 1:
 9.9 → 9.6 → 10.5 * 10.2 → 9.3 ↓
 8.8 ↓ 10.3 ↗ 10.4 * 10.2 ← 10.1 ↘
 beste Teiler 367.9 (3.) 459.5 (8.) 536.2 (7.)
 Trefferlage 2.67 mm rechts, 2.89 mm tief
 Streuwert 6.23, horizontal: 5.29, vertikal: 7.05



Serie 2:
 10.9 * 10.0 ↓ 10.6 * 9.5 ↘ 9.7 →
 9.9 ↑ 9.1 ↘ 10.6 * 9.7 ↓ 10.8 *
 beste Teiler 19.6 (11.) 160.9 (20.) 257.2 (13.)
 Trefferlage 2.96 mm rechts, 2.89 mm tief
 Streuwert 5.52, horizontal: 4.47, vertikal: 6.40



Serie 3:
 10.1 ↘ 10.8 * 10.8 * 10.5 * 10.4 *
 9.9 → 9.0 ↘ 10.4 * 8.1 ↘ 10.1 ←
 beste Teiler 102.7 (23.) 139.9 (22.) 334.2 (24.)
 Trefferlage 2.66 mm rechts, 3.82 mm tief
 Streuwert 6.54, horizontal: 7.11, vertikal: 5.91





Serie 4:
 9.1 ↙ 9.8 ↙ 9.1 ↓ 10.4 * 10.1 ↗
 9.0 ↘ 9.2 ↓ 9.2 → 9.8 ↑ 10.1 ↓
 beste Teiler 454.5 (34.) 686.6 (40.) 694.0 (35.)
 Trefferlage 2.05 mm rechts, 5.22 mm tief
 Streuwert 7.58, horizontal: 7.50, vertikal: 7.66


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	385	(404.1)
Serien:	97 96 94 98	
Zähler:	25 15 0 0 0 0 0 0 0 0	
Innenzehner:	15	
weiteste:	1569 (26), 1512 (38), 1146 (16)	
beste Teiler	132.0 (40.) 143.7 (20.) 219.1 (33.)	
Trefferlage	0.25 mm rechts, 1.17 mm tief	
Streuwert	5.48, horizontal: 5.21, vertikal: 5.73	




Serie 1:	10.5 *	9.8 ←	10.5 *	9.7 ↘	9.6 →
	10.6 *	10.3 ↘	10.6 *	10.5 *	10.2 ↓
beste Teiler	278.2 (6.)	281.9 (8.)	327.4 (1.)		
Trefferlage	0.74 mm rechts, 2.52 mm tief				
Streuwert	4.38, horizontal: 5.49, vertikal: 2.87				



Serie 2:	9.9 ←	10.2 ←	9.5 ↑	9.8 ↖	10.4 ↘
	9.5 ↙	10.0 ↑	10.4 *	10.0 →	10.8 *
beste Teiler	143.7 (20.)	439.2 (18.)	478.4 (15.)		
Trefferlage	1.89 mm links, 0.03 mm tief				
Streuwert	5.65, horizontal: 5.42, vertikal: 5.88				



Serie 3:	10.5 *	9.8 ↗	10.6 *	10.2 →	9.8 ↖
	9.0 ↗	9.7 ↗	10.2 ↓	9.7 ↖	9.7 ↓
beste Teiler	273.2 (23.)	397.1 (21.)	633.3 (24.)		
Trefferlage	0.40 mm rechts, 1.41 mm hoch				
Streuwert	6.74, horizontal: 5.34, vertikal: 7.89				





Serie 4:	10.4 *	10.6 *	10.7 *	10.0 ↓	10.0 ↘
	10.4 *	10.5 *	9.1 ↙	9.6 →	10.8 *
beste Teiler	132.0 (40.)	219.1 (33.)	305.3 (32.)		
Trefferlage	1.75 mm rechts, 3.56 mm tief				
Streuwert	4.58, horizontal: 4.66, vertikal: 4.49				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **353** (370.5)
 Serien: 85 89 88 91
 Zähler: 8 22 7 1 2 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3966 (3), 3389 (24), 2653 (6)
 beste Teiler 353.6 (37.) 540.7 (29.) 548.1 (7.)
 Trefferlage 1.78 mm links, 0.21 mm hoch
 Streuwert 10.99, horizontal: 9.78, vertikal: 12.09




Serie 1:
 10.2 ↘ 9.5 ↘ 6.0 ↙ 8.5 ↑ 9.7 ↗
 7.6 ↗ 10.3 ↑ 9.4 ↘ 8.6 → 9.8 ↙
 beste Teiler 548.1 (7.) 578.2 (1.) 893.0 (10.)
 Trefferlage 0.57 mm rechts, 1.94 mm hoch
 Streuwert 13.95, horizontal: 12.37, vertikal: 15.37



Serie 2:
 10.1 ↗ 9.6 ↙ 8.3 ↓ 8.7 ↖ 9.4 ↗
 8.2 ↖ 9.9 ↖ 10.1 ↑ 9.6 → 9.7 ↖
 beste Teiler 686.2 (18.) 712.8 (11.) 873.1 (17.)
 Trefferlage 1.87 mm links, 1.45 mm hoch
 Streuwert 10.23, horizontal: 9.35, vertikal: 11.04



Serie 3:
 10.2 ↙ 9.6 ↖ 9.1 ↓ 6.7 ↙ 9.1 ↖
 9.7 → 8.0 ↓ 9.9 ↙ 10.3 ↙ 9.4 →
 beste Teiler 540.7 (29.) 564.1 (21.) 840.8 (28.)
 Trefferlage 3.44 mm links, 4.86 mm tief
 Streuwert 11.25, horizontal: 9.80, vertikal: 12.54





Serie 4:
 8.6 ↖ 9.4 ↖ 9.6 ↑ 10.2 ↖ 9.5 ↘
 9.7 ↘ 10.5 * 9.2 ↑ 9.3 ← 9.3 ↙
 beste Teiler 353.6 (37.) 593.6 (34.) 1022.9 (36.)
 Trefferlage 2.40 mm links, 2.30 mm hoch
 Streuwert 8.58, horizontal: 8.25, vertikal: 8.90


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (377.3)
 Serien: 87 93 91 87
 Zähler: 10 21 7 1 1 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3471 (2), 2428 (40), 2140 (34)
 beste Teiler 103.7 (30.) 204.0 (21.) 274.7 (11.)
 Trefferlage 0.13 mm links, 1.76 mm tief
 Streuwert 9.79, horizontal: 10.39, vertikal: 9.15




Serie 1:
 9.7 ↗ 6.6 ↙ 9.3 ↘ 8.9 ↙ 9.2 ↓
 10.4 * 9.9 ↑ 10.0 → 8.5 ↙ 9.5 ↑
 beste Teiler 406.9 (6.) 730.4 (8.) 864.1 (7.)
 Trefferlage 3.58 mm links, 3.43 mm tief
 Streuwert 11.45, horizontal: 12.01, vertikal: 10.85



Serie 2:
 10.6 * 10.1 ↘ 9.2 ↙ 9.4 → 9.9 ↘
 9.6 ↙ 9.1 ↘ 10.4 * 9.4 ↓ 9.2 ↑
 beste Teiler 274.7 (11.) 470.3 (18.) 655.0 (12.)
 Trefferlage 1.13 mm links, 1.45 mm tief
 Streuwert 7.99, horizontal: 7.36, vertikal: 8.58



Serie 3:
 10.7 * 9.7 ↗ 8.5 ↘ 10.1 ↓ 9.0 ↙
 10.3 ↓ 8.6 ↓ 9.1 ↑ 8.6 ← 10.8 *
 beste Teiler 103.7 (30.) 204.0 (21.) 550.0 (26.)
 Trefferlage 1.13 mm links, 1.17 mm tief
 Streuwert 9.77, horizontal: 9.34, vertikal: 10.18





Serie 4:
 9.4 ↘ 9.7 ↗ 9.7 ↓ 8.3 ↙ 9.5 ↗
 10.3 ↗ 9.9 ↘ 9.6 ↘ 8.7 → 7.9 →
 beste Teiler 538.9 (36.) 838.5 (37.) 1006.8 (32.)
 Trefferlage 5.32 mm rechts, 1.01 mm tief
 Streuwert 9.93, horizontal: 11.56, vertikal: 7.99


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **379** (399.8)
 Serien: 94 96 92 97
 Zähler: 21 17 2 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 1974 (29), 1669 (10), 1460 (30)
 beste Teiler 27.6 (25.) 30.8 (26.) 76.1 (18.)
 Trefferlage 1.13 mm rechts, 1.79 mm hoch
 Streuwert 6.24, horizontal: 5.72, vertikal: 6.71




Serie 1:
 10.3 → 9.5 ↘ 10.6 * 9.8 ↓ 9.4 ↖
 10.6 * 9.9 ↙ 10.1 ↑ 10.0 → 8.9 ↑
 beste Teiler 267.2 (3.) 283.9 (6.) 548.4 (1.)
 Trefferlage 0.40 mm rechts, 0.68 mm tief
 Streuwert 6.98, horizontal: 5.81, vertikal: 7.99



Serie 2:
 9.5 ↓ 9.9 → 10.0 ← 9.7 ↑ 10.6 *
 10.2 ↗ 9.8 ↗ 10.9 * 10.0 ← 10.3 ↑
 beste Teiler 76.1 (18.) 291.0 (15.) 521.9 (20.)
 Trefferlage 0.13 mm rechts, 1.11 mm hoch
 Streuwert 5.65, horizontal: 5.01, vertikal: 6.22



Serie 3:
 9.8 → 9.2 → 9.9 ↑ 9.9 ↑ 10.9 *
 10.9 * 10.0 ↑ 9.7 ↗ 8.5 ↗ 9.1 ↖
 beste Teiler 27.6 (25.) 30.8 (26.) 785.8 (27.)
 Trefferlage 3.12 mm rechts, 5.76 mm hoch
 Streuwert 6.54, horizontal: 7.64, vertikal: 5.22





Serie 4:
 10.1 ↘ 9.7 ↙ 10.8 * 9.2 ↑ 10.5 *
 10.1 → 9.7 ↗ 10.7 * 10.4 * 10.7 *
 beste Teiler 125.9 (33.) 201.2 (40.) 230.3 (38.)
 Trefferlage 0.86 mm rechts, 0.98 mm hoch
 Streuwert 5.41, horizontal: 4.30, vertikal: 6.32


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377** (391.9)
 Serien: 91 94 97 95
 Zähler: 21 15 4 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 1975 (29), 1845 (38), 1746 (10)
 beste Teiler 136.1 (2.) 214.1 (21.) 240.6 (26.)
 Trefferlage 0.27 mm links, 0.46 mm tief
 Streuwert 7.44, horizontal: 7.73, vertikal: 7.14




Serie 1:
 9.2 ↘ 10.8 * 9.9 ↓ 8.9 ← 9.1 ↓
 9.9 ↓ 10.1 ↓ 9.6 ↖ 10.3 ← 8.8 ↖
 beste Teiler 136.1 (2.) 527.6 (9.) 674.0 (7.)
 Trefferlage 2.70 mm links, 3.20 mm tief
 Streuwert 7.98, horizontal: 8.87, vertikal: 6.98



Serie 2:
 9.5 ← 10.4 * 10.0 ↘ 9.9 ↑ 9.1 ↗
 10.3 ↘ 9.7 → 9.2 ↘ 9.1 → 10.1 ↓
 beste Teiler 460.6 (12.) 545.2 (16.) 680.8 (20.)
 Trefferlage 2.85 mm rechts, 1.85 mm hoch
 Streuwert 7.51, horizontal: 8.91, vertikal: 5.80



Serie 3:
 10.7 * 10.0 ↓ 10.2 ↗ 10.3 ↑ 10.1 ↘
 10.7 * 9.5 ↓ 10.5 * 8.5 ↖ 10.1 ↗
 beste Teiler 214.1 (21.) 240.6 (26.) 375.7 (28.)
 Trefferlage 0.21 mm rechts, 2.53 mm tief
 Streuwert 6.21, horizontal: 6.61, vertikal: 5.79





Serie 4:
 10.4 * 10.0 ← 10.1 ↘ 10.2 ↖ 9.6 ↖
 10.0 → 10.1 ↑ 8.6 ↓ 9.4 ↗ 9.0 ↑
 beste Teiler 435.4 (31.) 635.8 (34.) 667.3 (37.)
 Trefferlage 1.46 mm links, 2.03 mm hoch
 Streuwert 7.65, horizontal: 6.15, vertikal: 8.89


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (382.7)
 Serien: 91 91 89 93
 Zähler: 12 20 8 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2374 (34), 2094 (19), 2088 (28)
 beste Teiler 226.7 (6.) 261.7 (20.) 334.4 (16.)
 Trefferlage 1.44 mm rechts, 1.19 mm hoch
 Streuwert 8.74, horizontal: 7.86, vertikal: 9.54




Serie 1:
 9.8 ↘ 9.3 ↘ 8.4 ↑ 9.2 ↗ 8.7 ↗
 10.7 * 10.4 * 10.5 * 9.2 ↘ 9.8 ↗
 beste Teiler 226.7 (6.) 385.2 (8.) 459.4 (7.)
 Trefferlage 4.36 mm rechts, 3.47 mm hoch
 Streuwert 8.24, horizontal: 4.59, vertikal: 10.70



Serie 2:
 9.5 ↘ 9.3 ↖ 9.9 ↗ 9.3 ← 10.0 →
 10.5 * 8.7 ↗ 9.4 ↗ 8.3 ↑ 10.6 *
 beste Teiler 261.7 (20.) 334.4 (16.) 770.6 (15.)
 Trefferlage 4.19 mm rechts, 3.19 mm hoch
 Streuwert 8.32, horizontal: 8.17, vertikal: 8.47



Serie 3:
 9.7 ↘ 8.9 ← 10.1 → 9.1 ↓ 10.0 ↗
 8.7 ↗ 9.7 ↘ 8.3 ← 9.8 ← 9.6 ↑
 beste Teiler 672.9 (23.) 746.1 (25.) 928.0 (29.)
 Trefferlage 3.33 mm links, 3.32 mm tief
 Streuwert 9.25, horizontal: 10.21, vertikal: 8.18





Serie 4:
 10.5 * 10.1 ↓ 9.8 → 8.0 ↑ 9.1 ↓
 9.9 ↗ 10.1 ← 9.8 ↗ 9.6 ← 10.4 *
 beste Teiler 384.6 (31.) 450.9 (40.) 660.5 (32.)
 Trefferlage 0.55 mm rechts, 1.41 mm hoch
 Streuwert 8.34, horizontal: 5.59, vertikal: 10.39

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	368	(384.7)
Serien:	92 92 91 93	
Zähler:	16 18 4 2 0 0 0 0 0 0	
Innenzehner:	6	
weiteste:	2600 (22), 2515 (30), 2167 (7)	
beste Teiler	126.6 (8.) 282.4 (23.) 371.2 (12.)	
Trefferlage	0.12 mm rechts, 1.68 mm hoch	
Streuwert	8.64, horizontal: 7.74, vertikal: 9.45	




Serie 1:

9.3 ←	10.1 ↗	8.8 ↘	9.4 ←	9.0 ↑
9.0 ↑	8.2 ↘	10.8 *	10.2 ↖	10.1 ↓
beste Teiler	126.6 (8.)	615.8 (9.)	644.1 (10.)	
Trefferlage	4.33 mm links, 1.79 mm tief			
Streuwert	9.13, horizontal: 5.82, vertikal: 11.53			




Serie 2:

9.8 ↖	10.5 *	9.7 ↗	10.3 ↗	9.8 ↑
10.4 *	8.5 ↑	9.9 ↑	9.7 ↑	9.6 ↓
beste Teiler	371.2 (12.)	406.4 (16.)	521.0 (14.)	
Trefferlage	3.39 mm rechts, 4.89 mm hoch			
Streuwert	6.04, horizontal: 4.07, vertikal: 7.51			



Serie 3:

10.3 ↓	7.7 ↗	10.6 *	10.0 →	10.0 ↖
8.6 ↑	10.2 ↘	10.4 *	9.6 ↖	7.8 ↘
beste Teiler	282.4 (23.)	470.7 (28.)	499.6 (21.)	
Trefferlage	0.05 mm rechts, 2.88 mm hoch			
Streuwert	10.28, horizontal: 9.77, vertikal: 10.76			





Serie 4:

10.2 ↓	9.3 ↑	9.1 ←	9.4 ↗	9.4 ↑
9.3 ↘	10.1 →	9.5 →	9.7 ←	10.4 *
beste Teiler	420.3 (40.)	619.2 (31.)	701.1 (37.)	
Trefferlage	1.38 mm rechts, 0.75 mm hoch			
Streuwert	8.14, horizontal: 8.84, vertikal: 7.36			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (388.4)
 Serien: 92 91 92 96
 Zähler: 16 19 5 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2074 (10), 1967 (5), 1847 (12)
 beste Teiler 161.0 (16.) 175.8 (2.) 249.4 (11.)
 Trefferlage 1.24 mm rechts, 3.76 mm tief
 Streuwert 7.45, horizontal: 7.23, vertikal: 7.66




Serie 1:
 9.1 → 10.7 * 10.0 ↙ 10.2 ↘ 8.5 ↗
 10.2 ↗ 10.6 * 8.7 ↓ 9.9 ↘ 8.4 ↘
 beste Teiler 175.8 (2.) 318.4 (7.) 574.0 (4.)
 Trefferlage 4.32 mm rechts, 2.91 mm tief
 Streuwert 8.50, horizontal: 7.74, vertikal: 9.19



Serie 2:
 10.6 * 8.6 ↙ 8.9 ↓ 9.2 ↓ 9.7 ↗
 10.7 * 9.5 ↖ 9.6 ← 9.8 ↗ 10.5 *
 beste Teiler 161.0 (16.) 249.4 (11.) 388.7 (20.)
 Trefferlage 1.58 mm links, 4.40 mm tief
 Streuwert 7.68, horizontal: 6.72, vertikal: 8.53



Serie 3:
 10.3 ↙ 9.8 ↘ 9.2 ↙ 9.4 ↘ 9.0 ↘
 9.2 ↖ 10.3 ← 9.4 → 9.4 ↘ 9.5 ↘
 beste Teiler 516.1 (27.) 533.3 (21.) 934.4 (22.)
 Trefferlage 1.84 mm rechts, 7.04 mm tief
 Streuwert 6.84, horizontal: 8.32, vertikal: 4.93





Serie 4:
 10.0 ↑ 10.6 * 10.3 → 9.9 ↘ 10.1 ↖
 9.8 ← 9.5 ↓ 9.1 ↘ 10.2 → 10.0 ↘
 beste Teiler 319.3 (32.) 501.5 (33.) 594.7 (39.)
 Trefferlage 0.39 mm rechts, 0.68 mm tief
 Streuwert 6.35, horizontal: 5.64, vertikal: 6.98


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **340** (356.9)
 Serien: 85 86 83 86
 Zähler: 8 12 14 4 2 0 0 0 0
 Innenzehner: 3
 weiteste: 3703 (18), 3603 (28), 2933 (34)
 beste Teiler 195.9 (15.) 292.4 (9.) 373.8 (35.)
 Trefferlage 2.15 mm rechts, 3.20 mm tief
 Streuwert 12.71, horizontal: 11.54, vertikal: 13.78




Serie 1:
 7.6 ↑ 9.8 ↘ 8.8 → 8.3 ↑ 8.5 ↘
 10.1 ↙ 8.8 ↘ 9.0 ↘ 10.6 * 8.2 ↘
 beste Teiler 292.4 (9.) 718.5 (6.) 944.2 (2.)
 Trefferlage 1.18 mm rechts, 6.36 mm hoch
 Streuwert 12.06, horizontal: 11.56, vertikal: 12.54



Serie 2:
 9.3 ↘ 7.5 ↘ 9.4 ↘ 8.2 ← 10.7 *
 10.2 → 9.6 → 6.3 ↘ 10.0 ↘ 8.9 →
 beste Teiler 195.9 (15.) 623.9 (16.) 763.8 (19.)
 Trefferlage 4.44 mm rechts, 3.99 mm tief
 Streuwert 12.99, horizontal: 12.82, vertikal: 13.16



Serie 3:
 9.7 ↘ 8.1 ↘ 8.2 ↙ 8.7 ↓ 9.2 ↙
 9.2 ↙ 9.6 ↓ 6.4 ↓ 9.5 ↑ 8.4 ↙
 beste Teiler 971.0 (21.) 1092.5 (27.) 1195.7 (29.)
 Trefferlage 3.37 mm links, 9.67 mm tief
 Streuwert 12.33, horizontal: 9.36, vertikal: 14.72





Serie 4:
 8.7 ↘ 8.9 ↘ 9.0 ↙ 7.3 → 10.5 *
 9.1 → 8.7 → 10.0 → 7.9 ↓ 10.0 ↘
 beste Teiler 373.8 (35.) 765.3 (38.) 785.3 (40.)
 Trefferlage 6.35 mm rechts, 5.52 mm tief
 Streuwert 11.22, horizontal: 11.42, vertikal: 11.01

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	354	(371.1)
Serien:	86 86 92 90	
Zähler:	10 19 8 1 2 0 0 0 0 0	
Innenzehner:	2	
weiteste:	3442 (20), 3320 (8), 2468 (2)	
beste Teiler	97.9 (21.) 411.5 (40.) 490.2 (1.)	
Trefferlage	2.27 mm links, 0.22 mm tief	
Streuwert	10.73, horizontal: 11.70, vertikal: 9.66	



Serie 1:

10.3 ↖	7.9 ↙	9.0 ↘	9.6 ↘	8.8 ←
9.8 →	10.2 ↖	6.8 ←	9.8 ←	9.5 ↙


beste Teiler 490.2 (1.) 623.4 (7.) 889.4 (6.)
 Trefferlage 7.14 mm links, 4.48 mm tief
 Streuwert 10.57, horizontal: 13.41, vertikal: 6.60



Serie 2:

9.2 ↘	10.1 ↘	9.1 ↘	8.9 ←	9.0 ↖
9.4 ↑	9.1 ←	9.7 ←	8.6 →	6.6 ↑


beste Teiler 659.7 (12.) 964.8 (18.) 1251.3 (16.)
 Trefferlage 1.36 mm links, 2.26 mm hoch
 Streuwert 12.75, horizontal: 12.00, vertikal: 13.45



Serie 3:

10.8 *	10.1 →	9.5 ←	10.0 ←	8.0 ↓
9.2 ↗	9.0 ↖	9.9 ↑	9.5 ←	9.3 ↑

beste Teiler 97.9 (21.) 667.7 (22.) 767.4 (24.)
 Trefferlage 2.27 mm links, 1.78 mm hoch
 Streuwert 9.24, horizontal: 7.72, vertikal: 10.56



Serie 4:

10.1 →	9.8 ↖	10.3 ↘	8.9 ↘	8.4 ←
9.6 ↓	8.7 ↗	8.2 →	10.0 ←	10.4 *

beste Teiler 411.5 (40.) 551.9 (33.) 702.2 (31.)
 Trefferlage 1.69 mm rechts, 0.47 mm tief
 Streuwert 10.05, horizontal: 12.86, vertikal: 6.05

Unterschrift des Schützen

Meyton Elektronik