





Ergebnis: **361** (381.8)
 Serien: 93 87 91 90
 Zähler: 12 18 9 1 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2414 (15), 2097 (16), 1997 (21)
 beste Teiler 245.2 (32.) 245.4 (38.) 342.2 (9.)
 Trefferlage 3.15 mm rechts, 2.60 mm tief
 Streuwert 8.53, horizontal: 6.88, vertikal: 9.91




Serie 1:
 10.4 * 9.6 → 9.3 ↑ 9.8 ↓ 10.2 ↘
 9.1 → 9.1 ↑ 8.7 ↓ 10.5 * 10.0 ↑
 beste Teiler 342.2 (9.) 426.9 (1.) 627.1 (5.)
 Trefferlage 4.04 mm rechts, 0.25 mm hoch
 Streuwert 7.81, horizontal: 5.78, vertikal: 9.41



Serie 2:
 9.9 ↓ 9.8 ↙ 8.7 ↓ 9.3 ↑ 7.9 ↓
 8.3 → 10.4 * 9.7 ↗ 9.9 ↓ 9.8 ←
 beste Teiler 409.4 (17.) 862.4 (19.) 875.7 (11.)
 Trefferlage 3.62 mm rechts, 3.47 mm tief
 Streuwert 9.80, horizontal: 7.84, vertikal: 11.42



Serie 3:
 8.5 ↓ 10.0 → 9.4 ↗ 9.7 ↘ 9.8 ↗
 9.6 ↗ 10.1 ↘ 9.9 ↓ 8.5 ↗ 10.5 *
 beste Teiler 344.4 (30.) 652.8 (27.) 734.7 (22.)
 Trefferlage 5.26 mm rechts, 0.11 mm hoch
 Streuwert 7.92, horizontal: 4.90, vertikal: 10.07





Serie 4:
 9.7 ← 10.6 * 8.6 ↓ 9.0 → 10.1 ↓
 8.9 ↙ 8.6 ↓ 10.6 * 8.9 ↓ 10.4 *
 beste Teiler 245.2 (32.) 245.4 (38.) 457.4 (40.)
 Trefferlage 0.33 mm links, 7.29 mm tief
 Streuwert 8.04, horizontal: 8.15, vertikal: 7.94


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **348** (364.1)
 Serien: 83 90 85 90
 Zähler: 11 12 13 2 2 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3451 (2), 3370 (22), 2876 (3)
 beste Teiler 119.0 (18.) 404.1 (31.) 437.3 (36.)
 Trefferlage 2.12 mm rechts, 5.43 mm tief
 Streuwert 11.43, horizontal: 9.15, vertikal: 13.32




Serie 1:
 9.2 ↘ 6.6 ↓ 7.4 ↙ 9.8 ↘ 9.6 ↗
 10.1 ↓ 8.0 → 8.7 ↗ 9.0 ↓ 8.6 ↘
 beste Teiler 651.0 (6.) 945.5 (4.) 1094.9 (5.)
 Trefferlage 1.66 mm rechts, 10.07 mm tief
 Streuwert 12.66, horizontal: 10.40, vertikal: 14.57



Serie 2:
 7.5 ↘ 8.6 ↑ 9.3 ↗ 8.8 ↓ 10.3 ↗
 10.1 ↘ 9.4 ↑ 10.8 * 10.1 ↓ 9.5 ↘
 beste Teiler 119.0 (18.) 491.5 (15.) 644.4 (19.)
 Trefferlage 0.51 mm rechts, 1.66 mm tief
 Streuwert 10.54, horizontal: 6.59, vertikal: 13.37



Serie 3:
 8.3 ↘ 6.7 ↗ 9.7 → 10.2 ↙ 8.6 ↓
 8.0 ↘ 9.5 ↘ 10.4 * 8.7 ↓ 9.6 ←
 beste Teiler 462.4 (28.) 584.8 (24.) 971.8 (23.)
 Trefferlage 0.66 mm rechts, 6.85 mm tief
 Streuwert 12.42, horizontal: 11.82, vertikal: 13.00





Serie 4:
 10.4 * 9.4 ↑ 8.6 → 8.0 ↘ 10.4 *
 10.4 * 9.4 ↓ 10.1 → 8.1 ↘ 8.2 ↘
 beste Teiler 404.1 (31.) 437.3 (36.) 440.9 (35.)
 Trefferlage 5.65 mm rechts, 3.15 mm tief
 Streuwert 10.34, horizontal: 7.24, vertikal: 12.71


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (387.9)
 Serien: 97 91 91 91
 Zähler: 15 20 5 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2036 (18), 1837 (34), 1732 (30)
 beste Teiler 134.1 (3.) 237.1 (29.) 326.1 (6.)
 Trefferlage 0.77 mm rechts, 0.20 mm tief
 Streuwert 7.97, horizontal: 6.96, vertikal: 8.86




Serie 1:
 9.3 ← 9.0 ↘ 10.8 * 10.2 ✓ 10.1 →
 10.5 * 10.2 ↓ 10.4 * 10.2 ↑ 9.6 ↑
 beste Teiler 134.1 (3.) 326.1 (6.) 433.5 (8.)
 Trefferlage 1.93 mm links, 2.06 mm hoch
 Streuwert 5.96, horizontal: 6.00, vertikal: 5.92



Serie 2:
 9.2 ↓ 9.9 ↗ 9.4 ↗ 9.4 → 9.3 ↘
 9.9 ↓ 10.4 * 8.4 ✓ 10.4 * 9.4 →
 beste Teiler 405.4 (17.) 457.8 (19.) 852.7 (12.)
 Trefferlage 3.47 mm rechts, 3.53 mm tief
 Streuwert 8.18, horizontal: 7.49, vertikal: 8.82



Serie 3:
 9.0 ↘ 9.9 → 8.9 ↑ 10.0 ✓ 9.5 ↓
 9.6 ↘ 9.7 ← 10.5 * 10.7 * 8.8 ↗
 beste Teiler 237.1 (29.) 394.6 (28.) 737.3 (24.)
 Trefferlage 0.00 mm , 1.53 mm hoch
 Streuwert 8.45, horizontal: 7.17, vertikal: 9.55





Serie 4:
 8.9 ↑ 10.1 ↘ 10.5 * 8.7 ↖ 10.2 ↓
 9.2 ↘ 9.2 ↗ 9.2 ↓ 9.7 ↓ 9.6 ✓
 beste Teiler 380.2 (33.) 587.6 (35.) 657.6 (32.)
 Trefferlage 1.57 mm rechts, 0.90 mm tief
 Streuwert 9.04, horizontal: 6.99, vertikal: 10.70


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377** (397.2)
 Serien: 92 96 96 93
 Zähler: 21 16 2 1 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2624 (8), 1763 (6), 1709 (31)
 beste Teiler 80.9 (28.) 224.0 (34.) 266.3 (40.)
 Trefferlage 1.83 mm links, 0.82 mm hoch
 Streuwert 6.70, horizontal: 6.32, vertikal: 7.05




Serie 1:
 9.8 ↘ 9.4 ↑ 10.3 ← 10.4 * 10.0 ↙
 8.7 ← 9.7 ↘ 7.7 ↘ 10.4 * 10.4 ↗
 beste Teiler 406.5 (9.) 454.0 (4.) 478.6 (10.)
 Trefferlage 4.91 mm links, 2.15 mm hoch
 Streuwert 8.17, horizontal: 8.64, vertikal: 7.66



Serie 2:
 10.3 ↘ 9.5 ↑ 10.6 * 9.9 ↙ 10.5 *
 10.1 ↑ 9.9 → 10.6 * 9.7 ↓ 10.6 *
 beste Teiler 267.0 (13.) 268.4 (20.) 306.9 (18.)
 Trefferlage 0.14 mm links, 0.63 mm tief
 Streuwert 5.15, horizontal: 4.30, vertikal: 5.88



Serie 3:
 9.1 ↘ 10.3 ↘ 10.3 ↙ 10.4 * 9.4 ↘
 10.1 → 9.9 ↗ 10.9 * 10.2 ↙ 9.6 ←
 beste Teiler 80.9 (28.) 458.2 (24.) 490.1 (23.)
 Trefferlage 1.17 mm links, 0.42 mm tief
 Streuwert 6.29, horizontal: 5.98, vertikal: 6.59





Serie 4:
 8.8 ↘ 9.7 ← 9.6 ↘ 10.7 * 10.1 ←
 10.2 ↑ 9.5 ↑ 9.5 ↑ 9.8 ↓ 10.6 *
 beste Teiler 224.0 (34.) 266.3 (40.) 620.6 (36.)
 Trefferlage 1.11 mm links, 2.19 mm hoch
 Streuwert 7.08, horizontal: 5.42, vertikal: 8.41


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **346** (365.4)
 Serien: 90 85 84 87
 Zähler: 9 17 10 2 0 1 1 0 0 0
 Innenzehner: 4
 weiteste: 5282 (25), 4096 (12), 2558 (7)
 beste Teiler 56.0 (17.) 250.5 (18.) 279.6 (29.)
 Trefferlage 2.43 mm links, 4.76 mm tief
 Streuwert 11.92, horizontal: 13.04, vertikal: 10.68




Serie 1:
 9.6 ↙ 10.2 ↘ 8.7 ↓ 10.6 * 9.6 ↘
 9.6 ↙ 7.8 ↓ 10.2 ↘ 9.2 ↗ 9.9 ↑
 beste Teiler 315.0 (4.) 585.6 (2.) 631.8 (8.)
 Trefferlage 1.41 mm links, 3.24 mm tief
 Streuwert 9.32, horizontal: 7.05, vertikal: 11.14



Serie 2:
 8.8 ↘ 5.8 ↙ 9.3 ↗ 9.6 ↗ 9.0 ↙
 8.9 ← 10.9 * 10.6 * 9.5 ↓ 8.8 ↗
 beste Teiler 56.0 (17.) 250.5 (18.) 1052.7 (14.)
 Trefferlage 1.14 mm links, 3.16 mm tief
 Streuwert 13.11, horizontal: 14.05, vertikal: 12.11



Serie 3:
 9.0 ↙ 9.2 ← 8.6 ↗ 10.3 ↙ 4.3 ↙
 9.8 ↙ 8.1 ↙ 9.0 ↓ 10.6 * 8.9 ↓
 beste Teiler 279.6 (29.) 501.1 (24.) 951.2 (26.)
 Trefferlage 8.48 mm links, 7.59 mm tief
 Streuwert 13.81, horizontal: 16.09, vertikal: 11.09





Serie 4:
 9.5 ↘ 9.2 → 8.7 → 9.8 ↓ 8.0 ↙
 9.3 ↓ 8.3 ↙ 10.0 ↓ 10.3 → 7.9 →
 beste Teiler 554.6 (39.) 793.7 (38.) 927.9 (34.)
 Trefferlage 1.31 mm rechts, 5.05 mm tief
 Streuwert 11.37, horizontal: 13.12, vertikal: 9.29


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **381** (400.9)
 Serien: 95 94 96 96
 Zähler: 23 15 2 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 1807 (19), 1747 (12), 1592 (2)
 beste Teiler 79.0 (32.) 159.0 (30.) 179.0 (9.)
 Trefferlage 2.23 mm rechts, 1.05 mm tief
 Streuwert 6.01, horizontal: 6.20, vertikal: 5.81




Serie 1:
 10.0 ← 9.0 → 10.4 * 10.3 ← 10.6 *
 9.8 ← 9.2 ↓ 9.6 ↗ 10.7 * 9.8 →
 beste Teiler 179.0 (9.) 307.3 (5.) 409.8 (3.)
 Trefferlage 1.78 mm rechts, 1.01 mm tief
 Streuwert 6.71, horizontal: 7.61, vertikal: 5.68



Serie 2:
 10.7 * 8.8 ↘ 10.0 ↗ 10.5 * 9.9 ↘
 9.3 ↓ 10.0 ↗ 10.6 * 8.7 ↘ 10.5 *
 beste Teiler 221.7 (11.) 312.7 (18.) 351.5 (14.)
 Trefferlage 3.88 mm rechts, 3.29 mm tief
 Streuwert 6.53, horizontal: 5.69, vertikal: 7.28



Serie 3:
 9.6 ← 9.7 → 10.2 ↗ 10.3 → 9.7 ←
 10.5 * 10.7 * 10.0 ↓ 9.9 ↓ 10.8 *
 beste Teiler 159.0 (30.) 208.7 (27.) 387.7 (26.)
 Trefferlage 0.01 mm rechts, 1.15 mm tief
 Streuwert 5.38, horizontal: 6.55, vertikal: 3.87





Serie 4:
 9.3 → 10.9 * 10.5 * 10.0 → 10.7 *
 9.1 ↗ 9.9 ↗ 10.6 * 10.2 ↘ 9.9 ↙
 beste Teiler 79.0 (32.) 192.3 (35.) 281.8 (38.)
 Trefferlage 3.25 mm rechts, 1.24 mm hoch
 Streuwert 5.39, horizontal: 4.84, vertikal: 5.89


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **327** (347.5)
 Serien: 76 82 90 79
 Zähler: 6 12 13 3 5 0 1 0 0 0
 Innenzehner: 4
 weiteste: 5458 (15), 3863 (9), 3777 (4)
 beste Teiler 115.0 (14.) 203.4 (22.) 257.0 (36.)
 Trefferlage 0.21 mm rechts, 6.43 mm tief
 Streuwert 14.41, horizontal: 13.75, vertikal: 15.05




Serie 1:
 6.8 ↗ 9.4 ← 7.6 ↓ 6.2 ↓ 8.5 ↓
 10.5 * 7.3 ↘ 8.8 ↑ 6.1 ↙ 9.3 ←
 beste Teiler 379.7 (6.) 1247.1 (2.) 1340.0 (10.)
 Trefferlage 0.25 mm links, 9.38 mm tief
 Streuwert 17.87, horizontal: 14.33, vertikal: 20.82



Serie 2:
 8.6 ↓ 7.9 ↓ 9.9 ← 10.8 * 4.1 ↙
 8.4 ↗ 9.1 ↓ 9.2 ↘ 8.4 ↓ 10.3 ↓
 beste Teiler 115.0 (14.) 543.3 (20.) 815.2 (13.)
 Trefferlage 3.47 mm links, 12.53 mm tief
 Streuwert 14.10, horizontal: 9.33, vertikal: 17.63



Serie 3:
 9.6 ↑ 10.7 * 9.8 ← 9.0 → 9.3 ↗
 8.9 ↙ 9.3 ↘ 10.0 → 9.5 → 8.5 ←
 beste Teiler 203.4 (22.) 760.0 (28.) 933.2 (23.)
 Trefferlage 1.68 mm rechts, 0.58 mm tief
 Streuwert 9.52, horizontal: 11.21, vertikal: 7.45





Serie 4:
 9.1 ↙ 8.9 ↙ 6.8 → 8.8 → 8.7 →
 10.6 * 8.9 → 8.6 ↙ 6.7 ← 8.6 ↗
 beste Teiler 257.0 (36.) 1482.6 (31.) 1603.3 (32.)
 Trefferlage 2.89 mm rechts, 3.23 mm tief
 Streuwert 15.10, horizontal: 19.37, vertikal: 9.00


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **348** (360.8)
 Serien: 86 87 83 92
 Zähler: 10 17 5 7 1 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3576 (4), 3100 (28), 3051 (6)
 beste Teiler 393.4 (7.) 425.7 (9.) 590.8 (13.)
 Trefferlage 1.30 mm links, 8.64 mm tief
 Streuwert 10.99, horizontal: 10.55, vertikal: 11.41




Serie 1:
 10.0 → 10.1 ↙ 9.0 ↙ 6.5 ↙ 7.3 ↙
 7.1 ↓ 10.5 * 8.4 ↖ 10.4 * 9.0 ↘
 beste Teiler 393.4 (7.) 425.7 (9.) 650.2 (2.)
 Trefferlage 4.27 mm links, 11.73 mm tief
 Streuwert 11.90, horizontal: 11.29, vertikal: 12.49



Serie 2:
 9.5 ↓ 10.2 ↓ 10.2 ↖ 8.4 ↓ 10.0 →
 7.3 ← 7.4 ↘ 9.0 ↙ 9.3 ↓ 8.8 ↑
 beste Teiler 590.8 (13.) 609.1 (12.) 765.8 (15.)
 Trefferlage 0.31 mm links, 6.13 mm tief
 Streuwert 12.24, horizontal: 13.65, vertikal: 10.65



Serie 3:
 7.4 ↙ 7.4 ↓ 9.8 ↗ 8.4 ↖ 9.2 ↓
 9.3 ↙ 9.1 ↓ 7.1 ↓ 9.6 ↘ 9.7 →
 beste Teiler 885.4 (23.) 1039.6 (30.) 1051.2 (29.)
 Trefferlage 1.61 mm links, 13.33 mm tief
 Streuwert 10.70, horizontal: 10.32, vertikal: 11.06





Serie 4:
 8.6 ↓ 10.1 ← 9.0 ↙ 10.0 ↑ 9.4 ↓
 10.0 ↗ 9.3 → 9.8 ↓ 9.3 ↑ 9.9 ↘
 beste Teiler 717.7 (32.) 756.4 (36.) 762.3 (34.)
 Trefferlage 0.99 mm rechts, 3.35 mm tief
 Streuwert 8.50, horizontal: 6.76, vertikal: 9.94


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **370** (391.0)
 Serien: 91 94 94 91
 Zähler: 15 20 5 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 1742 (7), 1695 (17), 1689 (3)
 beste Teiler 303.3 (15.) 318.9 (24.) 329.2 (16.)
 Trefferlage 1.79 mm links, 0.75 mm hoch
 Streuwert 7.16, horizontal: 6.05, vertikal: 8.12




Serie 1:
 10.1 ↙ 8.9 ↘ 8.8 ↓ 9.9 ↘ 9.3 ↓
 10.0 ↘ 8.8 ↑ 9.6 ↙ 10.3 ↘ 10.2 ↑
 beste Teiler 511.0 (9.) 628.1 (10.) 711.7 (1.)
 Trefferlage 1.51 mm links, 4.54 mm tief
 Streuwert 8.01, horizontal: 5.24, vertikal: 10.05



Serie 2:
 9.9 ↓ 10.2 ↖ 9.9 ↗ 9.9 ↓ 10.6 *
 10.5 * 8.8 ↘ 9.9 ↘ 10.0 ↖ 10.4 *
 beste Teiler 303.3 (15.) 329.2 (16.) 406.7 (20.)
 Trefferlage 2.74 mm links, 2.38 mm hoch
 Streuwert 5.52, horizontal: 4.80, vertikal: 6.17



Serie 3:
 9.6 ↙ 9.1 ↗ 9.5 ↗ 10.6 * 10.3 ←
 10.0 ↗ 9.8 ↗ 9.8 ↙ 9.9 ← 10.1 ↙
 beste Teiler 318.9 (24.) 535.2 (25.) 652.4 (30.)
 Trefferlage 1.31 mm links, 1.87 mm hoch
 Streuwert 6.64, horizontal: 7.35, vertikal: 5.85





Serie 4:
 9.5 ← 10.1 ↑ 9.7 ↓ 9.8 ← 9.2 ↗
 9.9 ← 10.4 * 8.8 ↘ 9.4 ↑ 9.5 ↘
 beste Teiler 469.2 (37.) 688.0 (32.) 839.3 (36.)
 Trefferlage 1.59 mm links, 3.31 mm hoch
 Streuwert 7.82, horizontal: 7.25, vertikal: 8.36


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **383** (402.7)
 Serien: 96 96 95 96
 Zähler: 25 13 2 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 1681 (38), 1601 (27), 1551 (25)
 beste Teiler 47.8 (6.) 89.6 (13.) 133.7 (1.)
 Trefferlage 0.17 mm rechts, 3.68 mm tief
 Streuwert 5.41, horizontal: 4.82, vertikal: 5.94




Serie 1:
 10.8 * 10.8 * 10.5 * 10.7 * 9.2 ↘
 10.9 * 10.6 * 9.6 ↓ 9.9 ↖ 9.6 ↓
 beste Teiler 47.8 (6.) 133.7 (1.) 138.3 (2.)
 Trefferlage 0.42 mm rechts, 2.22 mm tief
 Streuwert 5.22, horizontal: 4.91, vertikal: 5.52



Serie 2:
 10.4 * 10.1 ↙ 10.8 * 9.4 → 10.4 *
 9.7 ↗ 9.2 ← 10.2 → 10.3 ↓ 9.3 ↘
 beste Teiler 89.6 (13.) 428.3 (11.) 474.4 (15.)
 Trefferlage 0.06 mm links, 1.29 mm tief
 Streuwert 6.48, horizontal: 7.33, vertikal: 5.50



Serie 3:
 10.0 ↓ 10.2 → 10.5 * 9.6 ↓ 9.0 ↓
 10.5 * 8.9 ↙ 10.7 * 9.9 ↘ 10.1 ↓
 beste Teiler 200.0 (28.) 379.4 (26.) 395.0 (23.)
 Trefferlage 0.72 mm links, 6.69 mm tief
 Streuwert 4.86, horizontal: 4.17, vertikal: 5.46





Serie 4:
 10.1 ↓ 10.6 * 10.1 ↑ 10.3 ↗ 9.9 ↓
 9.7 ↓ 10.6 * 8.8 ↓ 10.3 ↓ 10.5 *
 beste Teiler 280.6 (32.) 295.1 (37.) 347.5 (40.)
 Trefferlage 1.07 mm rechts, 4.53 mm tief
 Streuwert 4.81, horizontal: 1.84, vertikal: 6.54


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **352** (369.8)
 Serien: 84 87 91 90
 Zähler: 11 14 11 4 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2869 (17), 2725 (3), 2723 (19)
 beste Teiler 220.8 (12.) 450.5 (23.) 584.8 (28.)
 Trefferlage 3.76 mm links, 4.69 mm tief
 Streuwert 10.05, horizontal: 11.21, vertikal: 8.73




Serie 1:
 9.8 ↘ 10.1 ← 7.5 ↗ 9.8 ↙ 9.6 ←
 8.2 ← 8.8 ↙ 7.8 ↙ 9.5 ↓ 8.5 ↘
 beste Teiler 649.5 (2.) 929.7 (1.) 944.9 (4.)
 Trefferlage 4.96 mm links, 4.21 mm tief
 Streuwert 12.01, horizontal: 12.70, vertikal: 11.28



Serie 2:
 9.2 ↙ 10.7 * 9.9 ↓ 10.1 ↙ 8.8 ←
 8.9 ← 7.4 ↙ 9.5 ↓ 7.5 ← 10.0 ←
 beste Teiler 220.8 (12.) 718.0 (14.) 733.5 (20.)
 Trefferlage 9.15 mm links, 6.94 mm tief
 Streuwert 8.56, horizontal: 9.39, vertikal: 7.64



Serie 3:
 8.1 ↘ 9.0 → 10.4 * 10.1 ↓ 9.4 ↘
 9.8 ↙ 9.9 ↑ 10.2 ↓ 9.2 ↘ 8.8 ←
 beste Teiler 450.5 (23.) 584.8 (28.) 660.9 (24.)
 Trefferlage 0.15 mm rechts, 3.28 mm tief
 Streuwert 9.28, horizontal: 9.75, vertikal: 8.78





Serie 4:
 10.1 ↓ 8.6 ← 10.0 ↗ 9.3 ↓ 9.7 →
 10.1 ↘ 10.0 ↘ 8.8 ↙ 8.4 → 8.3 ←
 beste Teiler 658.9 (31.) 679.0 (36.) 746.2 (33.)
 Trefferlage 1.09 mm links, 4.33 mm tief
 Streuwert 10.00, horizontal: 11.88, vertikal: 7.68


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (371.7)
 Serien: 85 90 89 90
 Zähler: 13 12 12 2 1 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3724 (17), 2721 (8), 2663 (5)
 beste Teiler 126.2 (28.) 365.0 (25.) 489.0 (30.)
 Trefferlage 4.01 mm links, 2.52 mm tief
 Streuwert 10.33, horizontal: 10.43, vertikal: 10.23




Serie 1:
 10.0 ← 9.5 ↑ 9.5 ← 9.5 → 7.6 ↓
 8.8 ← 8.8 ← 7.5 ← 10.3 ↖ 8.5 ↙
 beste Teiler 511.9 (9.) 782.6 (1.) 1129.4 (2.)
 Trefferlage 7.88 mm links, 4.10 mm tief
 Streuwert 10.82, horizontal: 11.50, vertikal: 10.10



Serie 2:
 10.0 ← 10.1 → 10.1 ← 10.1 ↓ 8.5 ↙
 9.2 ↖ 6.3 ↓ 10.2 ↗ 8.1 ← 9.5 →
 beste Teiler 618.1 (18.) 653.7 (13.) 657.9 (12.)
 Trefferlage 3.65 mm links, 3.92 mm tief
 Streuwert 11.87, horizontal: 10.69, vertikal: 12.95



Serie 3:
 9.9 ↓ 8.8 ↙ 9.4 ↘ 9.6 ↖ 10.5 *
 8.2 → 8.2 ← 10.8 * 8.4 ↗ 10.3 ↖
 beste Teiler 126.2 (28.) 365.0 (25.) 489.0 (30.)
 Trefferlage 3.07 mm links, 4.06 mm tief
 Streuwert 9.99, horizontal: 11.53, vertikal: 8.17





Serie 4:
 9.7 → 9.2 ↗ 10.2 ← 10.2 ↓ 9.6 ↑
 9.9 → 10.1 ↙ 8.9 ↗ 8.9 ↘ 8.8 ↖
 beste Teiler 570.3 (33.) 631.4 (34.) 649.4 (37.)
 Trefferlage 1.45 mm links, 2.00 mm hoch
 Streuwert 8.76, horizontal: 8.18, vertikal: 9.31


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **377** (393.6)
 Serien: 93 96 93 95
 Zähler: 21 15 4 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2335 (21), 2055 (28), 1760 (7)
 beste Teiler 13.0 (39.) 239.1 (27.) 354.7 (35.)
 Trefferlage 1.47 mm links, 1.20 mm hoch
 Streuwert 7.05, horizontal: 6.43, vertikal: 7.62




Serie 1:
 10.2 → 9.7 ↑ 9.5 ↑ 9.1 ↓ 10.1 ↖
 10.1 ↙ 8.8 ↓ 10.1 ← 9.7 ↑ 9.2 ↓
 beste Teiler 592.1 (1.) 651.8 (6.) 683.8 (8.)
 Trefferlage 1.20 mm links, 1.75 mm tief
 Streuwert 8.12, horizontal: 3.42, vertikal: 10.96



Serie 2:
 10.1 ↘ 9.8 ↙ 10.1 ↗ 10.3 ← 9.8 ↖
 10.0 ↓ 9.5 ↘ 10.3 ↘ 10.3 ↖ 9.9 ←
 beste Teiler 495.6 (14.) 526.3 (18.) 527.0 (19.)
 Trefferlage 3.20 mm links, 0.86 mm hoch
 Streuwert 5.26, horizontal: 5.41, vertikal: 5.10



Serie 3:
 8.0 ↑ 9.6 ↖ 10.2 ↑ 10.4 * 9.8 ↙
 10.2 ↗ 10.7 * 8.4 ← 10.2 → 9.7 ↘
 beste Teiler 239.1 (27.) 425.0 (24.) 605.8 (29.)
 Trefferlage 2.93 mm links, 3.44 mm hoch
 Streuwert 8.17, horizontal: 7.56, vertikal: 8.73





Serie 4:
 10.3 ↗ 9.6 → 10.0 ↘ 8.9 ↗ 10.5 *
 10.0 → 9.7 ← 10.3 → 10.9 * 9.6 ←
 beste Teiler 13.0 (39.) 354.7 (35.) 489.4 (31.)
 Trefferlage 1.46 mm rechts, 2.28 mm hoch
 Streuwert 6.27, horizontal: 8.11, vertikal: 3.58


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **379** (397.5)
 Serien: 98 93 95 93
 Zähler: 21 17 2 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2070 (12), 1782 (37), 1531 (13)
 beste Teiler 106.9 (34.) 135.6 (23.) 209.4 (17.)
 Trefferlage 0.54 mm links, 0.34 mm hoch
 Streuwert 6.57, horizontal: 6.58, vertikal: 6.55




Serie 1:
 10.5 * 9.9 → 10.2 ↗ 10.2 → 10.0 ↘
 9.7 ← 10.0 → 10.1 ↖ 10.4 * 10.5 *
 beste Teiler 356.6 (10.) 380.6 (1.) 437.9 (9.)
 Trefferlage 1.67 mm rechts, 1.32 mm hoch
 Streuwert 4.70, horizontal: 6.01, vertikal: 2.83



Serie 2:
 9.2 ← 8.4 ↙ 9.0 ↘ 9.9 ↓ 10.0 ←
 9.2 ↖ 10.7 * 9.9 ↘ 10.3 ↖ 10.1 ↘
 beste Teiler 209.4 (17.) 527.1 (19.) 699.7 (20.)
 Trefferlage 6.36 mm links, 2.48 mm tief
 Streuwert 7.01, horizontal: 5.33, vertikal: 8.36



Serie 3:
 9.9 ↗ 9.3 ↘ 10.8 * 10.3 → 10.4 ←
 9.8 ↖ 10.2 ↘ 9.8 ↘ 9.6 ↗ 10.2 ↓
 beste Teiler 135.6 (23.) 478.2 (25.) 533.0 (24.)
 Trefferlage 0.31 mm links, 1.35 mm hoch
 Streuwert 5.90, horizontal: 5.34, vertikal: 6.41





Serie 4:
 9.4 ↘ 9.4 ↓ 10.6 * 10.8 * 10.5 *
 9.7 ↘ 8.7 → 9.7 ↗ 10.4 * 9.8 ↗
 beste Teiler 106.9 (34.) 305.8 (33.) 371.7 (35.)
 Trefferlage 2.82 mm rechts, 1.17 mm hoch
 Streuwert 6.86, horizontal: 6.25, vertikal: 7.43


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (378.8)
 Serien: 86 90 91 92
 Zähler: 11 19 8 2 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2527 (1), 2457 (28), 2186 (32)
 beste Teiler 152.1 (24.) 246.4 (30.) 363.7 (35.)
 Trefferlage 1.13 mm links, 0.87 mm tief
 Streuwert 9.45, horizontal: 8.33, vertikal: 10.46




Serie 1:
 7.8 ↑ 8.5 ↗ 9.5 ↘ 8.8 ↓ 9.5 ↘
 9.9 ↙ 10.2 ↘ 8.6 ↙ 9.5 ↘ 9.2 ↗
 beste Teiler 633.5 (7.) 819.9 (6.) 1125.4 (5.)
 Trefferlage 0.70 mm links, 0.40 mm hoch
 Streuwert 11.43, horizontal: 6.61, vertikal: 14.75



Serie 2:
 8.4 ↓ 9.2 ↙ 9.3 ↖ 10.2 ↓ 9.7 ↗
 9.8 ↓ 10.2 ↓ 10.1 → 8.7 ↖ 8.3 ↖
 beste Teiler 580.4 (17.) 587.2 (14.) 652.3 (18.)
 Trefferlage 2.71 mm links, 6.22 mm tief
 Streuwert 8.78, horizontal: 10.16, vertikal: 7.15



Serie 3:
 9.6 ↙ 9.6 ↙ 9.9 ↓ 10.8 * 9.6 ↖
 9.6 ← 10.3 ↘ 7.9 ↑ 9.9 ↑ 10.6 *
 beste Teiler 152.1 (24.) 246.4 (30.) 496.3 (27.)
 Trefferlage 3.02 mm links, 0.21 mm tief
 Streuwert 8.08, horizontal: 6.16, vertikal: 9.62





Serie 4:
 9.1 → 8.2 → 10.0 ↑ 9.6 ← 10.5 *
 9.6 ↑ 10.2 ↑ 8.4 ↗ 9.6 ↙ 10.4 *
 beste Teiler 363.7 (35.) 469.5 (40.) 636.7 (37.)
 Trefferlage 1.91 mm rechts, 2.53 mm hoch
 Streuwert 9.06, horizontal: 9.94, vertikal: 8.09


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (395.9)
 Serien: 92 93 94 99
 Zähler: 20 19 0 1 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2556 (9), 1552 (20), 1395 (2)
 beste Teiler 257.5 (6.) 307.3 (12.) 321.0 (34.)
 Trefferlage 1.27 mm links, 1.12 mm tief
 Streuwert 6.61, horizontal: 6.42, vertikal: 6.79




Serie 1:
 10.2 ↙ 9.2 ↙ 9.8 ↑ 10.5 * 10.4 *
 10.6 * 9.8 ↓ 9.6 ↘ 7.8 ↘ 9.8 →
 beste Teiler 257.5 (6.) 383.2 (4.) 403.1 (5.)
 Trefferlage 3.29 mm links, 3.92 mm tief
 Streuwert 7.56, horizontal: 7.16, vertikal: 7.94



Serie 2:
 9.8 → 10.6 * 9.4 ↓ 9.9 ↖ 10.3 ↗
 9.7 ↓ 9.8 ↙ 9.5 ← 10.0 ↓ 9.0 ↗
 beste Teiler 307.3 (12.) 508.9 (15.) 769.1 (19.)
 Trefferlage 0.49 mm rechts, 0.75 mm tief
 Streuwert 7.27, horizontal: 7.15, vertikal: 7.38



Serie 3:
 10.0 ← 10.4 * 10.0 ← 9.6 ↓ 9.7 →
 9.8 ↖ 9.6 ↘ 9.5 ↙ 10.3 ← 9.5 ↖
 beste Teiler 416.9 (22.) 549.1 (29.) 724.4 (21.)
 Trefferlage 4.59 mm links, 0.54 mm tief
 Streuwert 5.98, horizontal: 5.14, vertikal: 6.72





Serie 4:
 10.1 → 10.4 * 10.1 ↗ 10.5 * 10.3 ↖
 10.4 * 10.4 * 10.0 ↑ 10.0 ↖ 9.6 ↓
 beste Teiler 321.0 (34.) 404.3 (36.) 408.6 (37.)
 Trefferlage 2.29 mm rechts, 0.72 mm hoch
 Streuwert 4.46, horizontal: 3.98, vertikal: 4.90


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **369** (389.5)
 Serien: 92 90 90 97
 Zähler: 17 16 6 1 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 2459 (1), 1980 (30), 1897 (8)
 beste Teiler 85.2 (24.) 205.3 (20.) 229.9 (10.)
 Trefferlage 0.03 mm links, 0.85 mm hoch
 Streuwert 8.16, horizontal: 9.13, vertikal: 7.06




Serie 1:
 7.9 ← 9.6 ↘ 9.3 ↓ 10.6 * 9.4 ←
 10.2 ← 10.0 ↑ 8.6 → 10.4 * 10.7 *
 beste Teiler 229.9 (10.) 320.0 (4.) 407.1 (9.)
 Trefferlage 1.50 mm links, 0.62 mm tief
 Streuwert 9.16, horizontal: 11.29, vertikal: 6.36



Serie 2:
 8.7 ↖ 9.6 ↑ 9.9 ↗ 9.4 ↘ 8.7 ↗
 9.9 → 10.0 ↓ 9.1 → 9.2 ↖ 10.7 *
 beste Teiler 205.3 (20.) 799.7 (17.) 825.8 (16.)
 Trefferlage 2.37 mm rechts, 2.87 mm hoch
 Streuwert 8.91, horizontal: 9.35, vertikal: 8.46



Serie 3:
 10.7 * 9.7 ↑ 8.7 ← 10.8 * 9.7 ↖
 10.5 * 9.6 → 9.0 ↘ 8.9 ↑ 8.5 ←
 beste Teiler 85.2 (24.) 231.0 (21.) 348.2 (26.)
 Trefferlage 1.87 mm links, 1.83 mm hoch
 Streuwert 9.10, horizontal: 9.94, vertikal: 8.18





Serie 4:
 9.7 → 10.6 * 10.5 * 10.4 ↑ 10.6 *
 10.4 * 10.2 ↖ 10.4 * 9.4 ↓ 9.3 ↘
 beste Teiler 283.8 (32.) 288.2 (35.) 387.2 (33.)
 Trefferlage 0.85 mm rechts, 0.65 mm tief
 Streuwert 5.50, horizontal: 5.84, vertikal: 5.15


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366** (382.0)
 Serien: 93 91 92 90
 Zähler: 12 22 6 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2177 (17), 1947 (9), 1936 (5)
 beste Teiler 120.2 (2.) 197.4 (35.) 267.3 (28.)
 Trefferlage 0.85 mm links, 4.69 mm tief
 Streuwert 8.18, horizontal: 7.22, vertikal: 9.03




Serie 1:
 9.1 ↓ 10.8 * 10.4 * 9.9 ↓ 8.5 ↓
 10.3 ↗ 9.8 ← 10.4 * 8.5 ↓ 10.3 ←
 beste Teiler 120.2 (2.) 428.0 (8.) 463.0 (3.)
 Trefferlage 1.35 mm links, 5.15 mm tief
 Streuwert 7.20, horizontal: 5.94, vertikal: 8.28



Serie 2:
 8.8 ↖ 10.0 ↓ 9.0 ↓ 9.7 ↖ 9.2 ↓
 9.2 → 8.2 ↓ 10.1 ↖ 10.3 ↖ 9.1 →
 beste Teiler 516.1 (19.) 679.1 (18.) 739.8 (12.)
 Trefferlage 0.83 mm links, 4.82 mm tief
 Streuwert 9.55, horizontal: 9.66, vertikal: 9.45



Serie 3:
 9.0 ↓ 9.6 ← 9.5 ← 10.2 ↘ 9.3 ↓
 9.1 ↗ 9.0 ↖ 10.6 * 9.9 ↖ 9.6 →
 beste Teiler 267.3 (28.) 561.3 (24.) 847.5 (29.)
 Trefferlage 3.18 mm links, 1.97 mm tief
 Streuwert 8.21, horizontal: 8.11, vertikal: 8.32





Serie 4:
 9.5 ↓ 9.5 ↓ 9.1 ↓ 8.6 ↓ 10.7 *
 9.3 ↓ 9.9 → 10.2 ↗ 9.1 ↗ 8.7 ↓
 beste Teiler 197.4 (35.) 591.4 (38.) 806.1 (37.)
 Trefferlage 1.94 mm rechts, 6.82 mm tief
 Streuwert 8.04, horizontal: 4.05, vertikal: 10.63


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **339** (357.0)
 Serien: 83 86 89 81
 Zähler: 8 12 13 5 2 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3757 (20), 3529 (1), 3191 (27)
 beste Teiler 314.0 (15.) 500.7 (28.) 517.8 (12.)
 Trefferlage 6.87 mm links, 6.66 mm tief
 Streuwert 11.23, horizontal: 9.86, vertikal: 12.46




Serie 1:
 6.5 ↓ 9.3 ← 8.1 ↓ 8.5 ← 8.8 ↓
 8.9 ↓ 7.6 ↑ 9.8 ↗ 10.0 ↓ 10.0 ↓
 beste Teiler 749.5 (9.) 750.6 (10.) 953.9 (8.)
 Trefferlage 2.42 mm links, 7.78 mm tief
 Streuwert 13.16, horizontal: 9.08, vertikal: 16.24



Serie 2:
 9.9 ↓ 10.3 ↓ 9.0 ↘ 8.0 ↑ 10.6 *
 9.1 ← 9.8 ↓ 9.1 ↘ 7.7 ↖ 6.3 ↘
 beste Teiler 314.0 (15.) 517.8 (12.) 826.7 (11.)
 Trefferlage 7.19 mm links, 4.90 mm tief
 Streuwert 12.36, horizontal: 9.13, vertikal: 14.90



Serie 3:
 9.6 ↘ 9.6 ↘ 9.4 ↑ 10.3 ↘ 9.9 ←
 10.1 ↑ 7.0 ← 10.3 ↑ 8.9 ← 8.0 ←
 beste Teiler 500.7 (28.) 559.3 (24.) 682.0 (26.)
 Trefferlage 8.75 mm links, 1.65 mm tief
 Streuwert 9.52, horizontal: 11.18, vertikal: 7.49





Serie 4:
 7.5 ← 10.0 ← 8.9 ↓ 7.5 ↘ 8.6 ↓
 8.0 ↓ 8.7 ← 8.9 ↓ 8.8 ← 9.7 ↓
 beste Teiler 757.1 (32.) 1033.8 (40.) 1630.6 (33.)
 Trefferlage 9.12 mm links, 12.32 mm tief
 Streuwert 8.96, horizontal: 9.92, vertikal: 7.88


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (385.2)
 Serien: 96 91 93 91
 Zähler: 18 16 5 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3042 (31), 2230 (2), 2075 (28)
 beste Teiler 371.2 (10.) 400.7 (7.) 424.3 (37.)
 Trefferlage 1.02 mm links, 4.56 mm tief
 Streuwert 7.99, horizontal: 7.87, vertikal: 8.10




Serie 1:
 10.1 ↙ 8.2 ↓ 9.2 ↗ 9.5 ↗ 10.3 ↘
 10.0 → 10.5 * 10.2 ↙ 10.0 ↙ 10.5 *
 beste Teiler 371.2 (10.) 400.7 (7.) 549.0 (5.)
 Trefferlage 0.74 mm links, 1.64 mm tief
 Streuwert 7.65, horizontal: 5.75, vertikal: 9.16



Serie 2:
 9.4 ↓ 9.6 ↖ 9.2 ↙ 9.1 ← 10.0 ↓
 8.4 ↘ 10.1 ↑ 9.9 ↓ 9.0 ↙ 9.7 →
 beste Teiler 675.6 (17.) 773.0 (15.) 848.9 (18.)
 Trefferlage 1.32 mm links, 5.13 mm tief
 Streuwert 8.66, horizontal: 9.31, vertikal: 7.95



Serie 3:
 10.1 ↓ 10.4 * 10.3 → 9.8 ↖ 8.9 ↘
 9.0 ↙ 10.3 ↙ 8.4 ↙ 10.1 → 9.6 ↙
 beste Teiler 439.1 (22.) 493.8 (23.) 547.3 (27.)
 Trefferlage 2.02 mm links, 3.95 mm tief
 Streuwert 7.90, horizontal: 8.34, vertikal: 7.43





Serie 4:
 7.1 ↙ 9.5 ↓ 8.9 ↘ 10.2 ↙ 9.7 ↙
 10.4 * 10.4 * 9.3 ↓ 9.8 ↘ 10.1 →
 beste Teiler 424.3 (37.) 453.9 (36.) 637.3 (34.)
 Trefferlage 0.01 mm rechts, 7.52 mm tief
 Streuwert 8.32, horizontal: 8.76, vertikal: 7.87


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **365** (382.6)
 Serien: 94 90 92 89
 Zähler: 15 18 4 3 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2983 (18), 2785 (37), 2781 (6)
 beste Teiler 196.5 (21.) 203.6 (15.) 302.8 (1.)
 Trefferlage 0.97 mm rechts, 1.93 mm hoch
 Streuwert 9.25, horizontal: 8.34, vertikal: 10.07




Serie 1:
 10.6 * 10.4 * 9.5 ← 9.8 ↑ 9.3 ←
 7.5 ↗ 10.0 ↘ 10.4 ← 10.0 ↑ 10.3 ↑
 beste Teiler 302.8 (1.) 432.3 (2.) 480.7 (8.)
 Trefferlage 1.84 mm links, 4.16 mm hoch
 Streuwert 8.05, horizontal: 8.15, vertikal: 7.96



Serie 2:
 10.4 * 8.9 ↓ 10.1 ← 9.8 ↓ 10.7 *
 9.8 ↘ 9.3 ← 7.2 ↑ 9.7 ↓ 9.6 →
 beste Teiler 203.6 (15.) 440.9 (11.) 656.2 (13.)
 Trefferlage 1.10 mm rechts, 1.21 mm tief
 Streuwert 9.89, horizontal: 6.36, vertikal: 12.46



Serie 3:
 10.7 * 9.9 ↙ 9.9 ↙ 10.6 * 8.1 ↗
 9.3 ↘ 10.2 ↓ 9.2 → 9.0 ↗ 9.1 ↗
 beste Teiler 196.5 (21.) 320.0 (24.) 630.4 (27.)
 Trefferlage 5.78 mm rechts, 0.20 mm tief
 Streuwert 8.22, horizontal: 9.26, vertikal: 7.03





Serie 4:
 10.2 ↘ 8.4 ↙ 9.4 ↑ 9.8 → 9.7 ↑
 10.2 ↓ 7.5 ↑ 10.1 ← 8.9 ↘ 9.1 ↑
 beste Teiler 621.7 (31.) 632.5 (36.) 651.2 (38.)
 Trefferlage 1.16 mm links, 4.99 mm hoch
 Streuwert 10.21, horizontal: 8.32, vertikal: 11.81


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368** (386.5)
 Serien: 93 90 94 91
 Zähler: 17 16 5 2 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2986 (16), 2562 (6), 2116 (13)
 beste Teiler 293.2 (21.) 296.9 (20.) 322.4 (3.)
 Trefferlage 2.14 mm rechts, 2.04 mm tief
 Streuwert 8.40, horizontal: 7.46, vertikal: 9.24




Serie 1:
 9.2 ↙ 9.7 → 10.5 * 10.2 ↗ 9.4 ↘
 7.7 ↓ 10.5 * 10.5 * 9.8 ↓ 10.2 ↗
 beste Teiler 322.4 (3.) 350.2 (7.) 388.4 (8.)
 Trefferlage 2.73 mm rechts, 4.79 mm tief
 Streuwert 7.54, horizontal: 6.00, vertikal: 8.81



Serie 2:
 9.6 ↑ 8.6 ↑ 8.3 ↓ 10.5 * 10.2 ←
 7.2 → 10.1 ← 10.4 * 8.9 ↗ 10.6 *
 beste Teiler 296.9 (20.) 378.2 (14.) 470.8 (18.)
 Trefferlage 3.18 mm rechts, 0.30 mm tief
 Streuwert 10.83, horizontal: 10.09, vertikal: 11.52



Serie 3:
 10.6 * 10.2 ↗ 10.1 → 9.4 ↘ 10.2 ↗
 8.7 ↓ 10.1 → 9.7 ↑ 9.5 ↘ 9.6 ↓
 beste Teiler 293.2 (21.) 582.4 (22.) 596.8 (25.)
 Trefferlage 1.23 mm rechts, 0.09 mm hoch
 Streuwert 7.34, horizontal: 6.13, vertikal: 8.38





Serie 4:
 8.7 → 9.9 ↑ 10.5 * 10.3 ← 9.8 ↓
 9.6 ↙ 9.8 ↙ 9.1 ↘ 9.0 ↓ 9.6 ↘
 beste Teiler 373.3 (33.) 483.0 (34.) 823.3 (32.)
 Trefferlage 1.43 mm rechts, 3.16 mm tief
 Streuwert 8.18, horizontal: 7.93, vertikal: 8.42


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **361** (380.0)
 Serien: 93 91 89 88
 Zähler: 10 25 3 1 0 1 0 0 0 0
 Innenzehner: 6
 weiteste: 4699 (39), 2895 (21), 2037 (19)
 beste Teiler 133.1 (1.) 206.0 (37.) 326.4 (2.)
 Trefferlage 0.67 mm links, 4.61 mm hoch
 Streuwert 9.41, horizontal: 7.87, vertikal: 10.74




Serie 1:
 10.8 * 10.5 * 9.6 ↙ 9.8 ↘ 9.6 ↘
 9.1 ↗ 10.2 ↘ 9.0 ↘ 9.3 → 9.2 ↙
 beste Teiler 133.1 (1.) 326.4 (2.) 573.5 (7.)
 Trefferlage 1.03 mm links, 1.79 mm hoch
 Streuwert 8.04, horizontal: 7.96, vertikal: 8.12



Serie 2:
 9.8 → 10.1 ↘ 9.7 ↗ 9.8 ↖ 9.0 ↘
 9.9 → 9.6 ← 10.0 ↗ 8.4 ↑ 9.5 ↑
 beste Teiler 653.1 (12.) 781.0 (18.) 812.9 (16.)
 Trefferlage 1.32 mm rechts, 5.81 mm hoch
 Streuwert 7.43, horizontal: 7.50, vertikal: 7.37



Serie 3:
 7.3 ↑ 9.1 ↘ 10.4 * 9.8 ← 9.3 ↗
 9.2 ↑ 8.9 ↗ 9.9 ↓ 9.8 ↘ 10.5 *
 beste Teiler 352.2 (30.) 472.5 (23.) 810.5 (28.)
 Trefferlage 0.20 mm links, 7.97 mm hoch
 Streuwert 8.61, horizontal: 6.30, vertikal: 10.42





Serie 4:
 10.5 * 9.8 ↘ 9.2 ↙ 10.2 ↙ 9.6 ↓
 8.6 ↑ 10.7 * 9.5 ↓ 5.1 ↘ 9.7 ↗
 beste Teiler 206.0 (37.) 362.8 (31.) 615.3 (34.)
 Trefferlage 2.78 mm links, 2.86 mm hoch
 Streuwert 13.11, horizontal: 9.96, vertikal: 15.63


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (397.1)
 Serien: 93 96 96 93
 Zähler: 19 20 1 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 1662 (2), 1555 (35), 1484 (16)
 beste Teiler 77.0 (20.) 162.0 (14.) 180.8 (29.)
 Trefferlage 2.59 mm links, 1.47 mm tief
 Streuwert 6.26, horizontal: 7.43, vertikal: 4.83



Serie 1:
 10.5 * 8.9 ← 10.2 ↘ 9.6 ← 9.3 ↓
 9.9 ← 9.4 ← 10.2 ↘ 10.5 * 9.9 ↑
 beste Teiler 376.9 (1.) 378.1 (9.) 584.5 (8.)
 Trefferlage 4.88 mm links, 0.59 mm tief
 Streuwert 6.23, horizontal: 6.84, vertikal: 5.55



Serie 2:
 10.1 ↓ 10.0 ← 9.7 → 10.7 * 9.6 ←
 9.1 ↗ 9.9 → 10.1 ↘ 10.1 ↗ 10.9 *
 beste Teiler 77.0 (20.) 162.0 (14.) 691.9 (11.)
 Trefferlage 0.82 mm links, 2.96 mm tief
 Streuwert 5.98, horizontal: 7.49, vertikal: 3.94



Serie 3:
 10.1 → 10.7 * 9.5 ↓ 9.2 ↘ 9.4 ←
 9.4 ← 10.3 ↓ 10.4 * 10.7 * 10.7 *
 beste Teiler 180.8 (29.) 221.7 (30.) 232.4 (22.)
 Trefferlage 1.01 mm links, 2.04 mm tief
 Streuwert 6.21, horizontal: 7.23, vertikal: 4.98



Serie 4:
 9.7 ← 10.3 ↓ 9.7 ← 10.6 * 9.0 ←
 10.5 * 9.6 → 9.1 ↗ 9.9 → 9.7 ←
 beste Teiler 318.0 (34.) 340.7 (36.) 540.8 (32.)
 Trefferlage 3.64 mm links, 0.28 mm tief
 Streuwert 6.90, horizontal: 8.40, vertikal: 4.96

Unterschrift des Schützen

Meyton Elektronik