





Ergebnis:	<b>360</b>	(379.5)			
Serien:	90	92	84	94	
Zaehler:	14	14	10	2	0 0 0 0 0 0
Innenzehner:	7				
weiteste:	2623 (6), 2519 (17), 2221 (3)				
beste Teiler	253.1 (20.) 260.4 (18.) 301.2 (37.)				
Trefferlage	3.61 mm rechts, 3.07 mm hoch				
Streuwert	8.91, horizontal: 6.74, vertikal: 10.65				




Serie 1:	9.0 ↑	9.6 ↑	8.2 ↗	10.1 ↘	10.5 *
	7.7 ↑	9.2 ↗	10.2 ↘	9.8 ↑	9.3 ↘
beste Teiler	332.0 (5.) 622.2 (8.) 688.7 (4.)				
Trefferlage	3.73 mm rechts, 8.22 mm hoch				
Streuwert	8.52, horizontal: 6.36, vertikal: 10.22				



Serie 2:	9.0 ↘	8.7 ↑	8.8 ↘	10.4 *	10.5 *
	10.0 ↘	7.8 ↑	10.6 *	10.3 ↓	10.6 *
beste Teiler	253.1 (20.) 260.4 (18.) 394.0 (15.)				
Trefferlage	3.88 mm rechts, 3.58 mm hoch				
Streuwert	8.68, horizontal: 6.98, vertikal: 10.09				



Serie 3:	9.6 ←	9.8 →	9.6 →	8.7 ↑	9.6 ↘
	8.9 ↗	8.9 ↓	8.9 ↗	8.8 ↘	8.7 ↓
beste Teiler	910.3 (22.) 1051.6 (23.) 1080.3 (25.)				
Trefferlage	3.36 mm rechts, 1.77 mm tief				
Streuwert	10.72, horizontal: 8.22, vertikal: 12.74				





Serie 4:	9.0 ↘	10.1 ←	8.7 ↑	10.5 *	9.3 ↑
	10.2 ↘	10.6 *	10.0 ↘	9.8 →	9.5 ↗
beste Teiler	301.2 (37.) 371.1 (34.) 584.1 (36.)				
Trefferlage	3.49 mm rechts, 2.25 mm hoch				
Streuwert	7.27, horizontal: 6.32, vertikal: 8.11				


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **368** (386.5)<sup>QF</sup>  
 Serien: 94 90 94 90  
 Zaehler: 13 22 5 0 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 2291 (31), 2107 (15), 1890 (40)  
 beste Teiler 22.8 (10.) 57.9 (7.) 234.2 (13.)  
 Trefferlage 1.30 mm rechts, 1.12 mm tief  
 Streuwert 8.13, horizontal: 7.75, vertikal: 8.50




Serie 1:  
 10.0 ↘ 9.6 ↙ 8.8 ↑ 9.6 ← 10.0 ↓  
 9.4 ↙ 10.9 \* 9.5 → 10.0 → 10.9 \*  
 beste Teiler 22.8 (10.) 57.9 (7.) 731.6 (9.)  
 Trefferlage 0.79 mm rechts, 1.09 mm tief  
 Streuwert 7.25, horizontal: 7.04, vertikal: 7.45



Serie 2:  
 9.2 ← 10.4 \* 10.7 \* 8.7 ↗ 8.3 ↓  
 9.8 ↓ 9.9 ← 9.0 ↓ 9.7 → 9.3 →  
 beste Teiler 234.2 (13.) 411.7 (12.) 827.2 (17.)  
 Trefferlage 3.34 mm rechts, 3.70 mm tief  
 Streuwert 8.93, horizontal: 8.72, vertikal: 9.13



Serie 3:  
 9.0 ↗ 9.8 ↘ 10.0 ↑ 9.8 ↑ 9.7 →  
 9.6 ↘ 10.5 \* 10.5 \* 9.5 ← 10.1 →  
 beste Teiler 375.2 (27.) 379.2 (28.) 684.9 (30.)  
 Trefferlage 2.07 mm rechts, 2.04 mm hoch  
 Streuwert 6.74, horizontal: 6.56, vertikal: 6.91





Serie 4:  
 8.1 ↙ 9.4 ↙ 10.3 ↗ 9.2 ↗ 9.4 ↓  
 10.1 ↓ 9.9 ← 9.8 → 9.5 ← 8.6 ↑  
 beste Teiler 493.6 (33.) 647.3 (36.) 819.3 (37.)  
 Trefferlage 1.01 mm links, 1.75 mm tief  
 Streuwert 9.67, horizontal: 8.94, vertikal: 10.36

QF – Schütze hat sich fürs Finale qualifiziert

Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis:	<b>368</b>	(386.1) <sub>QF</sub>
Serien:	92 94 92 90	
Zaehler:	15 19 5 1 0 0 0 0 0 0	
Innenzehner:	5	
weiteste:	2507 (40), 2332 (5), 1966 (8)	
beste Teiler	298.8 (36.) 301.7 (4.) 371.2 (12.)	
Trefferlage	1.09 mm links, 1.28 mm tief	
Streuwert	8.30, horizontal: 9.14, vertikal: 7.36	



Serie 1:

10.3 ←	9.6 →	10.0 ↘	10.6 *	8.0 ↙
9.6 →	9.3 ←	8.5 ↙	10.2 →	9.4 ↓


beste Teiler 301.7 (4.) 527.5 (1.) 612.9 (9.)  
 Trefferlage 0.28 mm links, 4.95 mm tief  
 Streuwert 8.75, horizontal: 9.27, vertikal: 8.21



Serie 2:

10.3 ↗	10.5 *	9.1 →	10.5 *	10.4 *
9.4 ↓	10.2 ↘	9.3 ←	9.6 ↖	8.9 ↗


beste Teiler 371.2 (12.) 376.1 (14.) 428.8 (15.)  
 Trefferlage 1.20 mm rechts, 1.33 mm hoch  
 Streuwert 7.59, horizontal: 8.18, vertikal: 6.94



Serie 3:

9.7 ↙	10.3 ↓	9.9 →	9.9 ↓	9.8 ←
10.2 ↖	9.9 ←	10.0 ↘	8.8 ↖	9.5 ↓

beste Teiler 513.3 (22.) 625.9 (26.) 753.8 (28.)  
 Trefferlage 3.48 mm links, 1.14 mm tief  
 Streuwert 6.67, horizontal: 6.87, vertikal: 6.47



Serie 4:

9.3 ↖	10.2 ↙	10.2 ↙	9.3 →	9.6 ↓
10.6 *	8.6 ↖	9.8 ↖	9.0 ↖	7.8 →



beste Teiler 298.8 (36.) 562.2 (32.) 579.2 (33.)  
 Trefferlage 1.81 mm links, 0.38 mm tief  
 Streuwert 10.06, horizontal: 12.18, vertikal: 7.36

QF – Schütze hat sich fürs Finale qualifiziert

Unterschrift des Schuetzen


Meyton Elektronik

Ergebnis:	<b>366</b>	(382.5) <sup>QF</sup>
Serien:	91 93 89 93	
Zaehler:	13 21 5 1 0 0 0 0 0 0	
Innenzehner:	5	
weiteste:	2665 (38), 2350 (28), 2166 (26)	
beste Teiler	227.4 (18.) 338.6 (17.) 358.3 (37.)	
Trefferlage	1.10 mm rechts, 0.23 mm hoch	
Streuwert	8.84, horizontal: 9.71, vertikal: 7.87	




Serie 1:

9.6 ↙	9.1 →	9.5 ↙	9.3 ↘	8.9 ↗
9.9 ↑	9.8 ←	10.4 *	9.9 ↗	10.0 ↖
beste Teiler	466.7 (8.) 733.1 (10.) 839.0 (9.)			
Trefferlage	0.70 mm rechts, 1.01 mm hoch			
Streuwert	8.21, horizontal: 9.36, vertikal: 6.87			




Serie 2:

10.3 ↘	8.6 ↓	8.8 →	10.0 ↗	9.8 →
10.3 ↙	10.5 *	10.7 *	9.5 ↑	9.4 ↙
beste Teiler	227.4 (18.) 338.6 (17.) 520.0 (11.)			
Trefferlage	2.87 mm rechts, 1.91 mm tief			
Streuwert	7.56, horizontal: 6.76, vertikal: 8.28			



Serie 3:

9.5 ↑	9.1 →	9.4 ↑	9.1 ↘	9.2 ↗
8.2 →	9.4 ↑	8.0 ↙	10.3 ↑	9.8 ↗
beste Teiler	508.3 (29.) 942.4 (30.) 1193.1 (21.)			
Trefferlage	4.19 mm rechts, 4.58 mm hoch			
Streuwert	10.16, horizontal: 11.73, vertikal: 8.30			



Serie 4:



9.6 ↙	9.3 →	10.0 ↙	10.1 ↑	10.1 ↓
9.4 ←	10.5 *	7.6 ↙	10.4 *	9.2 ↓
beste Teiler	358.3 (37.) 463.7 (39.) 712.4 (34.)			
Trefferlage	3.34 mm links, 2.75 mm tief			
Streuwert	8.63, horizontal: 10.08, vertikal: 6.88			

QF – Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis:	<b>365</b>	(384.2) <sup>QF</sup>
Serien:	90 92 93 90	
Zähler:	15 15 10 0 0 0 0 0 0 0	
Innenzehner:	9	
weiteste:	2358 (9), 2325 (19), 2156 (31)	
beste Teiler	97.7 (17.) 141.0 (8.) 179.7 (16.)	
Trefferlage	2.24 mm links, 1.14 mm tief	
Streuwert	8.85, horizontal: 9.51, vertikal: 8.13	




Serie 1:	8.7 ↘	8.3 ↓	10.3 ↗	10.7 *	9.0 →
	9.2 ↘	8.9 ←	10.8 *	8.0 ←	10.6 *
beste Teiler	141.0 (8.) 193.0 (4.) 301.0 (10.)				
Trefferlage	3.98 mm links, 4.59 mm tief				
Streuwert	9.72, horizontal: 10.50, vertikal: 8.87				



Serie 2:	9.8 ↓	10.5 *	9.9 ←	9.4 ↘	9.2 ←
	10.7 *	10.8 *	9.2 ↑	8.0 ↘	9.8 ↘
beste Teiler	97.7 (17.) 179.7 (16.) 364.1 (12.)				
Trefferlage	1.74 mm links, 1.97 mm tief				
Streuwert	8.44, horizontal: 8.12, vertikal: 8.76				



Serie 3:	10.7 *	9.9 ↘	9.6 ↘	8.6 →	10.3 →
	10.5 *	10.4 *	8.8 ↗	10.3 ↘	9.3 ←
beste Teiler	221.4 (21.) 341.5 (26.) 475.1 (27.)				
Trefferlage	1.32 mm rechts, 0.45 mm hoch				
Streuwert	7.74, horizontal: 9.62, vertikal: 5.22				





Serie 4:	8.3 ←	9.7 ←	10.2 ↘	9.5 ←	10.2 →
	9.3 ←	9.5 ↗	10.1 ←	8.7 ↑	8.5 ↘
beste Teiler	575.0 (35.) 612.4 (33.) 684.4 (38.)				
Trefferlage	4.55 mm links, 1.53 mm hoch				
Streuwert	9.45, horizontal: 9.98, vertikal: 8.89				

QF – Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362** (381.5)<sup>QF</sup>  
 Serien: 92 90 88 92  
 Zaehler: 10 22 8 0 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2184 (24), 2079 (17), 2029 (37)  
 beste Teiler 213.5 (31.) 349.6 (23.) 357.6 (33.)  
 Trefferlage 0.01 mm links, 2.59 mm tief  
 Streuwert 8.67, horizontal: 7.92, vertikal: 9.37




Serie 1:  
 9.4 ↓                      10.1 ↖                      9.5 ↗                      9.8 ↑                      9.9 →  
 10.0 ↖                      8.6 →                      9.1 ↙                      10.4 \*                      9.2 ↘  
 beste Teiler 466.6 (9.) 692.1 (2.) 726.5 (6.)  
 Trefferlage 1.99 mm rechts, 1.21 mm tief  
 Streuwert 8.40, horizontal: 8.60, vertikal: 8.19



Serie 2:  
 9.1 ↗                      10.3 ↙                      9.2 →                      9.7 ↓                      9.6 ↑  
 9.0 ↖                      8.4 ↙                      9.7 ↖                      8.8 ↙                      10.0 ↑  
 beste Teiler 511.2 (12.) 735.9 (20.) 965.2 (14.)  
 Trefferlage 1.12 mm links, 0.41 mm tief  
 Streuwert 9.88, horizontal: 8.74, vertikal: 10.91



Serie 3:  
 9.0 ↘                      8.7 ↓                      10.5 \*                      8.2 ↗                      9.3 ↙  
 9.8 →                      8.6 ↓                      9.8 ←                      9.9 ↘                      9.9 ↙  
 beste Teiler 349.6 (23.) 825.9 (29.) 862.7 (30.)  
 Trefferlage 1.54 mm rechts, 5.96 mm tief  
 Streuwert 9.18, horizontal: 8.49, vertikal: 9.83





Serie 4:  
 10.7 \*                      8.9 ↓                      10.5 \*                      9.6 ←                      10.4 \*  
 9.6 ←                      8.4 ↙                      9.9 ↘                      9.7 ↑                      10.3 ↓  
 beste Teiler 213.5 (31.) 357.6 (33.) 436.2 (35.)  
 Trefferlage 2.44 mm links, 2.78 mm tief  
 Streuwert 7.48, horizontal: 5.83, vertikal: 8.82

QF – Schütze hat sich fürs Finale qualifiziert

Unterschrift des Schuetzen


Meyton Elektronik

Ergebnis:	<b>367</b>	(385.4) <sup>QF</sup>			
Serien:	91	93	92	91	
Zaehler:	13	23	3	0	1 0 0 0 0 0
Innenzehner:	6				
weiteste:	3929 (35), 2371 (15), 1815 (23)				
beste Teiler	123.8 (18.) 213.0 (29.) 273.0 (17.)				
Trefferlage	1.54 mm links, 1.83 mm tief				
Streuwert	8.67, horizontal: 8.75, vertikal: 8.58				




Serie 1:

9.2 ↘	9.4 ↙	9.3 →	9.7 ↑	9.7 ↑
9.3 ↙	9.3 ↓	9.8 ←	9.4 ↑	10.2 ↘
beste Teiler	629.8 (10.) 920.3 (8.) 995.2 (4.)			
Trefferlage	1.72 mm rechts, 1.61 mm tief			
Streuwert	8.44, horizontal: 7.02, vertikal: 9.66			




Serie 2:

9.9 ↙	10.0 ↑	9.3 ↑	8.9 ↙	8.0 ↓
10.2 ↓	10.6 *	10.8 *	9.5 ↓	10.5 *
beste Teiler	123.8 (18.) 273.0 (17.) 394.5 (20.)			
Trefferlage	1.50 mm links, 3.72 mm tief			
Streuwert	8.09, horizontal: 4.79, vertikal: 10.39			



Serie 3:

10.3 ←	9.3 ↑	8.7 ←	9.4 →	10.6 *
9.9 ←	9.7 ↓	9.4 ↙	10.7 *	9.5 ↙
beste Teiler	213.0 (29.) 277.7 (25.) 489.6 (21.)			
Trefferlage	3.44 mm links, 1.10 mm tief			
Streuwert	7.56, horizontal: 8.18, vertikal: 6.88			



Serie 4:



9.6 ↘	9.5 ↙	10.0 ↗	10.5 *	6.0 ↙
10.1 ↓	9.8 ↑	9.4 ←	9.9 ↘	10.1 ↙
beste Teiler	384.8 (34.) 641.9 (36.) 647.8 (40.)			
Trefferlage	2.94 mm links, 0.87 mm tief			
Streuwert	10.94, horizontal: 13.22, vertikal: 8.05			

QF – Schütze hat sich fürs Finale qualifiziert

Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis:	<b>368</b>	(383.1) <sup>QF</sup>
Serien:	90 91 94 93	
Zaehler:	17 15 7 1 0 0 0 0 0 0	
Innenzehner:	2	
weiteste:	2624 (18), 2106 (10), 2037 (38)	
beste Teiler	212.2 (20.) 365.2 (35.) 516.3 (7.)	
Trefferlage	0.19 mm rechts, 0.44 mm hoch	
Streuwert	8.79, horizontal: 9.53, vertikal: 7.97	



Serie 1:

8.5 →	10.2 ↖	9.3 ↗	9.6 ↗	8.9 ←
9.3 →	10.3 ↗	10.1 ←	9.7 ↑	8.3 ↙


beste Teiler 516.3 (7.) 577.1 (2.) 642.7 (8.)  
 Trefferlage 0.53 mm rechts, 1.54 mm hoch  
 Streuwert 9.80, horizontal: 11.49, vertikal: 7.75



Serie 2:

8.6 →	8.4 ↗	9.3 ←	10.2 ↑	9.2 →
10.1 ↑	10.0 ↓	7.7 ↙	10.2 ↑	10.7 *


beste Teiler 212.2 (20.) 561.9 (19.) 611.3 (14.)  
 Trefferlage 0.79 mm rechts, 0.49 mm hoch  
 Streuwert 10.55, horizontal: 11.66, vertikal: 9.30



Serie 3:

10.0 ↑	9.7 ↙	10.0 ↗	9.6 ↖	9.5 ↘
9.2 ←	9.8 ↖	10.2 ↘	10.0 ↑	9.7 ↖

beste Teiler 620.0 (28.) 724.8 (21.) 773.2 (29.)  
 Trefferlage 2.68 mm links, 1.46 mm hoch  
 Streuwert 6.93, horizontal: 7.45, vertikal: 6.37



Serie 4:

10.2 ↓	10.1 →	10.1 ↙	10.2 ←	10.5 *
9.4 ↘	9.3 ↓	8.4 ↘	9.8 ↑	8.8 ↑

beste Teiler 365.2 (35.) 562.5 (34.) 638.5 (31.)  
 Trefferlage 2.14 mm rechts, 1.71 mm tief  
 Streuwert 8.27, horizontal: 7.48, vertikal: 8.99



QF – Schütze hat sich fürs Finale qualifiziert

Unterschrift des Schuetzen


Meyton Elektronik




Ergebnis: **353** (370.3)  
 Serien: 89 89 86 89  
 Zaehler: 11 15 11 2 1 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 3355 (27), 2711 (38), 2589 (29)  
 beste Teiler 144.3 (12.) 151.4 (8.) 270.7 (32.)  
 Trefferlage 0.57 mm rechts, 2.89 mm hoch  
 Streuwert 10.89, horizontal: 8.83, vertikal: 12.61




Serie 1:  
 8.1 ↙ 8.8 ↙ 9.2 ↓ 9.6 ↘ 9.4 ↗  
 9.3 ↑ 10.1 ↑ 10.8 \* 8.2 ↖ 9.6 ↖  
 beste Teiler 151.4 (8.) 641.9 (7.) 1055.2 (4.)  
 Trefferlage 2.27 mm links, 1.56 mm tief  
 Streuwert 10.63, horizontal: 9.42, vertikal: 11.72



Serie 2:  
 8.5 ↑ 10.8 \* 8.3 ↑ 9.0 ↘ 8.1 ↗  
 10.4 \* 10.2 ↖ 8.8 ↗ 8.8 ↑ 10.0 ↓  
 beste Teiler 144.3 (12.) 442.1 (16.) 630.8 (17.)  
 Trefferlage 2.81 mm rechts, 7.88 mm hoch  
 Streuwert 9.30, horizontal: 9.21, vertikal: 9.39





Serie 3:  
 8.3 ↙ 10.2 ↘ 9.5 ↘ 9.4 ↙ 8.1 ↑  
 9.1 ↘ 6.8 ↑ 10.3 ↑ 7.7 ↘ 10.2 ↗  
 beste Teiler 482.9 (28.) 608.5 (22.) 625.4 (30.)  
 Trefferlage 0.87 mm links, 2.68 mm hoch  
 Streuwert 13.57, horizontal: 10.23, vertikal: 16.24




Serie 4:  
 9.5 ↘ 10.6 \* 9.6 ↓ 9.1 ↓ 9.8 ↑  
 9.4 ↗ 9.9 ↗ 7.6 ↑ 10.3 ← 8.9 ↗  
 beste Teiler 270.7 (32.) 546.7 (39.) 865.8 (37.)  
 Trefferlage 2.63 mm rechts, 2.56 mm hoch  
 Streuwert 9.71, horizontal: 6.19, vertikal: 12.26

Unterschrift des Schuetzen


Ergebnis:	<b>362</b>	(384.3) <sup>QF</sup>			
Serien:	91	88	86	97	
Zaehler:	16	15	7	1	0 0 1 0 0 0
Innenzehner:	11				
weiteste:	4954 (23), 2580 (4), 2169 (13)				
beste Teiler	164.4 (40.)	197.2 (38.)	203.3 (32.)		
Trefferlage	1.95 mm links, 2.96 mm hoch				
Streuwert	9.52, horizontal: 11.18, vertikal: 7.50				




Serie 1:	10.2 ↑	9.9 ↑	10.2 ↙	7.7 ↙	10.4 *
	9.9 →	9.6 ↘	9.4 ↑	10.4 *	8.9 ↙
beste Teiler	423.0 (9.) 452.9 (5.) 602.4 (1.)				
Trefferlage	5.08 mm links, 0.89 mm hoch				
Streuwert	8.20, horizontal: 8.43, vertikal: 7.96				



Serie 2:	8.4 ↑	10.5 *	8.2 ↙	9.2 ↘	8.9 ←
	9.6 ↘	8.6 ↗	10.6 *	8.8 →	10.4 *
beste Teiler	293.9 (18.) 376.9 (12.) 431.3 (20.)				
Trefferlage	3.90 mm links, 4.22 mm hoch				
Streuwert	10.11, horizontal: 11.30, vertikal: 8.76				



Serie 3:	8.9 ↘	9.6 ←	4.8 →	9.7 ↘	9.7 →
	9.1 ↓	9.8 ↓	10.1 ↑	9.4 ↘	10.5 *
beste Teiler	371.0 (30.) 705.1 (28.) 885.1 (27.)				
Trefferlage	1.28 mm rechts, 3.09 mm hoch				
Streuwert	13.81, horizontal: 17.31, vertikal: 9.06				





Serie 4:	9.7 ↗	10.7 *	10.2 ↗	9.7 ↗	10.3 ←
	10.5 *	9.8 ↘	10.7 *	10.6 *	10.7 *
beste Teiler	164.4 (40.) 197.2 (38.) 203.3 (32.)				
Trefferlage	0.11 mm links, 3.66 mm hoch				
Streuwert	3.65, horizontal: 3.48, vertikal: 3.81				

QF – Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis:	<b>345</b>	(362.4)
Serien:	91 82 86 86	
Zaehler:	11 12 10 5 2 0 0 0 0 0	
Innenzehner:	3	
weiteste:	3389 (11), 3350 (16), 3129 (20)	
beste Teiler	192.9 (22.) 320.6 (12.) 360.7 (13.)	
Trefferlage	1.29 mm rechts, 2.23 mm tief	
Streuwert	12.40, horizontal: 12.61, vertikal: 12.18	




Serie 1:	10.0 ←	9.3 ↘	8.0 ↙	10.3 ←	9.7 ←
	8.2 →	10.0 ↑	9.4 ↘	10.2 ↑	8.9 ↙
beste Teiler	560.3 (4.) 577.7 (9.) 750.6 (1.)				
Trefferlage	4.93 mm links, 0.03 mm tief				
Streuwert	9.67, horizontal: 10.98, vertikal: 8.15				



Serie 2:	6.7 ↘	10.6 *	10.5 *	9.7 →	9.9 ↗
	6.8 ↙	9.4 ↓	8.6 ↗	8.8 ↘	7.0 ↗
beste Teiler	320.6 (12.) 360.7 (13.) 824.4 (15.)				
Trefferlage	5.69 mm rechts, 4.75 mm tief				
Streuwert	14.28, horizontal: 12.51, vertikal: 15.86				





Serie 3:	8.9 →	10.7 *	7.6 ↓	9.0 ↘	9.2 ↘
	9.0 ↗	8.6 ↙	10.3 ←	8.9 ↖	8.4 ↙
beste Teiler	192.9 (22.) 521.6 (28.) 1416.8 (25.)				
Trefferlage	0.18 mm rechts, 5.97 mm tief				
Streuwert	11.55, horizontal: 12.73, vertikal: 10.23				




Serie 4:	10.0 ←	10.2 ↘	8.5 ↓	9.9 →	7.5 →
	9.8 ↑	9.0 ↙	7.6 →	7.2 ↑	10.1 ↘
beste Teiler	631.3 (32.) 683.3 (40.) 769.0 (31.)				
Trefferlage	4.23 mm rechts, 1.80 mm hoch				
Streuwert	13.21, horizontal: 13.21, vertikal: 13.21				

Unterschrift des Schuetzen


Ergebnis:	<b>353</b>	(371.2)
Serien:	93	81 92 87
Zaehler:	8	21 8 2 1 0 0 0 0 0
Innenzehner:	4	
weiteste:	3255 (34), 2590 (15), 2547 (14)	
beste Teiler	67.8 (6.) 402.1 (28.) 442.3 (2.)	
Trefferlage	3.91 mm rechts, 0.11 mm hoch	
Streuwert	10.32, horizontal: 11.12, vertikal: 9.46	




Serie 1:	9.5 ↓	10.4 *	9.9 ←	10.1 →	9.5 ←
	10.9 *	9.1 ↗	9.5 ↘	9.9 ↓	9.0 →
beste Teiler	67.8 (6.) 442.3 (2.) 710.5 (4.)				
Trefferlage	2.03 mm rechts, 1.52 mm tief				
Streuwert	7.47, horizontal: 7.95, vertikal: 6.95				



Serie 2:	10.0 ↗	8.5 ↘	8.2 →	7.8 ↗	7.7 ↘
	8.4 →	8.9 ↗	9.9 ↖	8.2 →	8.2 ↖
beste Teiler	769.4 (11.) 809.2 (18.) 1657.7 (17.)				
Trefferlage	10.89 mm rechts, 3.06 mm hoch				
Streuwert	12.11, horizontal: 12.96, vertikal: 11.18				



Serie 3:	8.9 →	9.0 ←	9.3 ↙	10.3 ↓	9.6 ↘
	9.7 ↑	10.4 *	10.4 *	9.3 ←	9.0 →
beste Teiler	402.1 (28.) 475.0 (27.) 539.3 (24.)				
Trefferlage	0.80 mm rechts, 1.07 mm tief				
Streuwert	8.75, horizontal: 10.73, vertikal: 6.17				



Serie 4:	9.6 ↖	9.0 →	9.3 ↘	6.9 ↓	8.4 →
	9.9 ↖	9.1 ↘	9.7 ↑	9.8 →	10.0 ↘
beste Teiler	733.5 (40.) 849.5 (36.) 903.2 (39.)				
Trefferlage	1.95 mm rechts, 0.02 mm tief				
Streuwert	11.80, horizontal: 10.77, vertikal: 12.74				

Unterschrift des Schuetzen