





Ergebnis: **371** (385.5)^{QF}
 Serien: 89 97 92 93
 Zaehler: 16 19 5 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2017 (5), 1943 (38), 1829 (21)
 beste Teiler 193.6 (19.) 200.3 (13.) 339.6 (32.)
 Trefferlage 1.27 mm rechts, 4.73 mm tief
 Streuwert 7.50, horizontal: 6.81, vertikal: 8.13




Serie 1:
 8.8 ↓ 10.1 ↑ 9.5 ↗ 9.3 ↓ 8.4 ↓
 9.0 ↓ 10.4 * 9.8 ↑ 9.5 ↗ 8.7 ↘
 beste Teiler 475.9 (7.) 653.7 (2.) 951.1 (8.)
 Trefferlage 0.93 mm rechts, 4.88 mm tief
 Streuwert 9.41, horizontal: 5.71, vertikal: 12.02



Serie 2:
 10.1 ↑ 10.1 ↑ 10.7 * 9.2 ↙ 9.0 ↙
 10.1 → 9.8 ↓ 10.4 * 10.7 * 10.1 →
 beste Teiler 193.6 (19.) 200.3 (13.) 439.6 (18.)
 Trefferlage 0.76 mm links, 1.89 mm tief
 Streuwert 6.21, horizontal: 6.12, vertikal: 6.29



Serie 3:
 8.7 ↓ 10.3 ↙ 9.0 ↓ 9.3 ↓ 9.0 →
 10.0 ↙ 9.9 ↗ 9.1 → 9.6 ↓ 10.1 →
 beste Teiler 553.2 (22.) 662.1 (30.) 724.6 (26.)
 Trefferlage 3.12 mm rechts, 6.35 mm tief
 Streuwert 7.62, horizontal: 7.23, vertikal: 7.98





Serie 4:
 10.1 ← 10.5 * 9.4 ↓ 10.2 → 10.1 ↓
 9.2 ↙ 9.6 ↓ 8.5 → 9.5 ↓ 9.7 ↘
 beste Teiler 339.6 (32.) 587.8 (34.) 683.2 (35.)
 Trefferlage 1.78 mm rechts, 5.80 mm tief
 Streuwert 6.88, horizontal: 8.34, vertikal: 5.03

QF – Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **368** (383.8)^{QF}
 Serien: 89 92 94 93
 Zaehler: 16 16 8 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2172 (4), 2162 (11), 2028 (23)
 beste Teiler 50.0 (38.) 143.9 (22.) 457.0 (10.)
 Trefferlage 3.46 mm links, 2.79 mm tief
 Streuwert 8.17, horizontal: 9.57, vertikal: 6.47




Serie 1:
 9.8 ↘ 9.6 ← 9.9 ↘ 8.2 → 9.3 ←
 10.3 ↙ 9.9 → 8.7 ↑ 8.7 ↙ 10.4 *
 beste Teiler 457.0 (10.) 486.1 (6.) 873.9 (3.)
 Trefferlage 1.22 mm links, 0.63 mm hoch
 Streuwert 9.67, horizontal: 10.89, vertikal: 8.27



Serie 2:
 8.2 ↗ 8.5 → 10.3 ↖ 8.5 ← 9.5 ←
 10.3 ↖ 9.4 ← 10.1 ↖ 10.2 ↖ 10.3 ↓
 beste Teiler 494.8 (16.) 516.2 (20.) 555.3 (13.)
 Trefferlage 5.90 mm links, 1.98 mm tief
 Streuwert 8.48, horizontal: 10.14, vertikal: 6.41



Serie 3:
 9.8 ↖ 10.8 * 8.4 ← 9.0 → 10.1 ←
 10.4 * 10.1 ↓ 9.4 ↓ 9.6 → 10.0 ↓
 beste Teiler 143.9 (22.) 467.3 (26.) 653.0 (25.)
 Trefferlage 1.51 mm links, 3.40 mm tief
 Streuwert 7.62, horizontal: 9.78, vertikal: 4.50





Serie 4:
 9.1 ↓ 9.2 ↙ 10.0 ↘ 8.5 ↙ 9.2 ↙
 10.1 ↓ 9.5 ← 10.9 * 10.2 ← 9.4 ↙
 beste Teiler 50.0 (38.) 613.5 (39.) 715.6 (36.)
 Trefferlage 5.20 mm links, 6.41 mm tief
 Streuwert 6.44, horizontal: 7.75, vertikal: 4.76

QF – Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis:	359	(375.7) ^{QF}			
Serien:	87	89	93	90	
Zaehler:	12	16	11	1	0 0 0 0 0 0
Innenzehner:	6				
weiteste:	2513 (1), 2349 (16), 2309 (4)				
beste Teiler	78.2 (9.) 168.0 (24.) 220.0 (17.)				
Trefferlage	5.10 mm links, 1.28 mm tief				
Streuwert	9.54, horizontal: 9.09, vertikal: 9.97				




Serie 1:	7.8 ↘	9.7 ↗	10.1 ↓	8.1 ↙	9.3 ↗
	8.4 ↖	9.6 ↙	8.5 ↓	10.9 *	9.9 ←
beste Teiler	78.2 (9.) 643.7 (3.) 802.6 (10.)				
Trefferlage	2.93 mm links, 3.84 mm tief				
Streuwert	11.20, horizontal: 10.51, vertikal: 11.85				



Serie 2:	9.1 ↗	8.3 ←	9.3 ↙	9.9 ↓	9.8 ↙
	8.0 ↖	10.7 *	8.4 ↖	9.3 ↓	10.3 ↗
beste Teiler	220.0 (17.) 542.5 (20.) 835.0 (14.)				
Trefferlage	6.00 mm links, 1.35 mm tief				
Streuwert	10.06, horizontal: 11.56, vertikal: 8.28				



Serie 3:	9.1 ←	10.6 *	8.6 ↓	10.7 *	10.3 ↙
	10.4 *	9.2 ↙	10.0 ↖	8.4 ↙	9.5 ←
beste Teiler	168.0 (24.) 273.5 (22.) 441.5 (26.)				
Trefferlage	5.90 mm links, 3.92 mm tief				
Streuwert	7.25, horizontal: 6.70, vertikal: 7.76				





Serie 4:	8.8 ↖	10.5 *	9.4 ←	9.6 ↗	8.2 ↓
	10.2 ←	9.3 ↖	10.3 ←	8.1 ↖	9.1 ↑
beste Teiler	334.9 (32.) 490.9 (38.) 624.0 (36.)				
Trefferlage	5.59 mm links, 3.98 mm hoch				
Streuwert	9.43, horizontal: 7.88, vertikal: 10.76				

QF – Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis:	363	(384.3) ^{QF}
Serien:	90 93 89 91	
Zaehler:	12 20 7 1 0 0 0 0 0 0	
Innenzehner:	6	
weiteste:	2729 (26), 1915 (16), 1840 (32)	
beste Teiler	43.4 (10.) 136.0 (33.) 214.0 (23.)	
Trefferlage	2.95 mm links, 1.45 mm hoch	
Streuwert	8.43, horizontal: 8.15, vertikal: 8.70	




Serie 1:	9.7 ↙	9.1 ↗	10.1 ↘	8.8 →	8.7 ↖
	9.6 ↓	9.8 ↙	9.4 ↗	9.4 ↑	10.9 *
beste Teiler	43.4 (10.)	687.3 (3.)	928.4 (7.)		
Trefferlage	0.27 mm links, 0.26 mm hoch				
Streuwert	9.20, horizontal: 9.00, vertikal: 9.39				



Serie 2:	10.2 ↘	10.4 *	10.3 ↖	9.3 ↖	9.5 ↑
	8.6 ↓	9.1 ↑	10.4 *	9.9 ↓	9.0 ↑
beste Teiler	406.2 (18.)	457.9 (12.)	486.0 (13.)		
Trefferlage	1.14 mm links, 2.52 mm hoch				
Streuwert	8.27, horizontal: 4.58, vertikal: 10.76				



Serie 3:	9.8 ↑	8.7 ↖	10.7 *	10.3 ↑	9.2 ↑
	7.5 ↖	9.9 →	10.3 ↓	8.8 ↙	9.1 ↓
beste Teiler	214.0 (23.)	516.4 (24.)	539.2 (28.)		
Trefferlage	4.11 mm links, 2.69 mm hoch				
Streuwert	9.79, horizontal: 9.26, vertikal: 10.30				





Serie 4:	9.9 ↖	8.7 ←	10.8 *	9.9 ↘	9.3 ←
	9.9 ↖	9.9 ←	10.5 *	10.2 →	8.7 ←
beste Teiler	136.0 (33.)	354.0 (38.)	593.5 (39.)		
Trefferlage	6.27 mm links, 0.32 mm hoch				
Streuwert	6.58, horizontal: 8.65, vertikal: 3.43				

QF – Schütze hat sich fürs Finale qualifiziert

Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis:	361	(379.5) ^{QF}			
Serien:	88	92	93	88	
Zaehler:	11	20	8	1	0 0 0 0 0 0
Innenzehner:	5				
weiteste:	2808 (15), 2360 (5), 2290 (6)				
beste Teiler	231.3 (23.) 238.2 (12.) 317.9 (11.)				
Trefferlage	0.92 mm rechts, 0.97 mm tief				
Streuwert	9.39, horizontal: 10.98, vertikal: 7.48				



Serie 1:

9.5 ↘	8.7 ↙	8.3 ↙	10.5 *	8.0 →
8.1 →	9.1 ↘	9.7 ↘	9.6 →	10.0 →


beste Teiler 393.0 (4.) 785.7 (10.) 1022.3 (8.)
 Trefferlage 0.28 mm rechts, 2.96 mm hoch
 Streuwert 11.60, horizontal: 14.50, vertikal: 7.68



Serie 2:

10.6 *	10.7 *	9.6 ↘	8.6 ↓	7.4 ←
9.7 ↓	9.8 ↘	10.2 ↗	10.4 *	10.3 ↓


beste Teiler 238.2 (12.) 317.9 (11.) 457.6 (19.)
 Trefferlage 1.30 mm links, 4.56 mm tief
 Streuwert 8.55, horizontal: 10.32, vertikal: 6.32



Serie 3:

9.2 →	9.8 ↙	10.7 *	9.4 ↙	9.4 ←
9.2 →	10.2 →	10.0 ↙	9.9 ←	9.3 →

beste Teiler 231.3 (23.) 591.0 (27.) 796.4 (28.)
 Trefferlage 0.07 mm links, 0.54 mm tief
 Streuwert 7.95, horizontal: 10.11, vertikal: 4.92



Serie 4:

10.1 ↙	9.3 ↘	8.8 →	9.8 →	9.3 ↘
9.2 ↓	8.9 ↑	8.8 ↘	9.6 ↙	9.8 ↘



beste Teiler 689.2 (31.) 898.6 (34.) 947.3 (40.)
 Trefferlage 4.80 mm rechts, 1.74 mm tief
 Streuwert 9.12, horizontal: 8.92, vertikal: 9.32

QF – Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **356** (373.8)
 Serien: 88 94 87 87
 Zaehler: 8 23 7 1 1 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3274 (5), 2985 (29), 2339 (4)
 beste Teiler 430.7 (27.) 504.5 (8.) 534.7 (11.)
 Trefferlage 2.12 mm links, 0.19 mm hoch
 Streuwert 10.03, horizontal: 7.54, vertikal: 12.01




Serie 1:
 9.1 ↙ 10.2 ↘ 9.2 ↓ 8.0 ↓ 6.9 ↖
 9.1 ↓ 9.9 ↓ 10.3 ↘ 9.5 ↗ 9.3 ↖
 beste Teiler 504.5 (8.) 629.4 (2.) 822.7 (7.)
 Trefferlage 3.80 mm links, 5.73 mm tief
 Streuwert 11.11, horizontal: 9.18, vertikal: 12.76



Serie 2:
 10.3 ↗ 10.0 ↖ 10.1 ↙ 9.5 ↗ 9.2 ↘
 10.3 ↓ 8.9 ↖ 9.7 ← 9.5 ↗ 10.3 ↑
 beste Teiler 534.7 (11.) 542.1 (16.) 551.6 (20.)
 Trefferlage 2.00 mm links, 0.59 mm hoch
 Streuwert 7.34, horizontal: 6.53, vertikal: 8.07





Serie 3:
 9.4 ↗ 9.1 ↙ 9.8 ↓ 9.8 ↗ 9.0 ↖
 9.7 ↑ 10.4 * 8.8 ↑ 7.2 ↑ 8.7 ↖
 beste Teiler 430.7 (27.) 889.6 (23.) 957.1 (24.)
 Trefferlage 0.79 mm links, 7.62 mm hoch
 Streuwert 10.03, horizontal: 7.65, vertikal: 11.95




Serie 4:
 8.6 ↖ 9.9 ↖ 8.7 ↙ 9.6 ↗ 9.1 ↖
 8.7 ↓ 9.7 ↙ 9.4 ↑ 9.6 ↓ 9.3 ↘
 beste Teiler 834.3 (32.) 975.5 (37.) 1055.5 (34.)
 Trefferlage 1.91 mm links, 1.71 mm tief
 Streuwert 10.14, horizontal: 7.45, vertikal: 12.26

Unterschrift des Schuetzen


Ergebnis:	371				(390.5) ^{QF}				
Serien:	91	93	94	93					
Zaehler:	15	21	4	0	0	0	0	0	0
Innenzehner:	8								
weiteste:	2232	(1), 2203	(9), 1831	(15)					
beste Teiler	187.0	(13.)	253.4	(20.)	265.2	(11.)			
Trefferlage	5.06	mm links,	1.36	mm tief					
Streuwert	6.80,	horizontal:	6.60,	vertikal:	6.99				




Serie 1:	8.2 ←	9.9 ↙	9.6 ↙	10.4 *	10.3 ↙	
	9.0 ↑	9.8 ↙	10.0 ↗	8.2 ←	9.3 ↙	
beste Teiler	440.4	(4.)	529.4	(5.)	749.0	(8.)
Trefferlage	6.74	mm links,	1.04	mm tief		
Streuwert	8.58,	horizontal:	9.33,	vertikal:	7.77	



Serie 2:	10.6 *	9.7 ↘	10.7 *	9.9 ↙	8.7 ↘	
	9.8 ↓	10.3 ↙	9.7 ↘	9.3 ↓	10.6 *	
beste Teiler	187.0	(13.)	253.4	(20.)	265.2	(11.)
Trefferlage	4.19	mm links,	0.64	mm tief		
Streuwert	6.34,	horizontal:	4.45,	vertikal:	7.79	



Serie 3:	9.7 ↙	10.2 ←	9.9 ↙	9.1 ↘	9.9 ↘	
	10.5 *	10.3 ↘	10.0 ↑	8.9 ↓	10.1 ←	
beste Teiler	322.8	(26.)	489.8	(27.)	592.3	(22.)
Trefferlage	3.50	mm links,	2.64	mm tief		
Streuwert	6.31,	horizontal:	5.42,	vertikal:	7.09	





Serie 4:	9.5 ←	10.6 *	9.2 ↙	9.2 ↘	9.9 ↘	
	10.5 *	9.0 ↘	10.6 *	9.7 ↓	9.7 ←	
beste Teiler	268.9	(32.)	289.3	(38.)	395.1	(36.)
Trefferlage	5.82	mm links,	1.10	mm tief		
Streuwert	6.46,	horizontal:	6.75,	vertikal:	6.15	

QF – Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **368** (387.8)^{QF}
 Serien: 93 88 94 93
 Zaehler: 16 17 6 1 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2407 (18), 2148 (29), 2142 (31)
 beste Teiler 76.5 (19.) 135.9 (33.) 139.0 (30.)
 Trefferlage 1.07 mm rechts, 1.22 mm tief
 Streuwert 8.24, horizontal: 7.58, vertikal: 8.84




Serie 1:
 9.8 ↘ 9.2 ↘ 9.7 ↗ 10.7 * 10.1 ↑
 9.6 ↓ 10.3 ↙ 8.8 ↓ 9.8 ↘ 10.5 *
 beste Teiler 224.3 (4.) 326.6 (10.) 557.8 (7.)
 Trefferlage 0.63 mm rechts, 2.05 mm tief
 Streuwert 7.22, horizontal: 6.57, vertikal: 7.82



Serie 2:
 9.9 ↘ 10.1 ↖ 9.3 ↑ 8.5 ↑ 8.8 ↘
 9.1 ↗ 9.2 ↓ 7.9 ↙ 10.9 * 9.6 ↗
 beste Teiler 76.5 (19.) 654.7 (12.) 822.3 (11.)
 Trefferlage 0.21 mm rechts, 2.09 mm hoch
 Streuwert 10.57, horizontal: 8.95, vertikal: 11.97



Serie 3:
 10.3 ↖ 10.0 ↘ 10.0 ↗ 10.3 ↓ 9.2 ↓
 9.4 → 9.2 ↘ 9.9 ↓ 8.3 ↗ 10.8 *
 beste Teiler 139.0 (30.) 497.0 (21.) 526.5 (24.)
 Trefferlage 3.89 mm rechts, 1.11 mm tief
 Streuwert 7.71, horizontal: 6.59, vertikal: 8.68





Serie 4:
 8.3 ↙ 10.1 ↓ 10.8 * 10.1 ← 8.7 ↓
 9.7 → 9.9 ↘ 10.4 * 10.7 * 9.9 ↓
 beste Teiler 135.9 (33.) 178.4 (39.) 411.8 (38.)
 Trefferlage 0.44 mm links, 3.83 mm tief
 Streuwert 7.36, horizontal: 8.36, vertikal: 6.19

QF – Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **357** (376.7)
 Serien: 91 91 90 85
 Zaehler: 10 19 9 2 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2960 (38), 2499 (5), 2346 (21)
 beste Teiler 264.1 (22.) 276.0 (2.) 299.5 (4.)
 Trefferlage 0.37 mm rechts, 1.37 mm tief
 Streuwert 9.88, horizontal: 10.10, vertikal: 9.66




Serie 1:
 9.8 ↑ 10.6 * 9.2 ↗ 10.6 * 7.8 ↘
 9.7 ↗ 8.9 ← 10.5 * 10.2 ← 9.6 ←
 beste Teiler 276.0 (2.) 299.5 (4.) 373.9 (8.)
 Trefferlage 0.40 mm rechts, 1.47 mm hoch
 Streuwert 8.91, horizontal: 10.33, vertikal: 7.21



Serie 2:
 9.9 ↙ 8.8 ↙ 9.2 ↓ 10.4 → 10.0 →
 9.1 ← 9.6 ↓ 9.8 ↖ 9.4 ↘ 9.6 ↘
 beste Teiler 480.6 (14.) 795.6 (15.) 829.0 (11.)
 Trefferlage 2.82 mm links, 3.22 mm tief
 Streuwert 7.95, horizontal: 7.82, vertikal: 8.07



Serie 3:
 8.0 ← 10.6 * 9.1 ↓ 8.5 ↑ 9.3 ↑
 10.4 * 10.4 → 8.5 → 9.8 ↓ 9.9 →
 beste Teiler 264.1 (22.) 429.1 (26.) 476.8 (27.)
 Trefferlage 2.21 mm rechts, 1.50 mm tief
 Streuwert 10.15, horizontal: 10.24, vertikal: 10.07





Serie 4:
 9.9 ↓ 8.3 ↙ 9.5 → 9.2 ↖ 10.1 ↖
 9.4 ↗ 8.5 ↓ 7.3 ↗ 8.9 ↓ 8.4 →
 beste Teiler 684.8 (35.) 867.2 (31.) 1123.1 (33.)
 Trefferlage 1.69 mm rechts, 2.24 mm tief
 Streuwert 12.73, horizontal: 12.33, vertikal: 13.11


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **363** (382.6)^{QF}
 Serien: 92 89 89 93
 Zaehler: 12 21 5 2 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3101 (5), 2541 (15), 2392 (29)
 beste Teiler 65.0 (22.) 141.7 (33.) 143.1 (14.)
 Trefferlage 0.32 mm links, 3.37 mm hoch
 Streuwert 8.90, horizontal: 8.94, vertikal: 8.87




Serie 1:
 9.0 ↗ 9.6 ↘ 9.8 ↙ 10.0 ↖ 7.1 ↘
 10.8 * 10.4 * 9.2 ↖ 9.8 ↓ 10.2 →
 beste Teiler 145.0 (6.) 433.7 (7.) 574.8 (10.)
 Trefferlage 3.37 mm rechts, 3.49 mm hoch
 Streuwert 9.32, horizontal: 10.55, vertikal: 7.89



Serie 2:
 9.6 ↙ 9.0 ↑ 9.8 ↘ 10.8 * 7.8 ↗
 8.8 ↖ 10.2 ↓ 9.8 ↙ 9.4 ↗ 9.7 ↑
 beste Teiler 143.1 (14.) 563.6 (17.) 893.4 (18.)
 Trefferlage 2.38 mm links, 4.69 mm hoch
 Streuwert 9.11, horizontal: 7.49, vertikal: 10.49



Serie 3:
 8.7 ↖ 10.9 * 9.7 ↗ 9.5 ↙ 9.2 ↙
 8.5 → 9.7 ← 9.0 ↓ 8.0 ↗ 10.2 →
 beste Teiler 65.0 (22.) 628.0 (30.) 981.5 (27.)
 Trefferlage 0.84 mm rechts, 1.21 mm hoch
 Streuwert 10.73, horizontal: 10.04, vertikal: 11.39



Serie 4:
 9.8 ↙ 8.8 ↖ 10.8 * 9.4 ↑ 10.2 ↖
 9.9 ↖ 9.9 ↖ 10.0 ↖ 9.4 → 10.2 ↖
 beste Teiler 141.7 (33.) 607.3 (35.) 620.9 (40.)
 Trefferlage 3.11 mm links, 4.08 mm hoch
 Streuwert 6.31, horizontal: 6.93, vertikal: 5.61

QF – Schütze hat sich fürs Finale qualifiziert

Unterschrift des Schuetzen

Meyton Elektronik