





Ergebnis: **350** (367.0)<sup>QF</sup>  
 Serien: 87 91 90 82  
 Zähler: 12 15 7 5 0 0 1 0 0 0  
 Innenzehner: 4  
 weiteste: 5111 (37), 3189 (6), 3010 (38)  
 beste Teiler 260.2 (14.) 265.4 (5.) 316.6 (4.)  
 Trefferlage 1.35 mm rechts, 5.81 mm hoch  
 Streuwert 11.51, horizontal: 9.36, vertikal: 13.31




Serie 1:  
 9.9 ↘                      9.4 ↙                      7.8 ↙                      10.6 \*                      10.6 \*  
 7.0 ↑                      9.4 →                      9.4 ↘                      9.2 ↑                      8.9 ↑  
 beste Teiler 265.4 (5.) 316.6 (4.) 818.8 (1.)  
 Trefferlage 1.74 mm rechts, 1.89 mm hoch  
 Streuwert 12.02, horizontal: 8.87, vertikal: 14.50



Serie 2:  
 10.0 ↑                      9.8 →                      7.8 ↑                      10.6 \*                      8.1 ↘  
 10.4 \*                      8.1 ↓                      10.1 ↓                      9.5 ↑                      10.0 ↓  
 beste Teiler 260.2 (14.) 442.8 (16.) 669.2 (18.)  
 Trefferlage 0.99 mm links, 1.86 mm hoch  
 Streuwert 10.64, horizontal: 6.66, vertikal: 13.50



Serie 3:  
 8.2 ↘                      9.4 ↑                      9.3 →                      10.2 ←                      9.9 ↑  
 10.1 ↗                      8.7 ↘                      10.2 ↑                      8.4 ↙                      9.6 ↑  
 beste Teiler 564.9 (24.) 628.7 (28.) 659.7 (26.)  
 Trefferlage 2.24 mm links, 6.55 mm hoch  
 Streuwert 8.75, horizontal: 8.88, vertikal: 8.62





Serie 4:  
 7.9 →                      9.8 ↘                      8.8 ↑                      10.3 ↗                      9.5 →  
 10.0 ↑                      4.6 ↑                      7.2 ↗                      9.0 ↑                      9.3 ↑  
 beste Teiler 485.8 (34.) 786.2 (36.) 945.4 (32.)  
 Trefferlage 6.89 mm rechts, 12.95 mm hoch  
 Streuwert 12.89, horizontal: 11.10, vertikal: 14.46

QF – Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **346** (368.1)<sup>QF</sup>  
 Serien: 82 88 85 91  
 Zähler: 11 12 12 3 1 1 0 0 0 0  
 Innenzehner: 5  
 weiteste: 4087 (10), 3745 (2), 2525 (15)  
 beste Teiler 82.7 (20.) 83.2 (39.) 263.8 (24.)  
 Trefferlage 5.84 mm links, 3.25 mm hoch  
 Streuwert 10.76, horizontal: 10.84, vertikal: 10.68




Serie 1:  
 10.3 →                      6.3 ↖                      8.6 ↙                      8.8 ↘                      9.8 ↙  
 8.5 ←                      10.4 \*                      10.4 \*                      8.9 ↖                      5.8 ↖  
 beste Teiler 414.5 (8.) 437.3 (7.) 522.7 (1.)  
 Trefferlage 8.32 mm links, 2.89 mm hoch  
 Streuwert 14.39, horizontal: 13.91, vertikal: 14.86



Serie 2:  
 8.7 ↑                      9.4 ←                      8.6 ↖                      9.5 ↙                      7.8 ↖  
 9.7 ←                      10.0 →                      8.8 ←                      10.1 ↘                      10.8 \*  
 beste Teiler 82.7 (20.) 645.4 (19.) 778.8 (17.)  
 Trefferlage 6.41 mm links, 3.03 mm hoch  
 Streuwert 9.42, horizontal: 10.00, vertikal: 8.80



Serie 3:  
 9.1 ↑                      7.8 ↖                      9.6 ←                      10.6 \*                      9.7 ↘  
 10.3 ↘                      8.3 ↖                      7.9 ↘                      8.4 ↖                      8.8 ↑  
 beste Teiler 263.8 (24.) 499.9 (26.) 969.8 (25.)  
 Trefferlage 3.26 mm links, 3.73 mm hoch  
 Streuwert 12.01, horizontal: 11.07, vertikal: 12.89





Serie 4:  
 9.7 ↑                      9.6 ←                      9.9 ↑                      9.4 ↖                      10.3 ↑  
 9.3 ↙                      10.3 →                      8.7 ←                      10.8 \*                      8.4 ←  
 beste Teiler 83.2 (39.) 495.5 (37.) 510.4 (35.)  
 Trefferlage 5.37 mm links, 3.36 mm hoch  
 Streuwert 7.36, horizontal: 8.86, vertikal: 5.46

QF – Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **322** (337.0)  
 Serien: 83 78 81 80  
 Zähler: 6 10 13 6 4 0 0 0 1 0  
 Innenzehner: 1  
 weiteste: 7006 (16), 3925 (13), 3872 (30)  
 beste Teiler 439.7 (21.) 594.0 (32.) 651.8 (29.)  
 Trefferlage 7.47 mm links, 4.50 mm hoch  
 Streuwert 15.64, horizontal: 15.05, vertikal: 16.20




Serie 1:  
 9.0 ↗ 9.8 ↗ 6.8 ↗ 8.1 ↗ 10.0 ↗  
 8.0 ↘ 8.8 ← 8.4 ↘ 7.6 ↖ 10.0 ←  
 beste Teiler 768.2 (5.) 784.0 (10.) 912.3 (2.)  
 Trefferlage 1.46 mm links, 9.40 mm hoch  
 Streuwert 13.18, horizontal: 17.11, vertikal: 7.39



Serie 2:  
 8.6 ↖ 9.4 ↙ 6.0 ↖ 8.3 ← 10.1 ↓  
 2.2 ↑ 9.7 ↘ 8.0 ← 9.4 ↘ 9.7 ←  
 beste Teiler 697.5 (15.) 968.8 (17.) 1009.7 (20.)  
 Trefferlage 13.17 mm links, 9.65 mm hoch  
 Streuwert 17.79, horizontal: 11.37, vertikal: 22.44



Serie 3:  
 10.4 \* 8.5 ↖ 9.0 → 7.6 ↓ 7.5 ↗  
 7.9 ← 9.7 ↙ 8.7 ↘ 10.1 ↖ 6.1 ↗  
 beste Teiler 439.7 (21.) 651.8 (29.) 972.6 (27.)  
 Trefferlage 2.45 mm links, 5.06 mm hoch  
 Streuwert 15.55, horizontal: 16.40, vertikal: 14.65





Serie 4:  
 8.2 ↖ 10.2 ← 9.1 ↙ 8.1 ↘ 7.0 ←  
 9.7 ← 8.7 ↙ 7.9 ↙ 8.2 ↑ 6.5 ↙  
 beste Teiler 594.0 (32.) 988.0 (36.) 1465.8 (33.)  
 Trefferlage 12.81 mm links, 6.12 mm tief  
 Streuwert 12.98, horizontal: 12.42, vertikal: 13.52


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (383.7)<sup>QF</sup>  
 Serien: 92 92 91 92  
 Zähler: 17 16 5 1 1 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 3292 (9), 2622 (21), 2155 (28)  
 beste Teiler 170.5 (33.) 268.7 (38.) 339.6 (29.)  
 Trefferlage 0.07 mm links, 2.58 mm hoch  
 Streuwert 8.86, horizontal: 8.02, vertikal: 9.63




Serie 1:  
 9.8 ↘                      9.3 ↑                      10.2 ↑                      10.1 ↘                      9.8 ↑  
 10.1 ↖                      9.3 ↙                      10.2 ↑                      6.8 ↗                      10.4 \*  
 beste Teiler 419.1 (10.) 601.5 (3.) 601.7 (8.)  
 Trefferlage 0.64 mm links, 6.68 mm hoch  
 Streuwert 8.59, horizontal: 6.81, vertikal: 10.07



Serie 2:  
 10.5 \*                      9.9 ←                      9.0 →                      9.1 ↙                      10.0 ↑  
 9.7 ↘                      9.4 →                      9.3 ↖                      9.5 ↗                      9.9 ↓  
 beste Teiler 382.7 (11.) 746.6 (15.) 845.9 (20.)  
 Trefferlage 0.36 mm rechts, 1.87 mm hoch  
 Streuwert 8.16, horizontal: 9.92, vertikal: 5.90



Serie 3:  
 7.7 ↑                      8.7 ↘                      10.1 ↙                      10.1 ↑                      9.5 ↖  
 10.2 ↙                      9.3 ↑                      8.3 ↘                      10.5 \*                      10.0 ↖  
 beste Teiler 339.6 (29.) 562.5 (26.) 657.0 (24.)  
 Trefferlage 1.81 mm links, 4.03 mm hoch  
 Streuwert 9.97, horizontal: 8.20, vertikal: 11.48





Serie 4:  
 8.6 ↓                      8.4 ↘                      10.7 \*                      10.3 →                      10.3 ↗  
 8.9 ↓                      9.8 ↑                      10.6 \*                      9.3 ↖                      10.1 ↑  
 beste Teiler 170.5 (33.) 268.7 (38.) 483.0 (34.)  
 Trefferlage 1.77 mm rechts, 2.22 mm tief  
 Streuwert 8.55, horizontal: 7.69, vertikal: 9.33

QF – Schütze hat sich fürs Finale qualifiziert

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	<b>343</b>				(361.0) <sup>QF</sup>
Serien:	83	85	89	86	
Zähler:	12	8	14	3	3 0 0 0 0 0
Innenzehner:	5				
weiteste:	3998	(13),	3765	(6),	3359 (21)
beste Teiler	180.6	(16.)	221.8	(4.)	318.7 (35.)
Trefferlage	5.70 mm	links,	1.68 mm	tief	
Streuwert	12.24,	horizontal:	10.12,	vertikal:	14.03




Serie 1:

9.3 ↙	8.3 ↘	8.1 ↘	10.7 *	7.6 ↙
6.2 ↙	8.1 ↙	9.7 ↓	10.1 ↑	8.5 ↓
beste Teiler	221.8 (4.)	641.3 (9.)	980.9 (8.)	
Trefferlage	11.16 mm links, 5.56 mm tief			
Streuwert	12.39, horizontal: 10.43, vertikal: 14.08			




Serie 2:

10.1 ↙	8.8 ↘	6.0 ↗	9.6 ↘	8.6 ↙
10.7 *	9.9 ↓	7.6 ↓	10.1 ↘	8.6 ←
beste Teiler	180.6 (16.)	676.3 (11.)	709.6 (19.)	
Trefferlage	3.59 mm links, 0.10 mm hoch			
Streuwert	13.97, horizontal: 10.33, vertikal: 16.84			



Serie 3:

6.8 ↑	8.7 ↘	10.5 *	8.8 ↙	10.3 ↘
10.1 →	10.1 ↘	10.4 *	8.9 ←	9.0 ←
beste Teiler	370.7 (23.)	453.9 (28.)	529.7 (25.)	
Trefferlage	2.88 mm links, 0.90 mm hoch			
Streuwert	11.38, horizontal: 10.43, vertikal: 12.25			



Serie 4:



8.3 ↙	9.2 ↑	9.5 ↘	8.9 ←	10.6 *
10.3 ↙	8.3 ↘	9.4 ↙	8.5 ↓	7.8 ↗
beste Teiler	318.7 (35.)	508.9 (36.)	1148.8 (33.)	
Trefferlage	5.16 mm links, 2.18 mm tief			
Streuwert	11.53, horizontal: 8.51, vertikal: 13.91			

QF – Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **338** (359.3)  
 Serien: 87 79 86 86  
 Zähler: 8 14 10 5 2 1 0 0 0 0  
 Innenzehner: 3  
 weiteste: 4302 (14), 3445 (23), 3344 (17)  
 beste Teiler 222.8 (27.) 347.8 (16.) 372.0 (6.)  
 Trefferlage 2.77 mm rechts, 1.64 mm tief  
 Streuwert 12.82, horizontal: 13.86, vertikal: 11.69




Serie 1:  
 9.0 →                      8.3 ←                      9.7 ←                      9.4 ↘                      9.6 ↓  
 10.5 \*                      9.6 ↘                      8.8 →                      8.3 ↗                      8.8 ↓  
 beste Teiler 372.0 (6.) 1008.3 (3.) 1049.9 (7.)  
 Trefferlage 2.87 mm rechts, 1.95 mm tief  
 Streuwert 10.95, horizontal: 12.51, vertikal: 9.13



Serie 2:  
 10.0 ↗                      8.7 ←                      9.5 →                      5.6 ↘                      9.7 ←  
 10.5 \*                      6.8 ↗                      7.8 ↖                      7.7 ↑                      8.6 ↖  
 beste Teiler 347.8 (16.) 782.3 (11.) 1038.7 (15.)  
 Trefferlage 0.63 mm links, 1.26 mm hoch  
 Streuwert 17.12, horizontal: 16.70, vertikal: 17.54



Serie 3:  
 9.8 ↘                      10.1 →                      6.6 ↖                      9.4 ↑                      8.9 →  
 8.9 ↖                      10.7 \*                      8.7 ↘                      8.6 ↘                      10.0 ↓  
 beste Teiler 222.8 (27.) 705.5 (22.) 799.7 (30.)  
 Trefferlage 1.95 mm rechts, 3.71 mm tief  
 Streuwert 12.00, horizontal: 14.97, vertikal: 7.99





Serie 4:  
 7.8 →                      7.5 ↓                      9.8 ↖                      10.0 ↘                      7.5 →  
 9.2 ↘                      9.8 ↘                      9.9 ←                      10.0 ↗                      9.2 ↑  
 beste Teiler 773.2 (39.) 800.9 (34.) 855.7 (38.)  
 Trefferlage 6.92 mm rechts, 2.17 mm tief  
 Streuwert 11.49, horizontal: 11.85, vertikal: 11.10

Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>363</b>				(378.6) <sup>QF</sup>				
Serien:	88	93	91	91					
Zähler:	13	19	6	2	0	0	0	0	0
Innenzehner:	2								
weiteste:	3034 (7),	2860 (38),	2211 (14)						
beste Teiler	384.4 (26.)	401.4 (11.)	503.5 (20.)						
Trefferlage	0.53 mm links, 0.59 mm hoch								
Streuwert	9.44, horizontal: 9.88, vertikal: 8.97								



Serie 1:

9.6 ←	10.0 ↖	8.9 ↘	9.1 ↗	8.8 ↑
9.7 ↙	7.2 ↘	9.3 ↗	9.2 ↓	10.0 ↘


beste Teiler 721.0 (2.) 798.2 (10.) 970.1 (6.)  
 Trefferlage 2.70 mm links, 2.24 mm tief  
 Streuwert 11.22, horizontal: 9.50, vertikal: 12.72



Serie 2:

10.4 *	10.0 ↖	8.8 ←	8.2 ←	9.5 →
10.1 ←	9.2 ↗	10.1 →	9.9 ↓	10.3 ↘


beste Teiler 401.4 (11.) 503.5 (20.) 661.6 (18.)  
 Trefferlage 2.36 mm links, 0.63 mm tief  
 Streuwert 8.49, horizontal: 11.07, vertikal: 4.66



Serie 3:

9.7 ↓	9.6 ↙	9.2 →	9.4 ←	9.6 ↑
10.5 *	9.6 →	8.6 ↑	10.2 ↑	9.3 ↖

beste Teiler 384.4 (26.) 591.5 (29.) 1033.3 (21.)  
 Trefferlage 0.75 mm links, 2.53 mm hoch  
 Streuwert 8.45, horizontal: 7.70, vertikal: 9.13



Serie 4:



10.0 ↗	10.0 ↑	8.7 ↘	9.3 ↗	9.6 ↙
10.1 ←	9.8 ↗	7.4 →	9.7 ↓	10.0 ←

beste Teiler 693.4 (36.) 755.1 (31.) 792.8 (40.)  
 Trefferlage 3.69 mm rechts, 2.74 mm hoch  
 Streuwert 9.59, horizontal: 11.05, vertikal: 7.86


QF – Schütze hat sich fürs Finale qualifiziert

Unterschrift des Schützen


Ergebnis: **351** (368.2)<sup>QF</sup>  
 Serien: 86 86 90 89  
 Zähler: 7 19 12 2 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 2611 (7), 2558 (24), 2294 (12)  
 beste Teiler 245.2 (27.) 257.5 (18.) 298.6 (39.)  
 Trefferlage 3.05 mm rechts, 0.25 mm tief  
 Streuwert 10.78, horizontal: 10.20, vertikal: 11.32




Serie 1:  
 9.3 ↓                      8.7 ↘                      9.6 ↓                      8.2 ↓                      9.3 ↓  
 9.7 ↘                      7.7 →                      10.0 ↙                      9.6 ↖                      8.6 ↑  
 beste Teiler 798.5 (8.) 1019.0 (6.) 1047.7 (3.)  
 Trefferlage 2.77 mm rechts, 5.62 mm tief  
 Streuwert 11.08, horizontal: 10.43, vertikal: 11.68



Serie 2:  
 8.7 ↗                      8.1 ↓                      8.5 ↘                      9.4 ↑                      10.3 ↘  
 8.1 →                      8.2 ↗                      10.6 \*                      8.2 ↓                      9.1 ↙  
 beste Teiler 257.5 (18.) 530.2 (15.) 1269.4 (14.)  
 Trefferlage 6.13 mm rechts, 1.87 mm tief  
 Streuwert 12.23, horizontal: 9.94, vertikal: 14.15



Serie 3:  
 10.2 ↓                      9.4 ↖                      9.6 ↘                      7.8 ↑                      9.5 ↙  
 10.3 →                      10.6 \*                      8.5 →                      9.1 →                      9.6 →  
 beste Teiler 245.2 (27.) 515.6 (26.) 604.0 (21.)  
 Trefferlage 2.82 mm rechts, 2.72 mm hoch  
 Streuwert 9.72, horizontal: 9.38, vertikal: 10.05



Serie 4:  
 8.5 ↗                      9.4 ←                      9.3 ←                      9.9 ↖                      9.4 ↗  
 8.2 →                      9.1 ↙                      9.8 ↑                      10.6 \*                      9.5 ↘  
 beste Teiler 298.6 (39.) 845.4 (34.) 913.7 (38.)  
 Trefferlage 0.46 mm rechts, 3.76 mm hoch  
 Streuwert 9.81, horizontal: 11.73, vertikal: 7.41



QF – Schütze hat sich fürs Finale qualifiziert

Unterschrift des Schützen

Meyton Elektronik




Ergebnis:	<b>369</b>	(385.9) <sup>QF</sup>
Serien:	91 93 93 92	
Zähler:	16 18 5 1 0 0 0 0 0 0	
Innenzehner:	6	
weiteste:	2418 (1), 2251 (22), 2124 (36)	
beste Teiler	240.8 (28.) 314.1 (16.) 404.3 (3.)	
Trefferlage	2.30 mm rechts, 0.28 mm hoch	
Streuwert	8.31, horizontal: 8.07, vertikal: 8.55	




Serie 1:

7.9 ↘	9.2 ↑	10.4 *	10.1 ↖	8.4 ←
10.0 ↓	9.7 ↘	9.9 →	10.3 ←	9.6 ↓
beste Teiler	404.3 (3.) 531.2 (9.) 650.1 (4.)			
Trefferlage	0.01 mm links, 2.10 mm tief			
Streuwert	9.38, horizontal: 10.81, vertikal: 7.69			




Serie 2:

9.3 ↓	10.2 →	9.2 ↗	9.9 ↘	9.8 ↗
10.6 *	10.2 ←	9.4 ↗	9.2 ↓	9.8 →
beste Teiler	314.1 (16.) 587.7 (17.) 634.7 (12.)			
Trefferlage	5.39 mm rechts, 0.82 mm tief			
Streuwert	6.41, horizontal: 4.85, vertikal: 7.66			



Serie 3:

8.6 ↖	8.1 →	9.4 ↑	9.9 ↖	10.4 *
9.2 ↙	10.4 *	10.7 *	10.4 *	10.1 ↖
beste Teiler	240.8 (28.) 416.1 (27.) 423.1 (29.)			
Trefferlage	0.09 mm rechts, 3.53 mm hoch			
Streuwert	8.42, horizontal: 8.76, vertikal: 8.08			



Serie 4:



8.8 ↗	9.8 ↓	10.3 ↙	9.0 ↘	10.3 →
8.3 ↗	9.0 ↘	10.1 ↖	10.2 ↑	9.8 ↓
beste Teiler	527.0 (35.) 556.4 (33.) 565.7 (39.)			
Trefferlage	3.76 mm rechts, 0.52 mm hoch			
Streuwert	8.81, horizontal: 6.38, vertikal: 10.70			

QF – Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **338** (355.9)  
 Serien: 84 84 89 81  
 Zähler: 10 8 14 6 2 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 3933 (8), 3544 (31), 3108 (6)  
 beste Teiler 253.6 (27.) 281.8 (26.) 354.6 (9.)  
 Trefferlage 1.20 mm links, 6.26 mm hoch  
 Streuwert 12.69, horizontal: 11.11, vertikal: 14.09




Serie 1:  
 8.7 ←                      9.3 ↘                      9.1 ↘                      7.9 ↘                      10.2 →  
 7.1 ↑                      9.5 ↘                      6.0 ↗                      10.5 \*                      9.4 ↓  
 beste Teiler 354.6 (9.) 629.5 (5.) 1159.9 (7.)  
 Trefferlage 0.83 mm links, 6.79 mm hoch  
 Streuwert 14.35, horizontal: 11.53, vertikal: 16.69



Serie 2:  
 7.3 ↓                      7.1 ↑                      10.0 ←                      8.2 ↖                      8.5 ↗  
 10.0 ↖                      8.7 ↘                      8.9 ↓                      10.3 ↖                      8.6 ↑  
 beste Teiler 524.3 (19.) 781.1 (16.) 787.7 (13.)  
 Trefferlage 1.47 mm links, 4.74 mm hoch  
 Streuwert 13.94, horizontal: 10.56, vertikal: 16.66



Serie 3:  
 10.3 ↖                      8.8 ↙                      9.7 ↓                      7.2 ↗                      8.9 ↗  
 10.6 \*                      10.6 \*                      8.4 ↖                      9.6 ↖                      10.3 ↖  
 beste Teiler 253.6 (27.) 281.8 (26.) 522.6 (21.)  
 Trefferlage 3.44 mm links, 2.68 mm hoch  
 Streuwert 10.47, horizontal: 11.24, vertikal: 9.63





Serie 4:  
 6.5 ↑                      9.7 →                      7.8 ↖                      10.2 ↑                      8.0 ↗  
 8.7 ↗                      8.9 ↘                      8.9 ↓                      8.4 ↑                      9.1 ↖  
 beste Teiler 594.1 (34.) 1032.7 (32.) 1463.5 (40.)  
 Trefferlage 0.94 mm rechts, 10.84 mm hoch  
 Streuwert 12.73, horizontal: 12.37, vertikal: 13.07


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **315** (336.5)  
 Serien: 79 76 78 82  
 Zähler: 1 17 5 10 7 0 0 0 0 0  
 Innenzehner: 0  
 weiteste: 3927 (9), 3761 (35), 3492 (30)  
 beste Teiler 535.7 (23.) 809.0 (17.) 849.9 (25.)  
 Trefferlage 4.71 mm rechts, 5.80 mm hoch  
 Streuwert 15.18, horizontal: 12.59, vertikal: 17.39




Serie 1:  
 9.1 ↙                      7.3 ←                      8.8 ↘                      8.4 ↙                      7.3 ↘  
 9.3 ↗                      9.8 ↘                      7.6 ↗                      6.0 ↗                      9.8 ↗  
 beste Teiler 932.9 (10.) 950.3 (7.) 1336.6 (6.)  
 Trefferlage 0.04 mm rechts, 0.00 mm  
 Streuwert 17.12, horizontal: 17.59, vertikal: 16.63



Serie 2:  
 7.9 ↗                      8.7 ↑                      7.2 ↗                      6.8 ↗                      9.5 ↓  
 8.9 ↑                      9.9 ↙                      7.9 ↘                      9.1 ←                      6.7 ↑  
 beste Teiler 809.0 (17.) 1129.2 (15.) 1491.0 (19.)  
 Trefferlage 4.60 mm rechts, 10.54 mm hoch  
 Streuwert 14.99, horizontal: 10.18, vertikal: 18.59



Serie 3:  
 6.7 ↗                      9.6 ↘                      10.3 ↑                      9.8 ↑                      9.9 ↘  
 7.4 ↗                      9.2 ↑                      6.9 ↗                      7.6 →                      6.6 ↓  
 beste Teiler 535.7 (23.) 849.9 (25.) 956.6 (24.)  
 Trefferlage 7.07 mm rechts, 7.55 mm hoch  
 Streuwert 15.57, horizontal: 13.60, vertikal: 17.32





Serie 4:  
 9.6 ↗                      7.7 ↗                      9.8 ↙                      8.1 ↘                      6.2 ↗  
 9.8 ↓                      9.0 ↘                      9.2 →                      7.9 ↑                      9.2 ↑  
 beste Teiler 889.9 (36.) 954.3 (33.) 1105.9 (31.)  
 Trefferlage 7.14 mm rechts, 5.09 mm hoch  
 Streuwert 13.65, horizontal: 7.17, vertikal: 17.92


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **342** (359.2)<sup>QF</sup>  
 Serien: 81 87 84 90  
 Zähler: 3 22 9 6 0 0 0 0 0 0  
 Innenzehner: 1  
 weiteste: 2999 (24), 2810 (4), 2805 (2)  
 beste Teiler 443.3 (35.) 607.1 (11.) 620.4 (33.)  
 Trefferlage 3.64 mm links, 0.40 mm hoch  
 Streuwert 11.96, horizontal: 11.68, vertikal: 12.24




Serie 1:  
 8.6 ↗ 7.4 ← 9.4 ↘ 7.4 ↑ 8.3 ↖  
 7.8 ↘ 9.7 ↙ 9.6 ↘ 9.9 ← 8.4 ↓  
 beste Teiler 836.1 (9.) 977.7 (7.) 1079.1 (8.)  
 Trefferlage 7.03 mm links, 2.51 mm hoch  
 Streuwert 13.62, horizontal: 11.64, vertikal: 15.34



Serie 2:  
 10.2 ↓ 9.1 ↗ 9.0 ↑ 9.8 ↖ 7.5 ↘  
 8.2 ← 9.4 → 9.0 ↗ 9.8 ↑ 8.3 ↙  
 beste Teiler 607.1 (11.) 886.6 (14.) 905.0 (19.)  
 Trefferlage 0.25 mm rechts, 0.27 mm hoch  
 Streuwert 12.36, horizontal: 11.94, vertikal: 12.77



Serie 3:  
 9.1 ← 9.9 ↖ 7.8 ↗ 7.2 ✓ 9.7 ↖  
 8.8 ↗ 9.5 ↘ 9.5 ↑ 8.2 ✓ 9.2 ←  
 beste Teiler 878.1 (22.) 997.5 (25.) 1161.3 (27.)  
 Trefferlage 2.89 mm links, 0.62 mm tief  
 Streuwert 13.13, horizontal: 13.27, vertikal: 12.98



Serie 4:  
 9.5 ✓ 8.3 ← 10.2 ← 9.0 ← 10.4 \*  
 8.8 ↘ 9.3 ↘ 9.7 ↙ 9.1 ↑ 9.2 →  
 beste Teiler 443.3 (35.) 620.4 (33.) 987.6 (38.)  
 Trefferlage 4.92 mm links, 0.52 mm tief  
 Streuwert 9.50, horizontal: 10.26, vertikal: 8.67

QF – Schütze hat sich fürs Finale qualifiziert

Unterschrift des Schützen

Meyton Elektronik