




Ergebnis:	<b>355</b>	(375.8)			
Serien:	90	88	86	91	
Zähler:	6	25	7	2	0 0 0 0 0 0
Innenzehner:	5				
weiteste:	2794 (12), 2514 (25), 2282 (16)				
beste Teiler	87.9 (15.) 260.5 (17.) 297.1 (40.)				
Trefferlage	0.09 mm rechts, 1.22 mm tief				
Streuwert	9.79, horizontal: 10.20, vertikal: 9.37				




Serie 1:

9.0 ↘	9.4 ←	10.4 *	8.8 ↙	9.2 ↘
9.7 ←	8.8 ↗	10.5 *	9.1 ↓	9.6 ←
beste Teiler	372.5 (8.) 457.1 (3.) 1031.1 (6.)			
Trefferlage	2.68 mm links, 3.81 mm tief			
Streuwert	8.98, horizontal: 8.70, vertikal: 9.25			




Serie 2:

9.3 ←	7.5 →	8.6 ↙	9.1 ↖	10.8 *
8.1 →	10.6 *	9.3 ↓	9.8 ↓	9.4 ↘
beste Teiler	87.9 (15.) 260.5 (17.) 887.3 (19.)			
Trefferlage	1.92 mm rechts, 3.01 mm tief			
Streuwert	11.39, horizontal: 14.46, vertikal: 7.11			



Serie 3:

9.8 ↙	9.7 ↙	9.3 ↓	9.2 →	7.8 ↑
9.7 ↙	9.3 ←	9.9 ←	8.8 ←	8.5 ↑
beste Teiler	871.7 (28.) 891.3 (21.) 961.0 (26.)			
Trefferlage	3.61 mm links, 1.49 mm hoch			
Streuwert	10.72, horizontal: 9.24, vertikal: 12.01			





Serie 4:

9.8 ↓	9.3 ↙	9.7 ↘	9.5 →	9.9 →
9.7 ↗	8.9 ↗	10.3 ↗	9.1 ↗	10.6 *
beste Teiler	297.1 (40.) 497.3 (38.) 857.3 (35.)			
Trefferlage	4.77 mm rechts, 0.44 mm hoch			
Streuwert	7.30, horizontal: 5.35, vertikal: 8.83			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (382.5)  
 Serien: 92 92 90 93  
 Zähler: 13 22 4 1 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 2621 (9), 2292 (10), 2139 (18)  
 beste Teiler 165.9 (40.) 283.5 (34.) 332.8 (5.)  
 Trefferlage 2.03 mm links, 2.71 mm hoch  
 Streuwert 8.59, horizontal: 9.07, vertikal: 8.09




Serie 1:  
 10.1 ↖ 9.7 ← 10.2 ↘ 10.3 ← 10.5 \*  
 10.1 ↘ 9.6 → 9.1 ↑ 7.7 ↗ 8.1 ←  
 beste Teiler 332.8 (5.) 525.0 (4.) 616.8 (3.)  
 Trefferlage 1.56 mm links, 3.66 mm hoch  
 Streuwert 9.57, horizontal: 11.16, vertikal: 7.65



Serie 2:  
 9.2 ↘ 9.7 ↙ 9.0 ↖ 9.0 ← 9.1 ↑  
 9.9 ↑ 10.0 ← 8.3 ↗ 10.2 ↘ 10.5 \*  
 beste Teiler 377.2 (20.) 610.0 (19.) 798.7 (17.)  
 Trefferlage 3.33 mm links, 4.98 mm hoch  
 Streuwert 8.41, horizontal: 8.64, vertikal: 8.18



Serie 3:  
 9.0 ↑ 9.2 ↙ 9.6 ↘ 9.7 ↙ 8.5 ←  
 9.0 ↑ 10.5 \* 9.3 ↙ 9.7 ← 9.6 ↙  
 beste Teiler 388.4 (27.) 962.9 (29.) 1003.1 (24.)  
 Trefferlage 6.60 mm links, 0.66 mm hoch  
 Streuwert 8.31, horizontal: 6.94, vertikal: 9.48





Serie 4:  
 9.8 ↘ 9.1 ↙ 9.2 ↗ 10.6 \* 9.5 →  
 10.5 \* 8.7 ↗ 9.9 ↘ 10.1 ↗ 10.7 \*  
 beste Teiler 165.9 (40.) 283.5 (34.) 355.3 (36.)  
 Trefferlage 3.34 mm rechts, 1.55 mm hoch  
 Streuwert 7.32, horizontal: 7.20, vertikal: 7.44


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>374</b>	(392.0)
Serien:	94 94 92 94	
Zähler:	17 20 3 0 0 0 0 0 0 0	
Innenzehner:	7	
weiteste:	1928 (31), 1732 (28), 1667 (1)	
beste Teiler	163.4 (17.) 217.5 (39.) 248.7 (10.)	
Trefferlage	1.28 mm links, 1.67 mm tief	
Streuwert	7.19, horizontal: 7.25, vertikal: 7.12	




Serie 1:	8.9 ↘	10.0 →	9.4 ↙	10.6 *	10.1 ↓
	9.9 ←	10.4 *	9.9 ↙	9.1 ↙	10.6 *
beste Teiler	248.7 (10.) 309.6 (4.) 458.4 (7.)				
Trefferlage	1.16 mm links, 5.59 mm tief				
Streuwert	5.78, horizontal: 5.31, vertikal: 6.22				



Serie 2:	9.4 ←	9.0 ←	9.2 ↑	10.0 ↘	9.8 →
	10.1 ↖	10.7 *	9.8 ↗	9.5 →	10.2 ↙
beste Teiler	163.4 (17.) 619.7 (20.) 671.5 (16.)				
Trefferlage	0.67 mm links, 0.32 mm hoch				
Streuwert	7.57, horizontal: 9.02, vertikal: 5.77				



Serie 3:	9.7 ↙	9.3 ←	9.0 ↙	10.4 *	9.6 →
	9.9 ↘	10.1 ↖	8.8 ↑	10.2 ↗	9.9 ↘
beste Teiler	448.4 (24.) 635.2 (29.) 651.7 (27.)				
Trefferlage	0.56 mm links, 0.19 mm hoch				
Streuwert	8.11, horizontal: 7.11, vertikal: 8.99				





Serie 4:	8.5 ↖	9.1 ↙	9.8 ↖	9.8 ↓	10.2 ←
	10.2 ↙	10.6 *	9.3 →	10.7 *	10.3 ↘
beste Teiler	217.5 (39.) 265.1 (37.) 556.9 (40.)				
Trefferlage	2.71 mm links, 1.61 mm tief				
Streuwert	7.27, horizontal: 8.02, vertikal: 6.44				


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **325** (342.5)  
 Serien: 85 85 79 76  
 Zähler: 4 13 14 6 2 0 0 0 1 0  
 Innenzehner: 0  
 weiteste: 6722 (37), 3898 (27), 3743 (28)  
 beste Teiler 484.7 (12.) 538.4 (17.) 650.2 (6.)  
 Trefferlage 1.69 mm links, 2.59 mm hoch  
 Streuwert 15.58, horizontal: 12.70, vertikal: 18.01




Serie 1:  
 8.9 ↑                      9.0 ↙                      9.8 ←                      7.5 ↗                      9.9 ↗  
 10.1 ←                      8.5 →                      8.0 →                      8.8 ↓                      9.8 ↘  
 beste Teiler 650.2 (6.) 819.2 (5.) 897.9 (3.)  
 Trefferlage 2.87 mm rechts, 0.53 mm hoch  
 Streuwert 12.26, horizontal: 11.56, vertikal: 12.93



Serie 2:  
 8.2 ↑                      10.3 ↗                      8.8 ←                      9.5 ↗                      9.2 ↘  
 9.2 ↘                      10.3 ↘                      8.7 ↘                      7.9 ↑                      7.5 ↗  
 beste Teiler 484.7 (12.) 538.4 (17.) 1127.7 (14.)  
 Trefferlage 2.87 mm links, 11.81 mm hoch  
 Streuwert 9.29, horizontal: 10.12, vertikal: 8.38



Serie 3:  
 9.3 ↗                      7.6 ↗                      8.6 ←                      9.0 ↓                      8.1 ↑  
 10.0 ↙                      6.1 ↓                      6.3 ↓                      8.4 ↘                      8.1 ↙  
 beste Teiler 759.6 (26.) 1315.3 (21.) 1592.5 (24.)  
 Trefferlage 4.55 mm links, 3.75 mm tief  
 Streuwert 17.62, horizontal: 12.27, vertikal: 21.69





Serie 4:  
 8.5 ↗                      9.3 ↓                      8.6 ←                      8.2 →                      9.7 ↓  
 7.8 ↘                      2.5 ↘                      9.5 ↙                      7.9 ↓                      9.1 ↓  
 beste Teiler 985.1 (35.) 1185.8 (38.) 1291.1 (32.)  
 Trefferlage 2.21 mm links, 1.79 mm hoch  
 Streuwert 20.38, horizontal: 16.68, vertikal: 23.50


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (373.9)  
 Serien: 92 92 84 86  
 Zähler: 10 19 6 5 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 2839 (16), 2652 (29), 2602 (40)  
 beste Teiler 189.0 (6.) 299.8 (13.) 361.0 (18.)  
 Trefferlage 3.40 mm links, 2.59 mm tief  
 Streuwert 9.91, horizontal: 9.97, vertikal: 9.86




Serie 1:  
 9.3 ↓                      10.1 ↖                      8.5 ↖                      9.9 ↙                      9.7 ↓  
 10.7 \*                      10.2 ↗                      9.5 →                      9.9 ↙                      9.9 ↓  
 beste Teiler 189.0 (6.) 595.3 (7.) 659.4 (2.)  
 Trefferlage 1.15 mm links, 1.65 mm tief  
 Streuwert 7.61, horizontal: 6.44, vertikal: 8.62



Serie 2:  
 9.5 ↙                      9.9 ↗                      10.6 \*                      10.3 ↘                      10.4 \*  
 7.4 ↙                      8.8 ↑                      10.5 \*                      10.0 ←                      9.6 ↙  
 beste Teiler 299.8 (13.) 361.0 (18.) 461.0 (15.)  
 Trefferlage 3.77 mm links, 1.83 mm tief  
 Streuwert 8.76, horizontal: 8.05, vertikal: 9.42



Serie 3:  
 9.0 ↓                      7.9 ↘                      9.6 ↙                      10.0 ↖                      9.8 ↗  
 7.9 ←                      8.2 →                      9.3 ↗                      7.6 ←                      9.4 ↙  
 beste Teiler 765.0 (24.) 883.3 (25.) 1058.5 (23.)  
 Trefferlage 2.32 mm links, 2.91 mm tief  
 Streuwert 12.98, horizontal: 15.40, vertikal: 9.99





Serie 4:  
 9.0 ↑                      9.7 ↙                      8.9 ←                      9.1 ↙                      10.2 ↗  
 8.6 ←                      9.2 ↖                      9.7 →                      8.4 ↓                      7.7 ↓  
 beste Teiler 612.9 (35.) 979.5 (32.) 1009.1 (38.)  
 Trefferlage 6.38 mm links, 3.98 mm tief  
 Streuwert 10.61, horizontal: 8.38, vertikal: 12.44


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **352** (367.9)  
 Serien: 86 88 90 88  
 Zähler: 9 18 9 4 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 3146 (3), 2985 (17), 2720 (18)  
 beste Teiler 288.7 (23.) 405.7 (37.) 445.0 (32.)  
 Trefferlage 0.31 mm rechts, 4.04 mm hoch  
 Streuwert 10.70, horizontal: 11.61, vertikal: 9.71




Serie 1:  
 8.5 ↘                      9.5 ↖                      7.0 ←                      9.7 ↗                      8.6 ↘  
 10.3 ↗                      9.3 ↘                      10.0 →                      8.9 ↑                      8.8 ↘  
 beste Teiler 556.9 (6.) 746.4 (8.) 1015.6 (4.)  
 Trefferlage 3.87 mm links, 0.21 mm tief  
 Streuwert 12.11, horizontal: 12.29, vertikal: 11.93



Serie 2:  
 9.7 ↘                      8.3 ↑                      10.0 →                      10.0 →                      10.3 ←  
 8.9 ↘                      7.2 ↗                      7.6 ↗                      10.0 ↑                      9.2 ↘  
 beste Teiler 521.1 (15.) 781.1 (19.) 786.6 (13.)  
 Trefferlage 3.92 mm rechts, 9.53 mm hoch  
 Streuwert 10.04, horizontal: 12.00, vertikal: 7.57



Serie 3:  
 9.6 ↗                      9.1 ↗                      10.6 \*                      8.7 ←                      9.0 ↑  
 9.1 →                      9.9 →                      9.0 ↘                      9.4 ←                      9.7 ↑  
 beste Teiler 288.7 (23.) 841.4 (27.) 994.0 (30.)  
 Trefferlage 0.35 mm links, 2.48 mm hoch  
 Streuwert 9.51, horizontal: 10.05, vertikal: 8.94





Serie 4:  
 9.0 ↗                      10.4 \*                      9.0 ↑                      8.9 ↗                      9.1 →  
 8.8 ↗                      10.4 \*                      9.2 ↘                      7.9 ←                      9.3 ←  
 beste Teiler 405.7 (37.) 445.0 (32.) 1313.6 (40.)  
 Trefferlage 1.56 mm rechts, 4.37 mm hoch  
 Streuwert 10.59, horizontal: 12.31, vertikal: 8.52


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (377.8)  
 Serien: 87 94 89 94  
 Zähler: 15 15 9 1 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2763 (4), 2377 (2), 2366 (21)  
 beste Teiler 161.8 (13.) 261.2 (11.) 288.2 (33.)  
 Trefferlage 1.28 mm links, 2.91 mm tief  
 Streuwert 9.47, horizontal: 8.75, vertikal: 10.14




Serie 1:  
 10.1 ↗ 8.0 ↑ 9.4 → 7.5 ↓ 10.0 →  
 8.7 ↑ 8.5 ← 10.1 ↙ 8.4 ↓ 9.7 ↘  
 beste Teiler 651.2 (8.) 673.9 (1.) 748.6 (5.)  
 Trefferlage 0.33 mm rechts, 1.15 mm tief  
 Streuwert 12.55, horizontal: 9.04, vertikal: 15.28



Serie 2:  
 10.6 \* 10.3 ↘ 10.7 \* 10.1 ↘ 9.2 ←  
 10.2 ← 9.6 → 9.2 → 9.1 ← 8.5 ↘  
 beste Teiler 161.8 (13.) 261.2 (11.) 493.4 (12.)  
 Trefferlage 1.97 mm links, 2.27 mm tief  
 Streuwert 7.96, horizontal: 9.62, vertikal: 5.86



Serie 3:  
 8.0 ↘ 9.0 → 8.4 ↓ 10.0 ↘ 8.8 ↘  
 9.5 ↘ 9.7 ↘ 9.4 ↓ 10.4 \* 9.3 ↘  
 beste Teiler 433.4 (29.) 793.6 (24.) 1020.9 (27.)  
 Trefferlage 1.80 mm rechts, 6.82 mm tief  
 Streuwert 9.64, horizontal: 9.24, vertikal: 10.02





Serie 4:  
 9.7 ← 9.1 ↘ 10.6 \* 10.2 ↗ 9.2 ↘  
 10.0 ← 8.9 ↘ 10.4 \* 9.3 ← 10.0 ↑  
 beste Teiler 288.2 (33.) 406.3 (38.) 585.6 (34.)  
 Trefferlage 5.30 mm links, 1.39 mm tief  
 Streuwert 6.85, horizontal: 6.34, vertikal: 7.33


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (375.8)  
 Serien: 81 95 90 92  
 Zähler: 12 18 7 2 1 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 3533 (6), 2750 (7), 2413 (2)  
 beste Teiler 233.0 (33.) 351.0 (34.) 513.1 (16.)  
 Trefferlage 1.59 mm links, 4.24 mm hoch  
 Streuwert 9.77, horizontal: 9.09, vertikal: 10.40




Serie 1:  
 9.7 ↙                      7.9 ↑                      9.5 ↘                      9.3 ←                      8.5 ↑  
 6.5 ↗                      7.5 ↑                      8.7 ↗                      9.4 ↗                      9.6 ↘  
 beste Teiler 961.6 (1.) 1117.2 (10.) 1155.1 (3.)  
 Trefferlage 0.71 mm rechts, 9.42 mm hoch  
 Streuwert 13.07, horizontal: 11.28, vertikal: 14.64



Serie 2:  
 9.7 ↗                      9.3 ↘                      9.9 ↘                      10.3 ↗                      10.1 →  
 10.3 ↖                      9.6 ↗                      10.1 ↗                      10.0 ↘                      9.1 ↖  
 beste Teiler 513.1 (16.) 518.4 (14.) 675.2 (18.)  
 Trefferlage 2.23 mm rechts, 0.66 mm hoch  
 Streuwert 6.89, horizontal: 7.11, vertikal: 6.66



Serie 3:  
 8.0 ←                      9.7 →                      9.9 ↖                      10.2 ←                      9.6 ↑  
 10.2 ↓                      9.6 ↘                      8.4 ←                      8.5 ↑                      10.3 ↘  
 beste Teiler 542.3 (30.) 574.0 (24.) 639.1 (26.)  
 Trefferlage 5.90 mm links, 2.64 mm hoch  
 Streuwert 8.96, horizontal: 9.79, vertikal: 8.03



Serie 4:  
 10.2 ↑                      9.8 ↘                      10.7 \*                      10.5 \*                      10.1 ↓  
 9.3 ←                      8.6 ↑                      9.2 ↖                      9.9 ←                      8.1 ↑  
 beste Teiler 233.0 (33.) 351.0 (34.) 636.4 (31.)  
 Trefferlage 3.40 mm links, 4.25 mm hoch  
 Streuwert 8.26, horizontal: 6.14, vertikal: 9.93

Unterschrift des Schützen

Meyton Elektronik