





Ergebnis: **377** (394.7)
 Serien: 93 94 95 95
 Zähler: 20 18 1 1 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2424 (5), 1607 (18), 1562 (13)
 beste Teiler 34.2 (15.) 114.7 (38.) 264.7 (30.)
 Trefferlage 2.36 mm rechts, 2.45 mm tief
 Streuwert 6.74, horizontal: 6.71, vertikal: 6.76




Serie 1:
 10.4 * 9.9 ↓ 9.7 ↑ 10.5 * 7.9 →
 9.7 → 10.4 * 9.7 → 10.6 * 10.0 ↑
 beste Teiler 297.4 (9.) 361.8 (4.) 412.7 (7.)
 Trefferlage 2.95 mm rechts, 1.95 mm hoch
 Streuwert 7.33, horizontal: 8.66, vertikal: 5.71



Serie 2:
 10.4 * 10.4 * 9.0 ↗ 9.9 ↓ 10.9 *
 10.1 ↓ 9.9 ↙ 8.9 ← 9.2 ↓ 10.1 ←
 beste Teiler 34.2 (15.) 446.7 (11.) 449.7 (12.)
 Trefferlage 1.89 mm links, 3.13 mm tief
 Streuwert 6.82, horizontal: 6.38, vertikal: 7.22



Serie 3:
 10.1 → 10.3 ↓ 9.1 ↘ 9.3 ↘ 10.1 ↓
 10.3 ↑ 9.0 ↓ 9.2 → 9.3 ↓ 10.6 *
 beste Teiler 264.7 (30.) 488.3 (22.) 516.0 (26.)
 Trefferlage 4.79 mm rechts, 4.84 mm tief
 Streuwert 6.28, horizontal: 4.81, vertikal: 7.46



Serie 4:
 9.8 ↙ 10.3 → 10.1 ↘ 9.3 ↓ 9.6 →
 10.6 * 9.5 ↘ 10.8 * 10.2 ↓ 9.6 →
 beste Teiler 114.7 (38.) 307.9 (36.) 543.0 (32.)
 Trefferlage 3.61 mm rechts, 3.78 mm tief
 Streuwert 5.22, horizontal: 5.23, vertikal: 5.22

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **365** (383.4)

Serien: 89 92 91 93

Zähler: 12 21 7 0 0 0 0 0 0 0



Innenzehner: 4

weiteste: 2319 (5), 2141 (7), 2100 (15)

beste Teiler 339.8 (31.) 418.5 (17.) 468.1 (21.)

Trefferlage 1.57 mm rechts, 0.01 mm tief

Streuwert 8.55, horizontal: 7.15, vertikal: 9.75




Serie 1:

9.2 →	9.6 ↗	10.0 →	9.8 →	8.1 ↘
8.4 ↙	8.3 ↑	9.8 ↘	10.3 →	9.9 ←

beste Teiler 550.3 (9.) 750.7 (3.) 846.2 (10.)

Trefferlage 4.75 mm rechts, 0.14 mm hoch

Streuwert 10.05, horizontal: 7.99, vertikal: 11.76




Serie 2:

9.0 ↘	9.4 →	9.5 ↘	10.1 ↑	8.3 ↓
9.3 ↑	10.4 *	9.4 ↘	9.2 ←	10.1 ←

beste Teiler 418.5 (17.) 659.8 (14.) 711.1 (20.)

Trefferlage 0.87 mm links, 0.60 mm tief

Streuwert 9.38, horizontal: 8.37, vertikal: 10.29




Serie 3:

10.4 *	9.8 ↑	9.9 ↗	8.7 ↘	9.6 ↘
8.5 ↑	8.9 ↘	10.2 ↗	10.2 ↘	10.4 *

beste Teiler 468.1 (21.) 469.5 (30.) 608.8 (28.)

Trefferlage 3.53 mm rechts, 0.31 mm tief

Streuwert 8.30, horizontal: 3.05, vertikal: 11.33



Serie 4:

10.5 *	9.8 ←	10.0 ←	9.9 ↙	9.9 ↖
9.6 ↘	10.0 →	9.6 →	9.9 ↘	9.5 ↑

beste Teiler 339.8 (31.) 762.4 (37.) 766.5 (33.)



Trefferlage 1.12 mm links, 0.71 mm hoch

Streuwert 6.59, horizontal: 6.95, vertikal: 6.20

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	352	(371.1)
Serien:	87 87 88 90	
Zähler:	9 16 13 2 0 0 0 0 0 0	
Innenzehner:	3	
weiteste:	2647 (10), 2455 (13), 2351 (14)	
beste Teiler	186.0 (31.) 317.0 (39.) 359.8 (35.)	
Trefferlage	6.02 mm rechts, 1.82 mm tief	
Streuwert	9.49, horizontal: 9.72, vertikal: 9.25	




Serie 1:

10.3 ↙	8.6 ↗	8.3 ↖	9.7 ↘	9.3 ↓
8.7 ↘	10.2 ↑	9.1 ↓	9.1 →	7.6 →
beste Teiler	526.2 (1.) 587.1 (7.) 1020.0 (4.)			
Trefferlage	3.83 mm rechts, 0.28 mm hoch			
Streuwert	11.60, horizontal: 12.26, vertikal: 10.91			




Serie 2:

10.1 ↗	9.3 →	7.9 ↓	8.0 ↘	8.9 ↗
9.4 ↗	8.7 →	10.1 ↘	8.8 ↘	10.3 →
beste Teiler	533.1 (20.) 664.9 (18.) 720.4 (11.)			
Trefferlage	9.88 mm rechts, 3.17 mm tief			
Streuwert	8.86, horizontal: 4.86, vertikal: 11.54			



Serie 3:

8.6 ↓	9.7 ↓	9.1 ↙	10.1 ↖	8.8 →
9.9 ↙	9.3 ↗	9.1 ↗	8.7 →	9.9 →
beste Teiler	690.7 (24.) 818.4 (26.) 873.0 (30.)			
Trefferlage	4.29 mm rechts, 2.99 mm tief			
Streuwert	9.31, horizontal: 10.51, vertikal: 7.92			





Serie 4:


10.7 *	9.6 ↘	9.9 →	9.0 ↑	10.5 *
8.6 →	8.2 →	9.8 ↓	10.6 *	8.6 →
beste Teiler	186.0 (31.) 317.0 (39.) 359.8 (35.)			
Trefferlage	6.09 mm rechts, 1.41 mm tief			
Streuwert	8.57, horizontal: 9.98, vertikal: 6.87			

Unterschrift des Schützen


Ergebnis: **371** (385.5)
 Serien: 94 91 94 92
 Zähler: 16 19 5 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2142 (4), 2008 (23), 1918 (35)
 beste Teiler 205.6 (26.) 356.1 (31.) 357.7 (2.)
 Trefferlage 0.73 mm rechts, 1.06 mm tief
 Streuwert 8.27, horizontal: 8.44, vertikal: 8.10




Serie 1:
 9.3 ← 10.5 * 10.0 ↘ 8.3 → 9.2 ↗
 10.0 ↖ 10.4 * 9.0 ↓ 10.0 ← 9.6 ↓
 beste Teiler 357.7 (2.) 418.9 (7.) 726.6 (3.)
 Trefferlage 1.18 mm rechts, 1.88 mm tief
 Streuwert 8.63, horizontal: 9.44, vertikal: 7.75



Serie 2:
 9.4 → 9.9 ↑ 9.2 → 9.7 ↑ 9.0 ↖
 8.8 ↘ 9.9 ↙ 10.1 ↘ 9.2 ↓ 10.0 ↓
 beste Teiler 699.6 (18.) 746.0 (20.) 840.9 (17.)
 Trefferlage 0.15 mm links, 3.23 mm hoch
 Streuwert 8.60, horizontal: 7.45, vertikal: 9.61



Serie 3:
 9.1 ↘ 10.3 ↑ 8.4 ↙ 9.9 ← 10.3 ↙
 10.7 * 9.7 → 10.4 * 10.0 ↑ 9.8 ↘
 beste Teiler 205.6 (26.) 456.8 (28.) 481.8 (25.)
 Trefferlage 1.36 mm rechts, 2.26 mm tief
 Streuwert 7.30, horizontal: 7.90, vertikal: 6.63





Serie 4:
 10.5 * 9.2 → 9.4 ↗ 10.0 → 8.6 ↖
 10.0 ← 10.5 * 9.2 ↓ 8.8 ↘ 9.2 ↓
 beste Teiler 356.1 (31.) 371.4 (37.) 721.2 (36.)
 Trefferlage 0.56 mm rechts, 3.34 mm tief
 Streuwert 8.93, horizontal: 10.01, vertikal: 7.70


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	351	(372.8)			
Serien:	86	88	90	87	
Zähler:	9	15	14	2	0 0 0 0 0 0
Innenzehner:	3				
weiteste:	2745 (23), 2535 (8), 2318 (3)				
beste Teiler	247.6 (27.) 413.2 (28.) 440.4 (18.)				
Trefferlage	4.17 mm links, 5.75 mm hoch				
Streuwert	9.05, horizontal: 9.73, vertikal: 8.32				




Serie 1:	10.0 ↘	9.8 ↙	8.1 ↑	9.9 ←	9.7 ↗
	8.7 ↖	9.9 ↙	7.8 ↘	8.9 ↑	9.3 →
beste Teiler	770.6 (1.) 859.4 (4.) 876.8 (7.)				
Trefferlage	4.72 mm links, 5.05 mm hoch				
Streuwert	10.12, horizontal: 10.20, vertikal: 10.04				



Serie 2:	8.6 ↘	10.3 ↗	8.8 ↘	8.9 ↑	9.9 ↑
	8.7 ↗	9.4 →	10.4 *	9.8 ↑	9.4 ←
beste Teiler	440.4 (18.) 548.2 (12.) 834.6 (15.)				
Trefferlage	0.88 mm links, 6.01 mm hoch				
Streuwert	8.76, horizontal: 10.76, vertikal: 6.14				





Serie 3:	9.9 ↘	8.7 ↑	7.5 ↘	9.2 ↘	10.2 ←
	9.2 ↗	10.6 *	10.4 *	8.1 ↑	10.2 ↑
beste Teiler	247.6 (27.) 413.2 (28.) 605.7 (30.)				
Trefferlage	3.99 mm links, 9.14 mm hoch				
Streuwert	8.13, horizontal: 7.76, vertikal: 8.47				



Serie 4:	10.3 ↘	8.4 ↙	9.6 ↘	9.7 ↑	10.3 →
	8.9 ↘	8.7 ↖	8.5 ↗	9.3 ↘	8.8 ←
beste Teiler	485.0 (35.) 553.2 (31.) 1024.7 (34.)				
Trefferlage	7.09 mm links, 2.79 mm hoch				
Streuwert	9.34, horizontal: 10.41, vertikal: 8.13				

Unterschrift des Schützen


Ergebnis:	363	(382.1)
Serien:	90 90 91 92	
Zähler:	13 18 8 1 0 0 0 0 0 0	
Innenzehner:	7	
weiteste:	2942 (34), 2399 (4), 2285 (8)	
beste Teiler	105.5 (31.) 108.5 (37.) 279.8 (15.)	
Trefferlage	2.48 mm rechts, 3.49 mm tief	
Streuwert	8.75, horizontal: 8.78, vertikal: 8.72	



Serie 1:

10.0 →	9.8 →	10.0 ↓	8.0 ↙	9.5 ↓
8.7 ↙	9.3 ↗	8.1 ↘	10.6 *	9.1 ↘


beste Teiler 293.4 (9.) 742.0 (3.) 783.8 (1.)
 Trefferlage 2.00 mm rechts, 5.70 mm tief
 Streuwert 10.02, horizontal: 11.88, vertikal: 7.73



Serie 2:

9.7 ↖	8.2 ↘	8.6 ↘	9.8 ↓	10.6 *
10.0 ↙	9.9 ↙	9.7 ↘	8.9 ↓	10.4 *


beste Teiler 279.8 (15.) 469.9 (20.) 733.4 (16.)
 Trefferlage 2.07 mm rechts, 5.70 mm tief
 Streuwert 8.05, horizontal: 8.38, vertikal: 7.70



Serie 3:

9.5 ↘	9.2 ↗	10.2 ↘	9.8 ↑	10.5 *
8.4 ↗	9.5 ↘	8.9 →	9.9 ↓	10.6 *

beste Teiler 295.8 (30.) 356.3 (25.) 579.7 (23.)
 Trefferlage 4.42 mm rechts, 2.62 mm hoch
 Streuwert 7.76, horizontal: 6.88, vertikal: 8.55



Serie 4:



10.8 *	10.3 ↙	9.4 →	7.3 ↘	9.8 ↓
9.4 ↘	10.8 *	10.0 ↙	9.8 ↙	9.1 →

beste Teiler 105.5 (31.) 108.5 (37.) 539.8 (32.)
 Trefferlage 1.45 mm rechts, 5.19 mm tief
 Streuwert 8.68, horizontal: 8.33, vertikal: 9.03


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **356** (374.7)
 Serien: 87 85 92 92
 Zähler: 8 23 7 1 1 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3243 (20), 2670 (5), 2392 (18)
 beste Teiler 253.6 (34.) 282.8 (28.) 434.3 (39.)
 Trefferlage 3.01 mm links, 1.20 mm hoch
 Streuwert 9.91, horizontal: 10.14, vertikal: 9.67




Serie 1:
 9.2 ↙ 8.1 ← 9.2 ↑ 9.7 ← 7.6 ↘
 9.5 ↘ 9.4 ↗ 10.1 ↑ 8.4 → 9.7 ↘
 beste Teiler 658.7 (8.) 975.6 (10.) 988.1 (4.)
 Trefferlage 5.72 mm links, 3.98 mm hoch
 Streuwert 10.74, horizontal: 11.65, vertikal: 9.74



Serie 2:
 9.6 ↑ 9.6 ↓ 9.6 ← 8.6 ↗ 9.8 ↗
 9.8 ↑ 9.4 ↙ 8.0 ↓ 9.0 ← 6.9 ↘
 beste Teiler 881.7 (16.) 897.8 (15.) 1054.0 (11.)
 Trefferlage 1.44 mm rechts, 1.90 mm hoch
 Streuwert 12.54, horizontal: 11.54, vertikal: 13.46



Serie 3:
 8.3 ← 9.8 ← 9.7 ↙ 9.1 ← 10.0 ↙
 9.6 ↗ 9.5 ← 10.6 * 10.4 * 9.8 ↙
 beste Teiler 282.8 (28.) 450.4 (29.) 731.6 (25.)
 Trefferlage 7.76 mm links, 2.68 mm tief
 Streuwert 5.86, horizontal: 7.01, vertikal: 4.41



Serie 4:
 9.8 ↗ 9.3 ↘ 8.9 ↗ 10.6 * 9.2 ↘
 8.3 ↓ 10.1 → 10.2 ← 10.4 * 9.9 →
 beste Teiler 253.6 (34.) 434.3 (39.) 609.3 (38.)
 Trefferlage 0.01 mm links, 1.59 mm hoch
 Streuwert 8.53, horizontal: 7.88, vertikal: 9.14

Unterschrift des Schützen

Meyton Elektronik