





Ergebnis: **345** (363.0)
 Serien: 89 91 86 79
 Zaehler: 10 15 10 4 0 0 0 0 1 0
 Innenzehner: 5
 weiteste: 7049 (36), 3189 (30), 2569 (33)
 beste Teiler 312.2 (9.) 376.9 (11.) 379.3 (1.)
 Trefferlage 3.34 mm rechts, 1.09 mm tief
 Streuwert 13.20, horizontal: 15.99, vertikal: 9.65




Serie 1:
 10.5 * 8.9 ↘ 9.3 ↑ 7.8 → 10.2 ↙
 9.1 ↙ 10.4 * 8.9 ← 10.6 * 8.0 ↘
 beste Teiler 312.2 (9.) 379.3 (1.) 453.2 (7.)
 Trefferlage 0.10 mm links, 3.16 mm tief
 Streuwert 10.76, horizontal: 11.66, vertikal: 9.78



Serie 2:
 10.5 * 10.1 → 9.3 → 9.4 ↙ 9.8 ↗
 10.5 * 7.9 → 8.0 ↙ 9.5 → 10.1 ↘
 beste Teiler 376.9 (11.) 384.4 (16.) 648.1 (20.)
 Trefferlage 3.57 mm rechts, 0.28 mm tief
 Streuwert 9.73, horizontal: 11.87, vertikal: 6.95



Serie 3:
 8.9 ↙ 9.9 ↖ 9.9 → 9.6 ↗ 9.1 ↙
 9.2 → 10.1 ↘ 8.8 ← 8.7 ↘ 7.0 ↘
 beste Teiler 713.8 (27.) 812.2 (23.) 851.7 (22.)
 Trefferlage 2.23 mm rechts, 4.83 mm tief
 Streuwert 11.33, horizontal: 13.30, vertikal: 8.92





Serie 4:
 8.2 ↗ 10.1 ↗ 7.7 → 9.9 ← 9.0 →
 2.1 → 8.5 ← 9.5 ← 8.7 ← 9.3 →
 beste Teiler 648.0 (32.) 803.8 (34.) 1198.5 (38.)
 Trefferlage 7.67 mm rechts, 3.90 mm hoch
 Streuwert 19.36, horizontal: 24.87, vertikal: 11.45

Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis:	340	(358.6)
Serien:	89	86 80 85
Zaehler:	11 10 11 4 4	0 0 0 0 0
Innenzehner:	5	
weiteste:	3573 (27), 3571 (33), 3425 (25)	
beste Teiler	59.9 (34.) 307.3 (3.) 308.5 (8.)	
Trefferlage	1.10 mm links, 0.86 mm hoch	
Streuwert	13.38, horizontal: 14.51, vertikal: 12.14	



Serie 1:

9.6 →	9.2 ↘	10.6 *	8.7 ↙	8.8 →
10.4 *	7.0 ←	10.6 *	9.7 →	9.8 ↓


beste Teiler 307.3 (3.) 308.5 (8.) 455.8 (6.)
 Trefferlage 1.84 mm links, 0.73 mm tief
 Streuwert 10.85, horizontal: 14.07, vertikal: 6.11



Serie 2:

8.3 ↗	10.0 ←	9.6 ↙	8.7 ↗	7.5 →
10.0 ↓	9.4 ↓	8.7 ↗	9.8 →	8.8 ↓


beste Teiler 733.1 (12.) 784.9 (16.) 894.3 (19.)
 Trefferlage 5.99 mm rechts, 1.76 mm tief
 Streuwert 11.09, horizontal: 10.43, vertikal: 11.71



Serie 3:

8.2 →	10.3 ↘	9.7 ↓	8.5 →	6.7 ↑
7.9 ↙	6.5 ↙	8.5 ←	10.1 ↓	8.2 ↑

beste Teiler 487.0 (22.) 641.5 (29.) 1005.0 (23.)
 Trefferlage 1.55 mm links, 2.31 mm hoch
 Streuwert 16.42, horizontal: 16.24, vertikal: 16.60



Serie 4:



10.5 *	9.2 ↘	6.5 ↘	10.9 *	7.1 ↙
9.1 ↗	10.3 ←	6.8 ←	8.1 ↗	10.3 ↑

beste Teiler 59.9 (34.) 350.8 (31.) 527.0 (37.)
 Trefferlage 7.00 mm links, 3.65 mm hoch
 Streuwert 14.38, horizontal: 15.69, vertikal: 12.94


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **317** (337.7)
 Serien: 72 81 82 82
 Zaehler: 4 8 15 9 3 0 1 0 0 0
 Innenzehner: 1
 weiteste: 5139 (6), 3496 (28), 3420 (9)
 beste Teiler 385.6 (26.) 494.5 (39.) 597.6 (24.)
 Trefferlage 4.71 mm rechts, 0.76 mm tief
 Streuwert 15.60, horizontal: 14.34, vertikal: 16.77




Serie 1:
 7.5 ↗ 7.3 ↑ 9.8 ↑ 9.5 → 8.7 →
 4.5 ↗ 7.5 ↓ 8.6 ↙ 6.7 ↑ 7.8 ↓
 beste Teiler 946.9 (3.) 1177.0 (4.) 1782.2 (5.)
 Trefferlage 8.11 mm rechts, 7.43 mm hoch
 Streuwert 19.03, horizontal: 12.71, vertikal: 23.72



Serie 2:
 6.8 ↙ 8.5 ← 8.0 ↓ 7.7 ↗ 9.7 ↖
 8.0 ↘ 9.0 ↑ 7.8 ↙ 10.2 ↑ 9.6 →
 beste Teiler 624.1 (19.) 986.1 (15.) 1105.5 (20.)
 Trefferlage 0.92 mm links, 2.93 mm tief
 Streuwert 15.44, horizontal: 14.10, vertikal: 16.67



Serie 3:
 8.5 ↘ 8.9 ↑ 9.5 ↓ 10.2 ↗ 8.2 ↙
 10.5 * 8.8 ↙ 6.6 → 7.0 → 8.8 →
 beste Teiler 385.6 (26.) 597.6 (24.) 1142.0 (23.)
 Trefferlage 8.61 mm rechts, 4.35 mm tief
 Streuwert 13.44, horizontal: 15.21, vertikal: 11.40





Serie 4:
 7.4 ↙ 8.7 ↙ 8.9 → 7.8 ↙ 9.6 →
 9.7 ↗ 8.0 → 8.3 ↗ 10.3 ← 8.8 ↘
 beste Teiler 494.5 (39.) 1010.2 (36.) 1089.1 (35.)
 Trefferlage 3.04 mm rechts, 3.18 mm tief
 Streuwert 13.76, horizontal: 15.20, vertikal: 12.15


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **305** (323.4)
 Serien: 76 68 87 74
 Zaehler: 2 13 7 10 4 2 2 0 0 0
 Innenzehner: 0
 weiteste: 5393 (2), 4855 (12), 4319 (11)
 beste Teiler 542.4 (28.) 596.1 (24.) 803.0 (5.)
 Trefferlage 1.85 mm rechts, 0.36 mm hoch
 Streuwert 18.43, horizontal: 18.24, vertikal: 18.63




Serie 1:
 9.3 ↓ 4.2 ↘ 8.5 ↑ 7.6 ↓ 9.9 ↓
 7.7 ↙ 7.9 ↘ 9.5 ↓ 9.3 ↙ 7.4 →
 beste Teiler 803.0 (5.) 1164.0 (8.) 1314.4 (1.)
 Trefferlage 7.22 mm links, 0.68 mm tief
 Streuwert 18.41, horizontal: 17.75, vertikal: 19.04



Serie 2:
 5.6 ↑ 4.9 ↘ 7.8 ← 7.1 ↙ 7.9 →
 8.1 ↘ 9.2 ← 8.7 ↑ 7.7 ↓ 6.2 ↗
 beste Teiler 1376.1 (17.) 1826.6 (18.) 2309.4 (16.)
 Trefferlage 3.58 mm rechts, 1.79 mm tief
 Streuwert 22.89, horizontal: 20.06, vertikal: 25.40



Serie 3:
 8.2 ↗ 9.6 ↗ 9.2 ← 10.2 ↑ 5.6 →
 9.0 ↖ 9.7 ↘ 10.3 ↘ 9.2 ↗ 9.3 ↘
 beste Teiler 542.4 (28.) 596.1 (24.) 1038.8 (27.)
 Trefferlage 7.95 mm rechts, 3.83 mm hoch
 Streuwert 12.19, horizontal: 14.89, vertikal: 8.68





Serie 4:
 9.6 ↑ 8.2 ↘ 7.8 ← 7.8 ↓ 6.4 ↓
 6.1 ↘ 6.5 → 9.2 ↘ 8.1 → 8.9 →
 beste Teiler 1064.1 (31.) 1388.9 (38.) 1642.7 (40.)
 Trefferlage 3.10 mm rechts, 0.11 mm hoch
 Streuwert 19.55, horizontal: 19.08, vertikal: 20.02

Unterschrift des Schuetzen


Meyton Elektronik

Ergebnis: **363** (379.2)
 Serien: 93 91 88 91
 Zaehler: 9 26 4 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2693 (4), 2330 (6), 1903 (20)
 beste Teiler 153.1 (11.) 221.2 (16.) 249.8 (7.)
 Trefferlage 4.26 mm rechts, 3.43 mm hoch
 Streuwert 8.38, horizontal: 9.32, vertikal: 7.31




Serie 1:
 10.0 ↑ 10.2 ↘ 10.4 * 7.6 ↗ 9.3 ↙
 8.0 ↙ 10.6 * 10.5 * 10.1 ↗ 9.4 →

beste Teiler 249.8 (7.) 383.4 (8.) 404.5 (3.)
 Trefferlage 1.21 mm rechts, 0.11 mm tief
 Streuwert 9.89, horizontal: 11.27, vertikal: 8.29




Serie 2:
 10.8 * 9.0 ↖ 9.2 ↗ 9.9 → 9.0 →
 10.7 * 9.3 → 9.1 → 9.0 → 8.6 ↑

beste Teiler 153.1 (11.) 221.2 (16.) 829.2 (14.)
 Trefferlage 5.77 mm rechts, 4.35 mm hoch
 Streuwert 8.30, horizontal: 10.20, vertikal: 5.80



Serie 3:
 9.2 ↗ 9.3 → 8.8 ↖ 8.9 ↗ 9.9 ↓
 9.9 → 9.4 ↑ 9.2 ↘ 9.5 → 9.7 ↑

beste Teiler 832.0 (25.) 835.6 (26.) 1025.7 (30.)
 Trefferlage 4.71 mm rechts, 3.37 mm hoch
 Streuwert 8.61, horizontal: 9.06, vertikal: 8.13



Serie 4:
 9.7 → 9.2 ↑ 9.3 → 9.2 → 9.3 ↑
 10.1 → 9.5 ↑ 9.7 ↖ 9.1 ↗ 9.6 ↗

beste Teiler 720.2 (36.) 964.4 (31.) 1007.4 (38.)
 Trefferlage 5.36 mm rechts, 6.13 mm hoch
 Streuwert 6.68, horizontal: 7.01, vertikal: 6.33

Unterschrift des Schuetzen

Meyton Elektronik