





Ergebnis: **355** (370.8)
 Serien: 85 87 93 90
 Zähler: 11 15 12 2 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2815 (2), 2513 (20), 2350 (38)
 beste Teiler 166.9 (1.) 468.1 (26.) 546.8 (12.)
 Trefferlage 0.01 mm rechts, 1.92 mm tief
 Streuwert 10.43, horizontal: 11.55, vertikal: 9.17




Serie 1:
 10.7 * 7.4 ↙ 9.2 ↙ 8.9 ↙ 8.6 ↗
 10.3 ↖ 8.7 ↓ 8.8 → 9.2 ↗ 8.2 ↙
 beste Teiler 166.9 (1.) 558.3 (6.) 1364.5 (3.)
 Trefferlage 3.77 mm links, 1.90 mm tief
 Streuwert 12.34, horizontal: 13.51, vertikal: 11.05



Serie 2:
 9.9 ↓ 10.3 ↓ 8.7 ↑ 10.0 ← 8.5 ↘
 9.3 ↙ 9.5 ↙ 9.3 ← 8.8 ↓ 7.8 ←
 beste Teiler 546.8 (12.) 728.9 (14.) 865.0 (11.)
 Trefferlage 5.42 mm links, 5.96 mm tief
 Streuwert 9.45, horizontal: 9.40, vertikal: 9.50



Serie 3:
 9.2 ↖ 9.3 ↖ 9.9 ↑ 9.5 ↗ 10.1 ↓
 10.4 * 9.3 ← 9.5 → 10.0 ↗ 9.1 →
 beste Teiler 468.1 (26.) 664.4 (25.) 740.2 (29.)
 Trefferlage 1.04 mm rechts, 2.13 mm hoch
 Streuwert 8.05, horizontal: 9.72, vertikal: 5.92





Serie 4:
 8.8 ↓ 10.2 ↗ 10.1 ← 8.5 ↘ 9.2 ↗
 10.0 ↘ 9.1 → 8.0 → 8.4 → 10.1 ↓
 beste Teiler 590.4 (32.) 675.5 (33.) 688.9 (40.)
 Trefferlage 8.21 mm rechts, 1.95 mm tief
 Streuwert 9.19, horizontal: 9.38, vertikal: 8.99


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **352** (370.1)
 Serien: 92 85 84 91
 Zähler: 9 18 10 2 1 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3315 (21), 2652 (26), 2512 (17)
 beste Teiler 65.5 (12.) 230.3 (30.) 285.7 (7.)
 Trefferlage 0.25 mm links, 0.11 mm hoch
 Streuwert 11.01, horizontal: 10.27, vertikal: 11.70




Serie 1:
 10.0 → 9.4 → 9.1 ↖ 9.3 ↘ 8.4 ←
 9.9 ↓ 10.6 * 9.0 ← 10.3 ← 9.4 ↗
 beste Teiler 285.7 (7.) 481.6 (9.) 783.3 (1.)
 Trefferlage 2.88 mm links, 0.57 mm hoch
 Streuwert 8.97, horizontal: 10.39, vertikal: 7.28



Serie 2:
 9.8 → 10.9 * 9.2 ↘ 9.5 ↓ 8.2 ↗
 8.9 ↖ 7.8 ↓ 8.6 ↓ 9.2 ↗ 8.1 ↑
 beste Teiler 65.5 (12.) 913.6 (11.) 1169.4 (14.)
 Trefferlage 4.75 mm rechts, 0.60 mm tief
 Streuwert 12.18, horizontal: 7.81, vertikal: 15.35



Serie 3:
 6.8 ← 8.0 ↓ 9.6 ↘ 9.4 ↓ 8.7 ↗
 7.6 ↓ 9.3 ← 9.4 ↓ 9.2 ↗ 10.7 *
 beste Teiler 230.3 (30.) 1117.9 (23.) 1212.1 (24.)
 Trefferlage 4.35 mm links, 4.96 mm tief
 Streuwert 13.09, horizontal: 12.51, vertikal: 13.64





Serie 4:
 8.9 ↖ 10.1 ↑ 10.4 * 9.0 ↗ 9.7 →
 8.7 ↑ 10.2 ↓ 9.5 ↖ 8.8 → 10.5 *
 beste Teiler 342.8 (40.) 410.4 (33.) 590.3 (37.)
 Trefferlage 1.46 mm rechts, 5.46 mm hoch
 Streuwert 8.10, horizontal: 8.63, vertikal: 7.55


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **383** (402.1)
 Serien: 96 97 93 97
 Zähler: 24 15 1 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 2051 (25), 1377 (27), 1275 (14)
 beste Teiler 15.6 (32.) 151.0 (20.) 168.0 (29.)
 Trefferlage 0.68 mm links, 2.12 mm tief
 Streuwert 5.75, horizontal: 5.44, vertikal: 6.05




Serie 1:
 9.9 ↓ 10.0 → 10.6 * 9.9 ← 10.5 *
 10.1 ← 10.0 ↓ 10.0 ← 9.5 ↘ 9.5 ↗
 beste Teiler 306.8 (3.) 324.0 (5.) 699.4 (6.)
 Trefferlage 0.13 mm links, 2.92 mm tief
 Streuwert 5.62, horizontal: 5.95, vertikal: 5.27



Serie 2:
 9.4 ↓ 10.7 * 10.1 ↑ 9.4 ↘ 9.8 ←
 10.2 ← 10.2 ← 10.0 ← 10.2 ↖ 10.8 *
 beste Teiler 151.0 (20.) 206.0 (12.) 565.4 (17.)
 Trefferlage 2.32 mm links, 2.74 mm tief
 Streuwert 5.35, horizontal: 4.55, vertikal: 6.04



Serie 3:
 10.6 * 9.8 ← 9.6 ← 9.6 ↘ 8.4 ↑
 9.9 ↘ 9.2 ← 10.4 * 10.7 * 10.4 *
 beste Teiler 168.0 (29.) 251.9 (21.) 434.7 (30.)
 Trefferlage 1.32 mm links, 0.97 mm tief
 Streuwert 7.55, horizontal: 6.93, vertikal: 8.13





Serie 4:
 9.5 ↘ 10.9 * 9.8 ↘ 10.1 ↘ 9.7 ↙
 10.5 * 10.7 * 10.7 * 10.6 * 10.2 ↖
 beste Teiler 15.6 (32.) 210.6 (37.) 227.9 (38.)
 Trefferlage 1.05 mm rechts, 1.84 mm tief
 Streuwert 4.61, horizontal: 4.12, vertikal: 5.05


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **332** (346.8)
 Serien: 82 85 82 83
 Zähler: 9 12 6 8 5 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3697 (17), 3612 (40), 3510 (3)
 beste Teiler 148.4 (23.) 194.5 (6.) 317.3 (2.)
 Trefferlage 1.46 mm rechts, 3.29 mm hoch
 Streuwert 14.92, horizontal: 16.27, vertikal: 13.43




Serie 1:
 8.3 ← 10.6 * 6.6 ← 9.6 ↘ 9.0 ↓
 10.7 * 7.6 ↑ 10.2 ↑ 6.6 ↑ 7.4 →
 beste Teiler 194.5 (6.) 317.3 (2.) 603.0 (8.)
 Trefferlage 2.04 mm links, 2.66 mm hoch
 Streuwert 16.24, horizontal: 16.56, vertikal: 15.92



Serie 2:
 10.1 ↑ 8.4 ↘ 8.1 → 9.0 → 8.5 ↓
 10.1 ↑ 6.3 ↗ 9.1 ↙ 7.2 ↑ 10.0 ↑
 beste Teiler 658.0 (11.) 675.5 (16.) 756.1 (20.)
 Trefferlage 5.87 mm rechts, 5.46 mm hoch
 Streuwert 13.99, horizontal: 14.40, vertikal: 13.57





Serie 3:
 9.6 ↗ 6.8 ↗ 10.8 * 7.9 ↓ 7.0 ←
 10.4 * 9.1 ↘ 9.8 ↘ 7.0 ↗ 8.2 ←
 beste Teiler 148.4 (23.) 418.8 (26.) 939.0 (28.)
 Trefferlage 1.93 mm links, 3.54 mm hoch
 Streuwert 15.80, horizontal: 17.20, vertikal: 14.27




Serie 4:
 9.2 ↘ 7.2 ↓ 8.0 ↘ 10.0 ← 7.7 →
 9.5 ↑ 9.2 → 9.8 ← 9.8 → 6.4 →
 beste Teiler 769.9 (34.) 938.0 (39.) 939.4 (38.)
 Trefferlage 3.98 mm rechts, 1.50 mm hoch
 Streuwert 14.92, horizontal: 17.73, vertikal: 11.45

Unterschrift des Schützen


Ergebnis: **331** (347.8)
 Serien: 83 86 86 76
 Zähler: 5 16 10 5 2 2 0 0 0 0
 Innenzehner: 1
 weiteste: 4538 (9), 4058 (40), 3933 (32)
 beste Teiler 459.5 (7.) 542.3 (35.) 556.2 (1.)
 Trefferlage 5.08 mm links, 0.98 mm tief
 Streuwert 14.26, horizontal: 16.47, vertikal: 11.63




Serie 1:
 10.3 ↑ 8.9 ↘ 8.7 ← 8.1 ↙ 9.0 ↘
 8.0 ← 10.4 * 8.9 ← 5.3 ↙ 9.7 ↙
 beste Teiler 459.5 (7.) 556.2 (1.) 993.8 (10.)
 Trefferlage 13.21 mm links, 4.30 mm tief
 Streuwert 11.67, horizontal: 14.31, vertikal: 8.22



Serie 2:
 9.1 ↖ 9.6 ↙ 9.5 ↗ 7.4 → 9.1 ↘
 7.7 ↙ 9.0 ↓ 8.5 ↑ 9.8 ↙ 10.2 ↑
 beste Teiler 569.0 (20.) 903.0 (19.) 1064.1 (12.)
 Trefferlage 3.44 mm links, 1.18 mm tief
 Streuwert 12.44, horizontal: 13.37, vertikal: 11.43



Serie 3:
 9.7 ↘ 9.2 ↗ 8.5 ↗ 9.9 ← 9.1 ↖
 8.4 ← 9.1 ↖ 9.4 → 7.9 ↙ 9.2 ↘
 beste Teiler 810.1 (24.) 995.7 (21.) 1228.5 (28.)
 Trefferlage 1.52 mm links, 0.09 mm hoch
 Streuwert 11.95, horizontal: 12.39, vertikal: 11.49



Serie 4:
 10.2 ↗ 6.0 ↗ 8.5 ↑ 7.5 ← 10.3 ←
 6.3 → 9.6 ↘ 8.1 ↙ 7.8 ↓ 5.9 ←
 beste Teiler 542.3 (35.) 630.4 (31.) 1088.9 (37.)
 Trefferlage 2.16 mm links, 1.45 mm hoch
 Streuwert 19.68, horizontal: 23.21, vertikal: 15.36

Unterschrift des Schützen

Ergebnis: **365** (383.8)

Serien: 93 92 90 90

Zähler: 14 18 7 1 0 0 0 0 0 0



Innenzehner: 5

weiteste: 2977 (21), 2051 (39), 2027 (31)

beste Teiler 305.8 (32.) 318.5 (22.) 333.1 (19.)

Trefferlage 1.58 mm links, 0.46 mm tief

Streuwert 8.66, horizontal: 9.01, vertikal: 8.29




Serie 1:

| | | | | |
|-------|--------|--------|--------|--------|
| 8.8 ↘ | 9.4 ↗ | 9.7 ↑ | 8.8 ↓ | 10.1 ↓ |
| 9.7 ↑ | 10.1 ↗ | 10.1 → | 10.0 ← | 10.5 * |

beste Teiler 337.0 (10.) 650.9 (8.) 686.9 (5.)

Trefferlage 2.33 mm rechts, 0.03 mm hoch

Streuwert 7.69, horizontal: 6.11, vertikal: 9.00




Serie 2:

| | | | | |
|--------|--------|-------|--------|-------|
| 10.0 → | 10.0 ↓ | 9.6 ↘ | 8.9 → | 9.4 ↗ |
| 8.6 ↗ | 10.1 ↘ | 9.4 ↓ | 10.5 * | 9.5 ↘ |

beste Teiler 333.1 (19.) 680.3 (17.) 756.5 (12.)

Trefferlage 3.14 mm rechts, 0.65 mm hoch

Streuwert 8.32, horizontal: 7.39, vertikal: 9.16




Serie 3:

| | | | | |
|--------|--------|-------|-------|--------|
| 7.2 ↙ | 10.6 * | 9.8 ↗ | 9.7 ↑ | 8.9 ↑ |
| 10.3 ↘ | 9.8 ← | 9.3 ← | 9.6 ↓ | 10.3 ← |

beste Teiler 318.5 (22.) 484.6 (26.) 542.8 (30.)

Trefferlage 5.27 mm links, 1.28 mm hoch

Streuwert 9.16, horizontal: 9.64, vertikal: 8.66



Serie 4:

| | | | | |
|-------|--------|-------|-------|-------|
| 8.4 ↙ | 10.6 * | 9.0 ↙ | 9.9 ↓ | 9.9 ↓ |
| 9.5 ↙ | 10.5 * | 9.1 ← | 8.4 ↘ | 9.8 ↓ |



beste Teiler 305.8 (32.) 387.1 (37.) 828.3 (34.)

Trefferlage 6.56 mm links, 3.83 mm tief


Streuwert 7.83, horizontal: 9.08, vertikal: 6.33

Unterschrift des Schützen


Ergebnis: **355** (372.1)
 Serien: 85 93 90 87
 Zähler: 7 24 6 3 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3158 (25), 2946 (1), 2463 (39)
 beste Teiler 267.9 (16.) 332.6 (28.) 395.4 (26.)
 Trefferlage 1.17 mm rechts, 1.40 mm tief
 Streuwert 10.39, horizontal: 11.57, vertikal: 9.06




Serie 1:
 7.3 → 9.5 ← 8.5 ↙ 9.3 ↙ 9.3 ↙
 9.0 ↘ 8.8 ↘ 9.9 ↘ 8.4 ↘ 9.8 ↘
 beste Teiler 804.8 (8.) 940.4 (10.) 1121.1 (2.)
 Trefferlage 2.08 mm links, 6.99 mm tief
 Streuwert 11.34, horizontal: 13.75, vertikal: 8.25



Serie 2:
 9.5 ← 9.4 ↘ 10.0 ↘ 9.8 ↘ 9.1 ↗
 10.6 * 9.9 ← 9.1 ↑ 9.2 ← 10.0 ↘
 beste Teiler 267.9 (16.) 727.8 (20.) 748.2 (13.)
 Trefferlage 0.11 mm links, 0.86 mm tief
 Streuwert 8.07, horizontal: 8.69, vertikal: 7.40



Serie 3:
 9.8 ↘ 8.3 ↑ 9.7 ↗ 10.3 ↘ 7.0 ↘
 10.5 * 9.2 ↗ 10.5 * 9.1 ↘ 9.7 ↗
 beste Teiler 332.6 (28.) 395.4 (26.) 483.1 (24.)
 Trefferlage 3.93 mm rechts, 3.58 mm hoch
 Streuwert 10.25, horizontal: 10.69, vertikal: 9.80



Serie 4:
 8.3 ↘ 9.2 ↑ 9.8 ↗ 8.5 ← 10.0 ↘
 9.5 ↘ 9.3 ↘ 9.6 ↘ 7.9 ↘ 9.5 ↓
 beste Teiler 769.0 (35.) 936.6 (33.) 1049.6 (38.)
 Trefferlage 2.98 mm rechts, 1.32 mm tief
 Streuwert 11.16, horizontal: 13.23, vertikal: 8.61

Unterschrift des Schützen