





Ergebnis:	374	(392.0) ^{QF}
Serien:	94 91 93 96	
Zaehler:	18 18 4 0 0 0 0 0 0 0	
Innenzehner:	11	
weiteste:	2272 (17), 1951 (11), 1727 (12)	
beste Teiler	99.7 (4.) 117.7 (31.) 158.6 (32.)	
Trefferlage	1.13 mm links, 1.49 mm hoch	
Streuwert	7.47, horizontal: 6.29, vertikal: 8.49	




Serie 1:	9.8 ↑	9.7 ↓	9.4 ↙	10.8 *	9.9 ↑
	10.6 *	9.5 ↗	9.2 ↑	10.2 ↘	10.4 *
beste Teiler	99.7 (4.) 288.9 (6.) 416.2 (10.)				
Trefferlage	0.00 mm , 2.08 mm hoch				
Streuwert	6.43, horizontal: 4.93, vertikal: 7.64				



Serie 2:	8.5 ↓	8.8 ↗	9.0 ↘	10.3 ↙	10.6 *
	10.1 ↖	8.1 ↙	9.8 ↓	10.1 ↗	9.6 ↘
beste Teiler	302.3 (15.) 485.6 (14.) 684.4 (19.)				
Trefferlage	2.66 mm links, 0.48 mm tief				
Streuwert	9.70, horizontal: 7.67, vertikal: 11.38				



Serie 3:	9.6 ↘	8.9 ↑	9.5 →	10.4 *	10.0 ↘
	10.5 *	9.3 ↑	9.2 ↘	9.0 ↖	10.2 ↗
beste Teiler	380.7 (26.) 452.3 (24.) 571.4 (30.)				
Trefferlage	1.40 mm rechts, 2.79 mm hoch				
Streuwert	8.03, horizontal: 7.88, vertikal: 8.17				





Serie 4:	10.8 *	10.8 *	10.4 *	9.7 ↑	10.4 *
	9.7 ↖	10.6 *	9.5 ↘	10.1 ↘	9.0 ↓
beste Teiler	117.7 (31.) 158.6 (32.) 272.8 (37.)				
Trefferlage	3.27 mm links, 1.59 mm hoch				
Streuwert	5.51, horizontal: 3.16, vertikal: 7.13				

QF – Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **373** (388.7)^{QF}
 Serien: 93 88 95 97
 Zaehler: 23 11 4 1 0 1 0 0 0 0
 Innenzehner: 9
 weiteste: 4566 (19), 2441 (21), 2393 (17)
 beste Teiler 209.0 (28.) 214.0 (20.) 238.0 (1.)
 Trefferlage 0.13 mm rechts, 0.63 mm hoch
 Streuwert 9.09, horizontal: 9.36, vertikal: 8.81




Serie 1:
 10.7 * 9.7 ↗ 8.8 ↘ 10.0 ← 9.1 ↗
 10.1 ↓ 9.2 ↑ 10.4 * 8.7 ↓ 10.3 ↘
 beste Teiler 238.0 (1.) 457.0 (8.) 551.4 (10.)
 Trefferlage 1.74 mm rechts, 1.01 mm hoch
 Streuwert 8.33, horizontal: 7.57, vertikal: 9.02



Serie 2:
 9.3 ↘ 10.2 ↓ 10.2 → 10.5 * 8.9 ↓
 9.0 ↑ 8.0 ← 9.9 ↗ 5.2 ↗ 10.7 *
 beste Teiler 214.0 (20.) 387.4 (14.) 573.9 (13.)
 Trefferlage 0.78 mm rechts, 1.87 mm hoch
 Streuwert 13.87, horizontal: 15.34, vertikal: 12.23



Serie 3:
 7.9 ↘ 10.4 * 10.1 ↖ 10.4 * 10.2 ↑
 10.3 ↖ 9.9 ↓ 10.7 * 10.5 * 9.1 ↘
 beste Teiler 209.0 (28.) 377.0 (29.) 421.0 (22.)
 Trefferlage 0.93 mm links, 1.59 mm tief
 Streuwert 7.52, horizontal: 7.04, vertikal: 7.98



Serie 4:
 10.2 ↖ 9.5 ↖ 10.0 ← 10.3 → 10.2 →
 9.6 ↓ 10.6 * 10.1 ← 10.2 ↓ 9.6 ↑
 beste Teiler 245.6 (37.) 531.0 (34.) 565.7 (35.)
 Trefferlage 1.06 mm links, 1.22 mm hoch
 Streuwert 5.72, horizontal: 5.58, vertikal: 5.85

QF – Schütze hat sich fürs Finale qualifiziert

Unterschrift des Schuetzen

Meyton Elektronik

Ergebnis: **370** (387.2)

Serien: 93 91 93 93

Zaehler: 15 20 5 0 0 0 0 0 0 0



Innenzehner: 5

weiteste: 1977 (11), 1905 (15), 1851 (25)

beste Teiler 313.6 (13.) 344.7 (3.) 361.0 (19.)

Trefferlage 0.23 mm links, 3.02 mm hoch

Streuwert 7.61, horizontal: 7.77, vertikal: 7.45




Serie 1:

10.4 *	9.5 →	10.5 *	9.8 ↘	9.2 ↑
9.1 ↓	10.1 ←	10.5 *	8.9 ←	9.8 ↗

beste Teiler 344.7 (3.) 392.5 (8.) 417.8 (1.)

Trefferlage 1.05 mm links, 0.43 mm hoch

Streuwert 7.58, horizontal: 7.56, vertikal: 7.60




Serie 2:

8.5 ↑	8.7 →	10.6 *	9.3 ←	8.6 ↘
10.2 ↘	10.0 ↘	9.1 ↑	10.5 *	9.7 ←

beste Teiler 313.6 (13.) 361.0 (19.) 576.5 (16.)

Trefferlage 1.64 mm links, 5.24 mm hoch

Streuwert 8.70, horizontal: 9.40, vertikal: 7.94




Serie 3:

9.6 ↗	9.7 ↘	9.5 ↗	9.5 ↗	8.6 ←
10.0 ←	10.1 ↑	10.1 ↑	9.3 ↗	10.0 ↓

beste Teiler 646.9 (27.) 716.5 (28.) 760.5 (30.)

Trefferlage 0.29 mm rechts, 3.89 mm hoch

Streuwert 7.75, horizontal: 8.91, vertikal: 6.38



Serie 4:

9.6 ↑	9.6 ↗	10.0 ↓	9.0 ↘	9.8 →
10.1 ↓	9.7 ↘	9.9 ↓	9.9 ↗	10.2 →



beste Teiler 567.8 (40.) 718.9 (36.) 723.6 (33.)

Trefferlage 1.46 mm rechts, 2.54 mm hoch

Streuwert 6.91, horizontal: 5.51, vertikal: 8.08


Unterschrift des Schuetzen

Ergebnis:	370	(386.7)
Serien:	94 93 93 90	
Zaehler:	17 16 7 0 0 0 0 0 0	
Innenzehner:	7	
weiteste:	2105 (30), 2015 (20), 1835 (38)	
beste Teiler	141.6 (21.) 272.3 (13.) 282.1 (22.)	
Trefferlage	1.02 mm rechts, 1.43 mm tief	
Streuwert	8.16, horizontal: 7.18, vertikal: 9.04	




Serie 1:

9.9 ↙	9.1 ↙	9.4 ↙	8.8 ↓	10.2 →
9.1 ↙	10.0 ↘	10.5 *	10.2 ↗	10.3 ↓
beste Teiler	394.9 (8.) 524.1 (10.) 614.3 (9.)			
Trefferlage	2.85 mm links, 4.68 mm tief			
Streuwert	6.74, horizontal: 7.29, vertikal: 6.14			




Serie 2:

10.1 ↗	10.0 ↙	10.6 *	9.5 ↘	8.9 ↓
10.2 ↙	10.5 *	9.7 ↘	9.7 ↗	8.4 ↙
beste Teiler	272.3 (13.) 369.5 (17.) 598.2 (16.)			
Trefferlage	0.07 mm links, 5.56 mm tief			
Streuwert	6.90, horizontal: 6.01, vertikal: 7.69			



Serie 3:

10.8 *	10.6 *	10.4 *	9.1 ↗	9.0 ↗
9.3 ↑	10.5 *	8.9 ↗	10.2 ↑	8.3 ↗
beste Teiler	141.6 (21.) 282.1 (22.) 368.7 (27.)			
Trefferlage	5.07 mm rechts, 6.40 mm hoch			
Streuwert	6.52, horizontal: 5.85, vertikal: 7.12			





Serie 4:


10.2 ↓	9.6 ↑	9.5 ↓	9.5 ↗	9.5 ↓
10.0 ↓	8.7 ↑	8.7 →	9.7 ↙	9.1 ↓
beste Teiler	596.6 (31.) 765.9 (36.) 986.7 (39.)			
Trefferlage	1.95 mm rechts, 1.89 mm tief			
Streuwert	9.21, horizontal: 7.91, vertikal: 10.36			

Unterschrift des Schuetzen


Ergebnis: **373** (389.8)^{QF}
 Serien: 95 91 91 96
 Zaehler: 18 18 3 1 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2783 (15), 2090 (12), 1723 (1)
 beste Teiler 178.4 (24.) 226.2 (5.) 281.0 (31.)
 Trefferlage 2.66 mm links, 3.09 mm tief
 Streuwert 7.44, horizontal: 6.91, vertikal: 7.93




Serie 1:
 8.8 ← 9.3 ← 10.6 * 10.6 * 10.7 *
 9.2 ↑ 10.0 ↓ 10.1 ↑ 9.9 ↓ 10.5 *
 beste Teiler 226.2 (5.) 311.0 (4.) 311.1 (3.)
 Trefferlage 3.31 mm links, 1.25 mm hoch
 Streuwert 6.46, horizontal: 6.51, vertikal: 6.41



Serie 2:
 9.6 ↘ 8.3 ↓ 9.6 ↙ 10.1 ↖ 7.5 ↙
 10.1 ↘ 9.0 ↘ 10.3 ↖ 10.0 → 9.2 ↙
 beste Teiler 540.4 (18.) 651.1 (16.) 651.8 (14.)
 Trefferlage 1.19 mm links, 6.87 mm tief
 Streuwert 9.35, horizontal: 10.31, vertikal: 8.28



Serie 3:
 9.0 ↓ 9.5 ↓ 9.7 ↓ 10.7 * 9.8 ↙
 9.9 ↖ 8.8 ↖ 9.8 ↑ 10.3 ↘ 9.5 ←
 beste Teiler 178.4 (24.) 526.1 (29.) 816.8 (26.)
 Trefferlage 3.35 mm links, 2.64 mm tief
 Streuwert 7.35, horizontal: 6.41, vertikal: 8.18





Serie 4:
 10.6 * 9.2 ↓ 9.1 ↙ 10.4 ↘ 9.8 ↙
 10.5 * 10.6 * 10.2 ↖ 10.0 ↓ 9.0 ↙
 beste Teiler 281.0 (31.) 317.7 (37.) 347.9 (36.)
 Trefferlage 2.79 mm links, 4.11 mm tief
 Streuwert 5.98, horizontal: 3.71, vertikal: 7.59

QF – Schütze hat sich fürs Finale qualifiziert

Unterschrift des Schuetzen


Meyton Elektronik

Ergebnis:	346	(364.8)
Serien:	79	89 88 90
Zaehler:	7	17 12 3 1 0 0 0 0 0
Innenzehner:	3	
weiteste:	3205 (27),	2996 (10), 2767 (7)
beste Teiler	145.9 (38.)	189.1 (25.) 336.8 (36.)
Trefferlage	7.96 mm links, 0.62 mm hoch	
Streuwert	10.19, horizontal: 8.72, vertikal: 11.48	




Serie 1:

8.0 ↑	8.3 ↖	9.9 ↗	8.8 ↑	8.8 ↙
8.6 ↘	7.5 ↓	8.9 ↖	8.3 ←	7.2 ↘
beste Teiler	802.3 (3.) 1607.2 (8.) 1733.6 (5.)			
Trefferlage	10.66 mm links, 4.76 mm hoch			
Streuwert	13.02, horizontal: 10.50, vertikal: 15.12			




Serie 2:

9.4 ↘	8.7 ↘	9.4 ↖	9.6 ↖	9.3 ↖
10.0 ↘	8.8 ↘	9.6 ↘	9.5 ↓	9.8 ↓
beste Teiler	769.9 (16.) 894.9 (20.) 1049.4 (14.)			
Trefferlage	5.30 mm links, 0.08 mm tief			
Streuwert	8.58, horizontal: 6.92, vertikal: 9.97			



Serie 3:

9.4 ↘	9.5 ↘	9.9 ↑	7.9 ←	10.7 *
9.2 ↑	6.9 ↖	10.3 ↘	10.2 ↖	9.0 ↑
beste Teiler	189.1 (25.) 550.2 (28.) 578.5 (29.)			
Trefferlage	5.39 mm links, 1.34 mm hoch			
Streuwert	11.03, horizontal: 9.69, vertikal: 12.22			





Serie 4:

9.0 ←	9.0 ←	9.2 ←	8.5 ←	10.1 ←
10.5 *	9.7 ↖	10.8 *	8.1 ↓	8.5 ↖
beste Teiler	145.9 (38.) 336.8 (36.) 646.4 (35.)			
Trefferlage	10.47 mm links, 3.50 mm tief			
Streuwert	7.13, horizontal: 6.84, vertikal: 7.40			


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **381** (398.5)^{QF}
 Serien: 94 95 96 96
 Zaehler: 21 19 0 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 1563 (34), 1462 (21), 1461 (31)
 beste Teiler 197.2 (3.) 220.1 (19.) 227.7 (24.)
 Trefferlage 0.89 mm links, 2.36 mm tief
 Streuwert 6.06, horizontal: 5.13, vertikal: 6.87




Serie 1:
 9.5 ↓ 9.8 ↑ 10.7 * 9.6 ↓ 9.9 ↑
 10.2 ↘ 10.5 * 9.8 ↑ 10.0 ↖ 9.9 →
 beste Teiler 197.2 (3.) 339.5 (7.) 591.2 (6.)
 Trefferlage 0.24 mm rechts, 0.24 mm hoch
 Streuwert 6.14, horizontal: 3.70, vertikal: 7.86



Serie 2:
 10.7 * 9.6 ← 9.9 → 9.9 ↘ 9.3 ↓
 9.2 ↓ 10.6 * 10.6 * 10.7 * 10.4 *
 beste Teiler 220.1 (19.) 233.5 (11.) 288.4 (18.)
 Trefferlage 0.53 mm rechts, 2.70 mm tief
 Streuwert 5.74, horizontal: 5.54, vertikal: 5.95



Serie 3:
 9.1 ↓ 10.4 * 9.2 ↙ 10.7 * 9.3 ←
 10.5 * 9.6 ↙ 10.2 ↖ 10.0 ↓ 10.0 ↖
 beste Teiler 227.7 (24.) 386.8 (26.) 436.0 (22.)
 Trefferlage 3.26 mm links, 3.81 mm tief
 Streuwert 5.96, horizontal: 5.06, vertikal: 6.74





Serie 4:
 9.1 ↗ 9.8 ↘ 10.0 ← 9.0 ↙ 9.6 ↓
 10.3 ↖ 10.3 ↓ 10.0 ↗ 10.1 ↗ 10.5 *
 beste Teiler 344.9 (40.) 507.8 (37.) 555.4 (36.)
 Trefferlage 1.08 mm links, 3.16 mm tief
 Streuwert 6.54, horizontal: 5.85, vertikal: 7.15

QF – Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis:	382	(400.9) ^{QF}
Serien:	97 93 100 92	
Zaehler:	23 16 1 0 0 0 0 0 0 0	
Innenzehner:	12	
weiteste:	1763 (35), 1592 (8), 1474 (19)	
beste Teiler	146.6 (22.) 228.5 (4.) 272.4 (23.)	
Trefferlage	1.39 mm links, 0.16 mm hoch	
Streuwert	6.00, horizontal: 6.08, vertikal: 5.92	




Serie 1:	10.6 *	10.2 →	10.4 ↖	10.7 *	9.9 ↖
	10.4 *	9.7 ↘	9.0 ↗	10.1 ↖	10.5 *
beste Teiler	228.5 (4.)	301.8 (1.)	375.1 (10.)		
Trefferlage	0.50 mm links, 1.72 mm hoch				
Streuwert	5.53, horizontal: 6.78, vertikal: 3.91				



Serie 2:	10.6 *	9.3 ↑	9.9 ↖	9.5 ↓	10.3 ↘
	10.6 *	9.3 ↖	9.6 ↘	9.1 ↗	9.5 ↗
beste Teiler	300.0 (11.)	313.4 (16.)	496.6 (15.)		
Trefferlage	0.01 mm links, 1.14 mm hoch				
Streuwert	7.69, horizontal: 7.66, vertikal: 7.72				



Serie 3:	10.0 ↓	10.8 *	10.6 *	10.5 *	10.3 →
	10.2 ↖	10.6 *	10.1 ↖	10.2 ↖	10.5 *
beste Teiler	146.6 (22.)	272.4 (23.)	292.1 (27.)		
Trefferlage	1.60 mm links, 0.83 mm tief				
Streuwert	3.47, horizontal: 3.98, vertikal: 2.87				





Serie 4:	9.7 ↖	9.7 ↖	9.7 ↘	9.7 ↓	8.7 ↘
	9.9 ↘	10.5 *	9.8 ↖	10.2 ↘	10.0 ↓
beste Teiler	373.3 (37.)	624.4 (39.)	739.1 (40.)		
Trefferlage	3.46 mm links, 1.40 mm tief				
Streuwert	6.81, horizontal: 5.64, vertikal: 7.81				

QF – Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **376** (394.1)^{QF}
 Serien: 95 96 92 93
 Zaehler: 18 20 2 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2289 (23), 1675 (3), 1537 (1)
 beste Teiler 128.5 (7.) 244.0 (5.) 310.4 (6.)
 Trefferlage 0.53 mm links, 0.39 mm tief
 Streuwert 6.97, horizontal: 6.83, vertikal: 7.11




Serie 1:
 9.0 ← 10.0 ↖ 8.9 ↙ 9.7 ↘ 10.6 *
 10.6 * 10.8 * 10.2 ↙ 10.3 ↗ 9.7 ←
 beste Teiler 128.5 (7.) 244.0 (5.) 310.4 (6.)
 Trefferlage 4.67 mm links, 1.04 mm tief
 Streuwert 5.92, horizontal: 7.00, vertikal: 4.59



Serie 2:
 9.3 ↑ 9.7 ← 10.3 ↓ 9.1 ↗ 10.2 ↖
 10.3 ← 10.5 * 10.1 ← 10.4 * 9.4 ↗
 beste Teiler 365.3 (17.) 432.1 (19.) 505.2 (16.)
 Trefferlage 0.10 mm rechts, 3.54 mm hoch
 Streuwert 6.23, horizontal: 7.04, vertikal: 5.28



Serie 3:
 10.2 ↖ 9.6 ↓ 8.1 ↘ 9.7 ↓ 9.6 ↓
 10.1 ↖ 9.9 ↙ 10.3 ← 9.8 ↘ 9.9 →
 beste Teiler 512.1 (28.) 579.8 (21.) 644.1 (26.)
 Trefferlage 0.25 mm links, 4.90 mm tief
 Streuwert 7.25, horizontal: 5.91, vertikal: 8.37





Serie 4:
 9.5 ↓ 9.7 ↖ 9.2 ↖ 10.1 → 9.7 →
 9.9 ↓ 9.6 ↗ 10.3 ↖ 10.4 * 9.4 ↘
 beste Teiler 474.1 (39.) 493.2 (38.) 648.5 (34.)
 Trefferlage 2.67 mm rechts, 0.83 mm hoch
 Streuwert 6.91, horizontal: 6.12, vertikal: 7.61

QF – Schütze hat sich fürs Finale qualifiziert

Unterschrift des Schuetzen


Meyton Elektronik

Ergebnis:	365	(380.7)
Serien:	94 94 89 88	
Zaehler:	18 11 9 2 0 0 0 0 0 0	
Innenzehner:	7	
weiteste:	2468 (37), 2423 (5), 2362 (23)	
beste Teiler	266.3 (13.) 332.4 (25.) 380.8 (6.)	
Trefferlage	0.49 mm links, 3.38 mm hoch	
Streuwert	9.13, horizontal: 9.84, vertikal: 8.36	




Serie 1:

10.3 ↖	10.3 ↗	9.2 ↘	9.2 →	7.9 ↗
10.5 *	10.0 ↑	10.3 ↗	10.3 ↘	9.3 ←
beste Teiler	380.8 (6.)	497.6 (9.)	500.3 (1.)	
Trefferlage	0.14 mm rechts, 5.18 mm hoch			
Streuwert	7.71, horizontal: 7.81, vertikal: 7.61			




Serie 2:

8.5 →	10.5 *	10.6 *	10.4 *	10.4 *
10.1 ↗	9.8 ←	9.6 ↘	8.8 ←	10.0 →
beste Teiler	266.3 (13.)	381.2 (12.)	410.0 (14.)	
Trefferlage	1.05 mm links, 1.13 mm hoch			
Streuwert	7.45, horizontal: 9.89, vertikal: 3.65			



Serie 3:

9.4 ↑	8.2 →	8.0 ←	8.2 ←	10.5 *
9.4 ←	10.1 ←	8.4 ↑	9.7 ↓	10.1 ↘
beste Teiler	332.4 (25.)	696.3 (27.)	697.2 (30.)	
Trefferlage	2.71 mm links, 0.52 mm tief			
Streuwert	11.42, horizontal: 13.22, vertikal: 9.27			





Serie 4:

9.5 ↖	9.5 ↘	8.7 ↗	10.0 ↖	8.8 ↗
8.2 ↑	7.9 ↖	10.4 *	9.7 ↘	10.0 →
beste Teiler	462.2 (38.)	741.7 (40.)	779.0 (34.)	
Trefferlage	1.65 mm rechts, 7.74 mm hoch			
Streuwert	9.30, horizontal: 8.67, vertikal: 9.89			

Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis:	361	(379.6)
Serien:	88 90 92 91	
Zaehler:	10 22 7 1 0 0 0 0 0 0	
Innenzehner:	4	
weiteste:	2839 (32), 2224 (9), 2221 (14)	
beste Teiler	121.2 (39.) 157.2 (30.) 359.8 (7.)	
Trefferlage	1.28 mm rechts, 0.31 mm tief	
Streuwert	9.33, horizontal: 9.45, vertikal: 9.20	



Serie 1:

9.4 →	8.4 ↗	9.3 ←	9.2 →	9.6 ←
9.3 ↘	10.5 *	9.5 ↓	8.2 ↙	8.3 →


beste Teiler 359.8 (7.) 1064.3 (5.) 1192.9 (8.)
 Trefferlage 1.38 mm rechts, 1.41 mm hoch
 Streuwert 11.25, horizontal: 12.78, vertikal: 9.46



Serie 2:

10.4 *	9.1 ↓	9.3 ↓	8.2 ↖	10.1 →
10.3 ↖	8.6 ↑	9.7 ↑	8.9 ↓	9.3 ↙


beste Teiler 423.6 (11.) 500.9 (16.) 649.1 (15.)
 Trefferlage 1.01 mm links, 1.88 mm tief
 Streuwert 10.08, horizontal: 8.00, vertikal: 11.80



Serie 3:

9.9 ↘	10.3 ↑	9.9 ↖	8.8 ↘	9.9 ←
10.0 →	9.5 ↖	9.0 ↓	9.6 ↙	10.8 *

beste Teiler 157.2 (30.) 554.5 (22.) 782.3 (26.)
 Trefferlage 0.55 mm links, 1.12 mm tief
 Streuwert 7.71, horizontal: 7.82, vertikal: 7.61



Serie 4:



9.2 →	7.4 ↗	10.1 ↖	10.0 →	9.7 ↘
9.7 ↘	9.7 ←	9.8 ↘	10.8 *	9.9 ↗

beste Teiler 121.2 (39.) 692.8 (33.) 748.5 (34.)
 Trefferlage 5.34 mm rechts, 0.33 mm hoch
 Streuwert 8.46, horizontal: 8.37, vertikal: 8.55


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis:	383				(402.3) ^{QF}
Serien:	96	93	98	96	
Zaehler:	25	13	2	0	0 0 0 0 0 0
Innenzehner:	11				
weiteste:	2122	(22), 1616	(20), 1352	(33)	
beste Teiler	13.0	(6.) 225.2	(25.) 232.1	(21.)	
Trefferlage	0.14	mm rechts,	0.36	mm tief	
Streuwert	5.84,	horizontal: 4.62,	vertikal: 6.85		




Serie 1:	10.2 ↓	10.6 *	9.9 ↓	10.3 ↑	9.7 ↓
	10.9 *	9.4 ↓	9.8 ↑	10.1 ↑	10.2 ↓
beste Teiler	13.0	(6.) 250.4	(2.) 557.1	(4.)	
Trefferlage	1.43	mm rechts,	2.26	mm tief	
Streuwert	5.26,	horizontal: 2.00,	vertikal: 7.16		



Serie 2:	9.9 ↓	9.7 ←	9.8 ↓	10.4 *	10.1 ←
	9.9 ↓	9.8 ↑	10.1 ↑	10.1 ↑	8.9 ↓
beste Teiler	441.0	(14.) 647.9	(19.) 670.3	(15.)	
Trefferlage	2.24	mm links,	2.68	mm tief	
Streuwert	6.23,	horizontal: 4.00,	vertikal: 7.85		



Serie 3:	10.7 *	8.3 ↘	10.6 *	10.5 *	10.7 *
	10.5 *	10.0 ↓	10.2 ↘	10.4 *	10.1 ↑
beste Teiler	225.2	(25.) 232.1	(21.) 301.0	(23.)	
Trefferlage	1.00	mm links,	1.52	mm hoch	
Streuwert	5.88,	horizontal: 5.20,	vertikal: 6.49		





Serie 4:	10.6 *	10.2 ↘	9.3 ↘	9.9 →	10.6 *
	10.2 ↑	9.7 ↑	10.2 ↓	10.3 ←	9.5 ↑
beste Teiler	254.4	(35.) 276.1	(31.) 506.6	(39.)	
Trefferlage	2.38	mm rechts,	1.95	mm hoch	
Streuwert	5.42,	horizontal: 5.48,	vertikal: 5.35		

QF – Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis:	374	(394.9) ^{QF}
Serien:	95 90 95 94	
Zaehler:	18 18 4 0 0 0 0 0 0 0	
Innenzehner:	12	
weiteste:	2306 (15), 2092 (19), 1873 (16)	
beste Teiler	93.9 (24.) 206.9 (5.) 233.3 (35.)	
Trefferlage	0.82 mm links, 4.33 mm tief	
Streuwert	6.51, horizontal: 5.69, vertikal: 7.24	




Serie 1:	10.4 *	9.1 ↘	9.4 ↗	10.5 *	10.7 *
	10.1 ↓	9.7 ↓	9.9 ←	10.7 *	9.6 ↙
beste Teiler	206.9 (5.) 236.4 (9.) 343.3 (4.)				
Trefferlage	2.04 mm links, 2.78 mm tief				
Streuwert	5.90, horizontal: 4.99, vertikal: 6.69				



Serie 2:	10.2 ↗	10.4 *	9.6 ↓	10.5 *	8.1 ↓
	8.6 ↓	9.8 ↗	9.7 ↑	8.3 ↘	9.7 ←
beste Teiler	399.4 (14.) 408.0 (12.) 582.8 (11.)				
Trefferlage	2.45 mm links, 5.71 mm tief				
Streuwert	8.86, horizontal: 6.71, vertikal: 10.59				



Serie 3:	9.4 →	9.3 ↓	9.9 →	10.8 *	10.1 ↘
	9.9 ↓	10.3 ←	10.6 *	10.4 →	9.8 ↙
beste Teiler	93.9 (24.) 267.4 (28.) 477.4 (29.)				
Trefferlage	1.50 mm rechts, 3.43 mm tief				
Streuwert	5.34, horizontal: 5.54, vertikal: 5.14				



Serie 4:	9.8 ↓	8.6 ↓	9.6 ↓	9.3 →	10.7 *
	10.6 *	10.1 ↓	10.4 *	10.4 *	9.9 ↓
beste Teiler	233.3 (35.) 289.9 (36.) 417.0 (39.)				
Trefferlage	0.27 mm links, 5.40 mm tief				
Streuwert	5.74, horizontal: 5.38, vertikal: 6.09				

QF – Schütze hat sich fürs Finale qualifiziert

Unterschrift des Schuetzen

Meyton Elektronik