





Ergebnis: **351** (370.7)
 Serien: 89 88 87 87
 Zähler: 8 19 10 2 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3488 (26), 2481 (3), 2448 (13)
 beste Teiler 233.0 (35.) 294.0 (8.) 313.2 (19.)
 Trefferlage 2.13 mm links, 0.74 mm hoch
 Streuwert 10.63, horizontal: 10.91, vertikal: 10.34




Serie 1:
 9.6 ↑ 9.5 ↑ 7.8 ← 8.7 ↓ 8.9 ↑
 9.5 → 9.0 ↑ 10.6 * 10.3 ↓ 10.2 ↓
 beste Teiler 294.0 (8.) 491.1 (9.) 575.1 (10.)
 Trefferlage 1.44 mm links, 2.16 mm hoch
 Streuwert 10.11, horizontal: 9.49, vertikal: 10.69



Serie 2:
 8.2 ↗ 9.2 ← 7.9 ↓ 9.5 → 9.6 →
 10.3 ↘ 9.7 ↑ 8.8 ↓ 10.6 * 9.4 ←
 beste Teiler 313.2 (19.) 505.1 (16.) 1001.4 (17.)
 Trefferlage 0.40 mm links, 2.18 mm tief
 Streuwert 10.72, horizontal: 10.14, vertikal: 11.27



Serie 3:
 9.2 ← 9.3 ↖ 10.2 ↑ 9.6 → 8.9 ↖
 6.6 ↙ 9.4 → 9.4 ← 10.3 ↗ 8.7 ←
 beste Teiler 524.7 (29.) 578.2 (23.) 1044.2 (24.)
 Trefferlage 6.35 mm links, 1.04 mm tief
 Streuwert 11.14, horizontal: 11.87, vertikal: 10.36





Serie 4:
 9.8 ↑ 9.8 ↓ 8.6 ↙ 9.0 ↑ 10.7 *
 9.2 → 8.1 ↖ 8.3 ↗ 9.4 ↖ 8.9 →
 beste Teiler 233.0 (35.) 919.5 (31.) 960.0 (32.)
 Trefferlage 0.32 mm links, 4.02 mm hoch
 Streuwert 11.00, horizontal: 12.45, vertikal: 9.33


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (392.6)^{QF}
 Serien: 96 94 95 88
 Zähler: 20 15 3 2 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 2829 (40), 2458 (17), 1874 (37)
 beste Teiler 103.7 (18.) 104.1 (9.) 262.3 (27.)
 Trefferlage 1.46 mm links, 1.66 mm tief
 Streuwert 7.70, horizontal: 6.06, vertikal: 9.05




Serie 1:
 10.3 ↘ 10.2 ↗ 9.5 ↑ 10.3 ↑ 8.9 ↑
 9.0 ↙ 10.4 * 10.5 * 10.8 * 10.5 *
 beste Teiler 104.1 (9.) 335.4 (8.) 374.7 (10.)
 Trefferlage 0.81 mm links, 3.25 mm hoch
 Streuwert 6.05, horizontal: 4.41, vertikal: 7.33



Serie 2:
 9.4 ↓ 10.3 ↓ 9.7 ↘ 9.8 ↑ 10.2 →
 10.2 ↙ 7.9 ↓ 10.8 * 10.3 ↓ 10.6 *
 beste Teiler 103.7 (18.) 280.1 (20.) 519.0 (12.)
 Trefferlage 0.57 mm links, 3.66 mm tief
 Streuwert 7.18, horizontal: 4.44, vertikal: 9.13



Serie 3:
 9.5 ↘ 10.1 ↙ 9.1 ← 10.6 * 9.4 ↓
 10.6 * 10.6 * 10.0 ↙ 9.2 ↓ 9.9 ↑
 beste Teiler 262.3 (27.) 285.3 (24.) 300.5 (26.)
 Trefferlage 3.28 mm links, 1.77 mm tief
 Streuwert 6.57, horizontal: 5.52, vertikal: 7.48





Serie 4:
 9.9 ↙ 9.4 ← 9.8 ↑ 10.6 * 10.6 *
 9.4 ↓ 8.6 ↓ 8.8 → 9.5 ↘ 7.4 ↙
 beste Teiler 274.8 (35.) 288.4 (34.) 831.9 (31.)
 Trefferlage 1.19 mm links, 4.45 mm tief
 Streuwert 10.17, horizontal: 9.20, vertikal: 11.06

QF – Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (369.9)
 Serien: 88 91 90 85
 Zähler: 10 15 14 1 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2718 (39), 2260 (19), 2181 (10)
 beste Teiler 379.2 (17.) 382.6 (21.) 468.9 (4.)
 Trefferlage 4.07 mm links, 2.76 mm hoch
 Streuwert 10.09, horizontal: 8.67, vertikal: 11.32




Serie 1:
 9.8 ↗ 9.7 ↘ 9.2 ← 10.4 * 8.8 →
 9.4 ↓ 8.3 ↙ 8.9 ↘ 10.0 ↖ 8.2 ↑
 beste Teiler 468.9 (4.) 791.3 (9.) 954.5 (1.)
 Trefferlage 1.03 mm links, 2.17 mm tief
 Streuwert 10.66, horizontal: 9.41, vertikal: 11.78



Serie 2:
 9.9 ↗ 9.5 ↘ 8.2 ↖ 10.2 ← 9.5 ↑
 9.0 ↖ 10.5 * 10.4 * 8.1 ↑ 9.2 ↖
 beste Teiler 379.2 (17.) 471.7 (18.) 587.1 (14.)
 Trefferlage 3.82 mm links, 4.76 mm hoch
 Streuwert 8.96, horizontal: 8.56, vertikal: 9.34



Serie 3:
 10.5 * 8.3 ← 9.2 ↖ 9.2 ↖ 10.3 ↘
 9.2 ← 10.1 ↓ 9.5 ↑ 8.8 ↙ 8.7 ↑
 beste Teiler 382.6 (21.) 544.4 (25.) 663.7 (27.)
 Trefferlage 5.84 mm links, 2.65 mm hoch
 Streuwert 9.10, horizontal: 7.99, vertikal: 10.09





Serie 4:
 9.3 ↑ 10.0 ↖ 10.1 ↗ 8.3 ↖ 8.5 ↑
 9.3 ↑ 8.6 ↗ 8.3 ↖ 7.6 ↗ 8.9 ↙
 beste Teiler 673.8 (33.) 731.1 (32.) 1314.6 (36.)
 Trefferlage 5.60 mm links, 5.84 mm hoch
 Streuwert 11.61, horizontal: 9.15, vertikal: 13.64

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	364	(386.6) ^{QF}			
Serien:	93	91	88	92	
Zähler:	13	18	9	0	0 0 0 0 0 0
Innenzehner:	5				
weiteste:	1813 (23), 1773 (11), 1773 (40)				
beste Teiler	267.1 (26.) 281.8 (32.) 304.1 (14.)				
Trefferlage	0.02 mm links, 2.29 mm tief				
Streuwert	8.05, horizontal: 8.79, vertikal: 7.23				




Serie 1:

10.5 *	10.3 ↗	10.2 ↘	9.2 ↙	8.7 ↘
9.6 ←	9.7 ↘	9.7 ↖	10.3 ↗	9.9 ↓
beste Teiler	343.1 (1.) 530.7 (2.) 545.9 (9.)			
Trefferlage	1.44 mm links, 3.74 mm tief			
Streuwert	6.87, horizontal: 7.49, vertikal: 6.17			




Serie 2:

8.7 →	10.1 ↗	9.1 ↓	10.6 *	9.9 ↗
10.2 →	10.3 ↙	9.7 ↑	8.8 ↘	8.9 ↖
beste Teiler	304.1 (14.) 553.6 (17.) 561.5 (16.)			
Trefferlage	3.26 mm rechts, 1.01 mm hoch			
Streuwert	8.49, horizontal: 8.13, vertikal: 8.83			



Serie 3:

9.8 ↘	9.6 ↖	8.7 ↓	8.8 ↗	8.9 ←
10.6 *	9.8 ↓	9.6 ↙	9.3 ↙	9.4 ←
beste Teiler	267.1 (26.) 936.1 (21.) 948.1 (27.)			
Trefferlage	4.05 mm links, 4.11 mm tief			
Streuwert	8.55, horizontal: 9.03, vertikal: 8.05			



Serie 4:



10.3 ↖	10.6 *	9.9 ↘	9.9 ←	9.9 ↘
8.8 →	10.0 ↘	10.6 *	9.0 ↙	8.7 ↘
beste Teiler	281.8 (32.) 315.1 (38.) 549.5 (31.)			
Trefferlage	2.15 mm rechts, 2.32 mm tief			
Streuwert	7.78, horizontal: 9.66, vertikal: 5.25			

QF – Schütze hat sich fürs Finale qualifiziert

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	372				(387.6) ^{QF}				
Serien:	93	93	91	95					
Zähler:	20	13	6	1	0	0	0	0	0
Innenzehner:	11								
weiteste:	2993 (24), 2189 (13), 2002 (16)								
beste Teiler	116.5 (6.) 193.0 (19.) 261.0 (7.)								
Trefferlage	1.27 mm rechts, 1.60 mm tief								
Streuwert	8.49, horizontal: 6.95, vertikal: 9.79								




Serie 1:

9.1 ↓	8.6 ↗	9.1 ↘	9.1 ↘	10.3 ↗
10.8 *	10.6 *	10.3 ↓	9.7 ↖	9.6 ↙
beste Teiler	116.5 (6.) 261.0 (7.) 490.8 (5.)			
Trefferlage	0.10 mm rechts, 1.94 mm tief			
Streuwert	8.32, horizontal: 6.93, vertikal: 9.51			




Serie 2:

10.1 →	10.4 *	8.2 ↓	9.3 ↙	10.4 *
8.4 ↑	10.4 *	8.5 ←	10.7 *	10.4 *
beste Teiler	193.0 (19.) 433.9 (12.) 440.5 (20.)			
Trefferlage	0.21 mm rechts, 1.60 mm tief			
Streuwert	9.24, horizontal: 7.72, vertikal: 10.54			



Serie 3:

10.5 *	10.5 *	10.1 ↙	7.2 ↑	8.6 →
9.1 ↘	10.3 ↓	9.3 ↓	9.3 ↙	9.8 ↘
beste Teiler	347.4 (22.) 399.1 (21.) 495.3 (27.)			
Trefferlage	2.12 mm rechts, 2.76 mm tief			
Streuwert	10.29, horizontal: 8.00, vertikal: 12.16			



Serie 4:



10.6 *	9.5 ↑	10.5 *	10.3 ↙	10.1 ↙
9.0 ↓	10.0 ↘	10.1 →	9.9 ↑	8.9 →
beste Teiler	314.3 (31.) 321.7 (33.) 524.6 (34.)			
Trefferlage	2.66 mm rechts, 0.10 mm tief			
Streuwert	6.84, horizontal: 5.64, vertikal: 7.86			

QF – Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **355** (373.3)
 Serien: 89 84 93 89
 Zähler: 11 16 10 3 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2794 (16), 2773 (19), 2490 (2)
 beste Teiler 274.5 (9.) 364.4 (10.) 376.5 (25.)
 Trefferlage 1.65 mm rechts, 0.88 mm hoch
 Streuwert 10.36, horizontal: 10.39, vertikal: 10.34




Serie 1:
 9.9 ↗ 7.8 → 8.7 ↓ 8.7 ↘ 8.7 ↙
 9.2 → 10.2 → 10.4 * 10.6 * 10.5 *
 beste Teiler 274.5 (9.) 364.4 (10.) 443.6 (8.)
 Trefferlage 1.11 mm rechts, 0.97 mm tief
 Streuwert 10.37, horizontal: 11.34, vertikal: 9.31



Serie 2:
 9.3 ↗ 8.4 → 9.0 ↗ 8.2 ↘ 9.8 ↙
 7.5 ↗ 10.4 * 8.8 ↙ 7.5 → 9.5 ←
 beste Teiler 452.8 (17.) 924.2 (15.) 1188.5 (20.)
 Trefferlage 3.13 mm rechts, 3.10 mm hoch
 Streuwert 13.36, horizontal: 14.94, vertikal: 11.56



Serie 3:
 10.2 ↗ 9.3 ↘ 9.5 ↓ 9.5 → 10.5 *
 9.9 ↓ 9.2 ↗ 9.9 → 10.3 ↗ 9.1 →
 beste Teiler 376.5 (25.) 531.7 (29.) 619.2 (21.)
 Trefferlage 3.37 mm rechts, 2.62 mm hoch
 Streuwert 7.07, horizontal: 6.64, vertikal: 7.47





Serie 4:
 9.3 ↗ 10.1 → 10.0 ↘ 10.1 ↘ 8.5 ↗
 8.6 ↓ 8.8 ↙ 9.6 ↗ 8.2 ↓ 9.6 ←
 beste Teiler 661.1 (34.) 708.5 (32.) 795.9 (33.)
 Trefferlage 1.00 mm links, 1.19 mm tief
 Streuwert 10.67, horizontal: 7.60, vertikal: 13.04

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	356	(374.7)
Serien:	93	86 89 88
Zähler:	9	22 5 4 0 0 0 0 0 0
Innenzehner:	3	
weiteste:	3119 (18),	2736 (37), 2499 (20)
beste Teiler	80.5 (1.)	322.7 (26.) 410.1 (35.)
Trefferlage	1.35 mm rechts, 4.98 mm tief	
Streuwert	9.57, horizontal: 10.36, vertikal: 8.72	




Serie 1:

10.9 *	10.1 ←	10.2 ↘	9.5 ↓	9.6 ↙
9.1 ↘	9.4 ↑	9.3 ↘	10.3 ↓	8.6 ↘
beste Teiler	80.5 (1.) 527.1 (9.) 582.2 (3.)			
Trefferlage	0.69 mm links, 2.28 mm tief			
Streuwert	8.21, horizontal: 7.69, vertikal: 8.70			




Serie 2:

9.3 ↘	9.7 ↓	9.9 ↘	9.9 ↓	9.8 ↘
9.9 ↘	9.4 ↓	7.1 →	9.3 ↓	7.8 ↓
beste Teiler	804.4 (14.) 839.1 (13.) 840.5 (16.)			
Trefferlage	4.39 mm rechts, 6.63 mm tief			
Streuwert	10.11, horizontal: 11.62, vertikal: 8.33			



Serie 3:

9.6 ↘	9.7 ↘	9.3 ↘	9.0 ↘	9.6 ↘
10.5 *	7.8 ↓	8.7 ↘	9.6 ↑	10.1 ↘
beste Teiler	322.7 (26.) 718.8 (30.) 985.1 (22.)			
Trefferlage	2.82 mm links, 4.38 mm tief			
Streuwert	9.41, horizontal: 8.81, vertikal: 9.97			





Serie 4:

9.7 ↘	8.5 ↘	9.2 ↘	10.3 ↓	10.4 *
8.4 ↘	7.5 ↘	10.2 ↘	8.2 ↘	9.3 ↘
beste Teiler	410.1 (35.) 488.3 (34.) 618.8 (38.)			
Trefferlage	4.53 mm rechts, 6.62 mm tief			
Streuwert	10.44, horizontal: 12.15, vertikal: 8.40			


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	374	(392.7) ^{QF}
Serien:	95 93 92 94	
Zähler:	16 22 2 0 0 0 0 0 0 0	
Innenzehner:	5	
weiteste:	1906 (20), 1643 (8), 1508 (39)	
beste Teiler	329.8 (18.) 336.8 (5.) 391.4 (9.)	
Trefferlage	0.16 mm rechts, 2.13 mm tief	
Streuwert	6.84, horizontal: 6.50, vertikal: 7.16	




Serie 1:					
9.5 →	10.3 ↙	10.3 →	10.0 ↑	10.5 *	
9.5 ↘	9.8 ↘	8.9 ↑	10.5 *	10.1 ↓	
beste Teiler	336.8 (5.)	391.4 (9.)	532.3 (3.)		
Trefferlage	1.78 mm rechts, 0.24 mm tief				
Streuwert	6.53, horizontal: 5.61, vertikal: 7.34				



Serie 2:					
9.9 →	10.1 ↓	9.1 ↓	9.9 ←	10.2 ↙	
9.8 ↑	10.4 *	10.5 *	9.9 ↘	8.6 ↓	
beste Teiler	329.8 (18.)	417.4 (17.)	595.6 (15.)		
Trefferlage	0.24 mm rechts, 3.67 mm tief				
Streuwert	6.87, horizontal: 5.39, vertikal: 8.08				



Serie 3:					
9.3 ↗	9.8 ↘	9.7 ↙	9.4 ↓	9.7 →	
10.1 ↗	10.4 *	9.8 ↙	9.6 ↙	9.8 ↙	
beste Teiler	407.7 (27.)	647.4 (26.)	882.6 (30.)		
Trefferlage	0.25 mm rechts, 2.43 mm tief				
Streuwert	7.02, horizontal: 7.80, vertikal: 6.14				





Serie 4:					
9.6 ↖	9.1 ↘	10.3 ↗	9.2 ↙	10.3 ↖	
10.2 ↘	9.9 ←	9.4 ↑	9.1 ↘	10.2 ↙	
beste Teiler	504.6 (33.)	555.2 (35.)	567.0 (36.)		
Trefferlage	1.61 mm links, 2.20 mm tief				
Streuwert	7.54, horizontal: 7.45, vertikal: 7.64				

QF – Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **356** (375.0)
 Serien: 93 91 85 87
 Zähler: 9 20 10 0 1 0 0 0 0 0
 Innenzehner: 1
 weiteste: 3299 (23), 2034 (30), 2018 (31)
 beste Teiler 214.0 (27.) 514.5 (11.) 583.1 (10.)
 Trefferlage 5.32 mm links, 1.75 mm tief
 Streuwert 9.08, horizontal: 8.44, vertikal: 9.68




Serie 1:
 9.3 ↓ 10.0 ↓ 9.2 ↘ 9.9 ↑ 10.2 ↑
 10.2 ← 8.5 ↙ 9.3 ← 9.4 ← 10.2 ↓
 beste Teiler 583.1 (10.) 627.3 (5.) 635.1 (6.)
 Trefferlage 3.73 mm links, 4.06 mm tief
 Streuwert 7.55, horizontal: 6.93, vertikal: 8.13



Serie 2:
 10.3 ↓ 8.6 ↖ 10.1 ↓ 9.4 ↗ 10.0 ←
 9.8 ← 9.6 ↖ 8.6 ↘ 9.4 ↘ 9.6 ↙
 beste Teiler 514.5 (11.) 708.4 (13.) 800.8 (15.)
 Trefferlage 3.28 mm links, 2.29 mm tief
 Streuwert 8.65, horizontal: 9.23, vertikal: 8.03



Serie 3:
 8.8 ↓ 9.9 ↑ 6.8 ↙ 9.0 ↘ 9.4 ↓
 9.3 ↘ 10.7 * 8.8 ↙ 9.9 ↖ 8.4 ↖
 beste Teiler 214.0 (27.) 815.8 (29.) 859.6 (22.)
 Trefferlage 6.57 mm links, 4.55 mm tief
 Streuwert 10.99, horizontal: 10.63, vertikal: 11.34





Serie 4:
 8.4 ← 9.1 ↖ 8.8 ↑ 9.6 ↓ 8.9 ↑
 8.9 ← 9.3 ↖ 9.9 ← 9.4 ↑ 10.1 ↓
 beste Teiler 649.6 (40.) 867.8 (38.) 1109.2 (34.)
 Trefferlage 7.68 mm links, 3.90 mm hoch
 Streuwert 8.47, horizontal: 6.87, vertikal: 9.82


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **361** (380.0)^{QF}
 Serien: 88 93 87 93
 Zähler: 12 18 9 1 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2563 (27), 2362 (6), 1989 (1)
 beste Teiler 245.8 (31.) 248.7 (37.) 299.8 (34.)
 Trefferlage 2.16 mm links, 0.48 mm hoch
 Streuwert 9.09, horizontal: 8.46, vertikal: 9.68




Serie 1:
 8.5 ↑ 9.2 ↘ 9.6 ↖ 10.1 ↗ 8.7 ←
 8.0 ← 8.5 ↗ 9.0 ↑ 9.7 ↘ 10.2 →
 beste Teiler 639.9 (10.) 687.0 (4.) 1039.8 (9.)
 Trefferlage 4.12 mm links, 3.32 mm hoch
 Streuwert 10.80, horizontal: 9.53, vertikal: 11.93



Serie 2:
 9.8 ↑ 10.1 ↘ 9.8 ↘ 10.0 → 10.1 ↗
 9.4 ↓ 9.8 ← 10.3 ↖ 8.6 ↘ 9.9 ↓
 beste Teiler 510.7 (18.) 645.4 (15.) 682.8 (12.)
 Trefferlage 0.87 mm links, 2.68 mm tief
 Streuwert 7.13, horizontal: 6.29, vertikal: 7.89



Serie 3:
 9.8 ↖ 10.4 * 8.9 ↘ 8.8 ↖ 8.5 →
 9.5 ↖ 7.7 ← 9.2 ← 10.0 ↗ 9.8 ↓
 beste Teiler 425.6 (22.) 759.0 (29.) 947.9 (30.)
 Trefferlage 3.77 mm links, 1.15 mm tief
 Streuwert 10.69, horizontal: 11.32, vertikal: 10.01





Serie 4:
 10.6 * 9.9 ↘ 9.2 ↓ 10.6 * 9.8 →
 10.0 → 10.6 * 9.5 ↗ 9.0 ↖ 8.9 ↑
 beste Teiler 245.8 (31.) 248.7 (37.) 299.8 (34.)
 Trefferlage 0.10 mm rechts, 2.47 mm hoch
 Streuwert 7.43, horizontal: 6.06, vertikal: 8.58

QF – Schütze hat sich fürs Finale qualifiziert

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	362	(381.4) ^{QF}			
Serien:	88	91	92	91	
Zähler:	13	17	9	1	0 0 0 0 0 0
Innenzehner:	7				
weiteste:	3018 (1), 2369 (28), 2352 (2)				
beste Teiler	158.6 (38.) 169.5 (13.) 208.5 (35.)				
Trefferlage	4.32 mm links, 1.02 mm hoch				
Streuwert	8.94, horizontal: 9.93, vertikal: 7.84				




Serie 1:

7.2 ←	8.0 ←	8.5 ←	8.9 ↘	9.9 ↘
9.7 ↘	10.5 *	9.2 ↘	10.2 ↗	10.3 ↑
beste Teiler	362.4 (7.) 530.7 (10.) 576.9 (9.)			
Trefferlage	10.19 mm links, 1.43 mm hoch			
Streuwert	9.22, horizontal: 11.61, vertikal: 5.93			




Serie 2:

9.5 ←	9.7 ↘	10.7 *	9.6 ↗	8.7 ↑
9.3 ←	10.6 *	10.2 ↑	8.8 ←	9.9 ↘
beste Teiler	169.5 (13.) 291.8 (17.) 629.7 (18.)			
Trefferlage	4.27 mm links, 1.78 mm hoch			
Streuwert	7.73, horizontal: 8.02, vertikal: 7.42			



Serie 3:

9.7 ↘	9.0 ↑	10.7 *	9.2 ↙	10.3 ↘
10.0 ↓	9.3 ↗	8.0 ↘	9.5 ↘	9.7 ↗
beste Teiler	233.9 (23.) 559.1 (25.) 788.7 (26.)			
Trefferlage	0.08 mm rechts, 1.22 mm hoch			
Streuwert	9.44, horizontal: 10.23, vertikal: 8.58			



Serie 4:



8.4 ↘	9.4 ↙	9.9 ↑	10.5 *	10.7 *
10.0 ←	8.5 ↓	10.8 *	9.6 ←	8.8 ↑
beste Teiler	158.6 (38.) 208.5 (35.) 365.5 (34.)			
Trefferlage	2.90 mm links, 0.36 mm tief			
Streuwert	8.96, horizontal: 7.82, vertikal: 9.98			

QF – Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **371** (387.1)^{QF}
 Serien: 92 94 94 91
 Zähler: 17 18 4 1 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2630 (9), 2193 (20), 2146 (35)
 beste Teiler 363.5 (18.) 372.8 (30.) 398.7 (17.)
 Trefferlage 2.07 mm links, 2.73 mm hoch
 Streuwert 7.90, horizontal: 7.22, vertikal: 8.53




Serie 1:
 10.0 ↖ 9.6 → 9.5 ← 10.1 ↓ 9.8 ↓
 10.1 ↘ 9.3 ← 10.1 ↑ 7.7 ↑ 9.4 ↙
 beste Teiler 661.9 (8.) 670.0 (6.) 716.5 (4.)
 Trefferlage 1.64 mm links, 0.12 mm tief
 Streuwert 9.26, horizontal: 8.39, vertikal: 10.06



Serie 2:
 10.2 ← 10.3 ↙ 9.3 ← 9.2 ↖ 10.3 ↑
 9.9 ↑ 10.5 * 10.5 * 9.9 ↑ 8.2 ↘
 beste Teiler 363.5 (18.) 398.7 (17.) 522.8 (15.)
 Trefferlage 3.63 mm links, 5.16 mm hoch
 Streuwert 6.31, horizontal: 5.07, vertikal: 7.34



Serie 3:
 10.3 ↓ 10.1 → 10.3 → 9.3 ↑ 10.3 →
 8.8 ↘ 9.5 ↙ 9.6 ↘ 9.8 ↓ 10.5 *
 beste Teiler 372.8 (30.) 486.7 (23.) 537.2 (25.)
 Trefferlage 1.69 mm links, 1.10 mm hoch
 Streuwert 7.15, horizontal: 6.88, vertikal: 7.42





Serie 4:
 9.3 ↗ 10.1 ↘ 10.3 ↑ 8.8 ↘ 8.3 ↑
 9.1 ↖ 9.5 ↘ 10.4 * 9.1 ↘ 9.8 ←
 beste Teiler 409.3 (38.) 555.1 (33.) 680.8 (32.)
 Trefferlage 1.32 mm links, 4.80 mm hoch
 Streuwert 8.96, horizontal: 8.90, vertikal: 9.03

QF – Schütze hat sich fürs Finale qualifiziert


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	362	(377.4) ^{QF}			
Serien:	90	90	96	86	
Zähler:	11	21	7	1	0 0 0 0 0 0
Innenzehner:	0				
weiteste:	2420 (34), 2216 (38), 1989 (37)				
beste Teiler	578.3 (30.) 594.2 (25.) 606.5 (5.)				
Trefferlage	1.79 mm links, 3.38 mm tief				
Streuwert	8.93, horizontal: 8.64, vertikal: 9.21				




Serie 1:	9.9 ↑	9.0 ↖	10.0 ↙	9.6 ↙	10.2 ↘
	8.7 ↘	8.7 ←	9.9 ↑	10.0 ↙	8.9 ↓
beste Teiler	606.5 (5.) 721.4 (9.) 721.9 (3.)				
Trefferlage	5.18 mm links, 2.97 mm tief				
Streuwert	8.15, horizontal: 7.69, vertikal: 8.59				



Serie 2:	9.3 ↓	9.0 ↙	9.8 →	9.1 ↘	10.1 ↘
	9.1 ↖	9.6 ↘	9.9 ←	8.7 ←	9.7 ↓
beste Teiler	663.1 (15.) 861.8 (18.) 958.7 (13.)				
Trefferlage	6.11 mm links, 2.69 mm tief				
Streuwert	8.08, horizontal: 8.18, vertikal: 7.99				



Serie 3:	9.1 ↑	10.0 ↓	9.5 ↘	9.2 →	10.2 ↓
	10.1 →	10.1 ↘	10.0 ←	9.1 ↘	10.2 ↑
beste Teiler	578.3 (30.) 594.2 (25.) 641.6 (27.)				
Trefferlage	0.51 mm rechts, 2.69 mm tief				
Streuwert	7.35, horizontal: 6.76, vertikal: 7.90				



Serie 4:	9.2 ↑	8.5 ↓	9.7 ↓	7.9 ↘	10.0 ↗
	9.8 →	8.5 ↘	8.2 ↖	9.0 ↘	9.9 →
beste Teiler	721.6 (35.) 820.0 (40.) 926.8 (36.)				
Trefferlage	3.59 mm rechts, 5.18 mm tief				
Streuwert	11.02, horizontal: 8.95, vertikal: 12.77				

QF – Schütze hat sich fürs Finale qualifiziert

Unterschrift des Schützen

Meyton Elektronik