





Ergebnis: **407.5** (388)
 Serien: 100.1 102.6 102.2 102.6
 Zaehler: 28 12 0 0 0 0 0 0 0 0
 Innenzehner: 23
 weiteste: 444 (9), 354 (18), 337 (4)
 beste Teiler 33.5 (22.) 40.0 (36.) 46.5 (20.)
 Trefferlage 0.19 mm links, 0.44 mm hoch
 Streuwert 1.50, horizontal: 1.54, vertikal: 1.47




Serie 1:
 10.2 * 9.9 ↗ 10.0 ↘ 9.6 ↗ 10.6 *
 10.4 * 9.7 ↖ 10.2 * 9.2 ↖ 10.3 *
 beste Teiler 77.1 (5.) 126.2 (6.) 151.9 (10.)
 Trefferlage 0.08 mm links, 0.81 mm hoch
 Streuwert 1.82, horizontal: 2.05, vertikal: 1.56



Serie 2:
 10.1 ← 10.2 * 10.6 * 10.5 * 10.6 *
 10.3 * 10.2 * 9.5 ↓ 9.8 ↘ 10.8 *
 beste Teiler 46.5 (20.) 93.2 (13.) 96.0 (15.)
 Trefferlage 0.25 mm links, 0.12 mm hoch
 Streuwert 1.43, horizontal: 1.26, vertikal: 1.58





Serie 3:
 10.3 * 10.8 * 9.6 ↗ 10.6 * 10.1 ↖
 10.1 ↘ 9.8 ↑ 10.7 * 10.5 * 9.7 ↗
 beste Teiler 33.5 (22.) 74.4 (28.) 97.1 (24.)
 Trefferlage 0.33 mm links, 0.68 mm hoch
 Streuwert 1.44, horizontal: 1.45, vertikal: 1.43




Serie 4:
 10.2 * 9.7 ↗ 10.5 * 10.5 * 10.5 *
 10.8 * 9.8 ↖ 10.0 ← 10.7 * 9.9 ↘
 beste Teiler 40.0 (36.) 64.7 (39.) 105.1 (35.)
 Trefferlage 0.09 mm links, 0.17 mm hoch
 Streuwert 1.47, horizontal: 1.52, vertikal: 1.41

Unterschrift des Schuetzen


Ergebnis: **394.7** (378)
 Serien: 98.6 97.3 98.2 100.6
 Zaehler: 20 18 2 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 540 (4), 516 (14), 469 (13)
 beste Teiler 7.2 (16.) 71.1 (40.) 89.9 (1.)
 Trefferlage 0.04 mm rechts, 0.32 mm tief
 Streuwert 2.15, horizontal: 2.40, vertikal: 1.87




Serie 1:
 10.6 * 10.0 ↑ 10.4 * 8.8 ↘ 10.1 →
 10.3 * 10.0 ← 9.4 → 9.8 ↗ 9.2 →
 beste Teiler 89.9 (1.) 137.8 (3.) 160.7 (6.)
 Trefferlage 1.53 mm rechts, 0.34 mm hoch
 Streuwert 1.94, horizontal: 2.20, vertikal: 1.63



Serie 2:
 10.1 ↙ 10.0 ↘ 9.1 ← 8.9 ↖ 10.5 *
 10.9 * 9.1 ↙ 10.3 * 9.3 ↘ 9.1 →
 beste Teiler 7.2 (16.) 113.6 (15.) 171.0 (18.)
 Trefferlage 1.52 mm links, 0.51 mm tief
 Streuwert 2.32, horizontal: 2.49, vertikal: 2.14





Serie 3:
 10.0 ↓ 9.8 ↘ 9.1 ↙ 10.4 * 9.7 ↘
 9.6 ↑ 10.3 * 9.8 ↘ 10.1 ↓ 9.4 →
 beste Teiler 138.8 (24.) 169.1 (27.) 219.4 (29.)
 Trefferlage 0.17 mm links, 1.45 mm tief
 Streuwert 1.96, horizontal: 2.05, vertikal: 1.87




Serie 4:
 10.3 * 9.5 → 9.5 → 9.7 ↑ 9.9 ↖
 9.8 ← 10.2 * 10.5 * 10.5 * 10.7 *
 beste Teiler 71.1 (40.) 101.4 (39.) 104.3 (38.)
 Trefferlage 0.33 mm rechts, 0.32 mm hoch
 Streuwert 1.78, horizontal: 2.07, vertikal: 1.44

Unterschrift des Schuetzen


Ergebnis: **394.0** (375)
 Serien: 99.3 99.1 97.5 98.1
 Zaehler: 19 18 2 1 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 761 (35), 626 (32), 616 (7)
 beste Teiler 57.4 (40.) 71.5 (22.) 76.8 (34.)
 Trefferlage 0.45 mm links, 0.45 mm hoch
 Streuwert 2.22, horizontal: 2.74, vertikal: 1.54




Serie 1:
 10.4 * 10.5 * 10.6 * 9.6 ↙ 9.9 ↑
 9.8 ↑ 8.5 ↗ 9.5 → 10.3 * 10.2 *
 beste Teiler 93.5 (3.) 104.0 (2.) 134.6 (1.)
 Trefferlage 0.65 mm rechts, 0.91 mm hoch
 Streuwert 2.06, horizontal: 2.50, vertikal: 1.50



Serie 2:
 9.9 ↘ 9.9 ↖ 9.9 ↗ 10.4 * 9.4 ↑
 9.5 ← 10.3 * 9.5 ↘ 10.2 * 10.1 ↑
 beste Teiler 144.5 (14.) 157.2 (17.) 185.0 (19.)
 Trefferlage 0.17 mm links, 0.58 mm hoch
 Streuwert 2.01, horizontal: 2.06, vertikal: 1.95



Serie 3:
 9.5 ← 10.7 * 10.1 ↖ 9.2 ↙ 9.3 ↗
 9.3 ← 9.1 ← 10.0 → 10.0 ↖ 10.3 *
 beste Teiler 71.5 (22.) 151.3 (30.) 207.4 (23.)
 Trefferlage 1.50 mm links, 0.20 mm hoch
 Streuwert 2.16, horizontal: 2.83, vertikal: 1.17





Serie 4:
 10.4 * 8.4 ← 9.9 ↖ 10.6 * 7.9 ↘
 9.8 ← 10.1 ↑ 10.6 * 9.7 ← 10.7 *
 beste Teiler 57.4 (40.) 76.8 (34.) 87.4 (38.)
 Trefferlage 0.77 mm links, 0.11 mm hoch
 Streuwert 2.62, horizontal: 3.36, vertikal: 1.56


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **370.4** (352)
 Serien: 90.5 92.9 91.8 95.2
 Zaehler: 9 20 6 4 1 0 0 0 0 0
 Innenzehner: 8
 weiteste: 1017 (30), 878 (6), 792 (3)
 beste Teiler 66.0 (28.) 89.5 (16.) 110.8 (37.)
 Trefferlage 0.28 mm rechts, 1.29 mm hoch
 Streuwert 3.29, horizontal: 3.79, vertikal: 2.69




Serie 1:
 10.3 * 9.3 ↗ 7.8 ↘ 9.5 ↖ 9.4 ↗
 7.4 ↘ 8.6 ↑ 9.3 ↑ 9.1 ↑ 9.8 ↘
 beste Teiler 166.9 (1.) 291.5 (10.) 357.7 (4.)
 Trefferlage 1.80 mm rechts, 3.08 mm hoch
 Streuwert 2.81, horizontal: 3.40, vertikal: 2.05



Serie 2:
 9.6 ↖ 8.9 ↗ 9.1 ↖ 9.6 ← 8.4 ↑
 10.6 * 9.7 ↑ 9.4 ↑ 9.2 ↘ 8.4 ↖
 beste Teiler 89.5 (16.) 302.4 (17.) 344.0 (14.)
 Trefferlage 0.22 mm links, 2.37 mm hoch
 Streuwert 2.78, horizontal: 2.78, vertikal: 2.78



Serie 3:
 9.3 ← 9.3 ↙ 10.5 * 9.4 ↘ 8.7 ↗
 9.1 ↙ 10.0 ↙ 10.7 * 7.9 → 6.9 ←
 beste Teiler 66.0 (28.) 119.7 (23.) 238.4 (27.)
 Trefferlage 0.69 mm links, 0.21 mm tief
 Streuwert 3.84, horizontal: 4.96, vertikal: 2.21





Serie 4:
 8.3 ↖ 10.5 * 10.2 * 9.6 ↑ 10.2 *
 9.1 ↓ 10.5 * 9.2 ↗ 9.7 ← 7.9 →
 beste Teiler 110.8 (37.) 123.0 (32.) 185.6 (33.)
 Trefferlage 0.25 mm rechts, 0.07 mm tief
 Streuwert 3.12, horizontal: 3.80, vertikal: 2.24


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **398.3** (377)
 Serien: 99.8 98.6 101.0 98.9
 Zaehler: 18 21 1 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 553 (9), 460 (18), 431 (7)
 beste Teiler 11.0 (22.) 43.0 (3.) 60.2 (29.)
 Trefferlage 0.90 mm links, 0.27 mm hoch
 Streuwert 1.90, horizontal: 2.32, vertikal: 1.36




Serie 1:
 10.6 * 10.7 * 10.8 * 9.9 ↙ 9.3 ←
 10.5 * 9.2 ↘ 9.9 ↙ 8.7 ↖ 10.2 *
 beste Teiler 43.0 (3.) 73.0 (2.) 85.2 (1.)
 Trefferlage 1.43 mm links, 0.28 mm tief
 Streuwert 1.91, horizontal: 2.22, vertikal: 1.54



Serie 2:
 9.3 ← 9.9 ← 9.3 ↗ 9.9 ← 9.8 ←
 9.7 ↗ 10.7 * 9.1 ← 10.6 * 10.3 *
 beste Teiler 69.7 (17.) 88.5 (19.) 152.6 (20.)
 Trefferlage 1.27 mm links, 0.09 mm tief
 Streuwert 2.04, horizontal: 2.50, vertikal: 1.44



Serie 3:
 9.8 ↘ 10.9 * 9.9 ← 9.6 ↗ 9.5 ↘
 10.2 * 9.7 → 10.7 * 10.7 * 10.0 ↗
 beste Teiler 11.0 (22.) 60.2 (29.) 73.0 (28.)
 Trefferlage 0.22 mm links, 0.90 mm hoch
 Streuwert 1.66, horizontal: 2.08, vertikal: 1.09





Serie 4:
 9.4 ↗ 10.2 * 9.6 ← 10.3 * 10.2 *
 9.5 ← 10.3 * 9.8 ↘ 9.6 ← 10.0 →
 beste Teiler 159.1 (37.) 164.3 (34.) 180.2 (35.)
 Trefferlage 0.68 mm links, 0.59 mm hoch
 Streuwert 2.01, horizontal: 2.60, vertikal: 1.14


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **399.5** (380)
 Serien: 101.5 99.9 99.1 99.0
 Zaehler: 22 16 2 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 539 (20), 538 (26), 486 (1)
 beste Teiler 39.3 (6.) 64.3 (9.) 74.0 (11.)
 Trefferlage 0.63 mm links, 0.57 mm hoch
 Streuwert 1.87, horizontal: 1.89, vertikal: 1.85




Serie 1:
 9.0 ↘ 10.6 * 9.8 ↑ 10.5 * 10.2 *
 10.8 * 10.3 * 9.2 ← 10.7 * 10.4 *
 beste Teiler 39.3 (6.) 64.3 (9.) 93.9 (2.)
 Trefferlage 0.83 mm links, 0.61 mm hoch
 Streuwert 1.70, horizontal: 1.82, vertikal: 1.56



Serie 2:
 10.7 * 10.0 ↑ 9.6 ← 10.4 * 10.2 *
 10.6 * 10.2 * 9.8 ↘ 9.6 ← 8.8 ↗
 beste Teiler 74.0 (11.) 90.3 (16.) 130.0 (14.)
 Trefferlage 0.88 mm links, 1.15 mm hoch
 Streuwert 1.77, horizontal: 1.91, vertikal: 1.61



Serie 3:
 10.3 * 9.8 ↘ 10.0 ↓ 9.7 ↘ 9.7 ←
 8.8 ↘ 10.5 * 9.6 ↘ 10.4 * 10.3 *
 beste Teiler 125.8 (27.) 144.5 (29.) 152.0 (30.)
 Trefferlage 0.46 mm links, 0.10 mm tief
 Streuwert 2.11, horizontal: 1.90, vertikal: 2.31



Serie 4:
 10.3 * 10.5 * 9.9 ← 10.1 ↘ 9.6 ↘
 9.2 ↘ 9.5 → 9.6 → 9.9 ↓ 10.4 *
 beste Teiler 114.2 (32.) 142.6 (40.) 162.0 (31.)
 Trefferlage 0.35 mm links, 0.65 mm hoch
 Streuwert 2.03, horizontal: 2.16, vertikal: 1.88

Unterschrift des Schuetzen

Ergebnis: **395.4** (375)

Serien: 99.5 96.6 99.2 100.1

Zähler: 19 17 4 0 0 0 0 0 0 0



Innenzehner: 17

weiteste: 597 (16), 565 (20), 530 (2)

beste Teiler 56.6 (9.) 74.4 (11.) 90.4 (31.)

Trefferlage 0.36 mm links, 0.21 mm hoch

Streuwert 2.14, horizontal: 2.40, vertikal: 1.86




Serie 1:

10.2 *	8.8 ↘	9.1 →	10.6 *	10.3 *
9.4 ↘	10.4 *	9.5 ↗	10.7 *	10.5 *

beste Teiler 56.6 (9.) 99.0 (4.) 124.4 (10.)

Trefferlage 0.93 mm rechts, 0.81 mm tief

Streuwert 2.01, horizontal: 2.34, vertikal: 1.62




Serie 2:

10.7 *	10.2 *	9.5 ↖	8.9 ↖	10.3 *
8.6 ←	10.5 *	9.4 ↗	9.8 →	8.7 ←

beste Teiler 74.4 (11.) 114.0 (17.) 172.5 (15.)

Trefferlage 1.41 mm links, 0.95 mm hoch

Streuwert 2.48, horizontal: 3.10, vertikal: 1.62




Serie 3:

10.5 *	10.1 →	9.6 ↑	9.7 ↖	9.9 ↖
9.5 ↘	10.2 *	9.8 ↘	9.6 →	10.3 *

beste Teiler 102.3 (21.) 154.1 (30.) 184.8 (27.)

Trefferlage 0.54 mm links, 1.05 mm hoch

Streuwert 1.79, horizontal: 2.00, vertikal: 1.56



Serie 4:

10.6 *	9.9 ↓	9.4 ↗	10.0 ↓	9.8 ←
9.5 ↑	9.8 →	10.6 *	10.3 *	10.2 *



beste Teiler 90.4 (31.) 99.0 (38.) 159.0 (39.)

Trefferlage 0.44 mm links, 0.34 mm tief


Streuwert 1.86, horizontal: 1.61, vertikal: 2.09

Unterschrift des Schuetzen


Ergebnis: **389.2** (371)
 Serien: 96.5 94.6 98.7 99.4
 Zaehler: 17 17 6 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 689 (19), 663 (16), 630 (14)
 beste Teiler 46.0 (25.) 51.0 (5.) 59.6 (39.)
 Trefferlage 1.25 mm rechts, 0.20 mm tief
 Streuwert 2.34, horizontal: 2.31, vertikal: 2.37




Serie 1:
 8.5 → 9.4 ↘ 9.0 ↘ 9.2 ↓ 10.7 *
 9.9 → 9.7 ↘ 10.6 * 9.9 ← 9.6 ↘
 beste Teiler 51.0 (5.) 100.5 (8.) 256.8 (9.)
 Trefferlage 1.16 mm rechts, 0.87 mm tief
 Streuwert 2.47, horizontal: 2.86, vertikal: 2.00



Serie 2:
 10.5 * 10.4 * 9.2 → 8.4 ↓ 10.3 *
 8.3 → 10.2 * 9.5 ↓ 8.2 ↓ 9.6 ↘
 beste Teiler 123.4 (11.) 142.0 (12.) 158.0 (15.)
 Trefferlage 1.91 mm rechts, 1.77 mm tief
 Streuwert 2.55, horizontal: 2.40, vertikal: 2.68





Serie 3:
 9.5 → 9.4 ↘ 10.1 ↑ 9.6 ↘ 10.8 *
 9.6 ↗ 10.3 * 8.9 ↗ 10.5 * 10.0 ↑
 beste Teiler 46.0 (25.) 117.0 (29.) 164.8 (27.)
 Trefferlage 1.57 mm rechts, 0.58 mm hoch
 Streuwert 1.90, horizontal: 1.87, vertikal: 1.92




Serie 4:
 9.7 → 10.2 * 9.8 ↗ 10.2 * 9.2 ↑
 10.1 ↘ 10.1 → 8.8 ↘ 10.7 * 10.6 *
 beste Teiler 59.6 (39.) 80.0 (40.) 189.4 (34.)
 Trefferlage 0.37 mm rechts, 1.23 mm hoch
 Streuwert 1.93, horizontal: 2.04, vertikal: 1.80

Unterschrift des Schuetzen


Ergebnis: **389.1** (372)
 Serien: 99.4 96.3 96.7 96.7
 Zaehler: 16 20 4 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 606 (21), 592 (16), 569 (13)
 beste Teiler 76.0 (23.) 102.3 (10.) 125.7 (9.)
 Trefferlage 0.35 mm links, 0.39 mm hoch
 Streuwert 2.36, horizontal: 2.74, vertikal: 1.91




Serie 1:
 9.6 ↗ 10.1 ↘ 10.4 * 9.8 → 9.7 →
 9.8 ↖ 9.8 ↖ 9.2 ← 10.5 * 10.5 *
 beste Teiler 102.3 (10.) 125.7 (9.) 129.2 (3.)
 Trefferlage 0.09 mm rechts, 0.18 mm hoch
 Streuwert 2.00, horizontal: 2.45, vertikal: 1.39



Serie 2:
 10.2 * 10.3 * 8.7 ↘ 9.3 ✓ 9.1 →
 8.6 ↖ 10.0 ↗ 10.0 ← 10.3 * 9.8 ↖
 beste Teiler 169.0 (19.) 175.9 (12.) 180.3 (11.)
 Trefferlage 0.34 mm links, 0.02 mm tief
 Streuwert 2.72, horizontal: 2.77, vertikal: 2.67



Serie 3:
 8.5 ↖ 9.0 ← 10.6 * 9.8 ↖ 10.2 *
 10.3 * 9.6 ← 9.2 ← 9.6 ↖ 9.9 ↗
 beste Teiler 76.0 (23.) 168.2 (26.) 196.3 (25.)
 Trefferlage 1.92 mm links, 0.61 mm hoch
 Streuwert 2.17, horizontal: 2.72, vertikal: 1.42





Serie 4:
 10.1 ↖ 10.0 ↖ 9.7 → 10.1 ↖ 9.8 ↓
 10.3 * 9.2 → 9.3 → 8.9 ↖ 9.3 ↗
 beste Teiler 167.4 (36.) 213.3 (34.) 214.2 (31.)
 Trefferlage 0.75 mm rechts, 0.79 mm hoch
 Streuwert 2.39, horizontal: 2.68, vertikal: 2.05


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **395.8** (374)
 Serien: 99.8 100.3 98.3 97.4
 Zaehler: 17 20 3 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 602 (33), 587 (22), 550 (35)
 beste Teiler 20.8 (3.) 25.7 (34.) 46.2 (6.)
 Trefferlage 0.81 mm links, 0.67 mm hoch
 Streuwert 2.01, horizontal: 2.04, vertikal: 1.98




Serie 1:
 10.2 * 9.5 ↑ 10.9 * 9.7 ↑ 9.1 ↘
 10.8 * 9.6 ↗ 9.8 ↘ 10.4 * 9.8 ←
 beste Teiler 20.8 (3.) 46.2 (6.) 131.6 (9.)
 Trefferlage 0.51 mm links, 1.43 mm hoch
 Streuwert 1.72, horizontal: 1.88, vertikal: 1.55



Serie 2:
 10.5 * 9.9 ↙ 10.4 * 9.5 ↘ 9.8 →
 10.3 * 10.3 * 10.5 * 9.4 ↑ 9.7 ↙
 beste Teiler 101.5 (18.) 123.0 (11.) 132.3 (13.)
 Trefferlage 0.64 mm links, 0.50 mm tief
 Streuwert 1.76, horizontal: 1.54, vertikal: 1.96



Serie 3:
 10.4 * 8.6 ↘ 9.2 ← 10.1 → 9.1 ←
 10.1 ↙ 10.5 * 9.7 ← 10.1 ↗ 10.5 *
 beste Teiler 101.0 (30.) 114.6 (27.) 149.2 (21.)
 Trefferlage 1.36 mm links, 0.90 mm hoch
 Streuwert 2.08, horizontal: 2.50, vertikal: 1.54



Serie 4:
 9.8 ↘ 9.9 ↘ 8.5 ↑ 10.9 * 8.8 ←
 9.7 ↓ 9.9 ↘ 9.8 ↗ 10.2 * 9.9 ↑
 beste Teiler 25.7 (34.) 186.7 (39.) 252.5 (40.)
 Trefferlage 0.75 mm links, 0.88 mm hoch
 Streuwert 2.40, horizontal: 2.32, vertikal: 2.48

Unterschrift des Schuetzen

Meyton Elektronik