





Ergebnis: **390.6** (373)
 Serien: 98.9 94.3 99.2 98.2
 Zaehler: 18 18 3 1 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 784 (18), 609 (36), 580 (19)
 beste Teiler 35.1 (27.) 46.8 (33.) 58.7 (3.)
 Trefferlage 0.43 mm rechts, 0.34 mm hoch
 Streuwert 2.43, horizontal: 2.36, vertikal: 2.49




Serie 1:
 10.4 * 9.0 ↗ 10.7 * 9.9 ↗ 10.4 *
 9.9 ↘ 9.3 ↘ 9.9 ↘ 9.3 → 10.1 ↖
 beste Teiler 58.7 (3.) 132.6 (5.) 143.4 (1.)
 Trefferlage 1.83 mm rechts, 0.00 mm
 Streuwert 1.74, horizontal: 1.72, vertikal: 1.76



Serie 2:
 10.5 * 9.0 ↙ 10.5 * 9.2 ↗ 10.3 *
 9.9 ↗ 8.8 ↖ 7.8 ↑ 8.6 ↖ 9.7 ↙
 beste Teiler 104.3 (11.) 110.1 (13.) 158.7 (15.)
 Trefferlage 0.88 mm links, 1.32 mm hoch
 Streuwert 3.01, horizontal: 2.72, vertikal: 3.29



Serie 3:
 10.3 * 9.1 ↑ 9.7 ↗ 9.9 ↖ 9.4 ↖
 10.4 * 10.8 * 10.3 * 10.3 * 9.0 ↓
 beste Teiler 35.1 (27.) 127.7 (26.) 157.2 (29.)
 Trefferlage 0.35 mm rechts, 0.59 mm hoch
 Streuwert 2.15, horizontal: 1.29, vertikal: 2.76





Serie 4:
 10.1 ↓ 9.2 ↖ 10.8 * 10.3 * 10.2 *
 8.5 → 9.4 ↗ 9.6 ↘ 10.0 ↖ 10.1 ↓
 beste Teiler 46.8 (33.) 157.4 (34.) 197.6 (35.)
 Trefferlage 0.42 mm rechts, 0.51 mm tief
 Streuwert 2.37, horizontal: 2.84, vertikal: 1.78


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **389.4** (371)
 Serien: 97.7 98.7 97.8 95.2
 Zaehler: 20 12 7 1 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 920 (36), 661 (22), 657 (23)
 beste Teiler 14.8 (25.) 70.0 (1.) 86.9 (20.)
 Trefferlage 0.96 mm links, 0.38 mm tief
 Streuwert 2.46, horizontal: 2.41, vertikal: 2.51




Serie 1:
 10.7 * 8.5 ↙ 10.3 * 10.0 ↓ 10.2 *
 9.9 ↘ 10.1 ↘ 9.7 ↓ 8.8 ↙ 9.5 ←
 beste Teiler 70.0 (1.) 166.7 (3.) 190.0 (5.)
 Trefferlage 1.52 mm links, 1.70 mm tief
 Streuwert 1.87, horizontal: 2.37, vertikal: 1.18



Serie 2:
 8.9 ← 8.9 ↙ 10.5 * 10.0 ↑ 9.8 ←
 9.8 ↗ 10.5 * 9.9 ↘ 9.8 ↓ 10.6 *
 beste Teiler 86.9 (20.) 112.8 (13.) 125.2 (17.)
 Trefferlage 1.39 mm links, 0.01 mm hoch
 Streuwert 1.99, horizontal: 2.15, vertikal: 1.81



Serie 3:
 10.2 * 8.3 ↙ 8.3 ↘ 10.4 * 10.9 *
 10.3 * 10.4 * 10.1 ↗ 10.0 ↑ 8.9 ←
 beste Teiler 14.8 (25.) 134.9 (24.) 145.7 (27.)
 Trefferlage 1.41 mm links, 0.45 mm hoch
 Streuwert 2.48, horizontal: 2.77, vertikal: 2.15





Serie 4:
 10.2 * 10.1 ↘ 9.7 ↘ 9.3 ↗ 10.5 *
 7.3 ↓ 10.3 * 9.0 ↖ 9.5 ↓ 9.3 ↑
 beste Teiler 117.3 (35.) 168.3 (37.) 190.1 (31.)
 Trefferlage 0.46 mm rechts, 0.29 mm tief
 Streuwert 3.11, horizontal: 2.03, vertikal: 3.90


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **381.4** (362)
 Serien: 100.5 96.5 91.9 92.5
 Zaehler: 16 14 6 4 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 974 (37), 874 (21), 852 (11)
 beste Teiler 36.2 (5.) 56.0 (22.) 63.5 (16.)
 Trefferlage 0.53 mm rechts, 0.00 mm
 Streuwert 3.00, horizontal: 3.53, vertikal: 2.36




Serie 1:
 9.8 → 10.1 ↖ 10.4 * 9.8 ← 10.8 *
 9.5 ↙ 10.1 ↓ 10.3 * 9.7 ↓ 10.0 ←
 beste Teiler 36.2 (5.) 135.7 (3.) 162.2 (8.)
 Trefferlage 0.50 mm links, 0.80 mm tief
 Streuwert 1.68, horizontal: 1.81, vertikal: 1.55



Serie 2:
 7.5 → 10.6 * 8.4 → 10.1 ↖ 8.9 →
 10.7 * 9.9 ↘ 10.2 * 9.9 → 10.3 *
 beste Teiler 63.5 (16.) 76.8 (12.) 170.1 (20.)
 Trefferlage 2.15 mm rechts, 0.02 mm hoch
 Streuwert 2.57, horizontal: 3.42, vertikal: 1.23



Serie 3:
 7.5 ↘ 10.7 * 10.6 * 9.7 ↓ 8.9 ↗
 8.7 ↙ 8.7 → 9.6 ↙ 9.6 ↗ 7.9 →
 beste Teiler 56.0 (22.) 83.1 (23.) 307.4 (24.)
 Trefferlage 1.95 mm rechts, 0.13 mm tief
 Streuwert 3.50, horizontal: 3.67, vertikal: 3.33





Serie 4:
 10.0 ↘ 10.2 * 10.0 ← 9.8 ↑ 9.2 ↖
 9.3 ↓ 7.1 ← 9.3 ↑ 8.5 ↖ 9.1 →
 beste Teiler 184.8 (32.) 227.2 (33.) 241.2 (31.)
 Trefferlage 1.46 mm links, 0.95 mm hoch
 Streuwert 3.33, horizontal: 3.85, vertikal: 2.72


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **365.2** (348)
 Serien: 90.6 92.9 90.4 91.3
 Zaehler: 10 13 12 5 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 1000 (33), 988 (1), 860 (12)
 beste Teiler 50.0 (34.) 56.9 (18.) 110.4 (10.)
 Trefferlage 2.43 mm rechts, 1.33 mm hoch
 Streuwert 3.16, horizontal: 3.36, vertikal: 2.95




Serie 1:
 7.0 ↗ 9.8 ↗ 9.8 ↖ 9.2 ↘ 8.0 ↗
 9.8 ↑ 9.7 ↑ 8.9 ↑ 7.9 ↘ 10.5 *
 beste Teiler 110.4 (10.) 291.1 (3.) 295.0 (2.)
 Trefferlage 2.22 mm rechts, 2.37 mm hoch
 Streuwert 3.21, horizontal: 2.74, vertikal: 3.63



Serie 2:
 10.0 ↑ 7.5 ↗ 10.0 ↗ 9.1 ↖ 9.8 ↗
 10.1 ↑ 9.4 ↗ 10.7 * 7.5 ↘ 8.8 ↖
 beste Teiler 56.9 (18.) 210.8 (16.) 232.5 (11.)
 Trefferlage 1.38 mm rechts, 1.84 mm hoch
 Streuwert 3.20, horizontal: 4.03, vertikal: 2.07





Serie 3:
 9.1 ↓ 8.8 ↗ 8.6 ↘ 10.4 * 8.0 ↗
 10.2 * 8.3 ↘ 8.6 ↗ 9.9 ↘ 8.5 ↗
 beste Teiler 141.2 (24.) 177.4 (26.) 268.6 (29.)
 Trefferlage 3.57 mm rechts, 0.23 mm hoch
 Streuwert 2.82, horizontal: 2.55, vertikal: 3.07




Serie 4:
 8.4 ↑ 9.9 ↘ 7.0 → 10.8 * 9.0 →
 10.0 ↑ 9.6 ↘ 8.4 ↗ 10.2 * 8.0 →
 beste Teiler 50.0 (34.) 179.9 (39.) 249.3 (36.)
 Trefferlage 2.56 mm rechts, 0.88 mm hoch
 Streuwert 3.45, horizontal: 4.00, vertikal: 2.79

Unterschrift des Schuetzen


Ergebnis: **367.2** (346)
 Serien: 92.5 95.8 90.5 88.4
 Zaehler: 7 19 10 2 1 1 0 0 0 0
 Innenzehner: 3
 weiteste: 1416 (36), 1163 (9), 836 (25)
 beste Teiler 110.4 (10.) 174.1 (20.) 185.0 (13.)
 Trefferlage 0.87 mm rechts, 0.10 mm tief
 Streuwert 3.61, horizontal: 3.59, vertikal: 3.62




Serie 1:
 8.8 ↙ 9.7 ↖ 9.7 ↗ 9.9 ↘ 9.9 ↘
 9.4 ↘ 10.1 → 8.2 → 6.3 ↑ 10.5 *
 beste Teiler 110.4 (10.) 219.4 (7.) 252.0 (4.)
 Trefferlage 0.47 mm rechts, 0.56 mm hoch
 Streuwert 3.80, horizontal: 3.15, vertikal: 4.35



Serie 2:
 9.9 ↑ 9.8 ↘ 10.2 * 7.8 ↗ 8.6 ↑
 9.3 ↘ 10.1 ↙ 9.7 ↖ 10.1 ↑ 10.3 *
 beste Teiler 174.1 (20.) 185.0 (13.) 214.8 (19.)
 Trefferlage 0.98 mm rechts, 0.49 mm hoch
 Streuwert 2.81, horizontal: 2.42, vertikal: 3.16



Serie 3:
 9.0 ↘ 8.7 ↖ 8.8 ↗ 8.7 ↘ 7.6 ↗
 9.7 ↓ 9.2 ↘ 9.1 ← 9.9 ↖ 9.8 ↘
 beste Teiler 261.7 (29.) 288.5 (30.) 308.2 (26.)
 Trefferlage 0.15 mm links, 0.31 mm hoch
 Streuwert 3.72, horizontal: 4.13, vertikal: 3.27





Serie 4:
 8.8 ↙ 9.4 → 8.9 ↘ 8.9 ↖ 8.8 →
 5.3 ↗ 9.8 → 10.0 ↓ 9.2 ↓ 9.3 ↖
 beste Teiler 241.6 (38.) 281.8 (37.) 384.3 (32.)
 Trefferlage 2.20 mm rechts, 1.81 mm tief
 Streuwert 4.04, horizontal: 4.45, vertikal: 3.59


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **395.0** (378)
 Serien: 98.5 95.4 99.6 101.5
 Zaehler: 23 13 3 1 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 761 (14), 709 (16), 661 (23)
 beste Teiler 53.5 (39.) 67.4 (30.) 86.3 (34.)
 Trefferlage 0.00 mm , 0.81 mm hoch
 Streuwert 2.20, horizontal: 2.49, vertikal: 1.86




Serie 1:
 10.2 * 9.0 ↗ 10.6 * 9.9 → 10.3 *
 8.6 → 10.0 ↘ 10.1 ↘ 9.7 ↘ 10.1 ↘
 beste Teiler 100.2 (3.) 160.2 (5.) 181.1 (1.)
 Trefferlage 1.27 mm rechts, 0.75 mm hoch
 Streuwert 2.00, horizontal: 2.52, vertikal: 1.30



Serie 2:
 10.3 * 10.5 * 9.0 ← 7.9 ↘ 10.1 ↗
 8.1 ↘ 9.8 ← 9.9 ↑ 9.8 ↘ 10.0 ↗
 beste Teiler 101.0 (12.) 174.1 (11.) 203.2 (15.)
 Trefferlage 1.41 mm links, 1.91 mm hoch
 Streuwert 2.50, horizontal: 2.91, vertikal: 2.02



Serie 3:
 10.0 → 9.9 ↘ 8.3 ← 10.5 * 10.0 →
 9.8 ↓ 10.4 * 9.5 ↗ 10.5 * 10.7 *
 beste Teiler 67.4 (30.) 117.5 (29.) 124.0 (24.)
 Trefferlage 0.21 mm rechts, 0.12 mm tief
 Streuwert 2.21, horizontal: 2.58, vertikal: 1.77





Serie 4:
 10.5 * 10.2 * 9.3 ↘ 10.6 * 10.3 *
 10.5 * 10.0 ↘ 9.9 ↗ 10.7 * 9.5 ↑
 beste Teiler 53.5 (39.) 86.3 (34.) 106.3 (31.)
 Trefferlage 0.09 mm links, 0.70 mm hoch
 Streuwert 1.60, horizontal: 1.14, vertikal: 1.96


Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **388.4** (368)
 Serien: 100.2 97.6 98.7 91.9
 Zaehler: 19 14 4 2 1 0 0 0 0 0
 Innenzehner: 16
 weiteste: 1041 (39), 869 (22), 774 (18)
 beste Teiler 62.4 (1.) 64.0 (30.) 70.2 (4.)
 Trefferlage 1.35 mm links, 1.01 mm hoch
 Streuwert 2.46, horizontal: 2.97, vertikal: 1.82




Serie 1:
 10.7 * 9.8 ↗ 10.2 * 10.7 * 9.5 ↘
 9.7 ↗ 10.2 * 9.7 → 10.7 * 9.0 ↘
 beste Teiler 62.4 (1.) 70.2 (4.) 75.4 (9.)
 Trefferlage 0.09 mm links, 1.24 mm hoch
 Streuwert 1.79, horizontal: 1.61, vertikal: 1.96



Serie 2:
 10.5 * 9.7 ← 9.9 ↗ 10.4 * 9.5 ↗
 10.2 * 9.9 ↘ 7.9 ← 10.7 * 8.9 ↖
 beste Teiler 73.4 (19.) 102.0 (11.) 150.2 (14.)
 Trefferlage 1.31 mm links, 0.67 mm hoch
 Streuwert 2.46, horizontal: 3.07, vertikal: 1.63



Serie 3:
 9.5 ← 7.5 ↖ 9.6 ↘ 10.4 * 10.0 ↘
 9.6 ↘ 10.2 * 10.7 * 10.5 * 10.7 *
 beste Teiler 64.0 (30.) 73.7 (28.) 108.4 (29.)
 Trefferlage 1.62 mm links, 0.01 mm hoch
 Streuwert 2.35, horizontal: 2.72, vertikal: 1.91



Serie 4:
 9.2 ↘ 10.0 ↗ 10.2 * 10.0 ↗ 10.3 *
 8.7 ← 8.8 ↗ 9.3 ↘ 6.8 ← 8.6 ↖
 beste Teiler 171.3 (35.) 196.8 (33.) 237.7 (32.)
 Trefferlage 2.40 mm links, 2.10 mm hoch
 Streuwert 2.95, horizontal: 3.97, vertikal: 1.27

Unterschrift des Schuetzen