





Ergebnis: **387.2** (367)
 Serien: 99.4 94.6 94.9 98.3
 Zähler: 11 26 2 1 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 808 (11), 645 (14), 525 (22)
 beste Teiler 37.5 (1.) 77.8 (40.) 105.3 (13.)
 Trefferlage 0.76 mm rechts, 0.44 mm hoch
 Streuwert 2.42, horizontal: 2.79, vertikal: 1.99




Serie 1:
 10.8 * 9.5 ↗ 10.1 ↘ 10.2 * 9.9 ↗
 10.3 * 9.9 ↘ 9.9 ↘ 9.2 ↘ 9.6 ↘
 beste Teiler 37.5 (1.) 152.0 (6.) 200.2 (4.)
 Trefferlage 0.56 mm rechts, 0.23 mm hoch
 Streuwert 2.01, horizontal: 1.58, vertikal: 2.36



Serie 2:
 7.7 → 9.7 → 10.5 * 8.4 → 9.9 ↗
 10.4 * 9.6 → 9.6 ← 9.3 ↘ 9.5 ↘
 beste Teiler 105.3 (13.) 147.5 (16.) 268.4 (15.)
 Trefferlage 1.13 mm rechts, 0.71 mm hoch
 Streuwert 2.99, horizontal: 3.85, vertikal: 1.75



Serie 3:
 10.0 ← 8.9 ↘ 9.0 → 9.7 → 9.7 ←
 10.0 → 9.5 ↘ 9.7 ↘ 9.2 ↑ 9.2 →
 beste Teiler 242.5 (21.) 242.9 (26.) 310.0 (28.)
 Trefferlage 1.27 mm rechts, 0.52 mm hoch
 Streuwert 2.63, horizontal: 3.04, vertikal: 2.14





Serie 4:
 9.7 → 9.3 ↘ 9.6 ↘ 9.7 ↗ 10.4 *
 9.8 ← 9.4 ↘ 10.3 * 9.5 ← 10.6 *
 beste Teiler 77.8 (40.) 128.9 (35.) 152.0 (38.)
 Trefferlage 0.09 mm rechts, 0.29 mm hoch
 Streuwert 2.23, horizontal: 2.47, vertikal: 1.96


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	362.7	(344)
Serien:	88.6	94.3 91.2 88.6
Zähler:	3	23 10 3 1 0 0 0 0 0
Innenzehner:	1	
weiteste:	1135 (31), 919 (6), 894 (24)	
beste Teiler	136.2 (21.)	223.2 (26.) 227.1 (18.)
Trefferlage	0.06 mm links, 0.68 mm tief	
Streuwert	3.66, horizontal: 3.85, vertikal: 3.46	




Serie 1:	8.0 ↘	8.5 →	9.1 ↗	9.7 ↖	9.8 ↑
	7.3 ↘	9.6 ↙	8.7 ↓	9.5 ↘	8.4 →
beste Teiler	290.2 (5.) 304.6 (4.) 350.0 (7.)				
Trefferlage	2.11 mm rechts, 1.31 mm tief				
Streuwert	3.72, horizontal: 3.69, vertikal: 3.75				



Serie 2:	9.9 ↗	8.9 →	9.1 ↘	9.3 ↖	9.9 →
	9.8 ↓	9.7 ↑	10.0 ↖	9.0 ↘	8.7 ←
beste Teiler	227.1 (18.) 262.4 (11.) 273.9 (15.)				
Trefferlage	0.74 mm rechts, 0.58 mm hoch				
Streuwert	2.87, horizontal: 3.12, vertikal: 2.59				





Serie 3:	10.4 *	7.7 ↑	9.5 ↙	7.4 ↓	9.8 ↖
	10.1 ↓	9.1 →	9.2 ↖	9.6 ↓	8.4 ↓
beste Teiler	136.2 (21.) 223.2 (26.) 298.4 (25.)				
Trefferlage	0.49 mm links, 0.79 mm tief				
Streuwert	3.79, horizontal: 2.90, vertikal: 4.51				




Serie 4:	6.4 ←	9.2 ↙	8.9 ↖	9.6 ↗	9.1 ↘
	8.9 ↖	8.0 ↙	9.9 ↖	9.5 ↓	9.1 ←
beste Teiler	258.1 (38.) 347.6 (34.) 370.8 (39.)				
Trefferlage	2.60 mm links, 1.21 mm tief				
Streuwert	3.69, horizontal: 4.35, vertikal: 2.89				

Unterschrift des Schützen


Ergebnis: **395.1** (375)
 Serien: 97.1 97.3 99.8 100.9
 Zähler: 18 19 3 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 726 (17), 629 (2), 534 (24)
 beste Teiler 17.0 (30.) 63.0 (39.) 65.8 (26.)
 Trefferlage 0.20 mm links, 0.03 mm hoch
 Streuwert 2.19, horizontal: 2.45, vertikal: 1.90




Serie 1:
 9.9 ↘ 8.4 → 9.8 ← 10.0 ← 9.4 ←
 10.5 * 10.0 ↓ 9.5 ↘ 9.9 ← 9.7 ↑
 beste Teiler 116.8 (6.) 238.2 (4.) 243.0 (7.)
 Trefferlage 0.03 mm rechts, 0.79 mm tief
 Streuwert 2.44, horizontal: 3.09, vertikal: 1.55



Serie 2:
 10.2 * 10.7 * 9.5 ← 10.0 ↘ 9.8 ↖
 9.6 → 8.0 ↖ 9.8 ↑ 9.8 ↘ 9.9 →
 beste Teiler 66.0 (12.) 193.5 (11.) 236.5 (14.)
 Trefferlage 0.30 mm links, 1.01 mm hoch
 Streuwert 2.44, horizontal: 2.85, vertikal: 1.95



Serie 3:
 10.4 * 10.2 * 10.7 * 8.8 ← 9.1 ↗
 10.7 * 9.8 ↓ 9.4 ↓ 9.8 ↘ 10.9 *
 beste Teiler 17.0 (30.) 65.8 (26.) 72.9 (23.)
 Trefferlage 0.26 mm rechts, 0.30 mm tief
 Streuwert 2.20, horizontal: 2.28, vertikal: 2.11





Serie 4:
 10.2 * 9.9 ↓ 10.2 * 10.2 * 10.0 ←
 10.0 ← 9.5 ↖ 9.9 ↑ 10.7 * 10.3 *
 beste Teiler 63.0 (39.) 168.4 (40.) 185.8 (33.)
 Trefferlage 0.82 mm links, 0.24 mm hoch
 Streuwert 1.63, horizontal: 1.52, vertikal: 1.73


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **395.4** (379)
 Serien: 99.6 99.9 95.8 100.1
 Zähler: 22 15 3 0 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 556 (22), 529 (21), 506 (6)
 beste Teiler 63.7 (20.) 70.7 (26.) 92.5 (5.)
 Trefferlage 0.01 mm links, 0.13 mm tief
 Streuwert 2.11, horizontal: 2.26, vertikal: 1.95




Serie 1:
 10.2 * 9.3 ↓ 9.8 ↗ 10.3 * 10.6 *
 8.9 ← 10.2 * 10.1 ↗ 9.8 ↘ 10.4 *
 beste Teiler 92.5 (5.) 129.4 (10.) 164.0 (4.)
 Trefferlage 0.36 mm links, 0.01 mm tief
 Streuwert 2.03, horizontal: 2.26, vertikal: 1.76



Serie 2:
 10.4 * 10.1 ↖ 9.3 ↘ 10.0 ↙ 9.8 ↙
 9.5 ↘ 9.3 ↘ 10.5 * 10.3 * 10.7 *
 beste Teiler 63.7 (20.) 104.0 (18.) 133.0 (11.)
 Trefferlage 0.92 mm links, 0.17 mm tief
 Streuwert 1.87, horizontal: 1.91, vertikal: 1.83



Serie 3:
 8.8 ↘ 8.7 ↖ 9.8 ↘ 9.2 ↗ 9.5 ↓
 10.7 * 9.2 ↓ 10.2 * 9.6 ← 10.1 ↘
 beste Teiler 70.7 (26.) 182.8 (28.) 208.0 (30.)
 Trefferlage 0.36 mm rechts, 0.53 mm tief
 Streuwert 2.73, horizontal: 2.78, vertikal: 2.69





Serie 4:
 9.9 ↘ 10.1 → 10.3 * 10.0 ↖ 10.2 *
 10.0 → 10.3 * 9.6 ↗ 9.4 ↗ 10.3 *
 beste Teiler 160.2 (33.) 160.9 (40.) 169.1 (37.)
 Trefferlage 0.88 mm rechts, 0.19 mm hoch
 Streuwert 1.73, horizontal: 1.88, vertikal: 1.56


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367.7** (352)
 Serien: 86.7 89.6 93.7 97.7
 Zähler: 9 17 13 0 0 1 0 0 0 0
 Innenzehner: 7
 weiteste: 1354 (6), 737 (25), 706 (11)
 beste Teiler 94.8 (27.) 100.2 (39.) 111.4 (30.)
 Trefferlage 0.79 mm rechts, 0.64 mm hoch
 Streuwert 3.48, horizontal: 4.24, vertikal: 2.51




Serie 1:
 9.0 ← 8.7 → 9.5 ↗ 8.4 → 10.3 *
 5.5 ↘ 9.7 ↓ 8.3 ↑ 8.8 → 8.5 →
 beste Teiler 172.5 (5.) 311.8 (7.) 361.5 (3.)
 Trefferlage 0.75 mm rechts, 1.81 mm hoch
 Streuwert 4.58, horizontal: 5.36, vertikal: 3.62



Serie 2:
 8.1 ← 8.7 ↘ 9.2 → 8.4 → 9.1 ←
 9.2 ← 10.2 * 9.3 → 9.2 → 8.2 →
 beste Teiler 192.0 (17.) 421.1 (18.) 428.1 (13.)
 Trefferlage 1.31 mm rechts, 0.27 mm hoch
 Streuwert 3.72, horizontal: 4.94, vertikal: 1.82





Serie 3:
 9.8 ← 8.8 ↘ 9.6 ↘ 10.0 ↘ 8.0 ←
 8.8 ← 10.6 * 9.1 → 8.5 → 10.5 *
 beste Teiler 94.8 (27.) 111.4 (30.) 233.4 (24.)
 Trefferlage 0.31 mm rechts, 0.58 mm tief
 Streuwert 3.30, horizontal: 4.31, vertikal: 1.79




Serie 4:
 10.2 * 9.1 → 10.4 * 9.6 ↖ 9.6 ↑
 9.6 ↗ 10.0 ← 9.1 ↘ 10.6 * 9.5 ↖
 beste Teiler 100.2 (39.) 130.0 (33.) 187.3 (31.)
 Trefferlage 0.77 mm rechts, 1.10 mm hoch
 Streuwert 2.20, horizontal: 2.33, vertikal: 2.05

Unterschrift des Schützen


Ergebnis: **404.3** (386)
 Serien: 100.8 99.8 101.3 102.4
 Zähler: 26 14 0 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 478 (6), 395 (25), 394 (20)
 beste Teiler 66.0 (2.) 69.4 (27.) 77.1 (28.)
 Trefferlage 0.70 mm links, 0.31 mm tief
 Streuwert 1.60, horizontal: 1.72, vertikal: 1.46




Serie 1:
 10.6 * 10.7 * 10.5 * 9.7 ✓ 10.5 *
 9.0 ↘ 10.2 * 9.9 ↘ 9.7 ↘ 10.0 ←
 beste Teiler 66.0 (2.) 90.4 (1.) 115.1 (3.)
 Trefferlage 0.03 mm links, 0.42 mm tief
 Streuwert 1.85, horizontal: 2.08, vertikal: 1.57



Serie 2:
 9.9 ↓ 9.6 ↘ 10.4 * 9.7 ← 10.6 *
 10.0 ↓ 10.5 * 10.0 ↘ 9.7 ↘ 9.4 ↘
 beste Teiler 81.5 (15.) 109.8 (17.) 149.4 (13.)
 Trefferlage 1.11 mm links, 0.48 mm tief
 Streuwert 1.74, horizontal: 1.81, vertikal: 1.67





Serie 3:
 10.2 * 10.1 ↓ 9.6 ↘ 9.8 ↘ 9.4 ↘
 10.6 * 10.7 * 10.6 * 9.7 ← 10.6 *
 beste Teiler 69.4 (27.) 77.1 (28.) 82.4 (30.)
 Trefferlage 0.99 mm links, 0.22 mm hoch
 Streuwert 1.59, horizontal: 1.85, vertikal: 1.28




Serie 4:
 10.3 * 10.6 * 10.3 * 10.4 * 10.6 *
 10.2 * 10.1 ↓ 10.1 ↓ 9.7 ← 10.1 ↓
 beste Teiler 86.2 (35.) 91.2 (32.) 131.4 (34.)
 Trefferlage 0.68 mm links, 0.58 mm tief
 Streuwert 1.21, horizontal: 1.03, vertikal: 1.37

Unterschrift des Schützen


Ergebnis: **390.5** (375)
 Serien: 96.5 100.0 96.8 97.2
 Zähler: 21 14 4 1 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 828 (32), 731 (2), 677 (15)
 beste Teiler 10.0 (11.) 58.5 (37.) 62.3 (16.)
 Trefferlage 0.37 mm rechts, 0.09 mm tief
 Streuwert 2.50, horizontal: 2.95, vertikal: 1.95




Serie 1:
 10.0 ↗ 8.0 ↘ 10.5 * 10.1 ↙ 8.7 ←
 9.7 ↑ 9.3 → 10.1 ↖ 10.1 ↗ 10.0 ↓
 beste Teiler 107.3 (3.) 208.0 (8.) 221.6 (9.)
 Trefferlage 0.20 mm rechts, 0.07 mm hoch
 Streuwert 2.76, horizontal: 3.09, vertikal: 2.40



Serie 2:
 10.9 * 10.5 * 10.2 * 10.7 * 8.2 ←
 10.7 * 9.3 ↘ 10.3 * 9.9 → 9.3 ↙
 beste Teiler 10.0 (11.) 62.3 (16.) 68.4 (14.)
 Trefferlage 0.14 mm links, 0.58 mm tief
 Streuwert 2.25, horizontal: 2.90, vertikal: 1.31



Serie 3:
 10.2 * 9.6 → 9.0 → 10.2 * 10.1 ↓
 8.5 → 9.7 → 10.0 ↙ 10.4 * 9.1 ↑
 beste Teiler 131.0 (29.) 177.1 (21.) 198.4 (24.)
 Trefferlage 1.38 mm rechts, 0.28 mm tief
 Streuwert 2.39, horizontal: 2.63, vertikal: 2.12





Serie 4:
 9.5 ↙ 7.6 → 9.7 ↗ 10.6 * 9.9 ↗
 9.8 ← 10.7 * 10.2 * 10.1 ↖ 9.1 ↘
 beste Teiler 58.5 (37.) 95.3 (34.) 192.3 (38.)
 Trefferlage 0.07 mm rechts, 0.42 mm hoch
 Streuwert 2.75, horizontal: 3.35, vertikal: 1.98


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **391.6** (372)
 Serien: 97.7 97.5 97.9 98.5
 Zähler: 14 24 2 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 547 (3), 540 (2), 473 (18)
 beste Teiler 93.9 (38.) 117.7 (39.) 118.5 (24.)
 Trefferlage 0.27 mm rechts, 0.11 mm tief
 Streuwert 2.26, horizontal: 2.39, vertikal: 2.11




Serie 1:
 9.3 → 8.8 ↘ 8.8 ← 9.6 ↙ 9.8 ↗
 10.2 * 10.1 ↖ 10.4 * 10.5 * 10.2 *
 beste Teiler 122.3 (9.) 131.5 (8.) 180.6 (10.)
 Trefferlage 0.60 mm links, 0.42 mm hoch
 Streuwert 2.42, horizontal: 2.81, vertikal: 1.95



Serie 2:
 9.7 → 9.3 ↗ 10.4 * 10.4 * 9.6 ↓
 10.3 * 9.7 → 9.1 ↘ 9.4 ← 9.6 ↘
 beste Teiler 128.7 (14.) 142.2 (13.) 171.8 (16.)
 Trefferlage 1.08 mm rechts, 0.62 mm tief
 Streuwert 2.24, horizontal: 2.22, vertikal: 2.25



Serie 3:
 9.1 ↖ 10.3 * 9.8 ↘ 10.5 * 9.7 ↑
 9.8 ↑ 9.9 ↙ 9.4 → 9.8 ↖ 9.6 ↘
 beste Teiler 118.5 (24.) 159.2 (22.) 254.3 (27.)
 Trefferlage 0.15 mm rechts, 0.15 mm hoch
 Streuwert 2.28, horizontal: 2.37, vertikal: 2.19



Serie 4:
 10.3 * 9.4 ↓ 9.3 → 9.3 → 10.0 ↘
 9.6 ↑ 9.9 ↖ 10.6 * 10.5 * 9.6 ↓
 beste Teiler 93.9 (38.) 117.7 (39.) 157.8 (31.)
 Trefferlage 0.45 mm rechts, 0.40 mm tief
 Streuwert 2.18, horizontal: 2.15, vertikal: 2.22

Unterschrift des Schützen