





Ergebnis: **388.3** (368)
 Serien: 98.7 96.7 95.2 97.7
 Zähler: 11 26 3 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 538 (20), 528 (25), 505 (21)
 beste Teiler 81.3 (36.) 99.3 (5.) 153.5 (2.)
 Trefferlage 0.62 mm rechts, 0.20 mm hoch
 Streuwert 2.33, horizontal: 2.51, vertikal: 2.14




Serie 1:
 9.6 ↑ 10.3 * 10.2 * 10.0 ↑ 10.6 *
 9.6 ← 9.7 ↙ 9.8 ← 9.6 ↘ 9.3 ←
 beste Teiler 99.3 (5.) 153.5 (2.) 198.2 (3.)
 Trefferlage 0.98 mm links, 0.11 mm hoch
 Streuwert 2.02, horizontal: 2.09, vertikal: 1.96



Serie 2:
 9.3 ← 10.3 * 10.3 * 9.8 ↘ 9.9 ↘
 9.9 ↑ 9.5 → 9.9 ↑ 9.0 ↘ 8.8 ↗
 beste Teiler 159.5 (12.) 161.4 (13.) 255.3 (15.)
 Trefferlage 0.32 mm rechts, 0.11 mm hoch
 Streuwert 2.53, horizontal: 2.64, vertikal: 2.42



Serie 3:
 8.9 → 9.9 ↘ 9.5 → 9.6 ↘ 8.8 ↘
 9.8 ← 9.4 ↗ 10.1 ↓ 9.9 ↗ 9.3 ↗
 beste Teiler 218.5 (28.) 269.5 (22.) 270.6 (29.)
 Trefferlage 1.65 mm rechts, 0.22 mm tief
 Streuwert 2.48, horizontal: 2.65, vertikal: 2.30





Serie 4:
 9.1 ↗ 9.4 ↗ 9.8 ↘ 9.9 ↑ 10.0 →
 10.6 * 10.1 ↓ 10.0 → 9.7 ↘ 9.1 ↗
 beste Teiler 81.3 (36.) 216.7 (37.) 237.6 (35.)
 Trefferlage 1.50 mm rechts, 0.82 mm hoch
 Streuwert 2.02, horizontal: 1.98, vertikal: 2.05


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **399.9** (379)
 Serien: 102.4 99.0 97.6 100.9
 Zähler: 22 15 3 0 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 590 (27), 522 (19), 516 (26)
 beste Teiler 35.8 (6.) 38.3 (34.) 51.9 (21.)
 Trefferlage 0.04 mm links, 0.16 mm hoch
 Streuwert 2.02, horizontal: 2.57, vertikal: 1.25




Serie 1:
 10.3 * 10.2 * 10.0 ↗ 10.6 * 9.6 ↖
 10.8 * 10.2 * 10.6 * 10.6 * 9.5 ↘
 beste Teiler 35.8 (6.) 88.0 (9.) 91.4 (8.)
 Trefferlage 0.33 mm rechts, 0.27 mm hoch
 Streuwert 1.51, horizontal: 1.62, vertikal: 1.39



Serie 2:
 9.3 → 9.9 ↗ 10.2 * 10.5 * 10.7 *
 9.7 ↖ 10.2 * 10.5 * 8.9 → 9.1 ↙
 beste Teiler 60.0 (15.) 102.1 (18.) 105.1 (14.)
 Trefferlage 0.04 mm rechts, 0.16 mm hoch
 Streuwert 2.28, horizontal: 2.93, vertikal: 1.36



Serie 3:
 10.7 * 9.8 ← 10.6 * 10.5 * 9.1 →
 8.9 ↖ 8.6 ↗ 9.7 → 9.5 ← 10.2 *
 beste Teiler 51.9 (21.) 98.0 (23.) 116.4 (24.)
 Trefferlage 0.07 mm links, 0.29 mm hoch
 Streuwert 2.59, horizontal: 3.44, vertikal: 1.24





Serie 4:
 9.9 ← 9.1 ← 9.8 ↘ 10.8 * 10.5 *
 10.4 * 10.7 * 10.4 * 9.7 ← 9.6 ↗
 beste Teiler 38.3 (34.) 72.4 (37.) 108.0 (35.)
 Trefferlage 0.47 mm links, 0.06 mm tief
 Streuwert 1.82, horizontal: 2.30, vertikal: 1.17


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **388.8** (367)
 Serien: 96.0 97.7 95.8 99.3
 Zähler: 10 27 3 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 686 (14), 560 (5), 557 (1)
 beste Teiler 78.4 (11.) 81.6 (17.) 88.0 (33.)
 Trefferlage 0.65 mm rechts, 0.75 mm hoch
 Streuwert 2.29, horizontal: 2.52, vertikal: 2.03




Serie 1:
 8.7 → 10.6 * 9.0 → 9.7 → 8.7 ↖
 9.9 ↙ 9.4 ↘ 10.0 ↑ 9.8 ↖ 10.2 *
 beste Teiler 96.2 (2.) 200.5 (10.) 244.7 (8.)
 Trefferlage 1.12 mm rechts, 0.28 mm hoch
 Streuwert 2.62, horizontal: 3.22, vertikal: 1.82



Serie 2:
 10.6 * 9.6 ↗ 10.0 ↗ 8.2 ↗ 9.7 →
 10.3 * 10.6 * 9.6 ↗ 9.6 ↖ 9.5 ↗
 beste Teiler 78.4 (11.) 81.6 (17.) 161.0 (16.)
 Trefferlage 1.06 mm rechts, 1.78 mm hoch
 Streuwert 2.00, horizontal: 2.01, vertikal: 2.00





Serie 3:
 9.2 ← 9.6 ↖ 9.7 ↖ 9.8 ↖ 9.3 ↗
 9.4 ↑ 9.4 ↗ 9.9 ↘ 9.8 ↘ 9.7 ↖
 beste Teiler 267.7 (28.) 292.2 (29.) 300.5 (24.)
 Trefferlage 0.53 mm links, 1.12 mm hoch
 Streuwert 2.46, horizontal: 2.55, vertikal: 2.35




Serie 4:
 9.8 ↘ 10.3 * 10.6 * 9.6 ↗ 9.7 ↖
 9.6 → 9.7 → 9.9 ↓ 10.3 * 9.8 ←
 beste Teiler 88.0 (33.) 156.0 (39.) 169.1 (32.)
 Trefferlage 0.96 mm rechts, 0.18 mm tief
 Streuwert 1.85, horizontal: 2.09, vertikal: 1.58

Unterschrift des Schützen


Ergebnis: **382.8** (364)
 Serien: 100.4 92.9 98.5 91.0
 Zähler: 15 15 9 1 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 824 (11), 697 (31), 663 (30)
 beste Teiler 50.2 (28.) 80.8 (40.) 93.3 (8.)
 Trefferlage 0.88 mm rechts, 0.12 mm tief
 Streuwert 2.78, horizontal: 2.87, vertikal: 2.69




Serie 1:
 10.2 * 10.2 * 9.9 ↗ 10.0 ↘ 9.5 ↘
 10.4 * 10.4 * 10.6 * 9.4 ↗ 9.8 ↗
 beste Teiler 93.3 (8.) 142.0 (7.) 145.6 (6.)
 Trefferlage 0.69 mm links, 1.19 mm hoch
 Streuwert 1.51, horizontal: 1.33, vertikal: 1.67



Serie 2:
 7.7 → 8.8 ↗ 9.4 ↑ 8.7 ↗ 10.5 *
 9.4 ↗ 8.9 → 10.4 * 9.9 ↗ 9.2 ↘
 beste Teiler 107.5 (15.) 136.8 (18.) 270.9 (19.)
 Trefferlage 2.38 mm rechts, 1.59 mm hoch
 Streuwert 2.70, horizontal: 3.07, vertikal: 2.28



Serie 3:
 10.5 * 9.4 ← 9.9 ↘ 10.2 * 10.0 →
 9.9 ↑ 9.1 ↘ 10.8 * 10.4 * 8.3 ←
 beste Teiler 50.2 (28.) 111.0 (21.) 147.8 (29.)
 Trefferlage 0.44 mm links, 0.00 mm
 Streuwert 2.41, horizontal: 2.90, vertikal: 1.77





Serie 4:
 8.2 → 8.4 ↘ 10.3 * 9.2 ↘ 9.0 →
 8.5 ↘ 8.7 ↘ 8.6 ↓ 9.5 ↓ 10.6 *
 beste Teiler 80.8 (40.) 156.8 (33.) 363.3 (39.)
 Trefferlage 2.29 mm rechts, 3.29 mm tief
 Streuwert 2.27, horizontal: 2.56, vertikal: 1.95


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **397.1** (382)
 Serien: 99.7 97.3 96.5 103.6
 Zähler: 25 13 1 1 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 856 (28), 642 (17), 495 (6)
 beste Teiler 14.1 (37.) 52.2 (34.) 81.6 (14.)
 Trefferlage 0.50 mm links, 0.10 mm tief
 Streuwert 2.11, horizontal: 2.40, vertikal: 1.79




Serie 1:
 10.0 ↙ 10.1 ↑ 10.5 * 10.3 * 9.8 ↘
 9.0 ↙ 10.0 ← 10.0 ← 9.9 → 10.1 ↗
 beste Teiler 115.4 (3.) 173.9 (4.) 201.3 (2.)
 Trefferlage 0.82 mm links, 0.21 mm tief
 Streuwert 1.85, horizontal: 2.25, vertikal: 1.35



Serie 2:
 9.1 ← 9.2 ← 9.9 ↗ 10.6 * 10.1 ←
 10.4 * 8.4 ↗ 9.7 ↘ 9.9 ↑ 10.0 ↘
 beste Teiler 81.6 (14.) 141.2 (16.) 202.1 (15.)
 Trefferlage 0.26 mm links, 0.60 mm hoch
 Streuwert 2.50, horizontal: 3.00, vertikal: 1.87



Serie 3:
 9.8 ↘ 9.8 ↗ 10.1 ↗ 10.1 ↖ 9.5 →
 10.2 * 10.0 ↘ 7.5 ↙ 9.1 ↙ 10.4 *
 beste Teiler 130.6 (30.) 195.2 (26.) 207.9 (23.)
 Trefferlage 0.88 mm links, 0.70 mm tief
 Streuwert 2.71, horizontal: 3.05, vertikal: 2.34





Serie 4:
 10.6 * 10.4 * 10.4 * 10.7 * 10.2 *
 10.1 ↓ 10.9 * 9.7 ↗ 10.6 * 10.0 ↙
 beste Teiler 14.1 (37.) 52.2 (34.) 85.1 (31.)
 Trefferlage 0.04 mm links, 0.09 mm tief
 Streuwert 1.25, horizontal: 1.00, vertikal: 1.45


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **402.8** (386)
 Serien: 99.8 101.2 101.4 100.4
 Zähler: 28 10 2 0 0 0 0 0 0 0
 Innenzehner: 24
 weiteste: 555 (24), 513 (20), 468 (3)
 beste Teiler 36.8 (33.) 37.7 (4.) 43.0 (23.)
 Trefferlage 0.07 mm links, 0.01 mm hoch
 Streuwert 1.84, horizontal: 1.89, vertikal: 1.78




Serie 1:
 9.7 ↘ 9.7 → 9.1 ↑ 10.8 * 10.2 *
 9.4 ↘ 10.4 * 10.1 ← 9.9 ↓ 10.5 *
 beste Teiler 37.7 (4.) 105.3 (10.) 127.2 (7.)
 Trefferlage 0.62 mm links, 0.68 mm hoch
 Streuwert 1.93, horizontal: 1.82, vertikal: 2.03



Serie 2:
 10.2 * 10.2 * 10.5 * 10.1 ↖ 10.5 *
 10.0 ↘ 10.2 * 10.2 * 10.4 * 8.9 ←
 beste Teiler 105.3 (13.) 120.4 (15.) 146.5 (19.)
 Trefferlage 0.79 mm links, 0.08 mm hoch
 Streuwert 1.65, horizontal: 1.89, vertikal: 1.38



Serie 3:
 10.5 * 10.5 * 10.8 * 8.7 ↓ 10.5 *
 10.2 * 9.3 ← 10.4 * 10.2 * 10.3 *
 beste Teiler 43.0 (23.) 113.7 (21.) 114.0 (22.)
 Trefferlage 0.13 mm rechts, 0.69 mm tief
 Streuwert 1.80, horizontal: 1.83, vertikal: 1.77





Serie 4:
 10.4 * 10.0 → 10.8 * 10.4 * 9.3 ↑
 9.8 ↓ 9.8 ↘ 10.5 * 9.1 → 10.3 *
 beste Teiler 36.8 (33.) 115.3 (38.) 137.1 (34.)
 Trefferlage 1.00 mm rechts, 0.01 mm tief
 Streuwert 1.80, horizontal: 1.72, vertikal: 1.88


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **385.6** (366)
 Serien: 97.1 97.6 91.7 99.2
 Zähler: 17 16 4 2 1 0 0 0 0 0
 Innenzehner: 13
 weiteste: 1168 (25), 828 (29), 752 (7)
 beste Teiler 14.5 (3.) 93.6 (13.) 101.3 (14.)
 Trefferlage 0.96 mm links, 0.30 mm tief
 Streuwert 2.75, horizontal: 3.51, vertikal: 1.68




Serie 1:
 9.3 → 9.8 ← 10.9 * 10.4 * 9.7 ↑
 10.3 * 7.9 ↘ 9.0 ← 9.9 ← 9.9 ↓
 beste Teiler 14.5 (3.) 139.1 (4.) 157.5 (6.)
 Trefferlage 0.06 mm links, 0.37 mm tief
 Streuwert 2.71, horizontal: 3.22, vertikal: 2.09



Serie 2:
 9.4 ↘ 9.7 ↘ 10.6 * 10.5 * 9.7 ↓
 10.1 ↗ 10.1 ↖ 8.5 → 8.9 ← 10.1 ←
 beste Teiler 93.6 (13.) 101.3 (14.) 202.0 (20.)
 Trefferlage 0.58 mm links, 0.00 mm
 Streuwert 2.48, horizontal: 3.17, vertikal: 1.49



Serie 3:
 9.6 → 10.2 * 10.2 * 9.4 ← 6.3 ←
 8.4 ← 10.0 ↓ 10.4 * 7.6 ↖ 9.6 ↖
 beste Teiler 139.0 (28.) 177.1 (22.) 181.5 (23.)
 Trefferlage 2.74 mm links, 0.49 mm tief
 Streuwert 3.49, horizontal: 4.66, vertikal: 1.65



Serie 4:
 9.7 ↑ 8.7 ← 10.3 * 9.6 ↘ 10.2 *
 9.7 ← 10.4 * 10.5 * 9.6 → 10.5 *
 beste Teiler 112.8 (38.) 113.7 (40.) 131.0 (37.)
 Trefferlage 0.47 mm links, 0.35 mm tief
 Streuwert 2.13, horizontal: 2.53, vertikal: 1.65

Unterschrift des Schützen

Meyton Elektronik