





Ergebnis: **386.5** (367)  
 Serien: 95.7 94.9 99.9 96.0  
 Zähler: 15 18 6 1 0 0 0 0 0 0  
 Innenzehner: 11  
 weiteste: 800 (40), 627 (14), 587 (33)  
 beste Teiler 62.9 (24.) 74.1 (27.) 86.3 (21.)  
 Trefferlage 1.32 mm links, 0.27 mm hoch  
 Streuwert 2.45, horizontal: 2.61, vertikal: 2.29




Serie 1:  
 8.9 ↘ 10.5 \* 9.9 ↘ 9.9 ← 9.0 ↘  
 9.7 → 9.0 ↘ 9.0 ← 9.4 ← 10.4 \*  
 beste Teiler 123.0 (2.) 134.1 (10.) 252.4 (3.)  
 Trefferlage 1.66 mm links, 1.03 mm hoch  
 Streuwert 2.39, horizontal: 2.83, vertikal: 1.84



Serie 2:  
 10.4 \* 8.7 ← 9.9 ← 8.4 ↗ 10.0 ↑  
 9.1 ↖ 8.7 ↑ 9.8 ↘ 10.0 ↘ 9.9 ↓  
 beste Teiler 132.4 (11.) 234.6 (15.) 236.7 (19.)  
 Trefferlage 2.17 mm links, 0.68 mm hoch  
 Streuwert 2.42, horizontal: 2.07, vertikal: 2.72



Serie 3:  
 10.6 \* 9.3 ↗ 10.0 → 10.7 \* 9.4 ↓  
 9.9 ↙ 10.7 \* 10.5 \* 10.0 ↓ 8.8 ↙  
 beste Teiler 62.9 (24.) 74.1 (27.) 86.3 (21.)  
 Trefferlage 0.18 mm rechts, 0.95 mm tief  
 Streuwert 2.01, horizontal: 2.13, vertikal: 1.89





Serie 4:  
 9.3 ↑ 10.5 \* 8.6 ↘ 9.3 ← 9.9 →  
 10.4 \* 10.5 \* 10.3 \* 9.4 ↗ 7.8 ←  
 beste Teiler 101.6 (32.) 122.0 (37.) 147.8 (36.)  
 Trefferlage 1.64 mm links, 0.32 mm hoch  
 Streuwert 2.73, horizontal: 3.00, vertikal: 2.43


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **387.6** (370)  
 Serien: 96.1 96.9 97.5 97.1  
 Zähler: 16 18 6 0 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 713 (14), 676 (29), 637 (3)  
 beste Teiler 6.0 (15.) 29.5 (4.) 45.0 (25.)  
 Trefferlage 0.49 mm rechts, 0.83 mm tief  
 Streuwert 2.47, horizontal: 2.90, vertikal: 1.96




Serie 1:  
 9.5 ↘ 10.5 \* 8.4 ↗ 10.8 \* 9.9 ↙  
 9.9 ↘ 10.2 \* 9.1 → 9.1 → 8.7 ←  
 beste Teiler 29.5 (4.) 105.2 (2.) 200.9 (7.)  
 Trefferlage 1.19 mm rechts, 0.00 mm  
 Streuwert 2.72, horizontal: 3.30, vertikal: 1.96



Serie 2:  
 9.6 ← 10.0 ↘ 8.7 ↘ 8.1 → 10.9 \*  
 10.2 \* 10.1 ↘ 10.3 \* 9.5 ↘ 9.5 ↓  
 beste Teiler 6.0 (15.) 169.3 (18.) 194.2 (16.)  
 Trefferlage 1.34 mm rechts, 1.20 mm tief  
 Streuwert 2.41, horizontal: 2.73, vertikal: 2.04



Serie 3:  
 9.5 ← 9.9 ↗ 10.0 ↘ 9.9 ↙ 10.8 \*  
 10.6 \* 9.8 ↙ 9.6 ↓ 8.2 ↙ 9.2 ←  
 beste Teiler 45.0 (25.) 81.4 (26.) 226.7 (23.)  
 Trefferlage 1.33 mm links, 1.27 mm tief  
 Streuwert 2.17, horizontal: 2.11, vertikal: 2.22





Serie 4:  
 10.4 \* 8.9 ↘ 9.1 ← 10.0 → 10.0 →  
 10.3 \* 9.8 ↓ 9.6 ↓ 9.0 → 10.0 ←  
 beste Teiler 132.8 (31.) 167.4 (36.) 236.5 (35.)  
 Trefferlage 0.78 mm rechts, 0.85 mm tief  
 Streuwert 2.34, horizontal: 2.91, vertikal: 1.59


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **380.0** (365)  
 Serien: 97.7 96.4 92.2 93.7  
 Zähler: 16 15 8 0 1 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 1057 (31), 728 (13), 721 (27)  
 beste Teiler 45.7 (37.) 85.2 (1.) 101.8 (6.)  
 Trefferlage 0.47 mm rechts, 0.09 mm hoch  
 Streuwert 3.02, horizontal: 3.55, vertikal: 2.37




Serie 1:  
 10.6 \*                      10.2 \*                      9.0 ↘                      10.1 ↘                      9.5 →  
 10.5 \*                      9.2 ↙                      9.3 ↑                      10.4 \*                      8.9 ↘  
 beste Teiler 85.2 (1.) 101.8 (6.) 150.4 (9.)  
 Trefferlage 0.97 mm rechts, 0.46 mm tief  
 Streuwert 2.38, horizontal: 2.23, vertikal: 2.51



Serie 2:  
 10.0 ↓                      10.4 \*                      8.0 ←                      10.5 \*                      9.6 ↑  
 10.4 \*                      8.5 ←                      10.2 \*                      9.0 ↗                      9.8 ↙  
 beste Teiler 124.1 (14.) 130.1 (12.) 136.7 (16.)  
 Trefferlage 0.71 mm links, 0.01 mm hoch  
 Streuwert 2.82, horizontal: 3.38, vertikal: 2.11



Serie 3:  
 9.4 ↘                      9.5 →                      8.1 ↗                      9.4 ↘                      9.1 ↙  
 10.4 \*                      8.1 ↖                      9.3 ←                      8.9 ↗                      10.0 ←  
 beste Teiler 141.5 (26.) 250.7 (30.) 353.2 (22.)  
 Trefferlage 0.49 mm rechts, 0.40 mm hoch  
 Streuwert 3.43, horizontal: 4.26, vertikal: 2.31





Serie 4:  
 6.7 →                      10.5 \*                      8.4 ↘                      10.2 \*                      10.3 \*  
 9.7 ↙                      10.8 \*                      8.5 ↑                      9.6 ↖                      9.0 ↖  
 beste Teiler 45.7 (37.) 119.1 (32.) 161.6 (35.)  
 Trefferlage 1.13 mm rechts, 0.42 mm hoch  
 Streuwert 3.56, horizontal: 4.20, vertikal: 2.77


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **389.9** (371)  
 Serien: 98.9 95.3 97.3 98.4  
 Zähler: 16 20 3 1 0 0 0 0 0 0  
 Innenzehner: 12  
 weiteste: 832 (13), 615 (5), 517 (31)  
 beste Teiler 77.3 (9.) 85.3 (24.) 96.1 (34.)  
 Trefferlage 0.68 mm links, 0.26 mm hoch  
 Streuwert 2.37, horizontal: 2.82, vertikal: 1.82




Serie 1:  
 9.6 ← 10.2 \* 9.8 ↘ 9.4 ↗ 8.5 ↖  
 10.2 \* 10.5 \* 10.2 \* 10.6 \* 9.9 →  
 beste Teiler 77.3 (9.) 111.6 (7.) 182.9 (8.)  
 Trefferlage 0.37 mm rechts, 0.67 mm hoch  
 Streuwert 2.20, horizontal: 2.50, vertikal: 1.84



Serie 2:  
 8.9 ↘ 9.7 → 7.6 ← 10.2 \* 10.0 ↗  
 9.8 ↓ 9.9 ↖ 9.0 ↖ 9.9 ↖ 10.3 \*  
 beste Teiler 162.4 (20.) 185.1 (14.) 238.3 (15.)  
 Trefferlage 0.77 mm links, 0.24 mm hoch  
 Streuwert 2.95, horizontal: 3.57, vertikal: 2.17





Serie 3:  
 9.7 ↑ 9.0 ↖ 9.8 ↙ 10.6 \* 9.5 ↗  
 9.7 ← 9.9 ↖ 9.7 ← 9.3 ← 10.1 ↙  
 beste Teiler 85.3 (24.) 205.8 (30.) 274.8 (27.)  
 Trefferlage 1.80 mm links, 0.21 mm hoch  
 Streuwert 2.02, horizontal: 2.00, vertikal: 2.03




Serie 4:  
 8.9 ↖ 10.0 ↓ 9.1 ← 10.6 \* 9.6 →  
 9.1 ← 10.3 \* 10.4 \* 10.3 \* 10.1 ↓  
 beste Teiler 96.1 (34.) 142.0 (38.) 151.4 (37.)  
 Trefferlage 0.54 mm links, 0.07 mm tief  
 Streuwert 2.31, horizontal: 2.97, vertikal: 1.35

Unterschrift des Schützen


Ergebnis: **382.1** (365)  
 Serien: 97.2 93.9 96.3 94.7  
 Zähler: 14 17 9 0 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 744 (12), 729 (31), 726 (32)  
 beste Teiler 11.0 (8.) 32.0 (33.) 73.3 (16.)  
 Trefferlage 0.03 mm links, 0.13 mm hoch  
 Streuwert 2.86, horizontal: 3.41, vertikal: 2.17




Serie 1:  
 9.2 ↙ 10.0 ↘ 10.3 \* 10.1 ↑ 9.7 →  
 9.6 ↓ 8.8 → 10.9 \* 9.4 ↘ 9.2 ↗  
 beste Teiler 11.0 (8.) 174.0 (3.) 203.5 (4.)  
 Trefferlage 0.22 mm rechts, 0.31 mm hoch  
 Streuwert 2.52, horizontal: 3.00, vertikal: 1.94



Serie 2:  
 9.7 ↗ 8.0 → 8.4 ↘ 8.8 ↘ 10.3 \*  
 10.7 \* 9.0 ↙ 8.9 ↘ 10.4 \* 9.7 ↘  
 beste Teiler 73.3 (16.) 133.7 (19.) 154.3 (15.)  
 Trefferlage 1.49 mm rechts, 1.06 mm tief  
 Streuwert 3.05, horizontal: 3.72, vertikal: 2.17



Serie 3:  
 9.2 ↘ 9.7 ↙ 10.0 ↘ 9.6 ↘ 9.7 ↘  
 9.8 ↓ 8.4 ↙ 9.0 → 10.3 \* 10.6 \*  
 beste Teiler 81.2 (30.) 168.3 (29.) 242.6 (23.)  
 Trefferlage 0.83 mm links, 0.09 mm tief  
 Streuwert 2.63, horizontal: 2.88, vertikal: 2.35





Serie 4:  
 8.0 ← 8.0 ↗ 10.8 \* 10.2 \* 9.1 ↙  
 9.4 ↘ 10.5 \* 9.8 ↗ 10.1 → 8.8 ↙  
 beste Teiler 32.0 (33.) 104.6 (37.) 198.0 (34.)  
 Trefferlage 1.02 mm links, 1.39 mm hoch  
 Streuwert 2.97, horizontal: 3.84, vertikal: 1.71


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **381.1** (363)  
 Serien: 94.2 97.3 93.7 95.9  
 Zähler: 14 16 9 1 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 775 (4), 714 (2), 647 (35)  
 beste Teiler 116.2 (18.) 121.0 (32.) 123.7 (39.)  
 Trefferlage 1.31 mm rechts, 0.80 mm tief  
 Streuwert 2.61, horizontal: 2.95, vertikal: 2.23




Serie 1:  
 9.4 → 8.1 → 9.9 ↑ 7.9 → 9.8 ↙  
 9.8 ↙ 8.8 → 10.0 ← 10.2 \* 10.3 \*  
 beste Teiler 156.2 (10.) 188.0 (9.) 228.9 (8.)  
 Trefferlage 1.67 mm rechts, 0.96 mm tief  
 Streuwert 2.92, horizontal: 3.67, vertikal: 1.88



Serie 2:  
 10.0 ↑ 9.3 ↘ 8.8 → 9.3 ↖ 9.3 →  
 10.0 ↘ 10.3 \* 10.5 \* 9.5 ↘ 10.3 \*  
 beste Teiler 116.2 (18.) 154.8 (17.) 160.6 (20.)  
 Trefferlage 1.31 mm rechts, 0.09 mm tief  
 Streuwert 2.31, horizontal: 2.30, vertikal: 2.32



Serie 3:  
 8.9 → 9.8 ↑ 10.0 ↑ 9.0 → 10.1 ↖  
 8.6 ↘ 10.2 \* 8.9 ← 9.4 ↘ 8.8 ↘  
 beste Teiler 177.0 (27.) 223.8 (25.) 226.8 (23.)  
 Trefferlage 1.07 mm rechts, 0.95 mm tief  
 Streuwert 2.92, horizontal: 3.20, vertikal: 2.61



Serie 4:  
 9.7 → 10.5 \* 9.8 ↘ 9.9 ↓ 8.4 →  
 8.7 ↖ 9.1 ↘ 9.1 ↓ 10.5 \* 10.2 \*  
 beste Teiler 121.0 (32.) 123.7 (39.) 197.5 (40.)  
 Trefferlage 1.17 mm rechts, 1.19 mm tief  
 Streuwert 2.59, horizontal: 2.90, vertikal: 2.23

Unterschrift des Schützen

Meyton Elektronik