





Ergebnis:	623.4	(595)					
Serien:	103.6	104.3	103.7	104.3	103.6	103.9	
Zähler:	55	5	0	0	0	0	0
Innenzehner:	44						
weiteste:	413 (47), 322 (29), 290 (44)						
beste Teiler	12.8 (42.) 37.0 (52.) 43.5 (51.)						
Trefferlage	0.28 mm links, 0.28 mm hoch						
Streuwert	1.13, horizontal: 1.33, vertikal: 0.88						




Serie 1:	10.4 *	10.3 *	10.5 *	10.2 *	10.1 ←
	10.0 ↗	10.7 *	10.5 *	10.5 *	10.4 *
beste Teiler	52.0 (7.) 112.2 (8.) 118.4 (9.)				
Trefferlage	0.61 mm links, 0.39 mm hoch				
Streuwert	1.04, horizontal: 1.11, vertikal: 0.97				




Serie 2:	10.5 *	10.1 ↙	10.5 *	10.7 *	10.7 *
	10.0 →	10.6 *	10.0 ↗	10.7 *	10.5 *
beste Teiler	60.3 (14.) 66.1 (19.) 72.1 (15.)				
Trefferlage	0.11 mm rechts, 0.31 mm tief				
Streuwert	1.06, horizontal: 1.22, vertikal: 0.87				




Serie 3:	10.5 *	10.0 ↗	10.6 *	10.0 →	10.6 *
	10.6 *	10.7 *	10.7 *	9.7 ←	10.3 *
beste Teiler	61.9 (27.) 62.8 (28.) 89.0 (26.)				
Trefferlage	0.21 mm rechts, 0.21 mm hoch				
Streuwert	1.23, horizontal: 1.48, vertikal: 0.92				



Serie 4:	10.3 *	10.5 *	10.5 *	10.3 *	10.7 *
	9.8 →	10.8 *	10.1 ↖	10.7 *	10.6 *
beste Teiler	50.9 (37.) 56.4 (35.) 58.1 (39.)				
Trefferlage	0.08 mm links, 0.44 mm hoch				
Streuwert	1.05, horizontal: 1.34, vertikal: 0.64				



Serie 5:	10.1 ←	10.9 *	10.8 *	9.8 ↖	10.5 *
	10.6 *	9.3 ↗	10.8 *	10.2 *	10.6 *
beste Teiler	12.8 (42.) 44.1 (48.) 46.2 (43.)				
Trefferlage	0.58 mm links, 0.64 mm hoch				
Streuwert	1.27, horizontal: 1.50, vertikal: 0.99				



Serie 6:	10.8 *	10.8 *	10.3 *	10.6 *	10.0 ←
	10.5 *	10.4 *	9.8 ←	10.1 ←	10.6 *
beste Teiler	37.0 (52.) 43.5 (51.) 92.0 (60.)				
Trefferlage	0.71 mm links, 0.32 mm hoch				
Streuwert	1.09, horizontal: 1.33, vertikal: 0.77				

Meyton Elektronik

ISSF AR Men – Wertung – Männer

StandNr: 111

Hrckulak, David #70804302

StartNr: 91



10. Juni 2017 16:11

CZE


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	610.8	(584)						
Serien:	101.7	102.7	100.7	102.1	102.8	100.8		
Zähler:	44	16	0	0	0	0	0	0
Innenzehner:	36							
weiteste:	429 (57), 402 (3), 348 (27)							
beste Teiler	53.6 (12.)	60.0 (58.)	71.0 (2.)					
Trefferlage	0.19 mm rechts, 0.35 mm hoch							
Streuwert	1.48, horizontal: 1.65, vertikal: 1.28							




Serie 1:	10.6 *	10.7 *	9.3 →	10.2 *	9.6 ←
	10.2 *	9.8 ↗	10.3 *	10.4 *	10.6 *
beste Teiler	71.0 (2.) 85.8 (10.) 99.0 (1.)				
Trefferlage	0.57 mm rechts, 0.27 mm hoch				
Streuwert	1.59, horizontal: 1.98, vertikal: 1.07				




Serie 2:	10.4 *	10.7 *	10.5 *	10.2 *	10.2 *
	9.7 ↖	10.7 *	10.5 *	9.9 ↑	9.9 ↘
beste Teiler	53.6 (12.) 75.0 (17.) 105.1 (18.)				
Trefferlage	0.25 mm rechts, 0.24 mm hoch				
Streuwert	1.38, horizontal: 1.38, vertikal: 1.38				




Serie 3:	9.6 ↘	10.2 *	10.6 *	10.1 ↑	10.2 *
	10.4 *	9.6 ↗	9.9 ↖	10.0 ↓	10.1 →
beste Teiler	96.6 (23.) 146.4 (26.) 177.2 (22.)				
Trefferlage	0.19 mm rechts, 0.24 mm hoch				
Streuwert	1.72, horizontal: 1.90, vertikal: 1.53				



Serie 4:	10.4 *	10.2 *	10.1 ↖	9.9 ←	9.8 ↖
	10.4 *	10.3 *	10.2 *	10.6 *	10.2 *
beste Teiler	90.8 (39.) 139.7 (36.) 144.4 (31.)				
Trefferlage	0.59 mm links, 0.12 mm hoch				
Streuwert	1.37, horizontal: 1.53, vertikal: 1.19				



Serie 5:	10.7 *	10.5 *	10.5 *	9.8 ↑	10.5 *
	10.0 →	10.2 *	10.1 ↘	10.1 ↓	10.4 *
beste Teiler	74.7 (41.) 115.8 (45.) 119.2 (43.)				
Trefferlage	0.45 mm rechts, 0.31 mm hoch				
Streuwert	1.29, horizontal: 1.22, vertikal: 1.36				



Serie 6:	9.6 ↗	10.1 ↑	10.4 *	10.5 *	10.4 *
	10.4 *	9.2 ↖	10.7 *	9.7 ↑	9.8 →
beste Teiler	60.0 (58.) 114.7 (54.) 126.6 (56.)				
Trefferlage	0.27 mm rechts, 0.89 mm hoch				
Streuwert	1.65, horizontal: 1.92, vertikal: 1.32				

Meyton Elektronik

ISSF AR Men – Wertung – Männer

StandNr: 113

Thum, Andreas #86

StartNr: 93



10. Juni 2017 15:52

AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	620.5	(594)						
Serien:	104.2	102.5	104.3	103.8	103.5	102.2		
Zähler:	54	6	0	0	0	0	0	0
Innenzehner:	46							
weiteste:	343 (12), 330 (17), 305 (58)							
beste Teiler	2.2 (51.) 11.4 (23.) 18.8 (13.)							
Trefferlage	0.37 mm links, 0.37 mm hoch							
Streuwert	1.16, horizontal: 1.25, vertikal: 1.05							




Serie 1:	10.6 *	10.2 *	10.3 *	10.4 *	10.6 *
	10.2 *	10.4 *	10.2 *	10.6 *	10.7 *
beste Teiler	65.1 (10.) 76.6 (1.) 84.3 (5.)				
Trefferlage	0.28 mm rechts, 0.40 mm hoch				
Streuwert	0.98, horizontal: 1.18, vertikal: 0.73				




Serie 2:	10.3 *	9.6 ↘	10.9 *	10.0 ↘	10.5 *
	10.6 *	9.6 ←	10.3 *	10.4 *	10.3 *
beste Teiler	18.8 (13.) 97.1 (16.) 121.5 (15.)				
Trefferlage	0.66 mm links, 0.67 mm hoch				
Streuwert	1.33, horizontal: 1.64, vertikal: 0.91				




Serie 3:	10.4 *	10.3 *	10.9 *	10.2 *	10.3 *
	10.1 ↑	10.4 *	10.5 *	10.4 *	10.8 *
beste Teiler	11.4 (23.) 26.4 (30.) 120.0 (28.)				
Trefferlage	0.32 mm links, 0.30 mm hoch				
Streuwert	1.04, horizontal: 0.96, vertikal: 1.11				



Serie 4:	10.7 *	10.3 *	9.7 ↘	10.4 *	10.5 *
	10.0 ↘	10.5 *	10.7 *	10.5 *	10.5 *
beste Teiler	57.0 (38.) 72.4 (31.) 105.2 (40.)				
Trefferlage	0.34 mm links, 0.70 mm hoch				
Streuwert	1.04, horizontal: 1.10, vertikal: 0.98				



Serie 5:	10.5 *	10.1 ↘	9.8 ↗	10.4 *	10.7 *
	10.3 *	10.2 *	10.1 ←	10.6 *	10.8 *
beste Teiler	42.7 (50.) 65.7 (45.) 100.1 (49.)				
Trefferlage	0.46 mm links, 0.62 mm hoch				
Streuwert	1.08, horizontal: 1.00, vertikal: 1.16				



Serie 6:	10.9 *	10.5 *	10.0 ↙	9.9 ↘	10.1 ←
	10.2 *	10.1 ↘	9.7 ↘	10.5 *	10.3 *
beste Teiler	2.2 (51.) 112.4 (59.) 125.8 (52.)				
Trefferlage	0.72 mm links, 0.46 mm tief				
Streuwert	1.35, horizontal: 1.54, vertikal: 1.13				

ISSF AR Men – Wertung – Männer

StandNr: 117

Eberlberger, Florian #251

StartNr: 97



10. Juni 2017 15:59

AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **621.9** (591)
 Serien: 102.8 103.4 104.6 102.9 105.3 102.9
 Zähler: 51 9 0 0 0 0 0 0 0 0
 Innenzehner: 45
 weiteste: 382 (15), 336 (39), 324 (59)
 beste Teiler 12.0 (47.) 19.7 (46.) 22.0 (28.)
 Trefferlage 0.12 mm rechts, 0.43 mm tief
 Streuwert 1.19, horizontal: 1.47, vertikal: 0.82




Serie 1:
 10.5 * 10.4 * 10.5 * 10.4 * 9.9 ↘
 10.8 * 10.1 ↘ 10.6 * 9.7 ↘ 9.9 ↙
 beste Teiler 43.3 (6.) 96.7 (8.) 111.4 (3.)
 Trefferlage 0.72 mm rechts, 1.01 mm tief
 Streuwert 1.05, horizontal: 1.37, vertikal: 0.57




Serie 2:
 10.3 * 10.2 * 10.2 * 10.7 * 9.4 ↙
 10.5 * 10.6 * 10.5 * 10.3 * 10.7 *
 beste Teiler 62.2 (20.) 72.1 (14.) 80.6 (17.)
 Trefferlage 0.91 mm links, 0.67 mm tief
 Streuwert 1.01, horizontal: 0.97, vertikal: 1.04




Serie 3:
 10.6 * 10.6 * 10.2 * 10.2 * 10.5 *
 10.9 * 10.7 * 10.9 * 10.0 ← 10.0 ←
 beste Teiler 22.0 (28.) 25.6 (26.) 74.7 (27.)
 Trefferlage 0.59 mm links, 0.20 mm tief
 Streuwert 1.02, horizontal: 1.21, vertikal: 0.78



Serie 4:
 10.7 * 10.8 * 10.8 * 10.2 * 10.4 *
 9.7 → 10.1 ↘ 10.3 * 9.6 → 10.3 *
 beste Teiler 44.0 (32.) 47.6 (33.) 64.4 (31.)
 Trefferlage 0.61 mm rechts, 0.42 mm tief
 Streuwert 1.31, horizontal: 1.76, vertikal: 0.57



Serie 5:
 10.7 * 10.1 ↘ 10.0 ↙ 10.2 * 10.7 *
 10.9 * 10.9 * 10.7 * 10.6 * 10.5 *
 beste Teiler 12.0 (47.) 19.7 (46.) 56.4 (45.)
 Trefferlage 0.05 mm rechts, 0.33 mm tief
 Streuwert 0.94, horizontal: 1.05, vertikal: 0.82



Serie 6:
 10.3 * 10.4 * 10.4 * 10.7 * 10.3 *
 9.8 → 9.9 → 10.6 * 9.7 → 10.8 *
 beste Teiler 28.4 (60.) 65.7 (54.) 84.3 (58.)
 Trefferlage 0.85 mm rechts, 0.06 mm hoch
 Streuwert 1.26, horizontal: 1.61, vertikal: 0.77

Meyton Elektronik

ISSF AR Men – Wertung – Männer

StandNr: 124

Nepejchal, Filip #70817161

StartNr: 104



10. Juni 2017 15:57

CZE


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **618.3** (591)
 Serien: 103.8 102.9 104.0 102.7 102.4 102.5
 Zähler: 51 9 0 0 0 0 0 0 0
 Innenzehner: 41
 weiteste: 358 (57), 322 (21), 284 (37)
 beste Teiler 7.6 (58.) 9.4 (5.) 51.0 (38.)
 Trefferlage 0.12 mm links, 0.43 mm hoch
 Streuwert 1.23, horizontal: 1.46, vertikal: 0.96




Serie 1:
 10.6 * 10.5 * 10.5 * 10.1 ← 10.9 *
 10.0 ↖ 10.5 * 10.4 * 10.4 * 9.9 ↘
 beste Teiler 9.4 (5.) 85.7 (1.) 105.0 (7.)
 Trefferlage 0.03 mm links, 0.24 mm hoch
 Streuwert 1.20, horizontal: 1.23, vertikal: 1.16




Serie 2:
 10.5 * 10.5 * 10.4 * 9.9 ↖ 10.2 *
 10.6 * 10.0 ← 10.2 * 10.4 * 10.2 *
 beste Teiler 78.5 (16.) 105.0 (11.) 125.2 (12.)
 Trefferlage 0.13 mm rechts, 0.47 mm hoch
 Streuwert 1.23, horizontal: 1.59, vertikal: 0.69




Serie 3:
 9.7 ↗ 10.5 * 10.2 * 10.3 * 10.7 *
 9.9 → 10.7 * 10.7 * 10.7 * 10.6 *
 beste Teiler 57.0 (27.) 57.2 (28.) 73.5 (25.)
 Trefferlage 0.35 mm rechts, 0.49 mm hoch
 Streuwert 1.14, horizontal: 1.28, vertikal: 0.99



Serie 4:
 10.4 * 10.4 * 10.0 → 10.6 * 10.2 *
 9.9 ↖ 9.8 ← 10.7 * 10.6 * 10.1 ↑
 beste Teiler 51.0 (38.) 89.6 (34.) 91.9 (39.)
 Trefferlage 0.21 mm links, 0.14 mm hoch
 Streuwert 1.37, horizontal: 1.57, vertikal: 1.13



Serie 5:
 10.5 * 10.2 * 10.2 * 10.4 * 10.1 →
 10.0 ↖ 10.4 * 10.0 ↘ 10.2 * 10.4 *
 beste Teiler 118.0 (41.) 136.8 (47.) 145.6 (50.)
 Trefferlage 0.32 mm links, 0.67 mm hoch
 Streuwert 1.25, horizontal: 1.53, vertikal: 0.88



Serie 6:
 10.2 * 9.9 ↖ 10.6 * 10.1 → 9.9 ↖
 10.1 → 9.5 ↘ 10.9 * 10.6 * 10.7 *
 beste Teiler 7.6 (58.) 74.1 (60.) 78.3 (59.)
 Trefferlage 0.66 mm links, 0.57 mm hoch
 Streuwert 1.35, horizontal: 1.64, vertikal: 0.97

Meyton Elektronik

ISSF AR Men – Wertung – Männer

StandNr: 131

Cipro, Adam #70804300

StartNr: 111

10. Juni 2017 16:03

CZE

Unterschrift des Schützen

Meyton Elektronik