





Ergebnis: **412.5** (392)
 Serien: 102.5 104.0 104.5 101.5
 Zähler: 32 8 0 0 0 0 0 0 0 0
 Innenzehner: 29
 weiteste: 316 (37), 297 (39), 290 (33)
 beste Teiler 4.0 (17.) 68.0 (24.) 68.3 (22.)
 Trefferlage 0.20 mm rechts, 0.05 mm hoch
 Streuwert 1.26, horizontal: 1.33, vertikal: 1.19




Serie 1:
 9.9 ↗ 10.5 * 10.2 * 10.5 * 10.3 *
 10.1 ↖ 9.8 ↘ 10.6 * 10.7 * 9.9 ←
 beste Teiler 72.0 (9.) 91.4 (8.) 107.0 (2.)
 Trefferlage 0.29 mm rechts, 0.30 mm tief
 Streuwert 1.39, horizontal: 1.55, vertikal: 1.20



Serie 2:
 10.4 * 10.2 * 10.6 * 10.4 * 10.5 *
 10.3 * 10.9 * 10.2 * 10.3 * 10.2 *
 beste Teiler 4.0 (17.) 89.4 (13.) 113.0 (15.)
 Trefferlage 0.12 mm links, 0.12 mm hoch
 Streuwert 1.07, horizontal: 1.09, vertikal: 1.05



Serie 3:
 10.7 * 10.7 * 10.6 * 10.7 * 10.5 *
 9.9 ↘ 10.3 * 10.5 * 10.4 * 10.2 *
 beste Teiler 68.0 (24.) 68.3 (22.) 69.0 (21.)
 Trefferlage 0.12 mm rechts, 0.11 mm tief
 Streuwert 1.04, horizontal: 1.14, vertikal: 0.92





Serie 4:
 10.1 ↘ 10.7 * 9.8 ↑ 9.9 ↗ 10.4 *
 10.6 * 9.7 ← 10.1 ↖ 9.8 ↘ 10.4 *
 beste Teiler 72.8 (32.) 79.5 (36.) 129.6 (35.)
 Trefferlage 0.54 mm rechts, 0.52 mm hoch
 Streuwert 1.54, horizontal: 1.58, vertikal: 1.50


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **407.5** (390)
 Serien: 101.2 100.0 103.0 103.3
 Zähler: 31 8 1 0 0 0 0 0 0 0
 Innenzehner: 24
 weiteste: 539 (15), 393 (10), 350 (16)
 beste Teiler 31.4 (38.) 38.6 (6.) 52.9 (29.)
 Trefferlage 0.15 mm rechts, 0.02 mm hoch
 Streuwert 1.55, horizontal: 1.81, vertikal: 1.23




Serie 1:
 10.4 * 10.3 * 9.7 ↙ 9.8 → 10.5 *
 10.8 * 10.3 * 10.0 ↙ 10.0 → 9.4 ←
 beste Teiler 38.6 (6.) 125.2 (5.) 145.0 (1.)
 Trefferlage 0.05 mm rechts, 0.57 mm tief
 Streuwert 1.67, horizontal: 2.00, vertikal: 1.25



Serie 2:
 10.2 * 9.8 ↖ 10.5 * 10.0 → 8.8 →
 9.6 ↗ 10.0 → 10.7 * 10.1 ↗ 10.3 *
 beste Teiler 70.0 (18.) 117.8 (13.) 161.5 (20.)
 Trefferlage 1.08 mm rechts, 0.71 mm hoch
 Streuwert 1.79, horizontal: 2.26, vertikal: 1.13





Serie 3:
 10.4 * 10.4 * 10.5 * 10.2 * 10.4 *
 10.4 * 10.0 → 10.2 * 10.7 * 9.8 ←
 beste Teiler 52.9 (29.) 102.0 (23.) 129.5 (26.)
 Trefferlage 0.18 mm links, 0.47 mm hoch
 Streuwert 1.23, horizontal: 1.47, vertikal: 0.91




Serie 4:
 10.4 * 9.9 → 9.7 ↖ 10.3 * 10.5 *
 10.0 ↙ 10.5 * 10.8 * 10.5 * 10.7 *
 beste Teiler 31.4 (38.) 67.2 (40.) 104.2 (37.)
 Trefferlage 0.32 mm links, 0.49 mm tief
 Streuwert 1.22, horizontal: 1.26, vertikal: 1.18

Unterschrift des Schützen


Ergebnis: **418.4** (393)
 Serien: 103.8 104.6 106.0 104.0
 Zähler: 33 7 0 0 0 0 0 0 0 0
 Innenzehner: 33
 weiteste: 282 (2), 270 (17), 265 (24)
 beste Teiler 6.4 (36.) 7.2 (34.) 15.5 (29.)
 Trefferlage 0.50 mm links, 0.29 mm hoch
 Streuwert 0.96, horizontal: 0.87, vertikal: 1.04




Serie 1:
 10.5 * 9.8 ↖ 10.7 * 10.5 * 10.7 *
 10.5 * 9.9 ↖ 10.3 * 10.6 * 10.3 *
 beste Teiler 64.8 (5.) 69.4 (3.) 87.2 (9.)
 Trefferlage 0.61 mm links, 0.58 mm hoch
 Streuwert 1.01, horizontal: 0.93, vertikal: 1.09



Serie 2:
 10.5 * 10.5 * 10.5 * 10.5 * 10.6 *
 10.4 * 9.9 ↙ 10.7 * 10.4 * 10.6 *
 beste Teiler 64.5 (18.) 92.1 (15.) 98.4 (20.)
 Trefferlage 0.35 mm links, 0.23 mm tief
 Streuwert 0.97, horizontal: 0.71, vertikal: 1.18





Serie 3:
 10.2 * 10.8 * 10.8 * 9.9 ↖ 10.5 *
 10.5 * 10.7 * 10.9 * 10.9 * 10.8 *
 beste Teiler 15.5 (29.) 16.7 (28.) 27.4 (30.)
 Trefferlage 0.41 mm links, 0.17 mm hoch
 Streuwert 0.83, horizontal: 0.79, vertikal: 0.86




Serie 4:
 9.9 ↖ 10.5 * 10.6 * 10.9 * 10.3 *
 10.9 * 9.9 ↗ 10.4 * 10.7 * 9.9 ↖
 beste Teiler 6.4 (36.) 7.2 (34.) 55.7 (39.)
 Trefferlage 0.63 mm links, 0.64 mm hoch
 Streuwert 1.01, horizontal: 1.09, vertikal: 0.93

Unterschrift des Schützen


Ergebnis: **410.7** (390)
 Serien: 101.2 102.1 104.4 103.0
 Zähler: 30 10 0 0 0 0 0 0 0 0
 Innenzehner: 27
 weiteste: 430 (11), 400 (9), 361 (2)
 beste Teiler 28.2 (27.) 38.0 (28.) 47.6 (30.)
 Trefferlage 0.12 mm rechts, 0.20 mm hoch
 Streuwert 1.40, horizontal: 1.49, vertikal: 1.31




Serie 1:
 10.5 * 9.5 ↑ 10.5 * 9.9 ↑ 10.1 ↑
 10.5 * 9.8 ↑ 10.4 * 9.4 ↘ 10.6 *
 beste Teiler 89.0 (10.) 116.4 (6.) 117.9 (1.)
 Trefferlage 0.35 mm rechts, 1.01 mm hoch
 Streuwert 1.57, horizontal: 1.35, vertikal: 1.76



Serie 2:
 9.2 ← 10.5 * 10.5 * 10.2 * 10.2 *
 10.1 ↘ 9.9 ← 10.5 * 10.6 * 10.4 *
 beste Teiler 88.1 (19.) 115.0 (13.) 115.1 (18.)
 Trefferlage 0.31 mm links, 0.53 mm tief
 Streuwert 1.51, horizontal: 1.96, vertikal: 0.84



Serie 3:
 10.1 ← 10.2 * 10.5 * 10.5 * 10.5 *
 9.8 ↗ 10.8 * 10.8 * 10.4 * 10.8 *
 beste Teiler 28.2 (27.) 38.0 (28.) 47.6 (30.)
 Trefferlage 0.16 mm links, 0.49 mm hoch
 Streuwert 1.04, horizontal: 1.21, vertikal: 0.83





Serie 4:
 10.5 * 9.9 ↘ 10.4 * 10.5 * 10.6 *
 9.9 ↘ 10.2 * 9.9 ↘ 10.4 * 10.7 *
 beste Teiler 58.3 (40.) 83.2 (35.) 115.2 (34.)
 Trefferlage 0.64 mm rechts, 0.14 mm tief
 Streuwert 1.24, horizontal: 1.33, vertikal: 1.16


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **410.3** (392)
 Serien: 101.3 103.9 102.2 102.9
 Zähler: 32 8 0 0 0 0 0 0 0 0
 Innenzehner: 27
 weiteste: 426 (27), 317 (3), 308 (6)
 beste Teiler 2.2 (24.) 12.0 (13.) 38.4 (16.)
 Trefferlage 0.12 mm rechts, 0.39 mm hoch
 Streuwert 1.36, horizontal: 1.65, vertikal: 1.00




Serie 1:
 10.7 * 10.2 * 9.7 ↖ 10.4 * 10.0 ↖
 9.7 ↗ 9.9 ↘ 10.1 ↑ 10.2 * 10.4 *
 beste Teiler 58.0 (1.) 142.6 (4.) 150.3 (10.)
 Trefferlage 0.09 mm links, 0.90 mm hoch
 Streuwert 1.48, horizontal: 1.81, vertikal: 1.04



Serie 2:
 10.6 * 10.4 * 10.9 * 10.4 * 10.2 *
 10.8 * 10.0 → 9.9 ← 10.3 * 10.4 *
 beste Teiler 12.0 (13.) 38.4 (16.) 93.1 (11.)
 Trefferlage 0.37 mm links, 0.16 mm hoch
 Streuwert 1.16, horizontal: 1.47, vertikal: 0.73





Serie 3:
 10.4 * 9.9 → 10.5 * 10.9 * 10.5 *
 9.8 ↘ 9.2 → 10.4 * 10.6 * 10.0 →
 beste Teiler 2.2 (24.) 88.6 (29.) 106.1 (25.)
 Trefferlage 1.04 mm rechts, 0.29 mm hoch
 Streuwert 1.41, horizontal: 1.64, vertikal: 1.13




Serie 4:
 10.2 * 10.6 * 10.3 * 10.4 * 10.4 *
 10.4 * 10.5 * 10.0 ← 10.3 * 9.8 ↘
 beste Teiler 83.1 (32.) 121.6 (37.) 132.0 (36.)
 Trefferlage 0.08 mm links, 0.23 mm hoch
 Streuwert 1.29, horizontal: 1.52, vertikal: 1.01

Unterschrift des Schützen


Ergebnis: **409.1** (390)
 Serien: 101.2 104.2 102.1 101.6
 Zähler: 30 10 0 0 0 0 0 0 0 0
 Innenzehner: 24
 weiteste: 464 (5), 394 (30), 376 (39)
 beste Teiler 31.6 (36.) 36.2 (19.) 50.9 (14.)
 Trefferlage 0.30 mm rechts, 0.36 mm hoch
 Streuwert 1.47, horizontal: 1.79, vertikal: 1.05




Serie 1:
 9.8 ← 10.6 * 10.7 * 10.5 * 9.1 →
 10.1 → 10.6 * 10.0 ← 9.5 ↗ 10.3 *
 beste Teiler 55.9 (3.) 89.2 (7.) 91.7 (2.)
 Trefferlage 0.72 mm rechts, 0.29 mm hoch
 Streuwert 1.72, horizontal: 2.21, vertikal: 1.00



Serie 2:
 10.5 * 10.5 * 10.2 * 10.8 * 9.5 →
 10.7 * 10.4 * 10.1 ↑ 10.8 * 10.7 *
 beste Teiler 36.2 (19.) 50.9 (14.) 61.5 (16.)
 Trefferlage 0.37 mm rechts, 0.67 mm hoch
 Streuwert 1.08, horizontal: 1.26, vertikal: 0.86



Serie 3:
 10.0 ↗ 10.5 * 10.4 * 10.0 ← 9.9 ↗
 10.6 * 10.4 * 10.4 * 10.5 * 9.4 →
 beste Teiler 87.7 (26.) 112.0 (22.) 112.0 (29.)
 Trefferlage 0.76 mm rechts, 0.59 mm hoch
 Streuwert 1.39, horizontal: 1.62, vertikal: 1.12





Serie 4:
 9.9 ↗ 10.3 * 10.4 * 10.4 * 9.9 ←
 10.8 * 10.1 ← 9.8 ↘ 9.4 ↙ 10.6 *
 beste Teiler 31.6 (36.) 96.1 (40.) 130.6 (33.)
 Trefferlage 0.66 mm links, 0.08 mm tief
 Streuwert 1.52, horizontal: 1.80, vertikal: 1.19


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **412.9** (395)
 Serien: 103.6 102.1 105.0 102.2
 Zähler: 35 5 0 0 0 0 0 0 0 0
 Innenzehner: 28
 weiteste: 446 (14), 348 (11), 299 (3)
 beste Teiler 38.5 (7.) 41.4 (20.) 55.5 (30.)
 Trefferlage 0.08 mm rechts, 0.28 mm hoch
 Streuwert 1.27, horizontal: 1.45, vertikal: 1.05




Serie 1:
 10.6 * 10.3 * 9.8 ↗ 10.3 * 9.9 ↗
 10.5 * 10.8 * 10.5 * 10.6 * 10.3 *
 beste Teiler 38.5 (7.) 78.2 (9.) 94.4 (1.)
 Trefferlage 0.80 mm rechts, 0.36 mm hoch
 Streuwert 1.05, horizontal: 1.15, vertikal: 0.95



Serie 2:
 9.6 ↘ 10.3 * 10.4 * 9.2 ↖ 10.4 *
 10.6 * 10.1 ↘ 10.2 * 10.5 * 10.8 *
 beste Teiler 41.4 (20.) 89.0 (16.) 110.0 (19.)
 Trefferlage 0.54 mm links, 0.33 mm hoch
 Streuwert 1.58, horizontal: 1.84, vertikal: 1.26



Serie 3:
 10.4 * 10.6 * 10.0 ← 10.5 * 10.5 *
 10.7 * 10.4 * 10.6 * 10.6 * 10.7 *
 beste Teiler 55.5 (30.) 56.7 (26.) 87.2 (28.)
 Trefferlage 0.18 mm rechts, 0.17 mm tief
 Streuwert 0.89, horizontal: 1.05, vertikal: 0.70



Serie 4:
 9.9 ↘ 10.6 * 10.1 ↘ 10.1 ↗ 10.5 *
 10.1 ↗ 10.5 * 10.1 ↗ 10.1 ↘ 10.2 *
 beste Teiler 96.6 (32.) 106.8 (37.) 114.1 (35.)
 Trefferlage 0.09 mm links, 0.60 mm hoch
 Streuwert 1.36, horizontal: 1.49, vertikal: 1.21

Unterschrift des Schützen

Meyton Elektronik