





Ergebnis: **247** (259.6)  
 Serien: 89 75 83  
 Zähler: 6 5 10 8 1 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 3537 (14), 3175 (15), 2895 (28)  
 beste Teiler 298.9 (9.) 416.1 (4.) 503.3 (22.)  
 Trefferlage 2.75 mm links, 6.43 mm tief  
 Streuwert 13.70, horizontal: 14.76, vertikal: 12.54



Serie 1:  
 8.1 ↙                      8.7 ↘                      9.7 ←                      10.4 \*                      10.0 ↘  
 9.6 ↑                      7.6 ←                      9.3 ↗                      10.6 \*                      9.1 →  
 beste Teiler 298.9 (9.) 416.1 (4.) 733.0 (5.)  
 Trefferlage 2.24 mm links, 1.86 mm tief  
 Streuwert 10.94, horizontal: 13.62, vertikal: 7.34



Serie 2:  
 8.9 ←                      7.4 ↓                      7.5 →                      6.5 ↘                      7.0 ↘  
 7.5 ↗                      9.1 ↓                      8.3 ↙                      8.6 ↓                      8.3 ↗  
 beste Teiler 1448.3 (17.) 1654.0 (11.) 1872.5 (19.)  
 Trefferlage 1.73 mm links, 8.87 mm tief  
 Streuwert 17.45, horizontal: 18.98, vertikal: 15.77





Serie 3:  
 10.2 ↓                      10.3 ↘                      8.7 ↘                      7.7 ↖                      8.8 ↓  
 10.1 ↘                      8.4 ↖                      7.3 ↙                      8.1 ↓                      7.8 ↓  
 beste Teiler 503.3 (22.) 626.8 (21.) 676.4 (26.)  
 Trefferlage 4.30 mm links, 8.56 mm tief  
 Streuwert 12.68, horizontal: 12.35, vertikal: 13.00


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **273** (285.5)  
 Serien: 91 92 90  
 Zähler: 9 15 6 0 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2316 (25), 2286 (3), 2006 (10)  
 beste Teiler 138.9 (20.) 296.0 (2.) 331.7 (4.)  
 Trefferlage 1.18 mm rechts, 2.29 mm tief  
 Streuwert 9.07, horizontal: 9.89, vertikal: 8.17



Serie 1:  
 8.6 ↓                      10.6 \*                      8.1 ←                      10.5 \*                      9.9 ←  
 9.9 ↙                      9.1 ←                      10.0 ↗                      10.4 \*                      8.4 →  
 beste Teiler 296.0 (2.) 331.7 (4.) 463.2 (9.)  
 Trefferlage 1.99 mm links, 3.04 mm tief  
 Streuwert 9.49, horizontal: 11.48, vertikal: 6.93



Serie 2:  
 9.4 ↓                      9.5 →                      9.1 →                      10.3 ↗                      8.5 ↗  
 9.1 ↓                      9.9 ↘                      10.0 ↓                      9.3 ↓                      10.8 \*  
 beste Teiler 138.9 (20.) 551.7 (14.) 733.7 (18.)  
 Trefferlage 5.80 mm rechts, 2.32 mm tief  
 Streuwert 7.63, horizontal: 5.94, vertikal: 9.00





Serie 3:  
 9.4 ↗                      8.8 ↙                      9.7 ↓                      9.9 ↗                      8.1 ←  
 10.1 ↓                      9.2 ↗                      9.3 →                      10.4 \*                      9.2 ↓  
 beste Teiler 431.6 (29.) 664.7 (26.) 812.2 (24.)  
 Trefferlage 0.25 mm links, 1.51 mm tief  
 Streuwert 9.88, horizontal: 10.51, vertikal: 9.20


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **287** (298.8)  
 Serien: 96 95 96  
 Zähler: 19 9 2 0 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 1665 (7), 1631 (19), 1531 (6)  
 beste Teiler 163.9 (16.) 292.8 (14.) 330.5 (29.)  
 Trefferlage 0.09 mm rechts, 1.18 mm tief  
 Streuwert 6.22, horizontal: 5.98, vertikal: 6.45



Serie 1:  
 10.2 ↓                      10.0 ↑                      10.0 ↘                      10.1 ↓                      9.6 ↖  
 9.0 ↑                      8.9 ↓                      10.1 →                      10.0 ↓                      10.5 \*  
 beste Teiler 388.7 (10.) 603.5 (1.) 662.1 (8.)  
 Trefferlage 1.51 mm rechts, 0.88 mm tief  
 Streuwert 7.16, horizontal: 3.79, vertikal: 9.38



Serie 2:  
 10.0 ↙                      9.7 ↙                      10.0 ↓                      10.6 \*                      9.7 →  
 10.7 \*                      10.4 \*                      9.5 ←                      8.9 →                      10.0 ←  
 beste Teiler 163.9 (16.) 292.8 (14.) 457.1 (17.)  
 Trefferlage 0.78 mm links, 2.53 mm tief  
 Streuwert 6.44, horizontal: 8.11, vertikal: 4.14





Serie 3:  
 10.1 →                      9.9 ←                      10.4 \*                      9.8 ↓                      10.1 ↖  
 9.7 →                      10.2 ↘                      10.3 ↑                      10.5 \*                      9.9 ↓  
 beste Teiler 330.5 (29.) 427.6 (23.) 503.3 (28.)  
 Trefferlage 0.43 mm links, 0.12 mm tief  
 Streuwert 5.34, horizontal: 5.63, vertikal: 5.03


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **286** (298.0)  
 Serien: 98 93 95  
 Zähler: 17 12 1 0 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 2329 (19), 1477 (22), 1448 (26)  
 beste Teiler 183.0 (5.) 193.2 (27.) 267.5 (8.)  
 Trefferlage 1.05 mm links, 2.37 mm hoch  
 Streuwert 6.51, horizontal: 6.91, vertikal: 6.08



Serie 1:  
 10.1 ↘                      10.6 \*                      9.9 ↓                      10.1 ↙                      10.7 \*  
 10.2 →                      10.1 ↘                      10.6 \*                      10.5 \*                      9.7 ↘  
 beste Teiler 183.0 (5.) 267.5 (8.) 308.0 (2.)  
 Trefferlage 1.47 mm links, 0.11 mm hoch  
 Streuwert 4.48, horizontal: 3.93, vertikal: 4.97



Serie 2:  
 10.0 →                      10.4 \*                      10.6 \*                      9.5 ↖                      10.1 ←  
 9.4 ←                      9.2 ↘                      9.6 ↗                      8.0 ↘                      9.7 ↓  
 beste Teiler 291.2 (13.) 440.0 (12.) 665.3 (15.)  
 Trefferlage 3.40 mm links, 4.77 mm hoch  
 Streuwert 7.61, horizontal: 8.07, vertikal: 7.11





Serie 3:  
 10.1 →                      9.1 ↖                      10.6 \*                      9.7 ↗                      9.9 ↓  
 9.1 →                      10.7 \*                      9.6 ↑                      10.0 ↗                      10.2 ↘  
 beste Teiler 193.2 (27.) 307.9 (23.) 578.8 (30.)  
 Trefferlage 1.73 mm rechts, 2.22 mm hoch  
 Streuwert 6.72, horizontal: 7.64, vertikal: 5.64


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **265** (280.2)  
 Serien: 89 89 87  
 Zähler: 7 12 10 1 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 2469 (18), 2343 (10), 2299 (6)  
 beste Teiler 64.2 (3.) 97.0 (11.) 379.7 (26.)  
 Trefferlage 6.59 mm links, 1.87 mm tief  
 Streuwert 9.14, horizontal: 9.16, vertikal: 9.12



Serie 1:  
 9.7 ↙ 8.9 ← 10.9 \* 8.7 ↘ 9.2 ←  
 8.1 ↘ 9.4 ↑ 10.4 \* 10.1 → 8.0 ↘  
 beste Teiler 64.2 (3.) 459.5 (8.) 663.7 (9.)  
 Trefferlage 4.66 mm links, 2.13 mm tief  
 Streuwert 10.38, horizontal: 9.62, vertikal: 11.08





Serie 2:  
 10.8 \* 8.9 ← 10.3 ↘ 9.4 ↘ 9.4 ←  
 8.6 ← 9.5 ↘ 7.9 ← 10.3 → 9.2 ↘  
 beste Teiler 97.0 (11.) 550.3 (13.) 558.0 (19.)  
 Trefferlage 9.95 mm links, 0.22 mm tief  
 Streuwert 7.26, horizontal: 8.69, vertikal: 5.46




Serie 3:  
 8.8 ← 9.7 ↗ 8.4 ↓ 8.9 ← 9.6 ↗  
 10.5 \* 9.2 ↘ 9.0 ← 9.9 ↘ 8.5 ↘  
 beste Teiler 379.7 (26.) 827.4 (29.) 990.2 (22.)  
 Trefferlage 5.16 mm links, 3.27 mm tief  
 Streuwert 9.83, horizontal: 9.12, vertikal: 10.49

Unterschrift des Schützen


Ergebnis: **270** (284.2)  
 Serien: 90 91 89  
 Zähler: 9 15 3 3 0 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 2642 (6), 2572 (23), 2555 (17)  
 beste Teiler 217.2 (20.) 475.3 (19.) 494.7 (24.)  
 Trefferlage 2.94 mm rechts, 2.38 mm hoch  
 Streuwert 9.18, horizontal: 8.46, vertikal: 9.85



Serie 1:  
 9.3 ↓                      8.9 ↑                      10.1 ↖                      10.2 ↑                      9.8 ↘  
 7.6 ↗                      9.6 ↗                      9.7 →                      9.4 →                      10.2 ↖  
 beste Teiler 591.2 (10.) 609.1 (4.) 644.1 (3.)  
 Trefferlage 5.30 mm rechts, 3.54 mm hoch  
 Streuwert 8.49, horizontal: 8.12, vertikal: 8.84





Serie 2:  
 10.1 →                      8.7 ↘                      10.1 ↓                      9.2 ↓                      9.6 ↑  
 9.4 ↓                      7.8 ↗                      9.1 ←                      10.4 \*                      10.7 \*  
 beste Teiler 217.2 (20.) 475.3 (19.) 660.2 (11.)  
 Trefferlage 3.63 mm rechts, 1.93 mm tief  
 Streuwert 9.52, horizontal: 8.77, vertikal: 10.22




Serie 3:  
 9.2 ↓                      8.7 ↗                      7.7 ↖                      10.3 →                      10.1 ↑  
 9.3 ↖                      9.5 ↗                      9.7 ↖                      9.9 ↓                      9.9 ↑  
 beste Teiler 494.7 (24.) 663.7 (25.) 855.3 (30.)  
 Trefferlage 0.09 mm links, 5.54 mm hoch  
 Streuwert 9.16, horizontal: 8.42, vertikal: 9.84

Unterschrift des Schützen


Ergebnis: **278** (290.7)  
 Serien: 90 92 96  
 Zähler: 14 10 6 0 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 2357 (18), 2147 (13), 2095 (3)  
 beste Teiler 129.0 (12.) 214.6 (15.) 227.9 (21.)  
 Trefferlage 0.46 mm links, 1.56 mm tief  
 Streuwert 8.41, horizontal: 8.68, vertikal: 8.13



Serie 1:  
 10.2 ↗ 10.6 \* 8.3 ← 8.9 ↙ 8.9 →  
 8.8 ↗ 10.1 ↗ 9.5 ← 9.2 ↓ 10.2 ↓  
 beste Teiler 306.1 (2.) 569.9 (1.) 593.2 (10.)  
 Trefferlage 1.30 mm links, 0.11 mm tief  
 Streuwert 9.78, horizontal: 10.80, vertikal: 8.64



Serie 2:  
 9.7 ↙ 10.8 \* 8.3 ← 10.1 ↘ 10.7 \*  
 9.7 ↙ 10.5 \* 8.0 ↓ 9.1 ← 9.9 →  
 beste Teiler 129.0 (12.) 214.6 (15.) 359.2 (17.)  
 Trefferlage 3.96 mm links, 4.73 mm tief  
 Streuwert 8.11, horizontal: 8.46, vertikal: 7.75





Serie 3:  
 10.7 \* 9.2 ↗ 9.0 ↑ 10.1 → 10.2 ↘  
 9.4 ↘ 10.2 ↘ 10.5 \* 9.9 ↑ 10.0 ↓  
 beste Teiler 227.9 (21.) 324.2 (28.) 580.8 (27.)  
 Trefferlage 3.89 mm rechts, 0.14 mm hoch  
 Streuwert 6.33, horizontal: 4.34, vertikal: 7.83


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **288** (302.3)  
 Serien: 96 98 94  
 Zähler: 18 12 0 0 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 1424 (28), 1381 (24), 1211 (8)  
 beste Teiler 127.2 (16.) 156.2 (25.) 256.7 (1.)  
 Trefferlage 2.06 mm links, 0.89 mm tief  
 Streuwert 5.39, horizontal: 4.95, vertikal: 5.80



Serie 1:  
 10.6 \*                      10.5 \*                      10.4 \*                      10.3 ↙                      10.2 ←  
 9.9 ↘                      9.7 ↘                      9.4 ↑                      10.0 →                      9.5 ↗  
 beste Teiler 256.7 (1.) 333.7 (2.) 434.9 (3.)  
 Trefferlage 0.00 mm , 0.51 mm tief  
 Streuwert 5.82, horizontal: 5.05, vertikal: 6.50



Serie 2:  
 9.9 ↑                      10.6 \*                      10.0 ↘                      10.6 \*                      10.3 ↙  
 10.8 \*                      10.5 \*                      9.9 ↖                      10.4 \*                      10.2 ←  
 beste Teiler 127.2 (16.) 288.6 (14.) 302.3 (12.)  
 Trefferlage 0.75 mm links, 0.10 mm hoch  
 Streuwert 4.13, horizontal: 4.17, vertikal: 4.08





Serie 3:  
 10.2 ↖                      9.8 ←                      9.6 ←                      9.2 ↙                      10.8 \*  
 10.0 ←                      10.5 \*                      9.2 ↙                      9.7 ↙                      9.6 ↑  
 beste Teiler 156.2 (25.) 344.4 (27.) 561.7 (21.)  
 Trefferlage 5.44 mm links, 2.27 mm tief  
 Streuwert 5.61, horizontal: 4.11, vertikal: 6.79

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **267** (280.6)  
 Serien: 91 90 86  
 Zähler: 6 17 5 2 0 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 3138 (27), 2417 (23), 1944 (16)  
 beste Teiler 247.9 (18.) 443.0 (21.) 524.5 (1.)  
 Trefferlage 1.48 mm links, 0.16 mm tief  
 Streuwert 10.03, horizontal: 11.77, vertikal: 7.91



Serie 1:  
 10.3 ↘      10.0 ↓      10.3 ↘      9.5 ↙      9.0 ↙  
 8.9 ↘      9.5 ←      8.9 ↗      9.1 →      9.2 ←  
 beste Teiler 524.5 (1.) 549.6 (3.) 791.8 (2.)  
 Trefferlage 2.03 mm links, 4.38 mm tief  
 Streuwert 8.68, horizontal: 9.80, vertikal: 7.40



Serie 2:  
 9.6 ↑      8.7 →      9.4 ↖      10.0 →      9.3 ↑  
 8.5 ←      9.4 ↑      10.6 \*      9.6 ↖      9.5 ←  
 beste Teiler 247.9 (18.) 768.2 (14.) 1065.9 (11.)  
 Trefferlage 2.66 mm links, 4.44 mm hoch  
 Streuwert 8.66, horizontal: 10.77, vertikal: 5.83





Serie 3:  
 10.4 \*      9.1 ←      7.9 ↙      9.7 ↗      9.9 ↖  
 8.9 →      7.0 →      9.3 ↙      9.7 ↑      9.4 ↓  
 beste Teiler 443.0 (21.) 877.9 (25.) 994.2 (29.)  
 Trefferlage 0.23 mm rechts, 0.54 mm tief  
 Streuwert 12.22, horizontal: 15.15, vertikal: 8.31


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **287** (300.3)  
 Serien: 95 96 96  
 Zähler: 17 13 0 0 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 1346 (2), 1275 (24), 1244 (16)  
 beste Teiler 242.5 (18.) 297.7 (11.) 333.0 (28.)  
 Trefferlage 0.29 mm rechts, 0.85 mm hoch  
 Streuwert 5.85, horizontal: 5.63, vertikal: 6.07



Serie 1:  
 10.0 ↘                      9.3 ↓                      9.6 →                      10.0 ↗                      10.5 \*  
 9.9 ↑                      10.5 \*                      9.7 →                      9.7 ↖                      10.2 →  
 beste Teiler 393.6 (5.) 398.7 (7.) 591.6 (10.)  
 Trefferlage 3.25 mm rechts, 0.39 mm hoch  
 Streuwert 5.93, horizontal: 4.97, vertikal: 6.75



Serie 2:  
 10.6 \*                      9.5 ↑                      10.0 ↖                      10.3 ←                      10.5 \*  
 9.4 ↙                      10.4 \*                      10.6 \*                      9.7 ↘                      9.6 ↖  
 beste Teiler 242.5 (18.) 297.7 (11.) 335.0 (15.)  
 Trefferlage 2.90 mm links, 1.58 mm hoch  
 Streuwert 5.36, horizontal: 4.54, vertikal: 6.07





Serie 3:  
 10.2 ←                      9.7 ↓                      10.4 \*                      9.4 ↗                      10.2 ←  
 10.3 →                      9.9 ↑                      10.5 \*                      9.4 ↖                      10.3 →  
 beste Teiler 333.0 (28.) 401.7 (23.) 492.0 (30.)  
 Trefferlage 0.54 mm rechts, 0.57 mm hoch  
 Streuwert 5.95, horizontal: 5.96, vertikal: 5.94


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **277** (291.6)  
 Serien: 92 93 92  
 Zähler: 14 10 5 1 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 2683 (1), 2252 (23), 1972 (14)  
 beste Teiler 158.7 (13.) 233.3 (15.) 290.5 (5.)  
 Trefferlage 0.13 mm rechts, 4.22 mm tief  
 Streuwert 8.04, horizontal: 7.93, vertikal: 8.15



Serie 1:  
 7.6 ←                      10.2 ↑                      9.5 ↗                      10.6 \*                      10.6 \*  
 8.8 ↓                      9.9 ↗                      9.3 ↗                      10.3 ↓                      10.6 \*  
 beste Teiler 290.5 (5.) 296.7 (10.) 311.2 (4.)  
 Trefferlage 1.15 mm links, 0.06 mm tief  
 Streuwert 9.10, horizontal: 10.47, vertikal: 7.47



Serie 2:  
 10.3 ↙                      9.7 →                      10.8 \*                      8.5 ↓                      10.7 \*  
 9.8 ↓                      9.9 ↓                      9.0 ↘                      10.3 ↓                      9.5 ↓  
 beste Teiler 158.7 (13.) 233.3 (15.) 498.7 (11.)  
 Trefferlage 0.63 mm rechts, 7.09 mm tief  
 Streuwert 5.73, horizontal: 4.85, vertikal: 6.50





Serie 3:  
 10.2 ↓                      8.6 ↙                      8.1 ↗                      9.9 ↙                      9.1 ↓  
 10.4 \*                      10.4 \*                      8.5 ↓                      10.5 \*                      10.0 ↓  
 beste Teiler 356.7 (29.) 440.4 (26.) 473.5 (27.)  
 Trefferlage 0.93 mm rechts, 5.50 mm tief  
 Streuwert 8.74, horizontal: 8.18, vertikal: 9.26


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **275** (289.5)  
 Serien: 91 91 93  
 Zähler: 12 13 3 2 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 2651 (19), 2532 (3), 2176 (1)  
 beste Teiler 149.4 (24.) 156.6 (13.) 176.2 (27.)  
 Trefferlage 0.08 mm links, 4.75 mm tief  
 Streuwert 8.25, horizontal: 7.36, vertikal: 9.06



Serie 1:  
 8.2 ↙                      9.8 ←                      7.8 ↙                      10.4 \*                      9.2 ↗  
 9.5 ↘                      10.7 \*                      10.5 \*                      9.3 ↓                      10.2 ↖  
 beste Teiler 231.3 (7.) 325.7 (8.) 415.4 (4.)  
 Trefferlage 3.11 mm links, 7.04 mm tief  
 Streuwert 8.12, horizontal: 6.62, vertikal: 9.37



Serie 2:  
 10.2 ↘                      9.7 ↗                      10.8 \*                      9.2 ↓                      10.5 \*  
 9.2 ↓                      9.8 ↗                      9.9 ←                      7.6 ↙                      9.0 →  
 beste Teiler 156.6 (13.) 332.8 (15.) 571.9 (11.)  
 Trefferlage 2.32 mm rechts, 4.13 mm tief  
 Streuwert 8.91, horizontal: 7.62, vertikal: 10.03





Serie 3:  
 10.0 ↗                      9.3 →                      10.3 ↓                      10.8 \*                      9.7 ↖  
 9.8 ↓                      10.7 \*                      10.3 →                      8.7 ↓                      8.4 ↗  
 beste Teiler 149.4 (24.) 176.2 (27.) 533.1 (23.)  
 Trefferlage 0.53 mm rechts, 3.08 mm tief  
 Streuwert 7.81, horizontal: 7.44, vertikal: 8.17


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **281** (294.8)  
 Serien: 93 96 92  
 Zähler: 12 17 1 0 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 1645 (22), 1422 (7), 1404 (20)  
 beste Teiler 247.7 (15.) 265.6 (11.) 332.8 (24.)  
 Trefferlage 1.33 mm rechts, 2.07 mm tief  
 Streuwert 6.71, horizontal: 6.59, vertikal: 6.83



Serie 1:  
 9.9 ↖ 10.0 ↙ 10.4 \* 9.9 ↗ 9.9 ↘  
 9.6 ↖ 9.2 → 9.5 ↗ 10.2 ↓ 9.5 ↗  
 beste Teiler 403.4 (3.) 585.5 (9.) 799.2 (2.)  
 Trefferlage 0.94 mm rechts, 2.31 mm hoch  
 Streuwert 6.98, horizontal: 8.03, vertikal: 5.73



Serie 2:  
 10.6 \* 9.5 ↘ 9.7 ↗ 10.1 ↗ 10.6 \*  
 10.1 ↓ 10.0 ↘ 9.4 ↘ 10.1 ↖ 9.2 ↓  
 beste Teiler 247.7 (15.) 265.6 (11.) 669.2 (19.)  
 Trefferlage 3.12 mm rechts, 2.70 mm tief  
 Streuwert 5.89, horizontal: 5.37, vertikal: 6.37





Serie 3:  
 9.4 ↓ 8.9 ↓ 10.0 ↓ 10.5 \* 9.8 →  
 9.4 ↗ 9.3 ↗ 10.4 \* 9.8 ↓ 9.9 ↖  
 beste Teiler 332.8 (24.) 446.1 (28.) 755.7 (23.)  
 Trefferlage 0.07 mm links, 5.83 mm tief  
 Streuwert 6.32, horizontal: 6.39, vertikal: 6.26


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **287** (301.5)  
 Serien: 96 94 97  
 Zähler: 17 13 0 0 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 1365 (18), 1345 (20), 1140 (17)  
 beste Teiler 117.0 (4.) 233.3 (24.) 304.9 (14.)  
 Trefferlage 0.45 mm links, 0.24 mm hoch  
 Streuwert 5.66, horizontal: 5.90, vertikal: 5.42



Serie 1:  
 9.7 ↖ 10.0 → 9.9 ↗ 10.8 \* 9.9 ↓  
 10.1 ← 9.9 ↓ 10.1 ↗ 10.3 ← 10.5 \*  
 beste Teiler 117.0 (4.) 374.8 (10.) 552.2 (9.)  
 Trefferlage 0.39 mm links, 0.57 mm hoch  
 Streuwert 5.38, horizontal: 4.85, vertikal: 5.86



Serie 2:  
 10.3 ← 9.9 ↓ 9.7 ↖ 10.6 \* 10.5 \*  
 10.4 \* 9.5 ↑ 9.2 ← 9.9 ↓ 9.3 →  
 beste Teiler 304.9 (14.) 371.2 (15.) 434.7 (16.)  
 Trefferlage 1.01 mm links, 0.23 mm hoch  
 Streuwert 6.68, horizontal: 7.36, vertikal: 5.93





Serie 3:  
 10.4 \* 10.3 ↖ 9.6 ← 10.7 \* 9.7 →  
 10.2 ↖ 9.5 ↓ 10.5 \* 10.1 ↗ 10.0 →  
 beste Teiler 233.3 (24.) 352.0 (28.) 447.5 (21.)  
 Trefferlage 0.05 mm rechts, 0.07 mm tief  
 Streuwert 5.41, horizontal: 5.80, vertikal: 5.00


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **310.4** (297)  
 Serien: 101.2 103.7 105.5  
 Zähler: 27 3 0 0 0 0 0 0 0 0  
 Innenzehner: 21  
 weiteste: 348 (10), 289 (19), 262 (4)  
 beste Teiler 4.0 (30.) 24.0 (13.) 48.5 (29.)  
 Trefferlage 0.52 mm links, 0.02 mm hoch  
 Streuwert 1.21, horizontal: 1.46, vertikal: 0.88



Serie 1:  
 10.0 →                      10.1 ↓                      10.2 \*                      9.9 ↖                      10.3 \*  
 10.0 ←                      10.5 \*                      10.0 ←                      10.6 \*                      9.6 →  
 beste Teiler 77.2 (9.) 103.0 (7.) 166.9 (5.)  
 Trefferlage 0.33 mm links, 0.27 mm tief  
 Streuwert 1.64, horizontal: 2.11, vertikal: 0.96





Serie 2:  
 10.3 \*                      10.5 \*                      10.9 \*                      10.2 \*                      10.5 \*  
 10.5 \*                      10.0 ↖                      10.7 \*                      9.8 ←                      10.3 \*  
 beste Teiler 24.0 (13.) 56.6 (18.) 113.3 (12.)  
 Trefferlage 1.06 mm links, 0.22 mm hoch  
 Streuwert 0.93, horizontal: 0.94, vertikal: 0.92




Serie 3:  
 10.7 \*                      10.0 ←                      10.8 \*                      10.3 \*                      10.6 \*  
 10.5 \*                      10.4 \*                      10.5 \*                      10.8 \*                      10.9 \*  
 beste Teiler 4.0 (30.) 48.5 (29.) 49.0 (23.)  
 Trefferlage 0.18 mm links, 0.12 mm hoch  
 Streuwert 0.91, horizontal: 1.04, vertikal: 0.76

Unterschrift des Schützen


Ergebnis: **312.0** (297)  
 Serien: 104.6 103.7 103.7  
 Zähler: 27 3 0 0 0 0 0 0 0 0  
 Innenzehner: 25  
 weiteste: 317 (28), 312 (9), 265 (16)  
 beste Teiler 55.4 (15.) 57.9 (2.) 62.4 (10.)  
 Trefferlage 0.10 mm rechts, 0.12 mm hoch  
 Streuwert 1.13, horizontal: 1.21, vertikal: 1.03



Serie 1:  
 10.4 \*                      10.7 \*                      10.6 \*                      10.6 \*                      10.5 \*  
 10.2 \*                      10.7 \*                      10.5 \*                      9.7 ↗                      10.7 \*  
 beste Teiler 57.9 (2.) 62.4 (10.) 75.9 (7.)  
 Trefferlage 0.03 mm rechts, 0.64 mm hoch  
 Streuwert 0.95, horizontal: 0.94, vertikal: 0.96



Serie 2:  
 10.6 \*                      10.6 \*                      10.4 \*                      10.0 ↙                      10.7 \*  
 9.9 ↘                      10.3 \*                      10.0 ↙                      10.6 \*                      10.6 \*  
 beste Teiler 55.4 (15.) 77.1 (19.) 87.0 (12.)  
 Trefferlage 0.07 mm rechts, 0.46 mm tief  
 Streuwert 1.19, horizontal: 1.24, vertikal: 1.14





Serie 3:  
 10.6 \*                      10.5 \*                      10.5 \*                      10.2 \*                      10.2 \*  
 10.2 \*                      10.7 \*                      9.7 →                      10.5 \*                      10.6 \*  
 beste Teiler 75.0 (27.) 76.4 (30.) 90.4 (21.)  
 Trefferlage 0.18 mm rechts, 0.20 mm hoch  
 Streuwert 1.18, horizontal: 1.52, vertikal: 0.71


Unterschrift des Schützen




Ergebnis: **310.5** (296)  
 Serien: 103.4 103.5 103.6  
 Zähler: 26 4 0 0 0 0 0 0 0 0  
 Innenzehner: 22  
 weiteste: 440 (6), 265 (24), 265 (27)  
 beste Teiler 21.4 (26.) 29.0 (3.) 31.0 (1.)  
 Trefferlage 0.48 mm links, 0.21 mm hoch  
 Streuwert 1.20, horizontal: 1.41, vertikal: 0.96



Serie 1:  
 10.8 \*                      10.4 \*                      10.8 \*                      10.5 \*                      10.6 \*  
 9.2 ←                      10.4 \*                      10.3 \*                      10.5 \*                      9.9 ↓  
 beste Teiler 29.0 (3.) 31.0 (1.) 81.5 (5.)  
 Trefferlage 0.36 mm links, 0.28 mm hoch  
 Streuwert 1.38, horizontal: 1.60, vertikal: 1.13





Serie 2:  
 10.5 \*                      10.7 \*                      10.2 \*                      10.4 \*                      10.1 ↖  
 10.4 \*                      10.1 ←                      10.0 ←                      10.5 \*                      10.6 \*  
 beste Teiler 58.1 (12.) 92.7 (20.) 112.6 (19.)  
 Trefferlage 0.58 mm links, 0.20 mm tief  
 Streuwert 1.12, horizontal: 1.37, vertikal: 0.81




Serie 3:  
 10.4 \*                      10.2 \*                      10.7 \*                      9.9 ↗                      10.1 ←  
 10.9 \*                      9.9 ←                      10.2 \*                      10.7 \*                      10.6 \*  
 beste Teiler 21.4 (26.) 52.3 (23.) 67.4 (29.)  
 Trefferlage 0.49 mm links, 0.56 mm hoch  
 Streuwert 1.14, horizontal: 1.39, vertikal: 0.82

Unterschrift des Schützen


Ergebnis: **314.0** (299)  
 Serien: 104.9 104.4 104.7  
 Zähler: 29 1 0 0 0 0 0 0 0 0  
 Innenzehner: 24  
 weiteste: 258 (20), 245 (14), 245 (21)  
 beste Teiler 34.9 (7.) 44.9 (17.) 45.0 (16.)  
 Trefferlage 0.11 mm links, 0.10 mm hoch  
 Streuwert 1.00, horizontal: 1.16, vertikal: 0.80



Serie 1:  
 10.4 \*                      10.5 \*                      10.4 \*                      10.7 \*                      10.5 \*  
 10.5 \*                      10.8 \*                      10.1 ←                      10.4 \*                      10.6 \*  
 beste Teiler 34.9 (7.) 70.9 (4.) 76.8 (10.)  
 Trefferlage 0.39 mm links, 0.11 mm tief  
 Streuwert 0.87, horizontal: 0.90, vertikal: 0.85





Serie 2:  
 10.5 \*                      10.4 \*                      10.7 \*                      10.0 →                      10.7 \*  
 10.8 \*                      10.8 \*                      10.0 →                      10.6 \*                      9.9 ←  
 beste Teiler 44.9 (17.) 45.0 (16.) 64.4 (15.)  
 Trefferlage 0.20 mm rechts, 0.32 mm hoch  
 Streuwert 1.12, horizontal: 1.51, vertikal: 0.49




Serie 3:  
 10.0 ↑                      10.7 \*                      10.1 ←                      10.7 \*                      10.6 \*  
 10.7 \*                      10.5 \*                      10.4 \*                      10.4 \*                      10.6 \*  
 beste Teiler 51.2 (26.) 63.1 (22.) 74.3 (24.)  
 Trefferlage 0.15 mm links, 0.09 mm hoch  
 Streuwert 1.01, horizontal: 1.03, vertikal: 1.00

Unterschrift des Schützen


Ergebnis: **313.0** (297)  
 Serien: 104.9 104.3 103.8  
 Zähler: 27 3 0 0 0 0 0 0 0 0  
 Innenzehner: 26  
 weiteste: 310 (26), 303 (14), 270 (25)  
 beste Teiler 15.5 (23.) 20.1 (9.) 49.2 (12.)  
 Trefferlage 0.07 mm rechts, 0.10 mm tief  
 Streuwert 1.08, horizontal: 1.25, vertikal: 0.86



Serie 1:  
 10.6 \*                      10.4 \*                      10.2 \*                      10.5 \*                      10.4 \*  
 10.3 \*                      10.5 \*                      10.4 \*                      10.9 \*                      10.7 \*  
 beste Teiler 20.1 (9.) 75.4 (10.) 87.6 (1.)  
 Trefferlage 0.69 mm rechts, 0.48 mm tief  
 Streuwert 0.74, horizontal: 0.69, vertikal: 0.79





Serie 2:  
 10.2 \*                      10.8 \*                      10.5 \*                      9.7 →                      10.5 \*  
 10.6 \*                      10.3 \*                      10.6 \*                      10.5 \*                      10.6 \*  
 beste Teiler 49.2 (12.) 83.7 (16.) 84.9 (18.)  
 Trefferlage 0.16 mm links, 0.04 mm hoch  
 Streuwert 1.10, horizontal: 1.38, vertikal: 0.72




Serie 3:  
 10.7 \*                      10.4 \*                      10.9 \*                      10.0 →                      9.9 ↙  
 9.7 ↖                      10.6 \*                      10.4 \*                      10.5 \*                      10.7 \*  
 beste Teiler 15.5 (23.) 55.1 (30.) 65.0 (21.)  
 Trefferlage 0.29 mm links, 0.11 mm hoch  
 Streuwert 1.24, horizontal: 1.42, vertikal: 1.02

Unterschrift des Schützen


Ergebnis: **311.6** (299)  
 Serien: 103.8 103.7 104.1  
 Zähler: 29 1 0 0 0 0 0 0 0 0  
 Innenzehner: 25  
 weiteste: 450 (19), 245 (1), 229 (14)  
 beste Teiler 19.0 (15.) 26.5 (17.) 28.2 (8.)  
 Trefferlage 0.38 mm rechts, 0.24 mm hoch  
 Streuwert 1.13, horizontal: 1.24, vertikal: 1.01



Serie 1:  
 10.0 →                      10.2 \*                      10.4 \*                      10.1 ↑                      10.3 \*  
 10.5 \*                      10.5 \*                      10.8 \*                      10.5 \*                      10.5 \*  
 beste Teiler 28.2 (8.) 107.4 (6.) 109.1 (7.)  
 Trefferlage 0.45 mm rechts, 0.10 mm tief  
 Streuwert 1.07, horizontal: 1.05, vertikal: 1.09





Serie 2:  
 10.5 \*                      10.4 \*                      10.5 \*                      10.0 ↑                      10.9 \*  
 10.1 †                      10.8 \*                      10.8 \*                      9.2 →                      10.5 \*  
 beste Teiler 19.0 (15.) 26.5 (17.) 42.7 (18.)  
 Trefferlage 0.37 mm rechts, 0.38 mm hoch  
 Streuwert 1.36, horizontal: 1.60, vertikal: 1.07




Serie 3:  
 10.3 \*                      10.8 \*                      10.2 \*                      10.2 \*                      10.3 \*  
 10.5 \*                      10.2 \*                      10.4 \*                      10.5 \*                      10.7 \*  
 beste Teiler 41.6 (22.) 53.1 (30.) 109.8 (29.)  
 Trefferlage 0.34 mm rechts, 0.46 mm hoch  
 Streuwert 1.00, horizontal: 1.13, vertikal: 0.85

Unterschrift des Schützen


Ergebnis: **309.8** (296)  
 Serien: 102.6 104.4 102.8  
 Zähler: 26 4 0 0 0 0 0 0 0 0  
 Innenzehner: 22  
 weiteste: 444 (8), 358 (18), 300 (22)  
 beste Teiler 24.4 (13.) 52.0 (11.) 53.0 (12.)  
 Trefferlage 0.08 mm links, 0.24 mm hoch  
 Streuwert 1.31, horizontal: 1.54, vertikal: 1.03



Serie 1:  
 10.3 \*                      10.4 \*                      10.2 \*                      10.7 \*                      10.4 \*  
 10.2 \*                      10.7 \*                      9.2 ↖                      10.4 \*                      10.1 ↘  
 beste Teiler 64.0 (4.) 75.6 (7.) 135.2 (9.)  
 Trefferlage 0.19 mm rechts, 0.30 mm hoch  
 Streuwert 1.50, horizontal: 1.71, vertikal: 1.25





Serie 2:  
 10.7 \*                      10.7 \*                      10.9 \*                      10.6 \*                      10.5 \*  
 10.3 \*                      10.7 \*                      9.5 ←                      10.4 \*                      10.1 ↗  
 beste Teiler 24.4 (13.) 52.0 (11.) 53.0 (12.)  
 Trefferlage 0.06 mm links, 0.30 mm hoch  
 Streuwert 1.16, horizontal: 1.43, vertikal: 0.81




Serie 3:  
 9.9 ↖                      9.8 ↖                      10.7 \*                      10.1 ↗                      10.5 \*  
 10.5 \*                      10.2 \*                      10.7 \*                      10.1 ↘                      10.3 \*  
 beste Teiler 58.3 (23.) 71.8 (28.) 112.1 (25.)  
 Trefferlage 0.40 mm links, 0.11 mm hoch  
 Streuwert 1.35, horizontal: 1.57, vertikal: 1.08

Unterschrift des Schützen


Ergebnis: **310.0** (297)  
 Serien: 101.6 104.2 104.2  
 Zähler: 27 3 0 0 0 0 0 0 0 0  
 Innenzehner: 21  
 weiteste: 302 (4), 282 (10), 264 (16)  
 beste Teiler 4.0 (26.) 40.1 (15.) 59.8 (20.)  
 Trefferlage 0.25 mm rechts, 0.35 mm hoch  
 Streuwert 1.19, horizontal: 1.40, vertikal: 0.93



Serie 1:  
 10.5 \*                      10.2 \*                      10.2 \*                      9.7 ↘                      10.2 \*  
 10.1 ↖                      10.5 \*                      10.0 →                      10.4 \*                      9.8 ↘  
 beste Teiler 122.4 (1.) 125.0 (7.) 142.7 (9.)  
 Trefferlage 0.75 mm links, 1.19 mm hoch  
 Streuwert 1.11, horizontal: 1.42, vertikal: 0.66





Serie 2:  
 10.1 ↙                      10.5 \*                      10.6 \*                      10.3 \*                      10.8 \*  
 9.9 →                      10.2 \*                      10.4 \*                      10.7 \*                      10.7 \*  
 beste Teiler 40.1 (15.) 59.8 (20.) 64.6 (19.)  
 Trefferlage 0.48 mm rechts, 0.32 mm tief  
 Streuwert 1.04, horizontal: 1.31, vertikal: 0.66




Serie 3:  
 10.1 ↗                      10.5 \*                      10.6 \*                      10.6 \*                      10.4 \*  
 10.9 \*                      10.2 \*                      10.1 →                      10.1 ↗                      10.7 \*  
 beste Teiler 4.0 (26.) 62.0 (30.) 78.1 (23.)  
 Trefferlage 1.01 mm rechts, 0.20 mm hoch  
 Streuwert 0.82, horizontal: 0.87, vertikal: 0.77

Unterschrift des Schützen


Ergebnis: **312.1** (299)  
 Serien: 103.6 104.1 104.4  
 Zähler: 29 1 0 0 0 0 0 0 0 0  
 Innenzehner: 26  
 weiteste: 332 (5), 248 (17), 244 (11)  
 beste Teiler 39.6 (6.) 52.0 (8.) 53.0 (12.)  
 Trefferlage 0.22 mm links, 0.05 mm hoch  
 Streuwert 1.07, horizontal: 1.14, vertikal: 1.01



Serie 1:  
 10.1 ↗ 10.4 \* 10.5 \* 10.7 \* 9.6 ↖  
 10.8 \* 10.2 \* 10.7 \* 10.3 \* 10.3 \*  
 beste Teiler 39.6 (6.) 52.0 (8.) 68.6 (4.)  
 Trefferlage 0.45 mm links, 0.55 mm hoch  
 Streuwert 1.13, horizontal: 1.38, vertikal: 0.81





Serie 2:  
 10.0 ↖ 10.7 \* 10.5 \* 10.5 \* 10.4 \*  
 10.7 \* 10.0 ↙ 10.6 \* 10.3 \* 10.4 \*  
 beste Teiler 53.0 (12.) 66.4 (16.) 76.2 (18.)  
 Trefferlage 0.45 mm links, 0.04 mm tief  
 Streuwert 1.07, horizontal: 1.00, vertikal: 1.13




Serie 3:  
 10.7 \* 10.4 \* 10.4 \* 10.4 \* 10.5 \*  
 10.7 \* 10.5 \* 10.3 \* 10.3 \* 10.2 \*  
 beste Teiler 64.8 (21.) 69.2 (26.) 111.6 (25.)  
 Trefferlage 0.22 mm rechts, 0.35 mm tief  
 Streuwert 0.95, horizontal: 0.96, vertikal: 0.94

Unterschrift des Schützen


Ergebnis: **314.8** (299)  
 Serien: 104.4 105.8 104.6  
 Zähler: 29 1 0 0 0 0 0 0 0 0  
 Innenzehner: 27  
 weiteste: 289 (4), 243 (7), 218 (28)  
 beste Teiler 21.9 (10.) 48.4 (20.) 50.0 (11.)  
 Trefferlage 0.17 mm rechts, 0.23 mm tief  
 Streuwert 0.91, horizontal: 0.78, vertikal: 1.02



Serie 1:  
 10.4 \*                      10.4 \*                      10.5 \*                      9.8 ✓                      10.7 \*  
 10.7 \*                      10.0 ↓                      10.5 \*                      10.5 \*                      10.9 \*  
 beste Teiler 21.9 (10.) 59.8 (5.) 61.0 (6.)  
 Trefferlage 0.15 mm rechts, 0.21 mm tief  
 Streuwert 1.10, horizontal: 0.91, vertikal: 1.25



Serie 2:  
 10.8 \*                      10.6 \*                      10.6 \*                      10.4 \*                      10.3 \*  
 10.6 \*                      10.6 \*                      10.5 \*                      10.6 \*                      10.8 \*  
 beste Teiler 48.4 (20.) 50.0 (11.) 79.3 (17.)  
 Trefferlage 0.05 mm rechts, 0.30 mm tief  
 Streuwert 0.73, horizontal: 0.66, vertikal: 0.80





Serie 3:  
 10.6 \*                      10.5 \*                      10.4 \*                      10.6 \*                      10.3 \*  
 10.4 \*                      10.6 \*                      10.1 ↓                      10.4 \*                      10.7 \*  
 beste Teiler 74.5 (30.) 92.1 (21.) 95.7 (24.)  
 Trefferlage 0.32 mm rechts, 0.19 mm tief  
 Streuwert 0.95, horizontal: 0.81, vertikal: 1.08


Unterschrift des Schützen




Ergebnis: **310.3** (296)  
 Serien: 103.7 103.5 103.1  
 Zähler: 26 4 0 0 0 0 0 0 0 0  
 Innenzehner: 21  
 weiteste: 286 (29), 278 (30), 272 (9)  
 beste Teiler 18.0 (3.) 26.0 (5.) 47.7 (19.)  
 Trefferlage 0.25 mm rechts, 0.06 mm hoch  
 Streuwert 1.21, horizontal: 1.07, vertikal: 1.35



Serie 1:  
 10.2 \*                      10.7 \*                      10.9 \*                      10.2 \*                      10.8 \*  
 10.5 \*                      10.0 ↕                      10.5 \*                      9.9 ↗                      10.0 ↗  
 beste Teiler 18.0 (3.) 26.0 (5.) 59.5 (2.)  
 Trefferlage 0.19 mm rechts, 0.06 mm hoch  
 Streuwert 1.26, horizontal: 0.91, vertikal: 1.53





Serie 2:  
 10.7 \*                      10.6 \*                      10.1 ↘                      10.5 \*                      10.1 ↑  
 10.4 \*                      10.2 \*                      10.2 \*                      10.8 \*                      9.9 ↑  
 beste Teiler 47.7 (19.) 57.9 (11.) 78.6 (12.)  
 Trefferlage 0.15 mm rechts, 0.88 mm hoch  
 Streuwert 1.03, horizontal: 1.04, vertikal: 1.03




Serie 3:  
 10.5 \*                      10.4 \*                      10.6 \*                      10.3 \*                      10.1 →  
 10.3 \*                      10.6 \*                      10.7 \*                      9.8 ↘                      9.8 ↓  
 beste Teiler 63.6 (28.) 99.0 (27.) 99.7 (23.)  
 Trefferlage 0.40 mm rechts, 0.76 mm tief  
 Streuwert 1.14, horizontal: 1.31, vertikal: 0.95

Unterschrift des Schützen


Ergebnis: **309.6** (295)  
 Serien: 102.4 103.1 104.1  
 Zähler: 25 5 0 0 0 0 0 0 0 0  
 Innenzehner: 24  
 weiteste: 363 (7), 282 (1), 280 (23)  
 beste Teiler 40.8 (5.) 43.0 (29.) 53.0 (9.)  
 Trefferlage 0.41 mm links, 0.13 mm hoch  
 Streuwert 1.23, horizontal: 1.51, vertikal: 0.86



Serie 1:  
 9.8 ←                      10.2 \*                      10.4 \*                      10.2 \*                      10.8 \*  
 10.2 \*                      9.5 ←                      10.7 \*                      10.7 \*                      9.9 →  
 beste Teiler 40.8 (5.) 53.0 (9.) 68.0 (8.)  
 Trefferlage 0.48 mm links, 0.11 mm hoch  
 Streuwert 1.48, horizontal: 1.83, vertikal: 1.02





Serie 2:  
 10.0 ←                      10.4 \*                      10.3 \*                      10.6 \*                      10.3 \*  
 10.4 \*                      9.9 →                      10.4 \*                      10.5 \*                      10.3 \*  
 beste Teiler 80.5 (14.) 101.8 (19.) 130.3 (18.)  
 Trefferlage 0.00 mm , 0.26 mm hoch  
 Streuwert 1.22, horizontal: 1.52, vertikal: 0.80




Serie 3:  
 10.4 \*                      10.2 \*                      9.8 ←                      10.7 \*                      10.2 \*  
 10.5 \*                      10.6 \*                      10.3 \*                      10.8 \*                      10.6 \*  
 beste Teiler 43.0 (29.) 56.6 (24.) 87.9 (27.)  
 Trefferlage 0.73 mm links, 0.01 mm hoch  
 Streuwert 1.00, horizontal: 1.17, vertikal: 0.80

Unterschrift des Schützen


Ergebnis: **310.9** (296)  
 Serien: 102.1 104.1 104.7  
 Zähler: 26 4 0 0 0 0 0 0 0 0  
 Innenzehner: 22  
 weiteste: 345 (12), 328 (9), 264 (4)  
 beste Teiler 25.4 (15.) 46.3 (19.) 48.7 (18.)  
 Trefferlage 0.42 mm rechts, 0.42 mm hoch  
 Streuwert 1.16, horizontal: 1.05, vertikal: 1.25



Serie 1:  
 10.2 \*                      10.4 \*                      10.5 \*                      9.9 ↑                      10.5 \*  
 10.0 ↗                      10.2 \*                      10.1 ↗                      9.6 ↑                      10.7 \*  
 beste Teiler 58.7 (10.) 117.8 (3.) 118.9 (5.)  
 Trefferlage 0.27 mm rechts, 0.36 mm hoch  
 Streuwert 1.46, horizontal: 1.11, vertikal: 1.74





Serie 2:  
 10.5 \*                      9.6 ↗                      10.1 ↗                      10.1 ↗                      10.9 \*  
 10.4 \*                      10.6 \*                      10.8 \*                      10.8 \*                      10.3 \*  
 beste Teiler 25.4 (15.) 46.3 (19.) 48.7 (18.)  
 Trefferlage 0.80 mm rechts, 0.63 mm hoch  
 Streuwert 1.02, horizontal: 0.98, vertikal: 1.05




Serie 3:  
 9.9 ↘                      10.5 \*                      10.5 \*                      10.7 \*                      10.2 \*  
 10.7 \*                      10.2 \*                      10.6 \*                      10.7 \*                      10.7 \*  
 beste Teiler 61.2 (26.) 63.8 (29.) 67.3 (24.)  
 Trefferlage 0.19 mm rechts, 0.27 mm hoch  
 Streuwert 1.00, horizontal: 1.07, vertikal: 0.93

Unterschrift des Schützen


Ergebnis: **314.5** (299)  
 Serien: 105.3 103.8 105.4  
 Zähler: 29 1 0 0 0 0 0 0 0 0  
 Innenzehner: 27  
 weiteste: 293 (16), 243 (13), 237 (4)  
 beste Teiler 9.4 (19.) 47.6 (8.) 50.0 (26.)  
 Trefferlage 0.11 mm rechts, 0.04 mm tief  
 Streuwert 0.95, horizontal: 1.11, vertikal: 0.76



Serie 1:  
 10.6 \*                      10.4 \*                      10.7 \*                      10.0 →                      10.3 \*  
 10.6 \*                      10.5 \*                      10.8 \*                      10.7 \*                      10.7 \*  
 beste Teiler 47.6 (8.) 60.7 (9.) 68.5 (3.)  
 Trefferlage 0.19 mm rechts, 0.26 mm tief  
 Streuwert 0.87, horizontal: 1.12, vertikal: 0.53





Serie 2:  
 10.6 \*                      10.6 \*                      10.0 ↖                      10.4 \*                      10.4 \*  
 9.8 ↖                      10.2 \*                      10.5 \*                      10.9 \*                      10.4 \*  
 beste Teiler 9.4 (19.) 76.0 (11.) 77.3 (12.)  
 Trefferlage 0.21 mm rechts, 0.40 mm hoch  
 Streuwert 1.15, horizontal: 1.45, vertikal: 0.74




Serie 3:  
 10.7 \*                      10.5 \*                      10.2 \*                      10.5 \*                      10.6 \*  
 10.8 \*                      10.4 \*                      10.5 \*                      10.7 \*                      10.5 \*  
 beste Teiler 50.0 (26.) 64.3 (21.) 74.4 (29.)  
 Trefferlage 0.07 mm links, 0.27 mm tief  
 Streuwert 0.79, horizontal: 0.74, vertikal: 0.83

Unterschrift des Schützen


Ergebnis: **310.1** (297)  
 Serien: 102.9 103.6 103.6  
 Zähler: 27 3 0 0 0 0 0 0 0 0  
 Innenzehner: 24  
 weiteste: 373 (11), 272 (4), 253 (10)  
 beste Teiler 16.1 (16.) 61.3 (1.) 66.4 (25.)  
 Trefferlage 0.08 mm links, 0.42 mm hoch  
 Streuwert 1.18, horizontal: 1.39, vertikal: 0.93



Serie 1:  
 10.7 \*                      10.2 \*                      10.6 \*                      9.9 ↗                      10.1 ↘  
 10.4 \*                      10.4 \*                      10.3 \*                      10.4 \*                      9.9 ↑  
 beste Teiler 61.3 (1.) 87.1 (3.) 129.3 (6.)  
 Trefferlage 0.64 mm rechts, 0.71 mm hoch  
 Streuwert 1.12, horizontal: 1.19, vertikal: 1.05



Serie 2:  
 9.5 ←                      10.5 \*                      10.4 \*                      10.4 \*                      10.4 \*  
 10.9 \*                      10.5 \*                      10.4 \*                      10.4 \*                      10.2 \*  
 beste Teiler 16.1 (16.) 104.2 (12.) 118.5 (17.)  
 Trefferlage 0.26 mm links, 0.17 mm hoch  
 Streuwert 1.27, horizontal: 1.66, vertikal: 0.70





Serie 3:  
 10.5 \*                      10.0 ←                      10.4 \*                      10.4 \*                      10.7 \*  
 10.5 \*                      10.0 ↘                      10.3 \*                      10.6 \*                      10.2 \*  
 beste Teiler 66.4 (25.) 89.0 (29.) 102.6 (26.)  
 Trefferlage 0.63 mm links, 0.37 mm hoch  
 Streuwert 1.03, horizontal: 1.05, vertikal: 1.02


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **312.8** (299)  
 Serien: 104.5 104.0 104.3  
 Zähler: 29 1 0 0 0 0 0 0 0 0  
 Innenzehner: 25  
 weiteste: 324 (25), 235 (8), 231 (29)  
 beste Teiler 9.2 (22.) 22.8 (21.) 42.4 (5.)  
 Trefferlage 0.40 mm links, 0.43 mm hoch  
 Streuwert 0.97, horizontal: 1.07, vertikal: 0.87



Serie 1:  
 10.4 \*                      10.5 \*                      10.1 ↘                      10.5 \*                      10.8 \*  
 10.6 \*                      10.7 \*                      10.0 ↗                      10.5 \*                      10.4 \*  
 beste Teiler 42.4 (5.) 56.2 (7.) 96.9 (6.)  
 Trefferlage 0.42 mm links, 0.15 mm hoch  
 Streuwert 0.97, horizontal: 0.89, vertikal: 1.04





Serie 2:  
 10.1 ↘                      10.5 \*                      10.7 \*                      10.5 \*                      10.3 \*  
 10.4 \*                      10.4 \*                      10.4 \*                      10.2 \*                      10.5 \*  
 beste Teiler 67.4 (13.) 101.5 (14.) 118.0 (12.)  
 Trefferlage 0.32 mm links, 0.60 mm hoch  
 Streuwert 0.93, horizontal: 1.05, vertikal: 0.79




Serie 3:  
 10.9 \*                      10.9 \*                      10.2 \*                      10.3 \*                      9.7 ←  
 10.2 \*                      10.8 \*                      10.7 \*                      10.0 ↘                      10.6 \*  
 beste Teiler 9.2 (22.) 22.8 (21.) 44.2 (27.)  
 Trefferlage 0.47 mm links, 0.55 mm hoch  
 Streuwert 1.09, horizontal: 1.34, vertikal: 0.75

Unterschrift des Schützen


Ergebnis: **314.7** (299)  
 Serien: 104.4 106.2 104.1  
 Zähler: 29 1 0 0 0 0 0 0 0 0  
 Innenzehner: 26  
 weiteste: 270 (30), 226 (23), 214 (8)  
 beste Teiler 8.0 (15.) 29.6 (17.) 31.5 (14.)  
 Trefferlage 0.20 mm links, 0.07 mm tief  
 Streuwert 0.91, horizontal: 1.03, vertikal: 0.77



Serie 1:  
 10.5 \*                      10.4 \*                      10.2 \*                      10.7 \*                      10.7 \*  
 10.5 \*                      10.4 \*                      10.1 ↗                      10.6 \*                      10.3 \*  
 beste Teiler 58.6 (5.) 60.8 (4.) 89.0 (9.)  
 Trefferlage 0.13 mm rechts, 0.06 mm hoch  
 Streuwert 0.99, horizontal: 1.17, vertikal: 0.76





Serie 2:  
 10.6 \*                      10.7 \*                      10.4 \*                      10.8 \*                      10.9 \*  
 10.3 \*                      10.8 \*                      10.6 \*                      10.5 \*                      10.6 \*  
 beste Teiler 8.0 (15.) 29.6 (17.) 31.5 (14.)  
 Trefferlage 0.34 mm links, 0.21 mm tief  
 Streuwert 0.62, horizontal: 0.57, vertikal: 0.67




Serie 3:  
 10.4 \*                      10.4 \*                      10.0 ↘                      10.8 \*                      10.6 \*  
 10.7 \*                      10.7 \*                      10.5 \*                      10.1 ↙                      9.9 ←  
 beste Teiler 41.0 (24.) 51.7 (26.) 71.4 (27.)  
 Trefferlage 0.40 mm links, 0.07 mm tief  
 Streuwert 1.08, horizontal: 1.23, vertikal: 0.91

Unterschrift des Schützen


Ergebnis: **311.4** (297)  
 Serien: 104.5 103.5 103.4  
 Zähler: 27 3 0 0 0 0 0 0 0 0  
 Innenzehner: 23  
 weiteste: 460 (15), 274 (25), 263 (6)  
 beste Teiler 26.6 (18.) 34.0 (3.) 48.0 (5.)  
 Trefferlage 0.31 mm rechts, 0.31 mm hoch  
 Streuwert 1.17, horizontal: 1.24, vertikal: 1.10



Serie 1:  
 10.5 \*                      10.8 \*                      10.8 \*                      10.6 \*                      10.8 \*  
 9.9 ←                      10.2 \*                      10.0 ↑                      10.8 \*                      10.1 ↗  
 beste Teiler 34.0 (3.) 48.0 (5.) 49.9 (2.)  
 Trefferlage 0.02 mm rechts, 0.34 mm hoch  
 Streuwert 1.12, horizontal: 1.26, vertikal: 0.96



Serie 2:  
 10.6 \*                      10.5 \*                      10.2 \*                      10.4 \*                      9.1 ↗  
 10.7 \*                      10.5 \*                      10.8 \*                      10.6 \*                      10.1 ↗  
 beste Teiler 26.6 (18.) 61.9 (16.) 83.0 (11.)  
 Trefferlage 0.36 mm rechts, 0.01 mm hoch  
 Streuwert 1.37, horizontal: 1.40, vertikal: 1.34





Serie 3:  
 10.4 \*                      10.1 ↗                      10.4 \*                      10.3 \*                      9.9 ↗  
 10.5 \*                      10.4 \*                      10.5 \*                      10.4 \*                      10.5 \*  
 beste Teiler 102.9 (30.) 116.8 (28.) 122.4 (26.)  
 Trefferlage 0.54 mm rechts, 0.58 mm hoch  
 Streuwert 1.07, horizontal: 1.13, vertikal: 1.00


Unterschrift des Schützen




Ergebnis: **313.9** (299)  
 Serien: 105.8 103.4 104.7  
 Zähler: 29 1 0 0 0 0 0 0 0 0  
 Innenzehner: 28  
 weiteste: 252 (11), 241 (13), 197 (15)  
 beste Teiler 11.6 (9.) 17.0 (29.) 28.4 (27.)  
 Trefferlage 0.05 mm rechts, 0.05 mm hoch  
 Streuwert 0.97, horizontal: 1.08, vertikal: 0.85



Serie 1:  
 10.4 \*                    10.3 \*                    10.5 \*                    10.6 \*                    10.7 \*  
 10.6 \*                    10.7 \*                    10.5 \*                    10.9 \*                    10.6 \*  
 beste Teiler 11.6 (9.) 60.4 (5.) 71.8 (7.)  
 Trefferlage 0.16 mm rechts, 0.25 mm tief  
 Streuwert 0.72, horizontal: 0.74, vertikal: 0.71



Serie 2:  
 9.9 →                    10.4 \*                    10.0 →                    10.5 \*                    10.2 \*  
 10.6 \*                    10.7 \*                    10.5 \*                    10.2 \*                    10.4 \*  
 beste Teiler 71.5 (17.) 80.4 (16.) 110.0 (18.)  
 Trefferlage 0.15 mm rechts, 0.17 mm hoch  
 Streuwert 1.21, horizontal: 1.38, vertikal: 1.01





Serie 3:  
 10.5 \*                    10.2 \*                    10.2 \*                    10.2 \*                    10.4 \*  
 10.6 \*                    10.8 \*                    10.5 \*                    10.9 \*                    10.4 \*  
 beste Teiler 17.0 (29.) 28.4 (27.) 99.6 (26.)  
 Trefferlage 0.15 mm links, 0.24 mm hoch  
 Streuwert 0.97, horizontal: 1.11, vertikal: 0.80


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **312.2** (299)  
 Serien: 103.5 104.4 104.3  
 Zähler: 29 1 0 0 0 0 0 0 0 0  
 Innenzehner: 25  
 weiteste: 271 (4), 240 (3), 234 (12)  
 beste Teiler 43.2 (2.) 44.9 (30.) 51.3 (28.)  
 Trefferlage 0.47 mm links, 0.09 mm hoch  
 Streuwert 1.03, horizontal: 1.06, vertikal: 0.99



Serie 1:  
 10.2 \*                      10.8 \*                      10.0 ↑                      9.9 ←                      10.2 \*  
 10.5 \*                      10.4 \*                      10.3 \*                      10.7 \*                      10.5 \*  
 beste Teiler 43.2 (2.) 66.1 (9.) 111.8 (10.)  
 Trefferlage 1.09 mm links, 0.09 mm hoch  
 Streuwert 0.97, horizontal: 0.89, vertikal: 1.03





Serie 2:  
 10.6 \*                      10.0 ↑                      10.3 \*                      10.2 \*                      10.6 \*  
 10.6 \*                      10.7 \*                      10.6 \*                      10.6 \*                      10.2 \*  
 beste Teiler 74.3 (17.) 80.0 (18.) 85.7 (11.)  
 Trefferlage 0.24 mm links, 0.35 mm hoch  
 Streuwert 0.99, horizontal: 0.90, vertikal: 1.07




Serie 3:  
 10.6 \*                      10.4 \*                      10.5 \*                      10.3 \*                      10.1 →  
 10.4 \*                      10.4 \*                      10.7 \*                      10.1 ←                      10.8 \*  
 beste Teiler 44.9 (30.) 51.3 (28.) 82.8 (21.)  
 Trefferlage 0.08 mm links, 0.16 mm tief  
 Streuwert 1.04, horizontal: 1.18, vertikal: 0.89

Unterschrift des Schützen


Ergebnis: **308.8** (296)  
 Serien: 104.0 103.0 101.8  
 Zähler: 26 4 0 0 0 0 0 0 0 0  
 Innenzehner: 20  
 weiteste: 425 (28), 311 (14), 290 (22)  
 beste Teiler 45.7 (2.) 50.4 (1.) 66.9 (5.)  
 Trefferlage 0.34 mm links, 1.02 mm hoch  
 Streuwert 1.09, horizontal: 1.30, vertikal: 0.84



Serie 1:  
 10.8 \*                      10.8 \*                      10.3 \*                      10.6 \*                      10.7 \*  
 10.2 \*                      9.9 ←                      10.5 \*                      10.0 ↗                      10.2 \*  
 beste Teiler 45.7 (2.) 50.4 (1.) 66.9 (5.)  
 Trefferlage 0.18 mm links, 0.72 mm hoch  
 Streuwert 1.04, horizontal: 1.12, vertikal: 0.96



Serie 2:  
 10.6 \*                      10.2 \*                      10.1 ↗                      9.7 ↗                      10.6 \*  
 10.1 ↗                      10.6 \*                      10.1 ↗                      10.6 \*                      10.4 \*  
 beste Teiler 83.1 (19.) 85.4 (15.) 86.0 (17.)  
 Trefferlage 0.32 mm rechts, 1.30 mm hoch  
 Streuwert 0.85, horizontal: 0.96, vertikal: 0.73





Serie 3:  
 10.6 \*                      9.8 ↖                      10.1 ↗                      10.6 \*                      10.1 ↗  
 10.4 \*                      10.2 \*                      9.3 ←                      10.4 \*                      10.3 \*  
 beste Teiler 92.6 (24.) 98.3 (21.) 133.3 (26.)  
 Trefferlage 1.15 mm links, 1.04 mm hoch  
 Streuwert 1.15, horizontal: 1.41, vertikal: 0.80


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **314.6** (300)  
 Serien: 105.4 104.1 105.1  
 Zähler: 30 0 0 0 0 0 0 0 0 0  
 Innenzehner: 27  
 weiteste: 239 (14), 236 (21), 232 (1)  
 beste Teiler 11.1 (9.) 52.1 (16.) 52.7 (25.)  
 Trefferlage 0.08 mm links, 0.13 mm hoch  
 Streuwert 0.93, horizontal: 0.99, vertikal: 0.86



Serie 1:  
 10.0 ←                      10.6 \*                      10.4 \*                      10.5 \*                      10.5 \*  
 10.6 \*                      10.7 \*                      10.6 \*                      10.9 \*                      10.6 \*  
 beste Teiler 11.1 (9.) 74.7 (7.) 77.1 (8.)  
 Trefferlage 0.15 mm links, 0.26 mm hoch  
 Streuwert 0.84, horizontal: 1.00, vertikal: 0.65





Serie 2:  
 10.3 \*                      10.6 \*                      10.2 \*                      10.0 ↓                      10.5 \*  
 10.7 \*                      10.6 \*                      10.4 \*                      10.6 \*                      10.2 \*  
 beste Teiler 52.1 (16.) 80.7 (17.) 83.4 (19.)  
 Trefferlage 0.02 mm rechts, 0.13 mm hoch  
 Streuwert 1.10, horizontal: 1.04, vertikal: 1.16




Serie 3:  
 10.0 →                      10.4 \*                      10.5 \*                      10.7 \*                      10.7 \*  
 10.4 \*                      10.6 \*                      10.6 \*                      10.6 \*                      10.6 \*  
 beste Teiler 52.7 (25.) 70.3 (24.) 76.7 (29.)  
 Trefferlage 0.11 mm links, 0.00 mm  
 Streuwert 0.90, horizontal: 1.01, vertikal: 0.77

Unterschrift des Schützen


Ergebnis: **315.6** (300)  
 Serien: 105.4 105.1 105.1  
 Zähler: 30 0 0 0 0 0 0 0 0 0  
 Innenzehner: 29  
 weiteste: 212 (17), 197 (12), 192 (21)  
 beste Teiler 4.1 (9.) 31.5 (24.) 37.0 (13.)  
 Trefferlage 0.06 mm links, 0.07 mm hoch  
 Streuwert 0.88, horizontal: 0.99, vertikal: 0.77



Serie 1:  
 10.7 \*                      10.5 \*                      10.4 \*                      10.3 \*                      10.3 \*  
 10.8 \*                      10.3 \*                      10.8 \*                      10.9 \*                      10.4 \*  
 beste Teiler 4.1 (9.) 44.0 (6.) 46.6 (8.)  
 Trefferlage 0.29 mm links, 0.20 mm hoch  
 Streuwert 0.83, horizontal: 0.68, vertikal: 0.96





Serie 2:  
 10.8 \*                      10.2 \*                      10.8 \*                      10.5 \*                      10.6 \*  
 10.3 \*                      10.1 ←                      10.7 \*                      10.6 \*                      10.5 \*  
 beste Teiler 37.0 (13.) 39.0 (11.) 61.0 (18.)  
 Trefferlage 0.26 mm links, 0.13 mm tief  
 Streuwert 0.93, horizontal: 1.11, vertikal: 0.71




Serie 3:  
 10.2 \*                      10.8 \*                      10.4 \*                      10.8 \*                      10.7 \*  
 10.3 \*                      10.8 \*                      10.5 \*                      10.4 \*                      10.2 \*  
 beste Teiler 31.5 (24.) 42.9 (27.) 43.0 (22.)  
 Trefferlage 0.36 mm rechts, 0.17 mm hoch  
 Streuwert 0.88, horizontal: 1.07, vertikal: 0.63

Unterschrift des Schützen


Ergebnis: **311.2** (298)  
 Serien: 103.3 105.0 102.9  
 Zähler: 28 2 0 0 0 0 0 0 0 0  
 Innenzehner: 25  
 weiteste: 351 (3), 274 (24), 237 (11)  
 beste Teiler 21.0 (12.) 29.0 (26.) 65.2 (14.)  
 Trefferlage 0.12 mm links, 0.03 mm hoch  
 Streuwert 1.14, horizontal: 1.00, vertikal: 1.27



Serie 1:  
 10.4 \*                      10.4 \*                      9.5 ↙                      10.7 \*                      10.3 \*  
 10.4 \*                      10.3 \*                      10.6 \*                      10.5 \*                      10.2 \*  
 beste Teiler 66.4 (4.) 83.6 (8.) 120.0 (9.)  
 Trefferlage 0.15 mm links, 0.04 mm tief  
 Streuwert 1.28, horizontal: 1.31, vertikal: 1.24





Serie 2:  
 10.0 ↑                      10.9 \*                      10.3 \*                      10.7 \*                      10.4 \*  
 10.7 \*                      10.6 \*                      10.4 \*                      10.6 \*                      10.4 \*  
 beste Teiler 21.0 (12.) 65.2 (14.) 75.9 (16.)  
 Trefferlage 0.09 mm links, 0.99 mm hoch  
 Streuwert 0.60, horizontal: 0.62, vertikal: 0.58




Serie 3:  
 10.2 \*                      10.2 \*                      10.5 \*                      9.9 ↓                      10.5 \*  
 10.8 \*                      10.4 \*                      10.3 \*                      10.1 ↓                      10.0 ↙  
 beste Teiler 29.0 (26.) 101.8 (25.) 103.4 (23.)  
 Trefferlage 0.12 mm links, 0.85 mm tief  
 Streuwert 1.13, horizontal: 1.07, vertikal: 1.19

Unterschrift des Schützen


Ergebnis: **314.0** (300)  
 Serien: 105.5 103.4 105.1  
 Zähler: 30 0 0 0 0 0 0 0 0 0  
 Innenzehner: 26  
 weiteste: 246 (25), 235 (11), 223 (18)  
 beste Teiler 53.8 (23.) 56.7 (2.) 58.1 (26.)  
 Trefferlage 0.11 mm rechts, 0.47 mm hoch  
 Streuwert 0.89, horizontal: 0.75, vertikal: 1.02



Serie 1:  
 10.6 \*                      10.7 \*                      10.7 \*                      10.3 \*                      10.2 \*  
 10.5 \*                      10.7 \*                      10.5 \*                      10.6 \*                      10.7 \*  
 beste Teiler 56.7 (2.) 61.1 (10.) 67.5 (7.)  
 Trefferlage 0.16 mm rechts, 0.43 mm hoch  
 Streuwert 0.72, horizontal: 0.67, vertikal: 0.77





Serie 2:  
 10.0 †                      10.6 \*                      10.4 \*                      10.5 \*                      10.6 \*  
 10.1 †                      10.3 \*                      10.1 †                      10.5 \*                      10.3 \*  
 beste Teiler 79.3 (12.) 87.1 (15.) 124.6 (14.)  
 Trefferlage 0.37 mm links, 0.97 mm hoch  
 Streuwert 0.93, horizontal: 0.57, vertikal: 1.18




Serie 3:  
 10.7 \*                      10.3 \*                      10.7 \*                      10.7 \*                      10.0 ↗  
 10.7 \*                      10.5 \*                      10.5 \*                      10.5 \*                      10.5 \*  
 beste Teiler 53.8 (23.) 58.1 (26.) 68.8 (24.)  
 Trefferlage 0.55 mm rechts, 0.01 mm hoch  
 Streuwert 0.83, horizontal: 0.75, vertikal: 0.91

Unterschrift des Schützen


Ergebnis: **311.2** (298)  
 Serien: 103.3 104.8 103.1  
 Zähler: 28 2 0 0 0 0 0 0 0 0  
 Innenzehner: 26  
 weiteste: 323 (1), 303 (25), 248 (5)  
 beste Teiler 42.0 (18.) 51.4 (11.) 52.4 (2.)  
 Trefferlage 0.27 mm rechts, 0.14 mm tief  
 Streuwert 1.14, horizontal: 1.29, vertikal: 0.96



Serie 1:  
 9.7 ↗ 10.7 \* 10.3 \* 10.2 \* 10.0 →  
 10.5 \* 10.3 \* 10.6 \* 10.6 \* 10.4 \*  
 beste Teiler 52.4 (2.) 86.6 (9.) 96.7 (8.)  
 Trefferlage 0.52 mm rechts, 0.10 mm hoch  
 Streuwert 1.26, horizontal: 1.40, vertikal: 1.09



Serie 2:  
 10.7 \* 10.4 \* 10.5 \* 10.5 \* 10.3 \*  
 10.4 \* 10.6 \* 10.8 \* 10.3 \* 10.3 \*  
 beste Teiler 42.0 (18.) 51.4 (11.) 81.0 (17.)  
 Trefferlage 0.01 mm links, 0.14 mm tief  
 Streuwert 0.92, horizontal: 0.87, vertikal: 0.97





Serie 3:  
 10.2 \* 10.2 \* 10.5 \* 10.0 → 9.7 ↙  
 10.5 \* 10.7 \* 10.4 \* 10.7 \* 10.2 \*  
 beste Teiler 56.9 (27.) 59.0 (29.) 114.4 (26.)  
 Trefferlage 0.31 mm rechts, 0.40 mm tief  
 Streuwert 1.25, horizontal: 1.58, vertikal: 0.81


Unterschrift des Schützen




Ergebnis: **314.4** (299)  
 Serien: 105.6 103.8 105.0  
 Zähler: 29 1 0 0 0 0 0 0 0 0  
 Innenzehner: 27  
 weiteste: 273 (23), 247 (20), 243 (13)  
 beste Teiler 27.6 (2.) 32.2 (12.) 34.6 (30.)  
 Trefferlage 0.30 mm links, 0.05 mm tief  
 Streuwert 0.94, horizontal: 1.12, vertikal: 0.73



Serie 1:  
 10.6 \*                      10.8 \*                      10.5 \*                      10.5 \*                      10.5 \*  
 10.7 \*                      10.7 \*                      10.2 \*                      10.5 \*                      10.6 \*  
 beste Teiler 27.6 (2.) 67.6 (6.) 68.8 (7.)  
 Trefferlage 0.23 mm rechts, 0.19 mm tief  
 Streuwert 0.75, horizontal: 0.96, vertikal: 0.45





Serie 2:  
 10.7 \*                      10.8 \*                      10.0 ↖                      10.2 \*                      10.4 \*  
 10.3 \*                      10.6 \*                      10.4 \*                      10.4 \*                      10.0 ←  
 beste Teiler 32.2 (12.) 69.6 (11.) 97.6 (17.)  
 Trefferlage 0.44 mm links, 0.32 mm hoch  
 Streuwert 1.10, horizontal: 1.37, vertikal: 0.74




Serie 3:  
 10.6 \*                      10.8 \*                      9.9 ↖                      10.4 \*                      10.5 \*  
 10.4 \*                      10.4 \*                      10.4 \*                      10.8 \*                      10.8 \*  
 beste Teiler 34.6 (30.) 47.8 (29.) 50.3 (22.)  
 Trefferlage 0.69 mm links, 0.29 mm tief  
 Streuwert 0.84, horizontal: 0.84, vertikal: 0.85

Unterschrift des Schützen


Ergebnis: **309.2** (298)  
 Serien: 103.7 102.5 103.0  
 Zähler: 28 2 0 0 0 0 0 0 0 0  
 Innenzehner: 20  
 weiteste: 287 (29), 285 (12), 227 (1)  
 beste Teiler 43.3 (23.) 51.6 (7.) 54.6 (6.)  
 Trefferlage 0.06 mm rechts, 0.13 mm tief  
 Streuwert 1.23, horizontal: 1.17, vertikal: 1.30



Serie 1:  
 10.0 → 10.5 \* 10.5 \* 10.2 \* 10.5 \*  
 10.7 \* 10.7 \* 10.1 ↘ 10.4 \* 10.1 ↘  
 beste Teiler 51.6 (7.) 54.6 (6.) 104.7 (2.)  
 Trefferlage 0.58 mm rechts, 0.07 mm hoch  
 Streuwert 1.07, horizontal: 1.03, vertikal: 1.12





Serie 2:  
 10.6 \* 9.8 ↘ 10.1 ↘ 10.2 \* 10.1 ↘  
 10.3 \* 10.2 \* 10.5 \* 10.4 \* 10.3 \*  
 beste Teiler 91.8 (11.) 112.8 (18.) 132.2 (19.)  
 Trefferlage 0.22 mm rechts, 0.76 mm tief  
 Streuwert 1.23, horizontal: 1.30, vertikal: 1.15




Serie 3:  
 10.4 \* 10.3 \* 10.8 \* 10.1 ↘ 10.1 ↗  
 10.4 \* 10.4 \* 10.6 \* 9.8 ↗ 10.1 ↘  
 beste Teiler 43.3 (23.) 93.1 (28.) 133.7 (21.)  
 Trefferlage 0.60 mm links, 0.28 mm hoch  
 Streuwert 1.22, horizontal: 0.91, vertikal: 1.47

Unterschrift des Schützen


Ergebnis: **313.3** (299)  
 Serien: 105.6 104.3 103.4  
 Zähler: 29 1 0 0 0 0 0 0 0 0  
 Innenzehner: 26  
 weiteste: 304 (25), 221 (13), 212 (4)  
 beste Teiler 22.0 (8.) 45.8 (22.) 46.1 (11.)  
 Trefferlage 0.36 mm rechts, 0.14 mm hoch  
 Streuwert 0.99, horizontal: 1.07, vertikal: 0.89



Serie 1:  
 10.4 \*                      10.3 \*                      10.7 \*                      10.1 →                      10.7 \*  
 10.7 \*                      10.8 \*                      10.9 \*                      10.7 \*                      10.3 \*  
 beste Teiler 22.0 (8.) 48.8 (7.) 53.2 (5.)  
 Trefferlage 0.27 mm rechts, 0.27 mm hoch  
 Streuwert 0.81, horizontal: 0.91, vertikal: 0.71





Serie 2:  
 10.8 \*                      10.8 \*                      10.1 →                      10.3 \*                      10.1 ↖  
 10.6 \*                      10.4 \*                      10.6 \*                      10.2 \*                      10.4 \*  
 beste Teiler 46.1 (11.) 46.6 (12.) 83.4 (16.)  
 Trefferlage 0.31 mm rechts, 0.09 mm hoch  
 Streuwert 1.04, horizontal: 1.19, vertikal: 0.88




Serie 3:  
 10.3 \*                      10.8 \*                      10.6 \*                      10.5 \*                      9.7 →  
 10.3 \*                      10.3 \*                      10.4 \*                      10.2 \*                      10.3 \*  
 beste Teiler 45.8 (22.) 77.8 (23.) 122.9 (24.)  
 Trefferlage 0.50 mm rechts, 0.07 mm hoch  
 Streuwert 1.16, horizontal: 1.20, vertikal: 1.12

Unterschrift des Schützen


Ergebnis: **310.3** (296)  
 Serien: 103.0 103.2 104.1  
 Zähler: 26 4 0 0 0 0 0 0 0 0  
 Innenzehner: 23  
 weiteste: 456 (15), 288 (18), 264 (8)  
 beste Teiler 20.8 (11.) 62.2 (20.) 62.6 (19.)  
 Trefferlage 0.26 mm links, 0.11 mm hoch  
 Streuwert 1.24, horizontal: 1.43, vertikal: 1.01



Serie 1:  
 10.3 \*                      10.1 →                      10.4 \*                      10.1 ↘                      10.4 \*  
 10.6 \*                      10.5 \*                      9.9 ↙                      10.5 \*                      10.2 \*  
 beste Teiler 79.3 (6.) 102.5 (9.) 103.3 (7.)  
 Trefferlage 0.53 mm rechts, 0.32 mm hoch  
 Streuwert 1.21, horizontal: 1.30, vertikal: 1.11





Serie 2:  
 10.9 \*                      10.3 \*                      10.5 \*                      10.6 \*                      9.1 ←  
 10.5 \*                      10.1 ↑                      9.8 ↙                      10.7 \*                      10.7 \*  
 beste Teiler 20.8 (11.) 62.2 (20.) 62.6 (19.)  
 Trefferlage 0.90 mm links, 0.16 mm tief  
 Streuwert 1.33, horizontal: 1.43, vertikal: 1.22




Serie 3:  
 10.6 \*                      10.2 \*                      10.7 \*                      9.9 ↘                      10.4 \*  
 10.2 \*                      10.5 \*                      10.6 \*                      10.6 \*                      10.4 \*  
 beste Teiler 64.0 (23.) 80.4 (21.) 81.3 (29.)  
 Trefferlage 0.41 mm links, 0.18 mm hoch  
 Streuwert 1.02, horizontal: 1.28, vertikal: 0.66

Unterschrift des Schützen


Ergebnis: **315.5** (298)  
 Serien: 105.5 104.7 105.3  
 Zähler: 28 2 0 0 0 0 0 0 0 0  
 Innenzehner: 28  
 weiteste: 304 (19), 291 (1), 164 (27)  
 beste Teiler 28.0 (10.) 40.0 (13.) 45.1 (7.)  
 Trefferlage 0.28 mm links, 0.05 mm hoch  
 Streuwert 0.88, horizontal: 0.90, vertikal: 0.86



Serie 1:  
 9.8 ↗                      10.6 \*                      10.5 \*                      10.6 \*                      10.6 \*  
 10.6 \*                      10.8 \*                      10.8 \*                      10.4 \*                      10.8 \*  
 beste Teiler 28.0 (10.) 45.1 (7.) 49.0 (8.)  
 Trefferlage 0.07 mm rechts, 0.26 mm hoch  
 Streuwert 0.90, horizontal: 0.76, vertikal: 1.01





Serie 2:  
 10.7 \*                      10.4 \*                      10.8 \*                      10.3 \*                      10.7 \*  
 10.4 \*                      10.6 \*                      10.6 \*                      9.7 ←                      10.5 \*  
 beste Teiler 40.0 (13.) 58.2 (15.) 63.1 (11.)  
 Trefferlage 0.62 mm links, 0.19 mm hoch  
 Streuwert 0.91, horizontal: 1.07, vertikal: 0.71




Serie 3:  
 10.4 \*                      10.7 \*                      10.5 \*                      10.5 \*                      10.4 \*  
 10.6 \*                      10.3 \*                      10.7 \*                      10.5 \*                      10.7 \*  
 beste Teiler 54.0 (22.) 60.7 (28.) 74.3 (30.)  
 Trefferlage 0.30 mm links, 0.27 mm tief  
 Streuwert 0.79, horizontal: 0.79, vertikal: 0.80

Unterschrift des Schützen


Ergebnis: **307.8** (296)  
 Serien: 103.7 102.3 101.8  
 Zähler: 26 4 0 0 0 0 0 0 0 0  
 Innenzehner: 16  
 weiteste: 338 (27), 267 (6), 256 (14)  
 beste Teiler 60.1 (11.) 71.2 (1.) 76.4 (22.)  
 Trefferlage 0.08 mm links, 0.22 mm tief  
 Streuwert 1.32, horizontal: 1.33, vertikal: 1.31



Serie 1:  
 10.7 \*                      10.1 ↗                      10.0 ↙                      10.5 \*                      10.5 \*  
 9.9 ↘                      10.5 \*                      10.4 \*                      10.5 \*                      10.6 \*  
 beste Teiler 71.2 (1.) 86.0 (10.) 101.0 (5.)  
 Trefferlage 0.12 mm rechts, 0.22 mm tief  
 Streuwert 1.16, horizontal: 1.31, vertikal: 0.99





Serie 2:  
 10.7 \*                      10.0 ←                      10.4 \*                      9.9 ↙                      10.4 \*  
 10.0 ↘                      10.6 \*                      9.9 ↓                      10.1 ←                      10.3 \*  
 beste Teiler 60.1 (11.) 94.8 (17.) 131.3 (15.)  
 Trefferlage 0.77 mm links, 0.07 mm hoch  
 Streuwert 1.29, horizontal: 1.02, vertikal: 1.50




Serie 3:  
 10.5 \*                      10.6 \*                      10.4 \*                      10.1 →                      10.4 \*  
 10.1 ↘                      9.6 ↘                      10.0 ↙                      10.1 ↓                      10.0 ↗  
 beste Teiler 76.4 (22.) 123.1 (21.) 127.0 (25.)  
 Trefferlage 0.40 mm rechts, 0.51 mm tief  
 Streuwert 1.45, horizontal: 1.45, vertikal: 1.44

Unterschrift des Schützen


Ergebnis: **309.6** (294)  
 Serien: 103.3 103.2 103.1  
 Zähler: 24 6 0 0 0 0 0 0 0 0  
 Innenzehner: 20  
 weiteste: 296 (16), 284 (12), 265 (24)  
 beste Teiler 39.0 (5.) 45.3 (9.) 46.6 (17.)  
 Trefferlage 0.03 mm links, 0.18 mm tief  
 Streuwert 1.27, horizontal: 1.33, vertikal: 1.20



Serie 1:  
 9.9 ↙ 10.2 \* 10.3 \* 10.1 ↗ 10.8 \*  
 10.5 \* 10.6 \* 10.2 \* 10.8 \* 9.9 ←  
 beste Teiler 39.0 (5.) 45.3 (9.) 95.4 (7.)  
 Trefferlage 0.10 mm rechts, 0.45 mm tief  
 Streuwert 1.26, horizontal: 1.51, vertikal: 0.96





Serie 2:  
 10.6 \* 9.8 ↗ 10.3 \* 10.2 \* 10.5 \*  
 9.8 ↘ 10.8 \* 10.3 \* 10.4 \* 10.5 \*  
 beste Teiler 46.6 (17.) 90.1 (11.) 112.8 (15.)  
 Trefferlage 0.06 mm rechts, 0.18 mm hoch  
 Streuwert 1.31, horizontal: 1.45, vertikal: 1.16




Serie 3:  
 9.9 ↙ 10.1 ↗ 10.5 \* 9.9 ← 10.6 \*  
 10.1 ↑ 10.5 \* 10.7 \* 10.1 ↓ 10.7 \*  
 beste Teiler 66.7 (30.) 67.0 (28.) 92.8 (25.)  
 Trefferlage 0.27 mm links, 0.27 mm tief  
 Streuwert 1.30, horizontal: 1.12, vertikal: 1.46

Unterschrift des Schützen


Ergebnis: **311.6** (299)  
 Serien: 103.9 104.2 103.5  
 Zähler: 29 1 0 0 0 0 0 0 0 0  
 Innenzehner: 25  
 weiteste: 267 (25), 249 (13), 243 (22)  
 beste Teiler 23.0 (15.) 32.0 (30.) 45.1 (26.)  
 Trefferlage 0.16 mm links, 0.16 mm hoch  
 Streuwert 1.11, horizontal: 1.30, vertikal: 0.88



Serie 1:  
 10.3 \*                      10.4 \*                      10.3 \*                      10.4 \*                      10.1 ←  
 10.8 \*                      10.4 \*                      10.1 ←                      10.5 \*                      10.6 \*  
 beste Teiler 49.4 (6.) 94.1 (10.) 121.0 (9.)  
 Trefferlage 0.24 mm links, 0.08 mm tief  
 Streuwert 1.12, horizontal: 1.42, vertikal: 0.72



Serie 2:  
 10.3 \*                      10.4 \*                      10.0 ←                      10.2 \*                      10.9 \*  
 10.4 \*                      10.5 \*                      10.6 \*                      10.5 \*                      10.4 \*  
 beste Teiler 23.0 (15.) 95.0 (18.) 108.7 (19.)  
 Trefferlage 0.16 mm rechts, 0.47 mm hoch  
 Streuwert 1.02, horizontal: 1.19, vertikal: 0.83





Serie 3:  
 10.2 \*                      10.0 →                      10.5 \*                      10.5 \*                      9.9 ←  
 10.8 \*                      10.2 \*                      10.3 \*                      10.3 \*                      10.8 \*  
 beste Teiler 32.0 (30.) 45.1 (26.) 105.9 (24.)  
 Trefferlage 0.40 mm links, 0.09 mm hoch  
 Streuwert 1.21, horizontal: 1.35, vertikal: 1.06


Unterschrift des Schützen




Ergebnis: **310.1** (296)  
 Serien: 103.3 103.1 103.7  
 Zähler: 26 4 0 0 0 0 0 0 0 0  
 Innenzehner: 23  
 weiteste: 414 (16), 280 (4), 257 (12)  
 beste Teiler 47.1 (17.) 48.2 (23.) 52.5 (9.)  
 Trefferlage 0.42 mm rechts, 0.13 mm hoch  
 Streuwert 1.21, horizontal: 1.38, vertikal: 1.00



Serie 1:  
 10.2 \*                      10.4 \*                      10.5 \*                      9.8 →                      10.1 →  
 10.5 \*                      10.6 \*                      10.4 \*                      10.7 \*                      10.1 ↘  
 beste Teiler 52.5 (9.) 77.1 (7.) 113.4 (3.)  
 Trefferlage 0.77 mm rechts, 0.37 mm tief  
 Streuwert 1.05, horizontal: 1.15, vertikal: 0.93





Serie 2:  
 10.3 \*                      9.9 →                      10.5 \*                      10.7 \*                      10.2 \*  
 9.3 ←                      10.8 \*                      10.7 \*                      10.0 ↘                      10.7 \*  
 beste Teiler 47.1 (17.) 54.4 (14.) 71.0 (18.)  
 Trefferlage 0.19 mm rechts, 0.22 mm hoch  
 Streuwert 1.45, horizontal: 1.82, vertikal: 0.95




Serie 3:  
 10.5 \*                      9.9 ↑                      10.8 \*                      10.5 \*                      10.3 \*  
 10.3 \*                      10.4 \*                      10.2 \*                      10.6 \*                      10.2 \*  
 beste Teiler 48.2 (23.) 83.1 (29.) 117.4 (24.)  
 Trefferlage 0.31 mm rechts, 0.56 mm hoch  
 Streuwert 1.06, horizontal: 1.14, vertikal: 0.98

Unterschrift des Schützen


Ergebnis: **309.4** (296)  
 Serien: 103.6 104.7 101.1  
 Zähler: 26 4 0 0 0 0 0 0 0 0  
 Innenzehner: 21  
 weiteste: 343 (24), 341 (25), 336 (26)  
 beste Teiler 39.8 (14.) 59.2 (7.) 68.8 (8.)  
 Trefferlage 0.37 mm links, 0.34 mm hoch  
 Streuwert 1.24, horizontal: 1.42, vertikal: 1.04



Serie 1:  
 10.5 \*                      10.4 \*                      10.6 \*                      10.1 ↑                      9.8 ↖  
 10.1 ←                      10.7 \*                      10.7 \*                      10.3 \*                      10.4 \*  
 beste Teiler 59.2 (7.) 68.8 (8.) 99.2 (3.)  
 Trefferlage 0.75 mm links, 0.40 mm hoch  
 Streuwert 1.07, horizontal: 1.06, vertikal: 1.08





Serie 2:  
 10.4 \*                      10.5 \*                      10.5 \*                      10.8 \*                      10.5 \*  
 10.6 \*                      10.0 ↓                      10.4 \*                      10.5 \*                      10.5 \*  
 beste Teiler 39.8 (14.) 84.3 (16.) 106.8 (19.)  
 Trefferlage 0.10 mm rechts, 0.17 mm hoch  
 Streuwert 0.94, horizontal: 0.68, vertikal: 1.14




Serie 3:  
 10.0 →                      10.5 \*                      10.5 \*                      9.6 ↘                      9.6 ←  
 9.6 ↗                      10.5 \*                      10.5 \*                      10.1 ←                      10.2 \*  
 beste Teiler 106.0 (27.) 108.9 (28.) 111.0 (23.)  
 Trefferlage 0.46 mm links, 0.45 mm hoch  
 Streuwert 1.65, horizontal: 2.11, vertikal: 0.99

Unterschrift des Schützen


Ergebnis: **311.7** (298)  
 Serien: 104.8 104.3 102.6  
 Zähler: 28 2 0 0 0 0 0 0 0 0  
 Innenzehner: 26  
 weiteste: 281 (25), 262 (21), 238 (3)  
 beste Teiler 4.1 (7.) 41.2 (15.) 56.3 (30.)  
 Trefferlage 0.20 mm rechts, 0.46 mm hoch  
 Streuwert 1.04, horizontal: 1.08, vertikal: 0.99



Serie 1:  
 10.4 \*                      10.5 \*                      10.0 ↖                      10.6 \*                      10.5 \*  
 10.2 \*                      10.9 \*                      10.3 \*                      10.7 \*                      10.7 \*  
 beste Teiler 4.1 (7.) 69.3 (9.) 71.8 (10.)  
 Trefferlage 0.25 mm links, 0.37 mm hoch  
 Streuwert 0.94, horizontal: 0.74, vertikal: 1.10





Serie 2:  
 10.3 \*                      10.4 \*                      10.2 \*                      10.6 \*                      10.8 \*  
 10.3 \*                      10.5 \*                      10.2 \*                      10.5 \*                      10.5 \*  
 beste Teiler 41.2 (15.) 93.0 (14.) 104.6 (17.)  
 Trefferlage 0.20 mm rechts, 0.34 mm hoch  
 Streuwert 0.98, horizontal: 1.07, vertikal: 0.89




Serie 3:  
 9.9 ↗                      10.4 \*                      10.5 \*                      10.3 \*                      9.8 ↙  
 10.4 \*                      10.2 \*                      10.3 \*                      10.1 →                      10.7 \*  
 beste Teiler 56.3 (30.) 104.3 (23.) 144.1 (22.)  
 Trefferlage 0.65 mm rechts, 0.69 mm hoch  
 Streuwert 1.15, horizontal: 1.27, vertikal: 1.02

Unterschrift des Schützen


Ergebnis: **308.5** (294)  
 Serien: 100.9 103.4 104.2  
 Zähler: 24 6 0 0 0 0 0 0 0 0  
 Innenzehner: 21  
 weiteste: 425 (5), 354 (11), 331 (10)  
 beste Teiler 8.9 (26.) 50.4 (14.) 72.2 (15.)  
 Trefferlage 0.14 mm rechts, 0.25 mm hoch  
 Streuwert 1.37, horizontal: 1.66, vertikal: 0.99



Serie 1:  
 10.5 \*                      10.2 \*                      10.4 \*                      10.3 \*                      9.3 →  
 10.1 →                      10.6 \*                      9.8 ↑                      10.1 ↖                      9.6 ←  
 beste Teiler 83.6 (7.) 105.3 (1.) 147.1 (3.)  
 Trefferlage 0.40 mm rechts, 0.34 mm hoch  
 Streuwert 1.74, horizontal: 2.13, vertikal: 1.22





Serie 2:  
 9.5 ←                      10.5 \*                      10.3 \*                      10.8 \*                      10.7 \*  
 10.6 \*                      10.3 \*                      10.6 \*                      9.9 →                      10.2 \*  
 beste Teiler 50.4 (14.) 72.2 (15.) 78.5 (16.)  
 Trefferlage 0.50 mm rechts, 0.24 mm hoch  
 Streuwert 1.26, horizontal: 1.62, vertikal: 0.75




Serie 3:  
 10.5 \*                      9.9 ↖                      10.1 ↖                      10.3 \*                      10.4 \*  
 10.9 \*                      10.5 \*                      10.6 \*                      10.4 \*                      10.6 \*  
 beste Teiler 8.9 (26.) 90.1 (28.) 92.8 (30.)  
 Trefferlage 0.48 mm links, 0.17 mm hoch  
 Streuwert 1.03, horizontal: 1.01, vertikal: 1.05

Unterschrift des Schützen


Ergebnis: **309.8** (297)  
 Serien: 102.7 102.9 104.2  
 Zähler: 27 3 0 0 0 0 0 0 0 0  
 Innenzehner: 21  
 weiteste: 364 (20), 300 (10), 275 (3)  
 beste Teiler 39.0 (23.) 41.4 (29.) 60.4 (16.)  
 Trefferlage 0.05 mm rechts, 0.14 mm tief  
 Streuwert 1.27, horizontal: 1.35, vertikal: 1.19



Serie 1:  
 10.1 ↖                      10.6 \*                      9.9 ↘                      10.4 \*                      10.5 \*  
 10.7 \*                      10.6 \*                      10.0 ↙                      10.1 ↓                      9.8 ↗  
 beste Teiler 63.9 (6.) 76.4 (7.) 97.3 (2.)  
 Trefferlage 0.21 mm rechts, 0.27 mm tief  
 Streuwert 1.40, horizontal: 1.42, vertikal: 1.38





Serie 2:  
 10.2 \*                      10.5 \*                      10.4 \*                      10.6 \*                      10.0 ↖  
 10.7 \*                      10.7 \*                      10.1 ↙                      10.2 \*                      9.5 ↗  
 beste Teiler 60.4 (16.) 65.1 (17.) 84.8 (14.)  
 Trefferlage 0.51 mm rechts, 0.19 mm tief  
 Streuwert 1.34, horizontal: 1.36, vertikal: 1.32




Serie 3:  
 10.5 \*                      10.5 \*                      10.8 \*                      10.2 \*                      10.5 \*  
 10.5 \*                      10.2 \*                      10.0 ↙                      10.8 \*                      10.2 \*  
 beste Teiler 39.0 (23.) 41.4 (29.) 104.8 (25.)  
 Trefferlage 0.57 mm links, 0.01 mm hoch  
 Streuwert 1.05, horizontal: 1.13, vertikal: 0.96

Unterschrift des Schützen


Ergebnis: **309.2** (294)  
 Serien: 102.3 103.1 103.8  
 Zähler: 24 6 0 0 0 0 0 0 0 0  
 Innenzehner: 21  
 weiteste: 340 (7), 324 (24), 301 (26)  
 beste Teiler 12.1 (21.) 16.6 (25.) 17.2 (22.)  
 Trefferlage 0.20 mm rechts, 0.06 mm hoch  
 Streuwert 1.31, horizontal: 1.58, vertikal: 0.97



Serie 1:  
 9.9 → 10.4 \* 10.5 \* 10.3 \* 10.3 \*  
 10.3 \* 9.6 ← 10.4 \* 10.1 ↗ 10.5 \*  
 beste Teiler 105.3 (3.) 121.0 (10.) 130.1 (8.)  
 Trefferlage 0.15 mm rechts, 0.10 mm hoch  
 Streuwert 1.44, horizontal: 1.82, vertikal: 0.92





Serie 2:  
 10.3 \* 10.6 \* 9.9 ↑ 10.5 \* 10.0 ↘  
 10.3 \* 10.1 ↗ 10.4 \* 10.5 \* 10.5 \*  
 beste Teiler 79.0 (12.) 116.1 (19.) 119.5 (14.)  
 Trefferlage 0.63 mm rechts, 0.00 mm  
 Streuwert 1.20, horizontal: 1.14, vertikal: 1.25




Serie 3:  
 10.9 \* 10.9 \* 10.5 \* 9.7 → 10.9 \*  
 9.7 ← 10.5 \* 9.9 ← 10.2 \* 10.6 \*  
 beste Teiler 12.1 (21.) 16.6 (25.) 17.2 (22.)  
 Trefferlage 0.18 mm links, 0.09 mm hoch  
 Streuwert 1.35, horizontal: 1.75, vertikal: 0.77

Unterschrift des Schützen


Ergebnis: **312.9** (300)  
 Serien: 104.9 103.7 104.3  
 Zähler: 30 0 0 0 0 0 0 0 0 0  
 Innenzehner: 29  
 weiteste: 227 (15), 198 (19), 195 (18)  
 beste Teiler 16.7 (7.) 23.0 (14.) 53.8 (10.)  
 Trefferlage 0.03 mm links, 0.09 mm tief  
 Streuwert 1.01, horizontal: 1.09, vertikal: 0.94



Serie 1:  
 10.5 \*                      10.3 \*                      10.4 \*                      10.4 \*                      10.7 \*  
 10.3 \*                      10.9 \*                      10.2 \*                      10.5 \*                      10.7 \*  
 beste Teiler 16.7 (7.) 53.8 (10.) 67.1 (5.)  
 Trefferlage 0.05 mm rechts, 0.17 mm tief  
 Streuwert 0.93, horizontal: 1.06, vertikal: 0.78





Serie 2:  
 10.7 \*                      10.4 \*                      10.2 \*                      10.9 \*                      10.0 ↗  
 10.3 \*                      10.5 \*                      10.2 \*                      10.2 \*                      10.3 \*  
 beste Teiler 23.0 (14.) 71.6 (11.) 103.4 (17.)  
 Trefferlage 0.09 mm rechts, 0.15 mm hoch  
 Streuwert 1.19, horizontal: 1.26, vertikal: 1.12




Serie 3:  
 10.3 \*                      10.4 \*                      10.6 \*                      10.5 \*                      10.2 \*  
 10.6 \*                      10.2 \*                      10.6 \*                      10.4 \*                      10.5 \*  
 beste Teiler 79.6 (28.) 82.8 (26.) 85.2 (23.)  
 Trefferlage 0.24 mm links, 0.28 mm tief  
 Streuwert 0.97, horizontal: 1.01, vertikal: 0.92

Unterschrift des Schützen


Ergebnis: **305.4** (293)  
 Serien: 101.4 102.3 101.7  
 Zähler: 23 7 0 0 0 0 0 0 0 0  
 Innenzehner: 19  
 weiteste: 422 (8), 419 (20), 388 (21)  
 beste Teiler 54.5 (5.) 61.0 (19.) 64.5 (22.)  
 Trefferlage 0.60 mm rechts, 0.13 mm tief  
 Streuwert 1.54, horizontal: 1.44, vertikal: 1.62



Serie 1:  
 10.1 ↑                      10.5 \*                      9.6 ↘                      10.4 \*                      10.7 \*  
 10.2 \*                      9.7 ↘                      9.3 ↘                      10.3 \*                      10.6 \*  
 beste Teiler 54.5 (5.) 88.0 (10.) 120.6 (2.)  
 Trefferlage 1.06 mm rechts, 0.79 mm tief  
 Streuwert 1.46, horizontal: 1.36, vertikal: 1.55



Serie 2:  
 9.5 →                      10.5 \*                      10.4 \*                      10.2 \*                      10.4 \*  
 10.3 \*                      10.4 \*                      10.6 \*                      10.7 \*                      9.3 →  
 beste Teiler 61.0 (19.) 99.2 (18.) 125.0 (12.)  
 Trefferlage 0.74 mm rechts, 0.28 mm hoch  
 Streuwert 1.48, horizontal: 1.80, vertikal: 1.07





Serie 3:  
 9.4 ↓                      10.7 \*                      10.1 ↓                      10.2 \*                      10.4 \*  
 10.0 ↗                      10.5 \*                      10.0 ↑                      9.9 ↑                      10.5 \*  
 beste Teiler 64.5 (22.) 109.5 (30.) 123.4 (27.)  
 Trefferlage 0.00 mm , 0.11 mm hoch  
 Streuwert 1.61, horizontal: 0.98, vertikal: 2.05


Unterschrift des Schützen




Ergebnis: **289** (304.7)  
 Serien: 97 95 97  
 Zähler: 19 11 0 0 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 1185 (12), 1121 (16), 1096 (5)  
 beste Teiler 75.0 (26.) 112.4 (25.) 224.6 (1.)  
 Trefferlage 1.58 mm links, 1.80 mm tief  
 Streuwert 4.87, horizontal: 4.99, vertikal: 4.75



Serie 1:  
 10.7 \*                      10.5 \*                      10.4 \*                      10.4 \*                      9.6 ↙  
 10.0 ↑                      10.3 ↘                      9.8 ↘                      10.4 \*                      9.9 →  
 beste Teiler 224.6 (1.) 396.8 (2.) 419.5 (9.)  
 Trefferlage 1.27 mm links, 2.10 mm tief  
 Streuwert 4.66, horizontal: 4.11, vertikal: 5.15



Serie 2:  
 9.7 ←                      9.5 ←                      10.5 \*                      10.6 \*                      10.6 \*  
 9.5 ↓                      10.4 \*                      9.9 ←                      10.3 ↘                      9.6 ↘  
 beste Teiler 292.6 (15.) 296.0 (14.) 379.2 (13.)  
 Trefferlage 2.71 mm links, 2.88 mm tief  
 Streuwert 5.15, horizontal: 5.45, vertikal: 4.83





Serie 3:  
 9.6 ←                      10.5 \*                      10.5 \*                      9.7 ↘                      10.8 \*  
 10.9 \*                      10.1 ↓                      10.1 →                      10.0 ↑                      9.9 →  
 beste Teiler 75.0 (26.) 112.4 (25.) 345.9 (22.)  
 Trefferlage 0.76 mm links, 0.42 mm tief  
 Streuwert 5.04, horizontal: 5.60, vertikal: 4.41


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **279** (291.3)  
 Serien: 91 94 94  
 Zähler: 12 15 3 0 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 2007 (26), 1907 (20), 1689 (6)  
 beste Teiler 93.3 (21.) 356.8 (19.) 374.0 (2.)  
 Trefferlage 0.29 mm rechts, 1.51 mm hoch  
 Streuwert 7.79, horizontal: 8.47, vertikal: 7.04



Serie 1:  
 9.5 ↘ 10.5 \* 10.4 \* 9.2 → 9.6 ←  
 8.8 ↙ 9.7 ↗ 9.9 → 9.2 ↑ 9.8 ↘  
 beste Teiler 374.0 (2.) 453.0 (3.) 819.4 (8.)  
 Trefferlage 2.96 mm rechts, 1.05 mm hoch  
 Streuwert 7.90, horizontal: 8.13, vertikal: 7.66



Serie 2:  
 10.1 ↙ 9.3 ← 9.7 ↓ 10.3 ↙ 10.0 ↗  
 9.3 ↙ 10.0 ↗ 9.5 ↙ 10.5 \* 8.6 ↑  
 beste Teiler 356.8 (19.) 542.1 (14.) 703.8 (11.)  
 Trefferlage 2.58 mm links, 0.98 mm hoch  
 Streuwert 7.85, horizontal: 7.34, vertikal: 8.32





Serie 3:  
 10.8 \* 10.1 ↙ 9.8 ↘ 9.2 ↙ 9.7 ↘  
 8.4 → 9.1 → 10.0 ↓ 10.0 ↙ 10.3 ↙  
 beste Teiler 93.3 (21.) 507.9 (30.) 694.0 (22.)  
 Trefferlage 0.50 mm rechts, 2.51 mm hoch  
 Streuwert 7.88, horizontal: 9.70, vertikal: 5.50


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **309.9** (296)  
 Serien: 105.4 102.9 101.6  
 Zähler: 26 4 0 0 0 0 0 0 0 0  
 Innenzehner: 23  
 weiteste: 446 (21), 386 (30), 304 (14)  
 beste Teiler 17.0 (16.) 59.0 (17.) 67.1 (1.)  
 Trefferlage 0.18 mm rechts, 0.19 mm hoch  
 Streuwert 1.31, horizontal: 1.41, vertikal: 1.21



Serie 1:  
 10.7 \*                      10.7 \*                      10.4 \*                      10.4 \*                      10.4 \*  
 10.3 \*                      10.7 \*                      10.5 \*                      10.6 \*                      10.7 \*  
 beste Teiler 67.1 (1.) 71.5 (10.) 75.6 (7.)  
 Trefferlage 0.21 mm links, 0.26 mm hoch  
 Streuwert 0.81, horizontal: 0.85, vertikal: 0.76





Serie 2:  
 10.5 \*                      9.8 ↗                      10.4 \*                      9.7 ↗                      10.3 \*  
 10.9 \*                      10.7 \*                      10.1 ↘                      10.2 \*                      10.3 \*  
 beste Teiler 17.0 (16.) 59.0 (17.) 102.8 (11.)  
 Trefferlage 0.61 mm rechts, 0.24 mm hoch  
 Streuwert 1.31, horizontal: 1.18, vertikal: 1.43




Serie 3:  
 9.2 ↗                      10.0 ↗                      10.5 \*                      10.5 \*                      10.2 \*  
 10.6 \*                      10.1 ↘                      10.5 \*                      10.6 \*                      9.4 ←  
 beste Teiler 84.7 (29.) 100.4 (26.) 104.7 (23.)  
 Trefferlage 0.16 mm rechts, 0.07 mm hoch  
 Streuwert 1.72, horizontal: 1.97, vertikal: 1.43

Unterschrift des Schützen


Ergebnis: **300.2** (286)  
 Serien: 100.3 99.9 100.0  
 Zähler: 18 10 2 0 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 603 (14), 570 (12), 456 (21)  
 beste Teiler 16.4 (4.) 29.4 (15.) 53.0 (19.)  
 Trefferlage 0.49 mm rechts, 0.14 mm tief  
 Streuwert 1.95, horizontal: 2.29, vertikal: 1.53



Serie 1:  
 9.8 ↑                      9.9 ↘                      10.5 \*                      10.9 \*                      9.6 ↓  
 10.1 →                      9.2 ↘                      10.1 ↙                      10.1 ↖                      10.1 ↑  
 beste Teiler 16.4 (4.) 124.4 (3.) 204.9 (9.)  
 Trefferlage 0.48 mm rechts, 0.32 mm tief  
 Streuwert 1.85, horizontal: 1.86, vertikal: 1.84



Serie 2:  
 10.5 \*                      8.7 ↙                      9.8 ↘                      8.5 →                      10.8 \*  
 10.0 ↘                      10.2 \*                      10.1 ↘                      10.7 \*                      10.6 \*  
 beste Teiler 29.4 (15.) 53.0 (19.) 91.9 (20.)  
 Trefferlage 0.25 mm rechts, 0.61 mm tief  
 Streuwert 2.24, horizontal: 2.82, vertikal: 1.43



Serie 3:  
 9.1 →                      9.8 ←                      10.1 ↗                      10.6 \*                      9.9 ↘  
 9.7 ←                      9.5 ↗                      10.1 ↗                      10.5 \*                      10.7 \*  
 beste Teiler 74.8 (30.) 97.6 (24.) 113.2 (29.)  
 Trefferlage 0.75 mm rechts, 0.51 mm hoch  
 Streuwert 1.83, horizontal: 2.32, vertikal: 1.15

Unterschrift des Schützen