




Ergebnis: **191** (200.2)
 Serien: 94 97
 Zähler: 11 9 0 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 1393 (5), 1250 (15), 1077 (1)
 beste Teiler 73.0 (19.) 386.5 (6.) 408.6 (20.)
 Trefferlage 0.80 mm links, 1.14 mm tief
 Streuwert 5.85, horizontal: 5.02, vertikal: 6.58





Serie 1:
 9.6 ↗ 9.6 ↘ 10.3 ↘ 9.9 ↖ 9.2 ↓
 10.5 * 10.1 → 9.9 → 10.2 ↑ 9.7 ↖
 beste Teiler 386.5 (6.) 522.8 (3.) 615.6 (9.)
 Trefferlage 0.29 mm links, 0.03 mm tief
 Streuwert 6.64, horizontal: 5.84, vertikal: 7.36




Serie 2:
 10.1 ↖ 10.0 ← 10.4 * 9.7 ↗ 9.4 ↓
 10.1 ↓ 9.9 ↓ 10.3 ↖ 10.9 * 10.4 *
 beste Teiler 73.0 (19.) 408.6 (20.) 458.5 (13.)
 Trefferlage 1.31 mm links, 2.25 mm tief
 Streuwert 5.14, horizontal: 4.29, vertikal: 5.87

Unterschrift des Schützen

Ergebnis: **185** (190.3)
 Serien: 93 92
 Zähler: 7 11 2 0 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2077 (2), 2013 (15), 1566 (7)
 beste Teiler 328.7 (19.) 338.3 (18.) 373.4 (5.)
 Trefferlage 2.95 mm rechts, 2.86 mm hoch
 Streuwert 8.62, horizontal: 10.23, vertikal: 6.63



Serie 1:
 10.1 ← 8.4 → 9.2 → 10.2 ↘ 10.5 *
 10.0 ↓ 9.0 → 9.0 ↗ 9.5 ↗ 9.1 ←
 beste Teiler 373.4 (5.) 609.7 (4.) 656.1 (1.)
 Trefferlage 4.14 mm rechts, 2.16 mm hoch
 Streuwert 8.80, horizontal: 11.14, vertikal: 5.53





Serie 2:
 9.2 ↗ 9.3 ← 9.5 ↑ 9.6 ↘ 8.4 ↗
 10.2 ↗ 9.0 ← 10.5 * 10.5 * 9.1 →
 beste Teiler 328.7 (19.) 338.3 (18.) 628.7 (16.)
 Trefferlage 1.76 mm rechts, 3.56 mm hoch
 Streuwert 8.79, horizontal: 9.67, vertikal: 7.82


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **193** (199.6)
 Serien: 95 98
 Zähler: 14 5 1 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 1924 (8), 1383 (7), 1229 (3)
 beste Teiler 212.0 (5.) 332.3 (15.) 342.0 (19.)
 Trefferlage 1.01 mm links, 1.36 mm tief
 Streuwert 6.23, horizontal: 5.76, vertikal: 6.66





Serie 1:
 10.0 → 10.3 ↑ 9.4 ↓ 10.3 ↓ 10.7 *
 10.1 ↘ 9.2 ↓ 8.5 ↓ 10.0 → 9.7 ←
 beste Teiler 212.0 (5.) 484.5 (4.) 520.5 (2.)
 Trefferlage 0.34 mm links, 4.66 mm tief
 Streuwert 6.75, horizontal: 5.34, vertikal: 7.90




Serie 2:
 10.2 ↑ 9.6 → 9.5 ← 10.2 ← 10.5 *
 10.5 * 10.1 ← 10.0 ← 10.5 * 10.3 ↑
 beste Teiler 332.3 (15.) 342.0 (19.) 400.7 (16.)
 Trefferlage 1.68 mm links, 1.93 mm hoch
 Streuwert 4.87, horizontal: 6.36, vertikal: 2.65

Unterschrift des Schützen

Ergebnis: **178** (188.0)
 Serien: 92 86
 Zähler: 11 4 4 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 1879 (4), 1863 (3), 1798 (19)
 beste Teiler 58.7 (15.) 222.3 (9.) 222.6 (12.)
 Trefferlage 3.60 mm links, 0.44 mm hoch
 Streuwert 7.09, horizontal: 8.27, vertikal: 5.68



Serie 1:
 10.7 * 9.9 ↖ 8.6 ← 8.6 ↙ 8.9 ←
 10.6 * 10.3 ↑ 9.1 ↖ 10.7 * 10.1 ←
 beste Teiler 222.3 (9.) 237.5 (1.) 282.7 (6.)
 Trefferlage 7.90 mm links, 0.52 mm hoch
 Streuwert 6.41, horizontal: 7.49, vertikal: 5.10





Serie 2:
 10.4 * 10.7 * 10.3 ↙ 10.1 ↗ 10.9 *
 9.9 ↓ 9.3 ↑ 10.2 ↘ 8.7 → 0.0F_{MIS}
 beste Teiler 58.7 (15.) 222.6 (12.) 461.2 (11.)
 Trefferlage 1.17 mm rechts, 0.35 mm hoch
 Streuwert 6.52, horizontal: 6.47, vertikal: 6.58


MIS – Treffer wurde manuell eingefügt, da der Schütze die Scheibe verfehlt hat

Unterschrift des Schützen

Ergebnis: **191** (200.0)
 Serien: 95 96
 Zähler: 12 7 1 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 1661 (7), 1431 (17), 1370 (18)
 beste Teiler 114.3 (13.) 358.3 (8.) 376.6 (15.)
 Trefferlage 1.96 mm links, 0.75 mm hoch
 Streuwert 6.02, horizontal: 6.08, vertikal: 5.97



Serie 1:
 10.0 ↑ 9.7 ← 10.3 ↘ 10.4 * 10.3 ↑
 10.4 * 8.9 ↙ 10.5 * 9.8 ↓ 9.7 →
 beste Teiler 358.3 (8.) 406.4 (4.) 464.6 (6.)
 Trefferlage 1.93 mm links, 0.61 mm tief
 Streuwert 6.12, horizontal: 6.85, vertikal: 5.29





Serie 2:
 9.5 ↘ 10.4 * 10.8 * 10.1 ← 10.5 *
 10.3 ← 9.2 ↗ 9.2 ↓ 9.8 ↑ 10.2 ↘
 beste Teiler 114.3 (13.) 376.6 (15.) 470.0 (12.)
 Trefferlage 2.00 mm links, 2.13 mm hoch
 Streuwert 6.08, horizontal: 5.56, vertikal: 6.55


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **193** (201.7)
 Serien: 95 98
 Zähler: 13 7 0 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 1576 (5), 1264 (17), 1141 (3)
 beste Teiler 123.4 (14.) 128.0 (19.) 168.6 (10.)
 Trefferlage 0.58 mm rechts, 4.08 mm tief
 Streuwert 4.87, horizontal: 5.04, vertikal: 4.69





Serie 1:
 9.9 ↓ 10.2 ↓ 9.5 ↓ 9.7 ↘ 9.0 ↘
 9.8 ↘ 10.1 ↘ 10.4 ↑ 10.3 ← 10.7 *
 beste Teiler 168.6 (10.) 476.2 (8.) 515.0 (9.)
 Trefferlage 2.50 mm rechts, 4.97 mm tief
 Streuwert 5.07, horizontal: 5.30, vertikal: 4.82




Serie 2:
 10.4 * 10.0 ↘ 10.1 ↖ 10.8 * 9.8 ↙
 10.6 * 9.4 ↙ 10.2 ↙ 10.8 * 10.0 ↘
 beste Teiler 123.4 (14.) 128.0 (19.) 320.4 (16.)
 Trefferlage 1.33 mm links, 3.20 mm tief
 Streuwert 4.41, horizontal: 4.17, vertikal: 4.63

Unterschrift des Schützen

Ergebnis: **191** (199.4)
 Serien: 96 95
 Zähler: 11 9 0 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 1450 (7), 1442 (20), 1401 (6)
 beste Teiler 107.8 (9.) 190.5 (18.) 210.2 (13.)
 Trefferlage 1.04 mm rechts, 0.53 mm tief
 Streuwert 6.44, horizontal: 5.04, vertikal: 7.58





Serie 1:
 10.6 * 9.3 ↘ 9.6 → 10.0 ↑ 10.4 *
 9.2 ↑ 9.1 ↙ 10.5 * 10.8 * 10.3 ↓
 beste Teiler 107.8 (9.) 273.8 (1.) 359.1 (8.)
 Trefferlage 0.32 mm rechts, 0.61 mm tief
 Streuwert 6.66, horizontal: 4.47, vertikal: 8.30




Serie 2:
 9.5 ↗ 10.0 → 10.7 * 10.4 * 9.6 ↙
 9.4 → 9.9 ↙ 10.7 * 10.3 ↓ 9.1 ↑
 beste Teiler 190.5 (18.) 210.2 (13.) 448.4 (14.)
 Trefferlage 1.77 mm rechts, 0.45 mm tief
 Streuwert 6.51, horizontal: 5.70, vertikal: 7.24

Unterschrift des Schützen

Ergebnis: **194** (203.4)
 Serien: 96 98
 Zähler: 15 4 1 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 1782 (14), 1327 (2), 869 (9)
 beste Teiler 242.5 (20.) 268.6 (13.) 292.9 (1.)
 Trefferlage 0.13 mm links, 2.85 mm hoch
 Streuwert 4.81, horizontal: 5.32, vertikal: 4.24





Serie 1:
 10.6 * 9.3 ↑ 9.9 ↗ 10.2 ↘ 10.3 ↘
 10.5 * 10.3 ↙ 9.9 ↖ 9.9 ↗ 10.2 →
 beste Teiler 292.9 (1.) 336.0 (6.) 494.4 (5.)
 Trefferlage 0.29 mm links, 3.34 mm hoch
 Streuwert 4.84, horizontal: 5.45, vertikal: 4.14




Serie 2:
 10.6 * 10.3 ↙ 10.6 * 8.7 ↗ 10.3 ←
 10.0 ← 10.3 ↗ 10.4 * 10.5 * 10.6 *
 beste Teiler 242.5 (20.) 268.6 (13.) 296.0 (11.)
 Trefferlage 0.03 mm rechts, 2.36 mm hoch
 Streuwert 5.02, horizontal: 5.48, vertikal: 4.51

Unterschrift des Schützen

Ergebnis: **188** (197.9)
 Serien: 93 95
 Zähler: 11 6 3 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 1876 (14), 1857 (2), 1670 (4)
 beste Teiler 134.3 (17.) 153.7 (13.) 200.9 (6.)
 Trefferlage 0.17 mm rechts, 3.00 mm tief
 Streuwert 6.90, horizontal: 4.86, vertikal: 8.46





Serie 1:
 9.8 ↓ 8.6 ↗ 9.6 ↑ 8.9 ↙ 10.7 *
 10.7 * 10.2 ↓ 10.4 * 9.3 ↙ 10.0 ↘
 beste Teiler 200.9 (6.) 220.9 (5.) 447.8 (8.)
 Trefferlage 0.74 mm links, 2.38 mm tief
 Streuwert 7.64, horizontal: 5.28, vertikal: 9.43




Serie 2:
 9.8 ↗ 9.8 ↘ 10.8 * 8.6 ↓ 10.3 ←
 10.0 ↘ 10.8 * 10.3 ↘ 10.0 ↓ 9.3 ↘
 beste Teiler 134.3 (17.) 153.7 (13.) 490.8 (15.)
 Trefferlage 1.10 mm rechts, 3.62 mm tief
 Streuwert 6.38, horizontal: 4.48, vertikal: 7.83

Unterschrift des Schützen

Ergebnis: **183** (193.4)
 Serien: 93 90
 Zähler: 5 13 2 0 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2362 (18), 1914 (3), 1567 (2)
 beste Teiler 176.6 (1.) 210.2 (5.) 229.1 (8.)
 Trefferlage 1.82 mm rechts, 3.28 mm hoch
 Streuwert 7.88, horizontal: 7.27, vertikal: 8.46





Serie 1:
 10.7 * 9.0 ↗ 8.6 ↗ 9.2 ↑ 10.7 *
 10.0 → 9.8 ↙ 10.7 * 9.6 ↘ 9.5 ↙
 beste Teiler 176.6 (1.) 210.2 (5.) 229.1 (8.)
 Trefferlage 1.08 mm rechts, 3.13 mm hoch
 Streuwert 7.88, horizontal: 7.25, vertikal: 8.46




Serie 2:
 9.5 ↙ 9.4 ↗ 9.9 ↘ 9.8 ↑ 9.7 ←
 10.2 ↖ 9.5 ↑ 8.0 ↗ 9.8 → 9.8 →
 beste Teiler 574.5 (16.) 860.8 (13.) 890.8 (20.)
 Trefferlage 2.55 mm rechts, 3.43 mm hoch
 Streuwert 8.28, horizontal: 7.60, vertikal: 8.91

Unterschrift des Schützen

Ergebnis: **187** (195.1)
 Serien: 91 96
 Zähler: 10 7 3 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2249 (17), 1779 (1), 1602 (2)
 beste Teiler 246.9 (11.) 385.1 (14.) 427.9 (6.)
 Trefferlage 3.17 mm links, 0.01 mm hoch
 Streuwert 7.58, horizontal: 7.78, vertikal: 7.37





Serie 1:
 8.7 ← 8.9 ↙ 10.1 ↗ 9.7 → 9.9 ↗
 10.4 * 9.1 ↘ 10.0 ↘ 9.8 ↑ 9.1 ←
 beste Teiler 427.9 (6.) 668.9 (3.) 736.4 (8.)
 Trefferlage 3.88 mm links, 1.27 mm hoch
 Streuwert 8.25, horizontal: 9.63, vertikal: 6.58




Serie 2:
 10.6 * 10.3 ↘ 10.2 ← 10.5 * 10.4 *
 9.1 ↗ 8.1 ↙ 10.0 ↙ 9.9 ↗ 10.3 ←
 beste Teiler 246.9 (11.) 385.1 (14.) 472.0 (15.)
 Trefferlage 2.45 mm links, 1.24 mm tief
 Streuwert 7.13, horizontal: 5.80, vertikal: 8.24

Unterschrift des Schützen

Ergebnis: **191** (197.9)
 Serien: 97 94
 Zähler: 12 7 1 0 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 1981 (4), 1583 (17), 1309 (14)
 beste Teiler 260.1 (1.) 292.0 (8.) 415.0 (6.)
 Trefferlage 0.50 mm rechts, 0.85 mm tief
 Streuwert 6.81, horizontal: 7.71, vertikal: 5.78





Serie 1:
 10.6 * 10.1 → 10.0 ↘ 8.5 ↙ 10.1 ↙
 10.4 * 10.0 ← 10.6 * 9.9 ↗ 10.0 ↘
 beste Teiler 260.1 (1.) 292.0 (8.) 415.0 (6.)
 Trefferlage 1.96 mm links, 1.03 mm tief
 Streuwert 6.34, horizontal: 6.64, vertikal: 6.02




Serie 2:
 9.9 ↙ 10.0 ↗ 10.2 → 9.3 ← 10.3 ↗
 9.4 → 9.0 ↘ 10.1 ↘ 9.6 ↘ 9.9 ↓
 beste Teiler 560.0 (15.) 601.0 (13.) 665.0 (18.)
 Trefferlage 2.96 mm rechts, 0.68 mm tief
 Streuwert 7.14, horizontal: 8.23, vertikal: 5.86

Unterschrift des Schützen

Ergebnis: **194** (201.4)
 Serien: 97 97
 Zähler: 16 2 2 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 1699 (3), 1698 (18), 1046 (7)
 beste Teiler 83.0 (17.) 290.6 (16.) 344.9 (15.)
 Trefferlage 1.45 mm rechts, 2.05 mm tief
 Streuwert 5.55, horizontal: 5.85, vertikal: 5.22





Serie 1:
 10.3 ↙ 10.0 ↓ 8.8 ↘ 10.4 * 10.3 ↘
 10.5 * 9.6 ↖ 10.0 ↘ 10.3 ↙ 10.0 →
 beste Teiler 369.4 (6.) 455.4 (4.) 506.4 (9.)
 Trefferlage 2.24 mm links, 3.59 mm tief
 Streuwert 5.30, horizontal: 4.63, vertikal: 5.89




Serie 2:
 9.7 ↘ 10.0 → 10.3 ↓ 10.3 → 10.5 *
 10.6 * 10.8 * 8.8 → 10.1 → 10.1 ↘
 beste Teiler 83.0 (17.) 290.6 (16.) 344.9 (15.)
 Trefferlage 5.15 mm rechts, 0.50 mm tief
 Streuwert 4.36, horizontal: 4.52, vertikal: 4.19

Unterschrift des Schützen

Ergebnis: **190** (199.5)
 Serien: 96 94
 Zähler: 11 8 1 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2167 (16), 1327 (1), 1269 (12)
 beste Teiler 188.8 (5.) 243.5 (3.) 292.3 (10.)
 Trefferlage 1.32 mm rechts, 0.00 mm
 Streuwert 6.47, horizontal: 6.25, vertikal: 6.68





Serie 1:
 9.3 ↗ 10.4 * 10.6 * 10.4 * 10.7 *
 9.8 ↓ 9.7 ↓ 10.0 ← 9.7 ↓ 10.6 *
 beste Teiler 188.8 (5.) 243.5 (3.) 292.3 (10.)
 Trefferlage 0.55 mm rechts, 2.45 mm tief
 Streuwert 5.34, horizontal: 3.97, vertikal: 6.43




Serie 2:
 10.1 ↖ 9.4 → 9.8 → 10.5 * 10.1 ↓
 8.2 ↗ 10.3 ← 9.8 ← 9.8 ↗ 10.3 ↖
 beste Teiler 395.0 (14.) 531.6 (20.) 555.6 (17.)
 Trefferlage 2.08 mm rechts, 2.44 mm hoch
 Streuwert 7.24, horizontal: 8.09, vertikal: 6.28

Unterschrift des Schützen

Ergebnis: **187** (196.1)
 Serien: 95 92
 Zähler: 9 9 2 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 1775 (12), 1695 (19), 1443 (2)
 beste Teiler 265.3 (11.) 275.3 (20.) 323.7 (9.)
 Trefferlage 2.79 mm rechts, 1.92 mm hoch
 Streuwert 6.90, horizontal: 6.60, vertikal: 7.20



Serie 1:
 9.3 ↑ 9.1 ↓ 10.3 ↓ 9.5 → 10.3 ↑
 10.3 ↘ 10.0 ↙ 9.7 ↓ 10.5 * 9.5 ↗
 beste Teiler 323.7 (9.) 487.4 (3.) 506.7 (5.)
 Trefferlage 0.72 mm rechts, 0.02 mm hoch
 Streuwert 6.97, horizontal: 5.35, vertikal: 8.27





Serie 2:
 10.6 * 8.7 → 9.4 → 9.9 ↗ 9.5 ↑
 9.7 ↘ 10.0 ↑ 10.4 * 8.8 ↗ 10.6 *
 beste Teiler 265.3 (11.) 275.3 (20.) 452.1 (18.)
 Trefferlage 4.87 mm rechts, 3.83 mm hoch
 Streuwert 6.58, horizontal: 7.32, vertikal: 5.74


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **188** (196.9)
 Serien: 92 96
 Zähler: 9 10 1 0 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2170 (2), 1529 (14), 1420 (7)
 beste Teiler 122.3 (16.) 307.9 (9.) 315.6 (20.)
 Trefferlage 1.96 mm links, 0.51 mm hoch
 Streuwert 7.13, horizontal: 7.87, vertikal: 6.31



Serie 1:
 9.9 ↑ 8.2 → 9.4 ↑ 10.3 ↓ 9.8 ↗
 9.7 ↓ 9.2 ← 10.3 ↖ 10.6 * 9.5 ↘
 beste Teiler 307.9 (9.) 512.5 (4.) 520.6 (8.)
 Trefferlage 0.68 mm rechts, 2.54 mm hoch
 Streuwert 8.22, horizontal: 9.11, vertikal: 7.21



Serie 2:
 10.0 ↖ 9.7 ↘ 10.3 ← 9.0 ← 10.2 ↖
 10.8 * 9.4 ↗ 9.9 ↓ 10.1 ↖ 10.6 *
 beste Teiler 122.3 (16.) 315.6 (20.) 488.9 (13.)
 Trefferlage 4.61 mm links, 1.52 mm tief
 Streuwert 5.24, horizontal: 5.66, vertikal: 4.79

Unterschrift des Schützen