




Ergebnis: **205.0** (197)
 Serien: 103.2 101.8
 Zähler: 17 3 0 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 1455 (5), 1046 (20), 1008 (19)
 beste Teiler 105.1 (6.) 147.5 (10.) 238.4 (11.)
 Trefferlage 2.60 mm links, 1.01 mm hoch
 Streuwert 4.22, horizontal: 4.58, vertikal: 3.83





Serie 1:
 10.5 * 10.2 ↓ 10.0 ↖ 10.5 * 9.1 ←
 10.8 * 10.5 * 10.6 * 10.2 ↑ 10.8 *
 beste Teiler 105.1 (6.) 147.5 (10.) 302.2 (8.)
 Trefferlage 2.94 mm links, 1.03 mm hoch
 Streuwert 4.06, horizontal: 4.74, vertikal: 3.22




Serie 2:
 10.7 * 10.4 * 10.0 ↘ 10.4 * 10.2 ↖
 10.3 * 10.3 ↖ 10.2 ↘ 9.7 ↖ 9.6 ↖
 beste Teiler 238.4 (11.) 414.8 (12.) 460.5 (14.)
 Trefferlage 2.27 mm links, 0.98 mm hoch
 Streuwert 4.59, horizontal: 4.65, vertikal: 4.53

Unterschrift des Schützen

Ergebnis: **202.5** (194)
 Serien: 102.3 100.2
 Zähler: 14 6 0 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 1326 (1), 1131 (17), 1054 (20)
 beste Teiler 94.7 (5.) 186.6 (14.) 324.1 (4.)
 Trefferlage 0.20 mm rechts, 0.96 mm hoch
 Streuwert 5.22, horizontal: 4.68, vertikal: 5.71





Serie 1:
 9.3 ↑ 10.3 ↑ 10.5 * 10.5 * 10.8 *
 10.5 * 10.4 * 10.3 * 9.7 ↘ 10.0 ↘
 beste Teiler 94.7 (5.) 324.1 (4.) 331.8 (3.)
 Trefferlage 0.20 mm rechts, 0.05 mm hoch
 Streuwert 4.94, horizontal: 3.82, vertikal: 5.85




Serie 2:
 10.1 ↗ 9.8 ↘ 9.8 ↗ 10.7 * 10.2 ←
 10.2 ↘ 9.5 ↖ 10.0 ↑ 10.3 ↘ 9.6 ↑
 beste Teiler 186.6 (14.) 558.0 (19.) 590.8 (15.)
 Trefferlage 0.20 mm rechts, 1.87 mm hoch
 Streuwert 5.68, horizontal: 5.63, vertikal: 5.72

Unterschrift des Schützen

Ergebnis: **206.5** (199)
 Serien: 103.2 103.3
 Zähler: 19 1 0 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 1017 (1), 787 (3), 732 (14)
 beste Teiler 183.9 (18.) 216.9 (15.) 251.5 (8.)
 Trefferlage 0.47 mm rechts, 0.04 mm hoch
 Streuwert 3.94, horizontal: 2.53, vertikal: 4.96





Serie 1:
 9.7 ↓ 10.5 * 10.0 ↓ 10.3 * 10.3 ↓
 10.3 * 10.5 * 10.6 * 10.4 * 10.6 *
 beste Teiler 251.5 (8.) 284.5 (10.) 337.2 (7.)
 Trefferlage 1.27 mm rechts, 2.75 mm tief
 Streuwert 3.49, horizontal: 2.12, vertikal: 4.45




Serie 2:
 10.4 * 10.5 * 10.2 ↘ 10.0 ↑ 10.7 *
 10.1 ↘ 10.5 * 10.7 * 10.1 ↑ 10.1 ↑
 beste Teiler 183.9 (18.) 216.9 (15.) 348.8 (12.)
 Trefferlage 0.31 mm links, 2.84 mm hoch
 Streuwert 3.35, horizontal: 2.76, vertikal: 3.85

Unterschrift des Schützen

Ergebnis: **204.3** (194)
 Serien: 101.3 103.0
 Zähler: 14 6 0 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 1311 (7), 992 (6), 981 (10)
 beste Teiler 21.9 (12.) 172.2 (15.) 238.8 (3.)
 Trefferlage 2.86 mm links, 0.50 mm hoch
 Streuwert 4.36, horizontal: 3.39, vertikal: 5.16





Serie 1:
 10.4 * 10.1 ← 10.7 * 10.6 * 10.2 ↑
 9.7 ↙ 9.3 ↑ 10.5 * 10.1 ↘ 9.7 ↙
 beste Teiler 238.8 (3.) 280.4 (4.) 348.6 (8.)
 Trefferlage 3.21 mm links, 1.16 mm hoch
 Streuwert 4.87, horizontal: 3.18, vertikal: 6.10




Serie 2:
 10.4 * 10.9 * 9.8 ↙ 10.3 * 10.7 *
 9.8 ↘ 10.6 * 9.8 ↑ 10.4 * 10.3 *
 beste Teiler 21.9 (12.) 172.2 (15.) 300.2 (17.)
 Trefferlage 2.52 mm links, 0.14 mm tief
 Streuwert 3.99, horizontal: 3.72, vertikal: 4.24

Unterschrift des Schützen

Ergebnis: **194.1** (188)
 Serien: 99.6 94.5
 Zähler: 10 8 2 0 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2152 (15), 1705 (18), 1573 (14)
 beste Teiler 213.9 (4.) 285.1 (9.) 499.7 (17.)
 Trefferlage 1.64 mm links, 0.10 mm tief
 Streuwert 8.08, horizontal: 8.98, vertikal: 7.07





Serie 1:
 9.0 ← 10.2 ↖ 9.4 → 10.7 * 9.3 ↗
 10.2 ↗ 9.9 ↓ 10.0 ← 10.6 * 10.3 ↘
 beste Teiler 213.9 (4.) 285.1 (9.) 538.3 (10.)
 Trefferlage 0.00 mm , 0.61 mm hoch
 Streuwert 6.72, horizontal: 7.55, vertikal: 5.77




Serie 2:
 9.6 ↓ 9.0 ← 9.2 ↘ 9.0 ↘ 8.3 ←
 10.2 ↖ 10.3 * 8.8 ↑ 10.1 ← 10.0 ←
 beste Teiler 499.7 (17.) 615.7 (16.) 675.0 (19.)
 Trefferlage 3.27 mm links, 0.83 mm tief
 Streuwert 9.44, horizontal: 10.36, vertikal: 8.42

Unterschrift des Schützen

Ergebnis: **199.9** (190)
 Serien: 101.7 98.2
 Zähler: 13 4 3 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 1870 (19), 1684 (20), 1604 (3)
 beste Teiler 205.5 (7.) 294.2 (2.) 307.9 (4.)
 Trefferlage 1.17 mm rechts, 1.22 mm hoch
 Streuwert 6.52, horizontal: 6.82, vertikal: 6.22





Serie 1:
 9.6 → 10.6 * 8.9 ← 10.6 * 10.0 ↖
 10.2 ↙ 10.7 * 10.2 ↘ 10.5 * 10.4 *
 beste Teiler 205.5 (7.) 294.2 (2.) 307.9 (4.)
 Trefferlage 0.78 mm links, 1.84 mm hoch
 Streuwert 5.42, horizontal: 7.03, vertikal: 3.06




Serie 2:
 10.5 * 9.3 ↓ 10.3 → 10.2 ↘ 10.5 *
 10.5 * 9.6 ↗ 9.9 ↖ 8.6 ↑ 8.8 →
 beste Teiler 369.0 (16.) 372.6 (15.) 383.3 (11.)
 Trefferlage 3.12 mm rechts, 0.60 mm hoch
 Streuwert 7.47, horizontal: 6.34, vertikal: 8.45

Unterschrift des Schützen

Ergebnis: **198.5** (192)
 Serien: 101.3 97.2
 Zähler: 13 6 1 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2093 (19), 1504 (20), 1275 (8)
 beste Teiler 150.6 (5.) 355.0 (4.) 374.5 (3.)
 Trefferlage 2.36 mm rechts, 0.20 mm hoch
 Streuwert 6.58, horizontal: 7.32, vertikal: 5.74





Serie 1:
 10.0 ↑ 10.1 ↖ 10.5 * 10.5 * 10.8 *
 10.1 ↗ 9.4 ↓ 9.4 → 10.2 ↓ 10.3 *
 beste Teiler 150.6 (5.) 355.0 (4.) 374.5 (3.)
 Trefferlage 1.78 mm rechts, 1.06 mm tief
 Streuwert 5.39, horizontal: 4.56, vertikal: 6.11




Serie 2:
 10.0 → 10.1 ← 10.4 * 9.4 ↗ 10.2 ←
 9.7 ↘ 9.9 ← 10.1 ↘ 8.3 → 9.1 ↘
 beste Teiler 423.7 (13.) 610.6 (15.) 662.6 (18.)
 Trefferlage 2.94 mm rechts, 1.47 mm hoch
 Streuwert 7.75, horizontal: 9.57, vertikal: 5.36

Unterschrift des Schützen

Ergebnis: **197.6** (188)
 Serien: 99.0 98.6
 Zähler: 9 10 1 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 1765 (13), 1423 (20), 1396 (10)
 beste Teiler 174.1 (16.) 337.4 (6.) 352.6 (3.)
 Trefferlage 1.78 mm rechts, 0.56 mm tief
 Streuwert 6.80, horizontal: 8.13, vertikal: 5.14





Serie 1:
 9.9 → 10.1 ← 10.5 * 9.8 ↙ 10.2 ↘
 10.5 * 9.9 ↘ 9.4 ↘ 9.5 ↘ 9.2 ↘
 beste Teiler 337.4 (6.) 352.6 (3.) 640.5 (5.)
 Trefferlage 0.27 mm rechts, 0.40 mm hoch
 Streuwert 6.77, horizontal: 7.72, vertikal: 5.67




Serie 2:
 9.9 → 10.1 ↗ 8.7 ↘ 9.5 → 10.4 *
 10.7 * 10.3 ← 9.4 ← 10.4 * 9.2 ↘
 beste Teiler 174.1 (16.) 476.0 (19.) 480.8 (15.)
 Trefferlage 3.28 mm rechts, 1.53 mm tief
 Streuwert 6.95, horizontal: 8.66, vertikal: 4.65

Unterschrift des Schützen

Ergebnis: **203.0** (194)
 Serien: 101.1 101.9
 Zähler: 14 6 0 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 1310 (2), 1303 (10), 1047 (13)
 beste Teiler 67.6 (6.) 242.1 (8.) 244.0 (18.)
 Trefferlage 0.18 mm links, 2.16 mm hoch
 Streuwert 5.01, horizontal: 6.25, vertikal: 3.34



Serie 1:
 10.4 * 9.3 → 10.5 * 9.8 ← 10.2 ←
 10.9 * 10.0 ↗ 10.6 * 10.1 ↗ 9.3 →
 beste Teiler 67.6 (6.) 242.1 (8.) 360.7 (3.)
 Trefferlage 1.16 mm rechts, 1.56 mm hoch
 Streuwert 5.61, horizontal: 7.29, vertikal: 3.13



Serie 2:
 9.7 ↑ 10.3 * 9.6 → 10.4 * 10.4 *
 9.7 ↘ 10.0 ← 10.6 * 10.6 * 10.6 *
 beste Teiler 244.0 (18.) 279.4 (19.) 287.9 (20.)
 Trefferlage 1.52 mm links, 2.77 mm hoch
 Streuwert 4.37, horizontal: 5.04, vertikal: 3.59

Unterschrift des Schützen

KK Liegend Mixed – Wertung – Männer

StartNr: 18



StandNr: 30

17. August 2018 16:26


Diem, Patrick #157

Vorarlberg / Vorarlberg 2

Ergebnis: **201.2** (193)
 Serien: 100.7 100.5
 Zähler: 13 7 0 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 1265 (16), 1146 (7), 1124 (12)
 beste Teiler 345.8 (3.) 409.8 (2.) 421.8 (19.)
 Trefferlage 2.81 mm links, 0.86 mm hoch
 Streuwert 5.06, horizontal: 5.56, vertikal: 4.49



Serie 1:
 9.9 ↗ 10.4 * 10.5 * 10.0 ↘ 10.2 ↘
 9.9 ↑ 9.5 ↖ 10.4 * 9.7 → 10.2 ↙
 beste Teiler 345.8 (3.) 409.8 (2.) 468.2 (8.)
 Trefferlage 1.27 mm links, 2.78 mm hoch
 Streuwert 5.04, horizontal: 5.69, vertikal: 4.28





Serie 2:
 10.4 * 9.5 ↙ 10.3 * 10.3 * 9.8 ←
 9.4 ↙ 10.2 ← 10.2 ← 10.4 * 10.0 ↙
 beste Teiler 421.8 (19.) 451.1 (11.) 483.1 (13.)
 Trefferlage 4.35 mm links, 1.05 mm tief
 Streuwert 4.68, horizontal: 5.25, vertikal: 4.02


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **200.5** (191)
 Serien: 98.5 102.0
 Zähler: 11 9 0 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 1415 (5), 1329 (14), 1228 (3)
 beste Teiler 145.6 (15.) 213.4 (18.) 400.8 (12.)
 Trefferlage 0.11 mm rechts, 1.65 mm tief
 Streuwert 5.80, horizontal: 6.25, vertikal: 5.31





Serie 1:
 9.8 ↑ 9.9 ↖ 9.4 ↘ 9.5 ← 9.2 ↗
 10.4 * 9.8 ↓ 9.9 ↓ 10.2 → 10.4 *
 beste Teiler 402.1 (10.) 458.8 (6.) 579.7 (9.)
 Trefferlage 2.40 mm rechts, 2.85 mm tief
 Streuwert 6.35, horizontal: 5.86, vertikal: 6.81




Serie 2:
 10.2 ← 10.5 * 10.3 * 9.3 ← 10.8 *
 10.2 ← 10.0 ← 10.7 * 9.9 ↖ 10.1 →
 beste Teiler 145.6 (15.) 213.4 (18.) 400.8 (12.)
 Trefferlage 2.17 mm links, 0.46 mm tief
 Streuwert 4.82, horizontal: 6.04, vertikal: 3.16

Unterschrift des Schützen

Ergebnis: **202.5** (194)
 Serien: 101.7 100.8
 Zähler: 16 2 2 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 1797 (11), 1619 (18), 1420 (5)
 beste Teiler 182.5 (17.) 255.1 (12.) 273.5 (15.)
 Trefferlage 1.86 mm rechts, 1.75 mm hoch
 Streuwert 5.60, horizontal: 6.61, vertikal: 4.37



Serie 1:
 10.4 * 10.2 ↘ 10.6 * 10.5 * 9.2 ↖
 10.5 * 10.0 ↗ 9.4 → 10.3 ↑ 10.6 *
 beste Teiler 290.8 (3.) 310.0 (10.) 352.0 (6.)
 Trefferlage 1.93 mm rechts, 1.75 mm hoch
 Streuwert 5.15, horizontal: 5.09, vertikal: 5.21



Serie 2:
 8.7 → 10.6 * 10.3 ↙ 10.1 ↖ 10.6 *
 10.6 * 10.7 * 8.9 ↗ 10.3 ↗ 10.0 ←
 beste Teiler 182.5 (17.) 255.1 (12.) 273.5 (15.)
 Trefferlage 1.79 mm rechts, 1.75 mm hoch
 Streuwert 6.30, horizontal: 8.14, vertikal: 3.62

Unterschrift des Schützen

KK Liegend Mixed – Wertung – Frauen

StartNr: 21



StandNr: 33

17. August 2018 16:25


Peer, Franziska #301

Tirol / Tirol 2

Ergebnis: **206.3** (198)
 Serien: 103.2 103.1
 Zähler: 18 2 0 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 949 (9), 909 (4), 796 (20)
 beste Teiler 149.5 (3.) 252.0 (18.) 252.0 (19.)
 Trefferlage 1.96 mm links, 0.77 mm hoch
 Streuwert 3.72, horizontal: 4.32, vertikal: 3.00



Serie 1:
 10.3 * 10.4 * 10.8 * 9.8 ← 10.6 *
 10.4 * 10.0 ↘ 10.5 * 9.8 ↘ 10.6 *
 beste Teiler 149.5 (3.) 253.8 (5.) 295.6 (10.)
 Trefferlage 2.31 mm links, 0.94 mm hoch
 Streuwert 3.85, horizontal: 4.20, vertikal: 3.46





Serie 2:
 10.3 ↖ 10.3 * 10.2 ↗ 10.3 ↓ 10.3 ←
 10.2 → 10.3 ← 10.6 * 10.6 * 10.0 ←
 beste Teiler 252.0 (18.) 252.0 (19.) 498.9 (12.)
 Trefferlage 1.61 mm links, 0.60 mm hoch
 Streuwert 3.76, horizontal: 4.63, vertikal: 2.63


Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **202.6** (195)
 Serien: 100.9 101.7
 Zähler: 15 5 0 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 1022 (14), 881 (2), 851 (12)
 beste Teiler 331.1 (15.) 365.0 (16.) 469.3 (17.)
 Trefferlage 0.25 mm rechts, 0.88 mm tief
 Streuwert 4.89, horizontal: 4.88, vertikal: 4.90





Serie 1:
 10.0 ↗ 9.8 ↖ 10.3 * 9.9 ↘ 9.9 ↘
 10.1 → 10.3 * 10.1 ↘ 10.3 * 10.2 ↘
 beste Teiler 507.1 (9.) 511.2 (7.) 512.1 (3.)
 Trefferlage 1.64 mm rechts, 1.90 mm tief
 Streuwert 4.83, horizontal: 4.62, vertikal: 5.03




Serie 2:
 10.3 * 9.9 ↙ 10.3 * 9.7 ↖ 10.5 *
 10.5 * 10.4 * 10.1 ↗ 10.0 ↗ 10.0 ↘
 beste Teiler 331.1 (15.) 365.0 (16.) 469.3 (17.)
 Trefferlage 1.14 mm links, 0.13 mm hoch
 Streuwert 4.89, horizontal: 4.97, vertikal: 4.81

Unterschrift des Schützen

Ergebnis: **195.0** (186)
 Serien: 98.4 96.6
 Zähler: 8 10 2 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 1895 (13), 1787 (17), 1397 (7)
 beste Teiler 265.8 (11.) 312.2 (9.) 324.3 (6.)
 Trefferlage 0.73 mm links, 0.13 mm hoch
 Streuwert 7.75, horizontal: 7.89, vertikal: 7.62





Serie 1:
 9.4 ↗ 10.2 → 9.3 ↖ 10.1 ↗ 10.3 *
 10.5 * 9.2 ↑ 9.5 → 10.6 * 9.3 ↖
 beste Teiler 312.2 (9.) 324.3 (6.) 529.5 (5.)
 Trefferlage 1.62 mm rechts, 3.96 mm hoch
 Streuwert 6.61, horizontal: 6.76, vertikal: 6.45




Serie 2:
 10.6 * 9.4 ↘ 8.6 ↓ 9.5 ← 10.5 *
 9.6 ← 8.7 ← 9.9 ↙ 9.7 ↗ 10.1 ←
 beste Teiler 265.8 (11.) 364.7 (15.) 663.5 (20.)
 Trefferlage 3.08 mm links, 3.70 mm tief
 Streuwert 7.80, horizontal: 8.57, vertikal: 6.94

Unterschrift des Schützen

Ergebnis: **203.4** (195)
 Serien: 101.9 101.5
 Zähler: 15 5 0 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 1301 (16), 1071 (3), 1069 (4)
 beste Teiler 115.1 (2.) 168.5 (6.) 178.6 (8.)
 Trefferlage 1.35 mm rechts, 0.33 mm hoch
 Streuwert 4.91, horizontal: 4.40, vertikal: 5.37





Serie 1:
 9.7 → 10.8 * 9.6 ↑ 9.6 ↘ 9.9 ↖
 10.7 * 10.5 * 10.7 * 10.3 * 10.1 ↑
 beste Teiler 115.1 (2.) 168.5 (6.) 178.6 (8.)
 Trefferlage 2.13 mm rechts, 1.71 mm hoch
 Streuwert 4.77, horizontal: 4.20, vertikal: 5.28




Serie 2:
 10.1 ↗ 10.1 ↓ 10.2 ↖ 10.2 ↘ 10.4 *
 9.3 ↘ 10.4 * 10.2 → 10.2 ↖ 10.4 *
 beste Teiler 433.1 (20.) 446.5 (17.) 474.3 (15.)
 Trefferlage 0.57 mm rechts, 1.03 mm tief
 Streuwert 5.03, horizontal: 4.68, vertikal: 5.36

Unterschrift des Schützen

Ergebnis: **197.4** (189)
 Serien: 99.3 98.1
 Zähler: 10 9 1 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 1700 (12), 1563 (14), 1479 (7)
 beste Teiler 248.7 (9.) 386.2 (6.) 404.0 (16.)
 Trefferlage 1.14 mm links, 1.29 mm hoch
 Streuwert 6.95, horizontal: 5.84, vertikal: 7.91





Serie 1:
 9.9 ↖ 10.0 ↙ 9.9 → 10.3 * 10.3 *
 10.5 * 9.1 ↓ 9.5 ↗ 10.6 * 9.2 ↗
 beste Teiler 248.7 (9.) 386.2 (6.) 483.6 (5.)
 Trefferlage 1.06 mm links, 0.83 mm hoch
 Streuwert 6.70, horizontal: 5.91, vertikal: 7.40




Serie 2:
 9.2 ↗ 8.8 ↖ 10.4 * 9.0 ↙ 9.5 ↘
 10.4 * 10.4 * 9.9 ← 10.1 ↘ 10.4 *
 beste Teiler 404.0 (16.) 464.0 (17.) 477.8 (20.)
 Trefferlage 1.23 mm links, 1.76 mm hoch
 Streuwert 7.55, horizontal: 6.09, vertikal: 8.77

Unterschrift des Schützen

Ergebnis: **206.2** (196)
 Serien: 102.9 103.3
 Zähler: 16 4 0 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 1001 (10), 985 (16), 949 (3)
 beste Teiler 25.0 (8.) 56.7 (1.) 78.8 (19.)
 Trefferlage 1.11 mm rechts, 0.33 mm tief
 Streuwert 4.25, horizontal: 4.36, vertikal: 4.14





Serie 1:
 10.9 * 9.8 ↘ 9.8 ↘ 10.2 ✓ 10.0 ↗
 10.7 * 10.3 ↗ 10.9 * 10.6 * 9.7 ↘
 beste Teiler 25.0 (8.) 56.7 (1.) 170.6 (6.)
 Trefferlage 3.25 mm rechts, 1.05 mm tief
 Streuwert 4.00, horizontal: 4.17, vertikal: 3.81




Serie 2:
 10.6 * 10.6 * 10.5 * 10.0 ↑ 10.0 ←
 9.7 ↓ 10.2 ↙ 10.5 * 10.9 * 10.3 →
 beste Teiler 78.8 (19.) 242.9 (11.) 291.7 (12.)
 Trefferlage 1.02 mm links, 0.37 mm hoch
 Streuwert 4.07, horizontal: 3.54, vertikal: 4.54

Unterschrift des Schützen

Ergebnis: **205.8** (195)
 Serien: 102.9 102.9
 Zähler: 15 5 0 0 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 1088 (9), 964 (6), 903 (4)
 beste Teiler 100.6 (14.) 194.0 (8.) 222.4 (5.)
 Trefferlage 0.59 mm links, 1.63 mm hoch
 Streuwert 4.13, horizontal: 4.61, vertikal: 3.59





Serie 1:
 10.6 * 10.6 * 10.4 * 9.8 ↗ 10.7 *
 9.7 ↙ 10.3 * 10.7 * 9.6 ↘ 10.5 *
 beste Teiler 194.0 (8.) 222.4 (5.) 256.2 (1.)
 Trefferlage 1.05 mm links, 2.22 mm hoch
 Streuwert 4.22, horizontal: 4.63, vertikal: 3.77



Serie 2:
 10.6 * 10.6 * 9.9 ↘ 10.8 * 10.0 ↘
 10.4 * 10.0 ↘ 10.3 * 10.4 * 9.9 →
 beste Teiler 100.6 (14.) 246.9 (11.) 320.9 (12.)
 Trefferlage 0.13 mm links, 1.04 mm hoch
 Streuwert 4.19, horizontal: 4.79, vertikal: 3.49

Unterschrift des Schützen

Ergebnis: **206.4** (198)
 Serien: 103.1 103.3
 Zähler: 18 2 0 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 1259 (8), 1023 (20), 758 (17)
 beste Teiler 125.2 (19.) 151.3 (14.) 232.3 (10.)
 Trefferlage 0.31 mm rechts, 1.26 mm hoch
 Streuwert 4.15, horizontal: 3.88, vertikal: 4.40



Serie 1:
 10.4 * 10.3 ↗ 10.5 * 10.6 * 10.6 *
 10.0 ↗ 10.3 ↙ 9.4 ← 10.3 * 10.7 *
 beste Teiler 232.3 (10.) 260.8 (5.) 274.7 (4.)
 Trefferlage 0.87 mm links, 0.76 mm tief
 Streuwert 4.33, horizontal: 5.17, vertikal: 3.29



Serie 2:
 10.6 * 10.6 * 10.5 * 10.8 * 10.2 ↑
 10.1 ↑ 10.0 ↑ 10.0 ↑ 10.8 * 9.7 ↑
 beste Teiler 125.2 (19.) 151.3 (14.) 259.3 (12.)
 Trefferlage 1.49 mm rechts, 3.29 mm hoch
 Streuwert 3.37, horizontal: 1.37, vertikal: 4.57

Unterschrift des Schützen

Meyton Elektronik