





Ergebnis: **397** (417.0)
 Serien: 99 100 99 99
 Zähler: 37 3 0 0 0 0 0 0 0 0
 Innenzehner: 31
 weiteste: 344 (6), 326 (23), 268 (39)
 beste Teiler 22.3 (28.) 24.0 (17.) 32.6 (35.)
 Trefferlage 0.12 mm rechts, 0.38 mm hoch
 Streuwert 1.09, horizontal: 1.17, vertikal: 1.01




Serie 1:
 10.7 * 10.8 * 10.6 * 10.7 * 10.0 ↖
 9.6 ↗ 10.2 * 10.2 * 10.7 * 10.1 →
 beste Teiler 43.2 (2.) 63.6 (4.) 65.7 (1.)
 Trefferlage 0.34 mm rechts, 0.37 mm hoch
 Streuwert 1.27, horizontal: 1.52, vertikal: 0.96



Serie 2:
 10.7 * 10.5 * 10.7 * 10.4 * 10.5 *
 10.2 * 10.9 * 10.3 * 10.1 ↗ 10.7 *
 beste Teiler 24.0 (17.) 52.5 (11.) 70.7 (20.)
 Trefferlage 0.20 mm rechts, 0.47 mm hoch
 Streuwert 0.88, horizontal: 0.73, vertikal: 1.01





Serie 3:
 10.5 * 10.3 * 9.6 ↘ 10.4 * 10.8 *
 10.1 ↖ 10.7 * 10.9 * 10.3 * 10.5 *
 beste Teiler 22.3 (28.) 35.7 (25.) 70.9 (27.)
 Trefferlage 0.07 mm links, 0.31 mm hoch
 Streuwert 1.17, horizontal: 1.25, vertikal: 1.09




Serie 4:
 10.7 * 10.7 * 10.0 ↑ 10.3 * 10.8 *
 10.8 * 10.7 * 10.1 ↘ 9.9 → 10.3 *
 beste Teiler 32.6 (35.) 37.0 (36.) 58.0 (32.)
 Trefferlage 0.01 mm rechts, 0.37 mm hoch
 Streuwert 1.15, horizontal: 1.17, vertikal: 1.13

Unterschrift des Schützen


Ergebnis: **394** (413.9)
 Serien: 99 99 98 98
 Zähler: 34 6 0 0 0 0 0 0 0 0
 Innenzehner: 28
 weiteste: 371 (10), 292 (27), 285 (28)
 beste Teiler 15.2 (17.) 15.6 (20.) 24.4 (6.)
 Trefferlage 0.07 mm links, 0.35 mm hoch
 Streuwert 1.24, horizontal: 1.36, vertikal: 1.10




Serie 1:
 10.0 ↘ 10.8 * 10.8 * 10.2 * 10.4 *
 10.9 * 10.2 * 10.1 ↑ 10.6 * 9.5 ↖
 beste Teiler 24.4 (6.) 31.1 (3.) 45.3 (2.)
 Trefferlage 0.89 mm links, 0.62 mm hoch
 Streuwert 1.10, horizontal: 1.18, vertikal: 1.02



Serie 2:
 10.4 * 10.6 * 10.7 * 10.3 * 10.5 *
 10.5 * 10.9 * 9.9 ← 10.7 * 10.9 *
 beste Teiler 15.2 (17.) 15.6 (20.) 66.8 (19.)
 Trefferlage 0.45 mm links, 0.40 mm hoch
 Streuwert 0.85, horizontal: 1.05, vertikal: 0.58



Serie 3:
 10.3 * 10.2 * 10.7 * 10.0 → 10.8 *
 10.3 * 9.8 → 9.8 ↑ 10.0 → 10.5 *
 beste Teiler 35.9 (25.) 69.3 (23.) 101.5 (30.)
 Trefferlage 0.83 mm rechts, 0.23 mm hoch
 Streuwert 1.31, horizontal: 1.57, vertikal: 0.99





Serie 4:
 10.6 * 10.2 * 10.6 * 10.5 * 10.6 *
 10.2 * 9.9 ↘ 10.1 ↑ 9.8 ↓ 10.1 ↖
 beste Teiler 81.0 (35.) 89.8 (33.) 90.3 (31.)
 Trefferlage 0.23 mm rechts, 0.14 mm hoch
 Streuwert 1.39, horizontal: 1.05, vertikal: 1.66


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **391** (406.2)
 Serien: 100 96 97 98
 Zähler: 31 9 0 0 0 0 0 0 0 0
 Innenzehner: 23
 weiteste: 477 (22), 462 (19), 417 (38)
 beste Teiler 20.2 (40.) 46.1 (25.) 72.4 (20.)
 Trefferlage 0.23 mm rechts, 0.22 mm hoch
 Streuwert 1.59, horizontal: 1.78, vertikal: 1.38




Serie 1:
 10.1 ↖ 10.0 ↖ 10.4 * 10.6 * 10.1 →
 10.5 * 10.3 * 10.3 * 10.1 ← 10.1 →
 beste Teiler 89.7 (4.) 122.3 (6.) 143.4 (3.)
 Trefferlage 0.14 mm links, 0.70 mm hoch
 Streuwert 1.24, horizontal: 1.54, vertikal: 0.86



Serie 2:
 9.9 ↗ 10.2 * 10.2 * 10.4 * 10.5 *
 9.9 ↑ 9.9 ↘ 10.1 ↙ 9.1 ↘ 10.7 *
 beste Teiler 72.4 (20.) 105.5 (15.) 130.7 (14.)
 Trefferlage 0.33 mm rechts, 0.11 mm hoch
 Streuwert 1.74, horizontal: 1.66, vertikal: 1.81



Serie 3:
 10.2 * 9.0 ↘ 9.5 ↘ 10.2 * 10.8 *
 10.4 * 10.6 * 10.2 * 9.6 ↖ 10.6 *
 beste Teiler 46.1 (25.) 90.1 (30.) 91.1 (27.)
 Trefferlage 1.01 mm rechts, 0.26 mm tief
 Streuwert 1.68, horizontal: 1.87, vertikal: 1.46





Serie 4:
 10.4 * 10.4 * 10.3 * 10.1 → 10.2 *
 10.5 * 9.6 ← 9.3 ↖ 10.0 ↑ 10.9 *
 beste Teiler 20.2 (40.) 116.9 (36.) 133.5 (31.)
 Trefferlage 0.24 mm links, 0.34 mm hoch
 Streuwert 1.66, horizontal: 1.99, vertikal: 1.23


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **392** (407.8)
 Serien: 99 95 99 99
 Zähler: 32 8 0 0 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 467 (13), 371 (9), 370 (17)
 beste Teiler 19.7 (26.) 48.0 (4.) 55.0 (23.)
 Trefferlage 0.55 mm rechts, 0.23 mm tief
 Streuwert 1.47, horizontal: 1.62, vertikal: 1.29




Serie 1:
 10.1 ↑ 10.1 ↗ 10.3 * 10.8 * 10.7 *
 10.1 → 10.7 * 10.0 → 9.5 → 10.1 ↘
 beste Teiler 48.0 (4.) 58.8 (7.) 68.3 (5.)
 Trefferlage 0.76 mm rechts, 0.67 mm hoch
 Streuwert 1.32, horizontal: 1.68, vertikal: 0.81



Serie 2:
 10.4 * 10.1 ↙ 9.1 ↘ 9.6 ↓ 9.9 ↙
 9.7 → 9.5 ↘ 10.2 * 10.7 * 10.1 ↘
 beste Teiler 63.1 (19.) 137.0 (11.) 190.0 (18.)
 Trefferlage 0.97 mm rechts, 0.97 mm tief
 Streuwert 1.83, horizontal: 1.91, vertikal: 1.75



Serie 3:
 10.1 ↘ 10.4 * 10.7 * 10.2 * 10.4 *
 10.9 * 10.1 ↙ 10.2 * 9.8 ↘ 10.4 *
 beste Teiler 19.7 (26.) 55.0 (23.) 129.3 (30.)
 Trefferlage 0.04 mm links, 0.37 mm tief
 Streuwert 1.25, horizontal: 1.39, vertikal: 1.09





Serie 4:
 10.0 → 10.7 * 10.4 * 10.4 * 10.5 *
 10.2 * 10.3 * 10.4 * 10.1 ↙ 9.9 →
 beste Teiler 59.4 (32.) 114.8 (35.) 127.9 (38.)
 Trefferlage 0.53 mm rechts, 0.26 mm tief
 Streuwert 1.25, horizontal: 1.53, vertikal: 0.88


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **388** (411.6)
 Serien: 97 99 96 96
 Zähler: 28 12 0 0 0 0 0 0 0 0
 Innenzehner: 26
 weiteste: 334 (25), 295 (40), 288 (9)
 beste Teiler 37.4 (22.) 44.9 (17.) 57.4 (7.)
 Trefferlage 0.27 mm links, 0.18 mm hoch
 Streuwert 1.31, horizontal: 1.39, vertikal: 1.23




Serie 1:
 10.5 * 10.2 * 9.9 ↗ 10.7 * 10.2 *
 9.9 ↖ 10.7 * 10.6 * 9.8 ↘ 10.4 *
 beste Teiler 57.4 (7.) 68.8 (4.) 86.3 (8.)
 Trefferlage 0.52 mm links, 0.84 mm hoch
 Streuwert 1.15, horizontal: 1.02, vertikal: 1.27



Serie 2:
 10.1 ↘ 10.5 * 10.2 * 9.8 ↗ 10.7 *
 10.2 * 10.8 * 10.5 * 10.6 * 10.6 *
 beste Teiler 44.9 (17.) 57.7 (15.) 84.3 (19.)
 Trefferlage 0.30 mm links, 0.13 mm hoch
 Streuwert 1.12, horizontal: 1.24, vertikal: 0.99



Serie 3:
 10.7 * 10.8 * 10.4 * 10.7 * 9.6 ←
 9.9 → 10.0 ↗ 10.3 * 9.9 ↘ 9.9 ↘
 beste Teiler 37.4 (22.) 62.0 (24.) 71.5 (21.)
 Trefferlage 0.02 mm rechts, 0.31 mm hoch
 Streuwert 1.53, horizontal: 1.89, vertikal: 1.06





Serie 4:
 10.6 * 9.9 ↗ 9.9 ↖ 10.4 * 10.5 *
 9.9 ↘ 10.3 * 10.7 * 10.5 * 9.8 ↘
 beste Teiler 58.1 (38.) 83.3 (31.) 113.9 (35.)
 Trefferlage 0.29 mm links, 0.57 mm tief
 Streuwert 1.37, horizontal: 1.43, vertikal: 1.31


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **391** (408.9)
 Serien: 98 95 99 99
 Zähler: 31 9 0 0 0 0 0 0 0 0
 Innenzehner: 25
 weiteste: 395 (40), 394 (14), 382 (16)
 beste Teiler 26.9 (35.) 28.8 (11.) 48.0 (13.)
 Trefferlage 0.00 mm , 0.02 mm hoch
 Streuwert 1.51, horizontal: 1.44, vertikal: 1.59




Serie 1:
 10.6 * 10.1 → 10.8 * 10.3 * 10.0 ↓
 10.4 * 10.1 ↓ 9.8 ↓ 10.0 ↑ 9.7 ↓
 beste Teiler 50.9 (3.) 96.8 (1.) 150.0 (6.)
 Trefferlage 0.38 mm rechts, 0.52 mm tief
 Streuwert 1.52, horizontal: 0.86, vertikal: 1.97



Serie 2:
 10.8 * 9.6 ↓ 10.8 * 9.4 → 10.7 *
 9.4 ↖ 10.0 ↑ 9.6 → 10.4 * 9.9 ↓
 beste Teiler 28.8 (11.) 48.0 (13.) 63.0 (15.)
 Trefferlage 0.71 mm rechts, 0.06 mm tief
 Streuwert 1.89, horizontal: 1.79, vertikal: 1.99



Serie 3:
 10.8 * 10.1 ↖ 9.7 ↗ 10.3 * 10.7 *
 10.2 * 10.6 * 10.2 * 10.5 * 10.3 *
 beste Teiler 50.8 (21.) 62.0 (25.) 82.3 (27.)
 Trefferlage 0.21 mm links, 0.28 mm hoch
 Streuwert 1.27, horizontal: 1.16, vertikal: 1.37





Serie 4:
 10.2 * 10.3 * 10.3 * 10.6 * 10.8 *
 10.2 * 10.3 * 10.5 * 10.5 * 9.4 ↖
 beste Teiler 26.9 (35.) 76.1 (34.) 101.0 (38.)
 Trefferlage 0.90 mm links, 0.38 mm hoch
 Streuwert 1.15, horizontal: 1.41, vertikal: 0.81


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **393** (409.7)
 Serien: 99 98 97 99
 Zähler: 33 7 0 0 0 0 0 0 0 0
 Innenzehner: 26
 weiteste: 487 (28), 462 (33), 404 (22)
 beste Teiler 10.8 (18.) 38.9 (21.) 54.4 (36.)
 Trefferlage 0.16 mm links, 0.11 mm hoch
 Streuwert 1.50, horizontal: 1.55, vertikal: 1.45




Serie 1:
 10.1 → 10.5 * 10.6 * 10.5 * 10.5 *
 10.7 * 10.0 ↘ 10.1 → 9.8 ↑ 10.5 *
 beste Teiler 66.4 (6.) 95.5 (3.) 103.9 (4.)
 Trefferlage 1.03 mm rechts, 0.02 mm hoch
 Streuwert 1.04, horizontal: 0.74, vertikal: 1.27



Serie 2:
 9.5 ↖ 10.6 * 9.8 ↑ 10.4 * 10.5 *
 10.4 * 10.0 ↖ 10.9 * 10.2 * 10.2 *
 beste Teiler 10.8 (18.) 96.5 (12.) 104.7 (15.)
 Trefferlage 0.62 mm links, 0.49 mm hoch
 Streuwert 1.38, horizontal: 1.18, vertikal: 1.56



Serie 3:
 10.8 * 9.3 ↙ 10.6 * 9.7 ↖ 10.5 *
 10.4 * 10.0 ↖ 9.0 ← 10.0 ↓ 10.1 ←
 beste Teiler 38.9 (21.) 98.9 (23.) 111.5 (25.)
 Trefferlage 1.26 mm links, 0.16 mm tief
 Streuwert 1.75, horizontal: 1.79, vertikal: 1.71





Serie 4:
 10.3 * 10.6 * 9.1 ↗ 10.3 * 10.7 *
 10.7 * 10.2 * 10.4 * 10.7 * 10.5 *
 beste Teiler 54.4 (36.) 62.4 (39.) 71.0 (35.)
 Trefferlage 0.21 mm rechts, 0.10 mm hoch
 Streuwert 1.38, horizontal: 1.38, vertikal: 1.38


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (394.9)
 Serien: 92 94 95 94
 Zähler: 20 16 3 1 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 783 (2), 569 (38), 555 (12)
 beste Teiler 43.3 (29.) 55.0 (34.) 58.3 (5.)
 Trefferlage 0.78 mm links, 0.50 mm hoch
 Streuwert 2.14, horizontal: 2.54, vertikal: 1.65




Serie 1:
 9.3 → 7.8 ↖ 9.2 ← 9.8 ↑ 10.7 *
 10.3 * 10.2 * 9.5 ↘ 9.9 ↗ 10.5 *
 beste Teiler 58.3 (5.) 103.6 (10.) 168.3 (6.)
 Trefferlage 0.55 mm links, 0.94 mm hoch
 Streuwert 2.61, horizontal: 3.24, vertikal: 1.76



Serie 2:
 10.5 * 8.7 ↖ 10.1 ↗ 10.0 → 10.4 *
 8.9 ↖ 9.8 ↙ 10.4 * 9.9 ↙ 10.1 →
 beste Teiler 115.9 (11.) 135.1 (18.) 144.0 (15.)
 Trefferlage 0.53 mm links, 0.13 mm tief
 Streuwert 2.21, horizontal: 2.79, vertikal: 1.39



Serie 3:
 10.6 * 9.0 ↙ 9.5 ↘ 10.2 * 9.2 ↖
 10.2 * 9.8 ← 9.9 ↓ 10.8 * 10.3 *
 beste Teiler 43.3 (29.) 76.0 (21.) 167.6 (30.)
 Trefferlage 0.77 mm links, 0.07 mm tief
 Streuwert 2.06, horizontal: 2.36, vertikal: 1.72



Serie 4:
 10.3 * 9.9 ↖ 10.4 * 10.7 * 9.5 ↑
 10.4 * 10.2 * 8.7 ↘ 9.9 ↘ 9.4 ↖
 beste Teiler 55.0 (34.) 137.8 (33.) 150.4 (36.)
 Trefferlage 1.25 mm links, 1.28 mm hoch
 Streuwert 1.72, horizontal: 1.95, vertikal: 1.46

Unterschrift des Schützen

Meyton Elektronik