





Ergebnis: **360** (379.5)
 Serien: 88 91 90 91
 Zähler: 16 12 9 2 1 0 0 0 0 0
 Innenzehner: 8
 weiteste: 3485 (5), 2605 (20), 2528 (25)
 beste Teiler 126.5 (17.) 191.3 (1.) 204.1 (37.)
 Trefferlage 0.58 mm links, 0.20 mm tief
 Streuwert 9.97, horizontal: 8.12, vertikal: 11.54




Serie 1:
 10.7 * 8.7 ↑ 9.1 → 9.9 ↙ 6.6 ↗
 9.8 ↘ 9.0 ↑ 10.3 ↙ 9.9 ↙ 9.3 ↙
 beste Teiler 191.3 (1.) 554.4 (8.) 830.8 (4.)
 Trefferlage 1.53 mm rechts, 3.52 mm hoch
 Streuwert 11.34, horizontal: 9.35, vertikal: 13.02



Serie 2:
 10.0 ↗ 8.4 ↖ 9.4 ↓ 10.5 * 8.2 ↓
 10.1 ↗ 10.8 * 9.7 ↖ 10.2 ↗ 7.7 ↓
 beste Teiler 126.5 (17.) 358.7 (14.) 582.5 (19.)
 Trefferlage 0.48 mm links, 1.96 mm tief
 Streuwert 10.38, horizontal: 5.60, vertikal: 13.58





Serie 3:
 10.0 ↓ 10.5 * 10.3 ↖ 8.9 ↙ 7.8 ↙
 10.2 ↓ 9.5 → 10.0 ↙ 8.7 ← 8.7 →
 beste Teiler 383.9 (22.) 527.4 (23.) 633.5 (26.)
 Trefferlage 1.04 mm links, 4.88 mm tief
 Streuwert 9.48, horizontal: 10.49, vertikal: 8.34




Serie 4:
 10.5 * 8.9 ← 9.2 ↑ 9.3 ↙ 8.6 ↑
 9.6 ↓ 10.7 * 10.6 * 10.5 * 8.7 ↖
 beste Teiler 204.1 (37.) 292.5 (38.) 377.8 (31.)
 Trefferlage 2.33 mm links, 2.51 mm hoch
 Streuwert 8.66, horizontal: 6.93, vertikal: 10.09

Unterschrift des Schützen


Ergebnis: **373** (389.8)
 Serien: 95 95 91 92
 Zähler: 19 16 4 1 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2649 (25), 2046 (27), 1971 (34)
 beste Teiler 185.5 (36.) 190.0 (11.) 205.5 (10.)
 Trefferlage 0.30 mm rechts, 1.87 mm hoch
 Streuwert 7.89, horizontal: 8.06, vertikal: 7.71




Serie 1:
 10.1 ↗ 10.5 * 9.7 ↖ 9.5 ↘ 9.2 →
 9.6 ↘ 10.3 ↗ 9.5 ↓ 10.1 ↑ 10.7 *
 beste Teiler 205.5 (10.) 370.5 (2.) 506.8 (7.)
 Trefferlage 1.18 mm rechts, 0.83 mm hoch
 Streuwert 6.62, horizontal: 6.02, vertikal: 7.16



Serie 2:
 10.7 * 10.1 ↘ 9.6 ↖ 9.4 ↓ 10.0 ←
 9.9 ↘ 10.2 ← 10.2 ↘ 8.8 → 10.3 ↑
 beste Teiler 190.0 (11.) 495.5 (20.) 579.1 (17.)
 Trefferlage 0.00 mm , 0.69 mm tief
 Streuwert 6.78, horizontal: 7.84, vertikal: 5.51





Serie 3:
 10.1 ↑ 10.7 * 9.0 ↑ 9.5 → 7.6 ↑
 10.2 ↘ 8.4 → 9.0 ↗ 9.4 ← 10.3 →
 beste Teiler 231.0 (22.) 539.5 (30.) 565.1 (26.)
 Trefferlage 2.81 mm rechts, 6.99 mm hoch
 Streuwert 8.89, horizontal: 8.66, vertikal: 9.10




Serie 4:
 10.4 * 8.5 ↗ 9.7 ↖ 8.5 ← 10.6 *
 10.7 * 9.7 ← 10.5 * 9.5 ← 9.1 ↑
 beste Teiler 185.5 (36.) 242.5 (35.) 373.2 (38.)
 Trefferlage 2.77 mm links, 0.37 mm hoch
 Streuwert 8.46, horizontal: 9.48, vertikal: 7.29

Unterschrift des Schützen


Ergebnis: **358** (374.1)
 Serien: 89 86 93 90
 Zähler: 8 23 8 1 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2417 (18), 2261 (33), 2209 (39)
 beste Teiler 365.5 (36.) 446.7 (1.) 457.4 (38.)
 Trefferlage 2.96 mm links, 1.93 mm tief
 Streuwert 9.52, horizontal: 9.90, vertikal: 9.12




Serie 1:
 10.4 * 9.7 ↗ 8.8 ↘ 9.0 ↘ 9.2 ↘
 8.2 ↙ 9.2 ↙ 9.5 → 9.1 ↙ 9.2 ↗
 beste Teiler 446.7 (1.) 984.9 (2.) 1192.6 (8.)
 Trefferlage 2.27 mm rechts, 3.63 mm tief
 Streuwert 10.16, horizontal: 11.83, vertikal: 8.15



Serie 2:
 9.7 ↙ 9.8 ↙ 9.2 ← 9.6 ← 9.8 ←
 9.0 → 9.5 ↓ 7.9 ↘ 8.7 ↑ 8.5 ↖
 beste Teiler 906.3 (15.) 919.1 (12.) 968.1 (11.)
 Trefferlage 6.49 mm links, 1.52 mm hoch
 Streuwert 9.90, horizontal: 9.44, vertikal: 10.34



Serie 3:
 9.3 ← 9.7 ↙ 9.7 ↙ 9.8 ↓ 10.1 ←
 10.2 ↘ 8.9 ↙ 10.2 ↙ 10.0 ← 9.4 ↘
 beste Teiler 599.1 (26.) 627.8 (28.) 667.4 (25.)
 Trefferlage 6.15 mm links, 3.90 mm tief
 Streuwert 5.40, horizontal: 4.98, vertikal: 5.79





Serie 4:
 9.0 ↙ 8.2 ↗ 8.1 ↙ 9.7 ↙ 10.3 ↖
 10.5 * 9.2 ↗ 10.4 * 8.2 ↓ 9.2 ↑
 beste Teiler 365.5 (36.) 457.4 (38.) 501.3 (35.)
 Trefferlage 1.47 mm links, 1.74 mm tief
 Streuwert 11.10, horizontal: 10.65, vertikal: 11.53


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **355** (373.2)
 Serien: 87 91 86 91
 Zähler: 12 16 7 5 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2757 (4), 2536 (25), 2533 (30)
 beste Teiler 148.5 (3.) 159.5 (34.) 338.1 (6.)
 Trefferlage 7.17 mm rechts, 1.07 mm hoch
 Streuwert 9.23, horizontal: 8.57, vertikal: 9.85




Serie 1:
 9.2 ↗ 7.8 ↗ 10.8 * 7.5 ↗ 8.6 ↑
 10.5 * 9.6 ↗ 9.2 ↙ 10.0 → 8.5 ↑
 beste Teiler 148.5 (3.) 338.1 (6.) 789.3 (9.)
 Trefferlage 7.26 mm rechts, 7.19 mm hoch
 Streuwert 9.71, horizontal: 9.96, vertikal: 9.45



Serie 2:
 8.1 ↘ 9.1 → 9.5 → 9.9 ↗ 9.2 →
 10.0 ← 9.9 → 10.2 ↗ 9.8 ↘ 9.1 ↗
 beste Teiler 615.3 (18.) 730.4 (16.) 838.0 (14.)
 Trefferlage 7.35 mm rechts, 0.00 mm
 Streuwert 7.64, horizontal: 6.11, vertikal: 8.91



Serie 3:
 8.5 → 10.1 → 10.3 ↘ 10.1 ↘ 7.8 ↗
 7.8 ↓ 9.9 ← 9.3 ↓ 9.4 ↘ 7.8 →
 beste Teiler 549.1 (23.) 644.7 (22.) 692.6 (24.)
 Trefferlage 6.72 mm rechts, 3.20 mm tief
 Streuwert 11.27, horizontal: 11.77, vertikal: 10.75





Serie 4:
 8.4 → 8.6 ↘ 10.0 ↑ 10.8 * 9.5 →
 8.9 ↑ 10.3 ↗ 9.8 ↘ 9.2 ↘ 10.2 →
 beste Teiler 159.5 (34.) 499.2 (37.) 594.8 (40.)
 Trefferlage 7.37 mm rechts, 0.32 mm hoch
 Streuwert 7.57, horizontal: 6.52, vertikal: 8.49


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **363** (380.4)
 Serien: 93 94 87 89
 Zähler: 14 17 7 2 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2945 (21), 2733 (38), 2295 (39)
 beste Teiler 162.6 (22.) 275.5 (6.) 376.4 (24.)
 Trefferlage 0.69 mm links, 0.51 mm tief
 Streuwert 9.47, horizontal: 9.35, vertikal: 9.59




Serie 1:
 9.3 ↙ 9.1 → 10.3 ↗ 9.2 → 9.7 ←
 10.6 * 9.5 ↓ 9.3 ↓ 10.3 ↖ 9.8 ↓
 beste Teiler 275.5 (6.) 490.2 (3.) 556.2 (9.)
 Trefferlage 0.77 mm rechts, 3.35 mm tief
 Streuwert 7.47, horizontal: 8.26, vertikal: 6.59



Serie 2:
 10.5 * 10.4 * 9.2 ↘ 8.4 ↗ 10.2 ↗
 10.2 ↘ 9.9 ↓ 10.0 ← 10.3 ↘ 8.8 ↓
 beste Teiler 398.8 (11.) 470.4 (12.) 555.8 (19.)
 Trefferlage 1.31 mm rechts, 1.02 mm tief
 Streuwert 8.04, horizontal: 7.82, vertikal: 8.25



Serie 3:
 7.3 ← 10.7 * 9.7 ↘ 10.5 * 9.8 ↗
 8.5 ↗ 9.0 ↙ 9.9 ↘ 8.3 ↖ 8.9 ↖
 beste Teiler 162.6 (22.) 376.4 (24.) 812.6 (28.)
 Trefferlage 3.02 mm links, 1.26 mm hoch
 Streuwert 11.47, horizontal: 13.10, vertikal: 9.56





Serie 4:
 9.5 ↙ 9.9 → 8.8 ↙ 10.0 ← 10.0 ←
 9.3 ↘ 9.7 ↑ 7.5 ↑ 8.1 ↖ 10.0 ←
 beste Teiler 735.2 (34.) 766.2 (40.) 776.8 (35.)
 Trefferlage 1.82 mm links, 1.06 mm hoch
 Streuwert 11.05, horizontal: 7.98, vertikal: 13.43

Unterschrift des Schützen


Meyton Elektronik

Ergebnis:	360	(375.4)
Serien:	86 93 89 92	
Zähler:	12 18 9 0 1 0 0 0 0 0	
Innenzehner:	4	
weiteste:	3686 (1), 2359 (21), 2312 (2)	
beste Teiler	25.4 (14.) 150.2 (15.) 232.7 (11.)	
Trefferlage	2.51 mm rechts, 2.10 mm hoch	
Streuwert	10.04, horizontal: 8.96, vertikal: 11.02	




Serie 1:

6.3 ↑	8.1 ↙	9.0 ↘	9.2 →	8.9 ↑
8.2 ↗	9.1 ↑	9.1 ↑	10.3 ←	10.0 ↙
beste Teiler	538.7 (9.)	792.2 (10.)	1370.0 (4.)	
Trefferlage	0.22 mm rechts, 7.16 mm hoch			
Streuwert	13.02, horizontal: 9.67, vertikal: 15.66			




Serie 2:

10.7 *	9.7 ↘	10.1 ↑	10.9 *	10.8 *
10.0 →	9.3 ↗	8.9 →	9.8 ↙	8.1 ↗
beste Teiler	25.4 (14.)	150.2 (15.)	232.7 (11.)	
Trefferlage	3.77 mm rechts, 2.36 mm hoch			
Streuwert	7.64, horizontal: 7.24, vertikal: 8.02			



Serie 3:

8.0 →	10.3 ↘	9.3 ←	8.6 →	9.3 ↗
9.5 ↖	8.1 ↓	10.1 →	9.7 ↘	9.9 →
beste Teiler	529.0 (22.)	651.7 (28.)	858.5 (30.)	
Trefferlage	4.83 mm rechts, 0.93 mm tief			
Streuwert	10.26, horizontal: 10.83, vertikal: 9.65			





Serie 4:


9.1 ↑	9.8 ↖	10.3 ←	10.0 ↘	9.7 →
9.0 ↓	9.4 ↗	8.6 ↘	9.7 ←	10.5 *
beste Teiler	373.5 (40.)	490.7 (33.)	750.0 (34.)	
Trefferlage	1.22 mm rechts, 0.19 mm tief			
Streuwert	8.59, horizontal: 8.33, vertikal: 8.86			

Unterschrift des Schützen


Ergebnis: **341** (361.7)
 Serien: 87 86 86 82
 Zähler: 4 20 10 5 1 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3858 (8), 3139 (17), 3008 (40)
 beste Teiler 284.4 (38.) 411.6 (13.) 477.9 (3.)
 Trefferlage 0.49 mm links, 1.04 mm tief
 Streuwert 12.22, horizontal: 11.21, vertikal: 13.16




Serie 1:
 8.9 ↑ 9.8 ↖ 10.4 ↙ 9.5 ↘ 9.2 ↗
 9.2 ↑ 8.5 ↘ 6.1 ↓ 9.4 ↘ 10.3 ↗
 beste Teiler 477.9 (3.) 524.0 (10.) 944.4 (2.)
 Trefferlage 1.91 mm links, 1.45 mm tief
 Streuwert 12.68, horizontal: 6.61, vertikal: 16.68



Serie 2:
 8.7 ↘ 8.6 ↘ 10.4 * 9.1 ↖ 9.4 ↘
 8.8 → 7.0 ↘ 9.9 ↘ 9.7 ↑ 9.1 ↙
 beste Teiler 411.6 (13.) 844.1 (18.) 967.3 (19.)
 Trefferlage 1.29 mm rechts, 3.09 mm tief
 Streuwert 11.98, horizontal: 11.88, vertikal: 12.07





Serie 3:
 9.6 ↘ 8.7 → 8.5 ↗ 9.7 ↑ 8.3 ↖
 9.9 ↘ 8.5 ← 9.8 ↘ 9.6 → 9.5 ←
 beste Teiler 859.7 (26.) 956.4 (28.) 989.0 (24.)
 Trefferlage 0.91 mm links, 1.58 mm hoch
 Streuwert 10.82, horizontal: 14.01, vertikal: 6.18




Serie 4:
 8.0 ↗ 7.6 ↘ 7.8 ↘ 9.6 ↘ 7.5 ↑
 9.6 ← 9.9 ↙ 10.6 * 9.8 ↘ 7.2 ↙
 beste Teiler 284.4 (38.) 813.5 (37.) 926.6 (39.)
 Trefferlage 0.45 mm links, 1.22 mm tief
 Streuwert 14.72, horizontal: 12.55, vertikal: 16.60

Unterschrift des Schützen


Ergebnis: **352** (375.2)
 Serien: 85 86 88 93
 Zähler: 8 21 7 3 1 0 0 0 0 0
 Innenzehner: 6
 weiteste: 3269 (16), 2774 (1), 2730 (9)
 beste Teiler 38.0 (35.) 171.4 (37.) 206.4 (33.)
 Trefferlage 2.57 mm links, 4.04 mm tief
 Streuwert 9.75, horizontal: 7.59, vertikal: 11.52




Serie 1:
 7.5 ↓ 10.7 * 9.0 ↓ 9.6 ↘ 8.8 ↘
 9.2 ↑ 10.6 * 8.9 ↑ 7.5 ↓ 8.7 ↓
 beste Teiler 212.1 (2.) 251.6 (7.) 1080.5 (4.)
 Trefferlage 2.72 mm links, 3.75 mm tief
 Streuwert 12.35, horizontal: 6.33, vertikal: 16.28



Serie 2:
 9.0 ↓ 9.8 ↓ 9.5 ↗ 10.5 * 9.7 ↓
 6.9 ↗ 9.6 ↗ 9.4 ↗ 9.7 ↘ 7.7 ↓
 beste Teiler 327.9 (14.) 884.9 (12.) 971.9 (15.)
 Trefferlage 5.30 mm links, 10.95 mm tief
 Streuwert 8.11, horizontal: 6.05, vertikal: 9.75



Serie 3:
 8.7 ↓ 9.6 ← 10.2 ↘ 9.4 ↖ 8.6 ←
 8.6 ↗ 9.7 ↘ 9.7 ↑ 9.6 ↘ 9.5 ↗
 beste Teiler 608.7 (23.) 970.7 (28.) 973.5 (27.)
 Trefferlage 3.88 mm links, 0.75 mm tief
 Streuwert 9.42, horizontal: 8.73, vertikal: 10.07



Serie 4:
 10.0 ↑ 9.7 ↑ 10.7 * 8.9 → 10.9 *
 9.6 → 10.7 * 9.9 ↘ 9.0 ← 9.9 ↓
 beste Teiler 38.0 (35.) 171.4 (37.) 206.4 (33.)
 Trefferlage 1.62 mm rechts, 0.69 mm tief
 Streuwert 7.17, horizontal: 8.19, vertikal: 5.97

Unterschrift des Schützen

Meyton Elektronik